

Technical Memorandum

Channel Capacity Report 2016 Restoration Year



1 **Table of Contents**

2 **1.0 Executive Summary** ES-1

3

4 **2.0 Introduction** 1

5 2.1 Objective 2

6 2.2 CCAG Roles and Responsibilities 2

7 2.3 Channel Capacity Technical Factors 4

8 2.4 PEIS/R Approach to Minimizing Flood Risk 5

9

10 **3.0 Study Area** 6

11 3.1 Reach 2 6

12 3.2 Reach 3 7

13 3.3 Reach 4 7

14 3.4 Reach 5 7

15 3.5 Eastside Bypass and Mariposa Bypass 8

16

17 **4.0 Then-existing Channel Capacity Criteria** 12

18 4.1 PEIS/R Levee Criteria 12

19 4.2 Future Evaluation Process 13

20

21 **5.0 Data and Analytical Tools** 14

22 5.1 Restoration Hydrograph 14

23 5.2 Hydraulics 16

24 5.3 Sediment Transport 17

25 5.4 Geotechnical 18

26 5.5 Modeling Strategy 18

27

28 **6.0 Current Then-existing Channel Capacity** 19

29

30 **7.0 Completed Channel Capacity Studies and Related Work** 19

31 7.1 Updated In-channel Capacity Study 20

32 7.2 Priority 1 Levee Geotechnical Assessment 26

33

34 **8.0 Recommended Then-existing Channel Capacities** 34

35

1 **9.0 Future Program Actions with the Potential to Improve Then-existing Channel**

2 **Capacity 37**

3 9.1 Immediate Actions 37

4 9.2 Near-Term Actions 38

5 9.3 Long-Term Actions..... 39

6 9.4 Framework for Implementation 40

7

8 **10.0 Future Program Studies and Monitoring with the Potential to Inform Then-existing**

9 **Channel Capacity..... 41**

10 10.1 Technical Studies 41

11 10.2 Monitoring Activities..... 46

12

13 **11.0 Non-Program Actions and Studies that May Influence Future Channel Capacity..... 51**

14 11.1 Lower San Joaquin Levee District..... 51

15 11.2 Merced National Wildlife Refuge..... 51

16 11.3 DWR 52

17

18 **12.0 References..... 54**

19

20 **Tables**

21 Table ES-1 Current and Recommended Then-existing Channel Capacity..... ES-3

22 Table ES-2 Summary of In-channel Capacity for Each Side of Levee by River Reach ES-5

23 Table ES-3 Maximum Allowable Flows on Levees for the Gravelly Ford Study Area. ES-7

24 Table ES-4 Maximum Allowable Flows on Levees for the Middle Eastside Bypass Study

25 Area ES-8

26 Table 6-1 Current Then-existing Channel Capacity..... 19

27 Table 7-1 Summary of In-channel Capacity for Each Side of Levee by River Reach..... 23

28 Table 7-2 Priority 1 Maximum Allowable Flows on Levees for the Gravelly Ford Study

29 Area..... 32

30 Table 7-3 Priority 1 Maximum Allowable Flows on Levees for the Eastside Bypass Study

31 Area..... 33

32 Table 8-1 Current and Recommended Then-existing Channel Capacity..... 36

33 Table 9-1 Restoration Flow Limitations as it Relates to Agricultural Seepage.....39

34

35 **Figures**

36 Figure 3-1 San Joaquin River Restoration Program Location..... 9

37 Figure 3-2 San Joaquin River Reaches and Flood Bypass System..... 10

38 Figure 3-3 Flood Channel Design Flows 11

1 Figure 5-1 Restoration Flow Hydrograph at Friant Dam..... 15
2 Figure 7-1 Levee Schematic Defining Levee Features and In-channel Capacity..... 21
3 Figure 7-2 Gravelly Ford Study Area 27
4 Figure 7-3 Middle Eastside Bypass Study Area 28
5 Figure 7-4 Reaches with Maximum Allowable Flows of less than 4,500 cfs 31
6 Figure 10-1 Regional Subsidence Map..... 45
7 Figure 10-2 Current flow gages (purple) and staff gages (pink) available on CDEC 48

8

9 **Appendices**

10 Appendix A - PEIS/R Text Related to Channel Capacity
11 Appendix B - Updated San Joaquin River In-channel Capacity Analysis
12 Appendix C - Levee Capacity Evaluation of Geotechnical Gravelly Ford (Reach 2A) Study
13 Area
14 Appendix D - Levee Capacity Evaluation of Geotechnical Middle Eastside Bypass (Reach
15 4A, Sand Slough Connector Channel, Upper and Middle Eastside Bypass)
16 Study Area
17 Appendix E - Responses to Comments, 2016

18

1 List of Abbreviations and Acronyms

2		
3	CBBS	Chowchilla Bypass Bifurcation Structure
4	CCAG	Channel Capacity Advisory Group
5	CDEC	California Data Exchange Center
6	CFS	Cubic feet per second
7	CPT	Cone Penetration Test (Cone Penetrometer Test)
8	CVFPP	Central Valley Flood Protection Plan
9	CVFED	Central Valley Floodplain Evaluation and Delineation
10	CVFPB	Central Valley Flood Protection Board
11	Delta	Sacramento-San Joaquin Delta
12	DMC	Delta-Mendota Canal
13	DTM	Digital Terrain Model
14	DWR	Department of Water Resources
15	FSRP	Flood System Repair Project
16	GAR	Geotechnical Assessment Report
17	GDR	Geotechnical Data Report
18	GOR	Geotechnical Overview Report
19	GCR	Geotechnical Conditions Report
20	LMAs	Local Maintaining Agencies
21	LSJLD	Lower San Joaquin Levee District
22	LSJRFC Project	Lower San Joaquin River Flood Control Project
23	MNWR	Merced National Wildlife Refuge
24	NRDC	Natural Resources Defense Council
25	NULE	Non-Urban Levee Evaluation
26	O&M	Operations and Maintenance
27	PEIS/R	Program Environmental Impact Statement/Environmental
28		Impact Report
29	RACER	Remedial Alternatives and Cost Estimates Report
30	Reclamation	Bureau of Reclamation
31	Restoration Area	San Joaquin River Restoration Program Restoration Area
32	RFMP	Regional Flood Management Plan
33	RM	River mile
34	ROD	Record of Decision
35	SJLE Project	San Joaquin Levee Evaluation Project
36	SJRRP	San Joaquin River Restoration Program
37	SPFC	State Plan of Flood Control
38	WSE	Water surface elevation
39	WSP	Water surface profile
40	ULE	Urban Levee Evaluation
41	USACE	U.S. Army Corps of Engineers
42	USFWS	U.S. Fish and Wildlife Service
43	USGS	U.S. Geological Survey
44	USJR	Upper San Joaquin River

1 **Definitions**

2 **San Joaquin River Restoration Program (SJRRP):** The SJRRP (also known as Program) was
3 established in late 2006 to restore and maintain fish populations in good condition in the
4 mainstem of the San Joaquin River (SJR) below Friant Dam to the confluence of the Merced
5 River, while reducing or avoiding adverse water supply impacts.

6
7 **Settlement:** In 2006, the SJRRP was established to implement the Stipulation of Settlement in
8 *NRDC, et al., v. Kirk Rodgers, et al.*

9
10 **Program Environmental Impact Statement/Environmental Impact Report (PEIS/R):** The
11 Bureau of Reclamation (Reclamation), as the federal lead agency under the National
12 Environmental Policy Act (NEPA) and the California Department of Water Resources (DWR),
13 the state lead agency under the California Environmental Quality Act (CEQA), jointly prepared a
14 Program Environmental Impact Statement/Report (PEIS/R) and signed a Record of Decision and
15 Notice of Determination (ROD and NOD), respectively, in 2012 to implement the Settlement.

16
17 **Channel Capacity Advisory Group:** The Channel Capacity Advisory Group provides focused
18 input to Reclamation’s determination of “then-existing channel capacity” within the Restoration
19 Area.

20
21 **Then-existing channel capacity:** The channel capacity within the Restoration Area that
22 correspond to flows that would not significantly increase flood risk from Restoration Flows in
23 the Restoration Area. This annual report will recommend updating then-existing channel
24 capacity based on recently completed evaluations.

25
26 **In-channel capacity:** The channel capacity at which the water surface elevation is maintained at
27 or below the elevation of the outside ground (i.e., along the landside levee toe).

28

1.0 Executive Summary

2 Background

The San Joaquin River Restoration Program (SJRRP) was established in late 2006 to implement a Stipulation of Settlement (Settlement) in NRDC, et al., v. Kirk Rodgers, et al. The U.S. Department of the Interior, Bureau of Reclamation, the Federal lead agency under the National Environmental Policy Act, and the California Department of Water Resources (DWR), the State lead agency under the California Environmental Quality Act, prepared a joint Program Environmental Impact Statement/Report (PEIS/R) to support implementation of the Settlement.

The Settlement calls for releases of Restoration Flows, which were initiated in 2014 and are specific volumes of water to be released from Friant Dam during different water year types, according to Exhibit B of the Settlement. Federal authorization for implementing the Settlement is provided in the San Joaquin River Restoration Settlement Act (Act) (Public Law 111-11). Reclamation signed the Record of Decision (ROD) on September 28, 2012. Both the PEIS/R and the ROD committed to establishing a Channel Capacity Advisory Group (CCAG) to determine and update estimates of then-existing channel capacities as needed and to maintain Restoration Flows at or below estimates of then-existing channel capacities. Then-existing channel capacities in the Restoration Area (leveed reaches within the San Joaquin River between Friant Dam and the confluence of the Merced River and the flood control bypass) correspond to flows that would not significantly increase flood risk from Restoration Flows. This Channel Capacity Report is for the 2016 Restoration Year and is the third report in a series of reports prepared annually. The 2016 Report, prepared in coordination with the CCAG, fulfills the commitments in the ROD.

The primary objective of this report is to provide the CCAG and the public a summary of the prior Restoration Year's data, methods, and estimated channel capacities; and recommendations for monitoring and management actions for the following year. Identifying then-existing channel capacity is critically important to ensure the release of Restoration Flows would not significantly increase flood risk in the Restoration Area. This report only considers flood risks associated with levee failure when estimating then-existing channel capacity; all other potential material impacts, including agricultural seepage, are addressed in other analyses but are also summarized in this report.

30 CCAG Roles and Responsibilities

The CCAG is comprised of members from the Bureau of Reclamation (Convener), California Department of Water Resources (DWR, Co-convener), U.S. Army Corps of Engineers (USACE), Lower San Joaquin Levee District (LSJLD), and the Central Valley Flood Protection Board (CVFPB). The role of the CCAG is to: (1) provide independent review of Reclamation's estimates of then-existing channel capacity as needed; (2) provide independent review of Channel Capacity Reports; (3) participate in CCAG meetings; (4) provide independent and

1 timely review of data; and (5) provide input and guidance on monitoring and management
2 actions.

3 **Study Area**

4 This Channel Capacity Report focuses on the portion of the Restoration Area where levees exist
5 along channels to control flows. The leveed reaches on the San Joaquin River start at Gravelly
6 Ford (River Mile 226.9) and continue to the Merced River confluence (River Mile 118.2). The
7 study area also includes the Eastside Bypass from the Sand Slough Connector Channel to the
8 confluence with the San Joaquin River and the Mariposa Bypass.

9 **Findings and Recommendations**

10 Then-existing channel capacities are defined as flows that would correspond to the appropriate
11 levee slope stability and underseepage Factors of Safety based on USACE criteria for levees.
12 The application of the criteria requires the collection and evaluation of data at locations
13 throughout the Restoration Area. Until adequate data are available to apply the USACE criteria,
14 the release of Restoration Flows would be limited to those that would remain in-channel (the
15 water surface elevation in the river remains below the levees). Based on the results of technical
16 studies summarized in this report and detailed in Appendices, the 2016 recommended then-
17 existing channel capacities would increase in Reach 2A, Reach 3, Reach 4A, Reach 5, and the
18 Middle Eastside Bypass. However, an increase in then-existing capacity in the Middle Eastside
19 Bypass depends on the assumed operation of the Merced National Wildlife Refuge weirs. If the
20 weirs are not operating, the capacity of the reach can be as high as 1,070 cfs, but during weir
21 operations the capacity of the reach ranges from 0 cfs to 580 cfs. The recommended then-
22 existing channel capacity of 580 cfs recommended for this reach is based on the typical operation
23 of the weirs. If all of the boards are placed into the weirs, the levees in this reach will not meet
24 USACE criteria, essentially reducing the capacity to 0 cfs. The other reaches will have the same
25 then-existing channel capacities that were reported in the 2015 Channel Capacity Report. A
26 summary of the current and recommended Then-existing channel capacity for the San Joaquin
27 River and flood bypasses are described in Table ES-1 below. In addition to consideration of
28 then-existing channel capacities, the release of Restoration Flows would also be limited by
29 agricultural seepage. The table also identifies limitations in Restoration Flows based on
30 agricultural seepage. Details of how these seepage limits are determined and limit Restoration
31 Flows are in the Seepage Management Plan.

Table ES-1.**Current and Recommended Then-existing Channel Capacity**

Reach	Current Then-existing Channel Capacity (cfs)	Recommended Then-existing Channel Capacity (cfs) ¹
Reach 2A	1,630	6,000 ²
Reach 2B	1,120	1,120
Reach 3	2,760	2,860 ³
Reach 4A	970	2,840 ⁴
Reach 4B1	Not Analyzed	Not Analyzed
Reach 4B2	930	930
Reach 5	1,940	2,350
Middle Eastside Bypass	370	580 ⁵
Lower Eastside Bypass	2,890	2,890
Mariposa Bypass	350	350

¹ Then-existing channel capacity is based on levee stability only and does not consider Restoration Flow limitations related to agricultural seepage.

² Capacity not assessed for flows greater than 6,000 cfs. Restoration Flows are limited to 2,140 cfs due to agricultural seepage.

³ Restoration Flows are limited to 900 cfs due to agricultural seepage.

⁴ Restoration Flows are anticipated to be limited to 300 cfs due to agricultural seepage based on seepage.

⁵ The recommended then-existing channel capacity reflects the typical board setting at the weirs that allows for flow diversions within the Merced National Wildlife Refuge. If all of the boards are removed from the weirs, the capacity could increase to 1,070 cfs. If all of the boards are placed in the weirs, Restoration Flows could not be put into the bypass without exceeding USACE criteria. Restoration Flows are anticipated to be limited to 300 cfs due to agricultural seepage.

13 **Current Channel Capacity Studies and Related Work Completed**

14 The following technical studies and related work were completed at the time of the publication
15 of this report that relate to channel capacities and were specifically evaluated to determine the
16 recommended then-existing channel capacities in this report.

17 **Updated In-channel Capacity Study**

18 The In-channel Capacity Study for the San Joaquin River and the Eastside and Mariposa
19 bypasses between Friant Dam and the confluence with the Merced River was initially conducted
20 in 2013. This study provides initial channel capacity estimates within leveed reaches that can
21 inform then-existing channel capacity prior to sufficient data becoming available to determine
22 levee slope stability and underseepage Factors of Safety. The in-channel capacities were updated
23 in Reach 3, Reach 4A, and the Middle Eastside Bypass to consider subsidence. Additional
24 updates to the study include verification of and revisions to a small number of outside ground
25 elevations, an assessment of the impacts to channel capacity resulting from the operation of the
26 Merced National Wildlife Refuge weirs in the Middle Eastside Bypass, and consideration of
27 whether an isolated length of levee in Reach 5 will be impacted by Restoration Flows. Since
28 completion of the initial in-channel capacity analysis, geotechnical evaluations have also been
29 made of the levees in Reach 2A, the Middle Eastside Bypass, and the lower portion of Reach 4A.

1 Computed water-surface profiles were compared to the outside ground elevations adjacent to
2 both the left and right levees along the extent of each reach. The in-channel flow capacity of each
3 reach was determined to be the highest flow rate through the reach where the water-surface
4 elevation is at or below the outside ground elevation for any part of the reach. Results for each
5 reach are summarized in Table ES-2. The in-channel capacity in reaches that did not have
6 geotechnical data inform the 2016 recommended then-existing channel capacity outlined in
7 Table ES-1.

1
2

**Table ES-2.
Summary of In-channel Capacity for Each Side of Levee by River Reach**

Reach	Levee Side	In-channel Capacity ¹ (cfs)
Reach 2A	Left	2,430
Reach 2A	Right	1,630
Reach 2B (Entire Reach)	Left	0
Reach 2B (Entire Reach)	Right	0
Reach 2B (Excluding Mendota Pool) ²	Left	1,120
Reach 2B (Excluding Mendota Pool) ²	Right	1,550
Reach 3	Left	3,960
Reach 3	Right	2,860
Reach 4A (Inside geotechnical study area) ³	Left	980
Reach 4A (Inside geotechnical study area) ³	Right	1,340
Reach 4A (Outside geotechnical study area)	Left	2840
Reach 4A (Outside geotechnical study area)	Right	2840
Reach 4B2	Left	1,370
Reach 4B2	Right	930 ⁴
Reach 5	Left	2,350
Reach 5	Right	2,500
Middle Eastside Bypass (Eastside Bypass Reach 2) (Boards Out condition) ⁵	Left	10 ⁶
Middle Eastside Bypass (Eastside Bypass Reach 2) (Boards Out condition) ⁵	Right	340 ⁶
Lower Eastside Bypass (Eastside Bypass Reach 3)	Left	2,970
Lower Eastside Bypass (Eastside Bypass Reach 3)	Right	2,890
Mariposa Bypass	Left	650
Mariposa Bypass	Right	350

3
4
5
6
7
8

¹ Capacity based on outside ground elevations.
² Portion of reach above influence of Mendota Pool (about River Mile 209.5).
³ Includes the length of levee that was analyzed under the SJLE Project and is included in the Geotechnical Conditions Report.
⁴ Capacity excludes localized deep depressions, which would reduce capacity to 50 cfs.
⁵ Capacity assumes the refuge is not diverting flows and the weirs are not operating ("Boards Out").
⁶ In-channel capacity is essentially 0 cfs when the refuge is diverting flow and the weirs are operating ("Typical Boards" and "Boards In").

1 **Priority 1 Levee Geotechnical Assessment**

2 Levee evaluations along the San Joaquin River and flood bypasses are being conducted by DWR
3 to assist the SJRRP assess flood risks due to levee seepage and stability associated with the
4 release of Restoration Flows for the SJRRP. The evaluations were performed under DWR's San
5 Joaquin Levee Evaluation Project (SJLE Project) and included the exploration and evaluation of
6 existing levees within the Restoration Area that will be used to convey future Restoration Flows.
7 The evaluation would allow the SJRRP to identify the maximum flow that can be conveyed on
8 the levees without exceeding USACE criteria for levee underseepage and slope stability.

9 In identifying the priorities of the SJLE Project, DWR classified levee segments in the
10 Restoration Area in one of three categories representing an increasing priority for the need to
11 complete the geotechnical evaluation and analyses. Priority 1 levees are located in Reach 2A
12 (14.9 miles) (Gravelly Ford Study Area); the Middle Eastside Bypass (from Sand Slough to the
13 Eastside Bypass Control Structure) (20.6 miles), and the lowest 4.1 miles of Reach 4A (Middle
14 Eastside Bypass Study Area).

15 The result of the SJLE Project evaluations was a maximum water surface elevation in 26 levee
16 reaches within the Reach 2A, Reach 4A, and Middle Eastside Bypass that can be conveyed by
17 the existing levees without exceeding USACE criteria. A hydraulic analysis to establish a
18 maximum flow capacity in these levee reaches was then performed on the results of the SJLE
19 Project analysis.

20 The geotechnical assessments, evaluations and identified maximum water surface elevation for
21 the identified reaches are summarized in Geotechnical Conditions Reports (GCR). Table ES-3
22 summarizes the maximum water surface elevation and respective allowable flows of at least
23 6,000 cfs that can be put into each reach of the levees within the Gravelly Ford Study Area
24 (Reach 2A).

25

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15

**Table ES-3.
Maximum Allowable Flows on Levees for the Gravelly Ford Study Area**

GCR Reach	GCR Station (ft)	Representative Model Cross Section	GCR Reference Elevation (ft)	Capacity (cfs)
Gravelly Ford Study Area (Reach 2A)				
A	11418+00	526981	176.0	>6,000 cfs
B	11560+00	541706	182.5	>6,000 cfs
C	11644+00	549708	185.3	>6,000 cfs
D	11708+00	555801	189.7	>6,000 cfs
E ¹				
F	11647+00	521166	173.3	>6,000 cfs
G	11742+00	532395	178.7	>6,000 cfs
H	11830+00	538908	182.6	>6,000 cfs

¹ Reach E was not evaluated due to the low height of the levee.

Table ES-4 summarizes the maximum water surface elevation and the respective allowable flows that can be put into each reach with the Middle Eastside Bypass Study Area (Reach 4A, Middle and Upper Eastside Bypass). This study area has been adjusted for subsidence and shows that five reaches have an allowable flow capacity of less than 4,500 cfs. Table ES-4 also shows the capacity of the Middle Eastside Bypass Study Area assuming conditions at the weirs within the Merced National Wildlife Refuge. If the weirs are not operating, it is known as the "Boards Out" condition, and the capacity of the reach is about 1,070 cfs. If the weirs are operating in their typical configuration, known as the "Typical Condition", the capacity is reduced to 580 cfs. However, occasionally, all of the boards are placed into the weirs. This is known as the "Boards In" condition, which essentially reduces the capacity of the reach to 0 cfs.

1
2

Table ES-4.

Maximum Allowable Flows on Levees for the Middle Eastside Bypass Study Area

GCR Reach	GCR Station (ft)	Representative Model Cross Section	Post-Subsidence		
			GCR Reference Elevation (ft) [post-subsidence]	Capacity (cfs)	
				Typical Boards	Boards Out
Eastside Bypass Study Area (Reach 4A and Middle Eastside Bypass)					
A	102000	60106	99.4	>4,500	>4,500
B	106500	64035	105.5	>4,500	>4,500
C	111000	69622	98.2	3,290	3,290
D	116400 ²	73247	100.9	>4,500	>4,500
E	136100	93015	103.2	>4,500	>4,500
F	144600	101445	102.6	>4,500	>4,500
G	152300	107371	111.4	>4,500	>4,500
H	155500	108228	109.2	>4,500	>4,500
I	157000	109849	108.6	>4,500	>4,500
J	106000	61699	96.3	4,150	4,150
K	111830	67946	100.2	>4,500	>4,500
L	116800	72501	99.6	2,600	2,600
M	126500	82690	105.6	>4,500	>4,500
N	134500	90952	102.3	>4,500	>4,500
O	140500	96995	99.2	580 ¹	1,070
P	152500	109849	104.3	>4,500	>4,500
Q	937400	269381	109.7	>4,500	>4,500
R	926300	270685	107.3	>4,500	>4,500

3
4

¹ If all of boards are placed in the weirs at the refuge, the capacity of this reach is essentially 0 cfs.

1 **Future Program Actions with the Potential to Impact Then-existing** 2 **Channel Capacity**

3 Throughout Settlement implementation, the maximum downstream extent and rate of
4 Restoration Flows to be released would be limited to then-existing channel capacities. As
5 channel or structure modifications are completed with additional environmental compliance,
6 Restoration Flow releases would be correspondingly increased in accordance with then-existing
7 channel capacities and with the release schedule. If release of water from Friant Dam is required
8 for flood control purposes, concurrent Restoration Flows would be reduced by an amount
9 equivalent to the required flood control release. If flood control releases from Friant exceed the
10 concurrent scheduled Restoration Flows, no additional releases above those required for flood
11 control would be made for SJRRP purposes. Until sufficient data are available to determine the
12 levee seepage and stability Factors of Safety, Reclamation would limit initial Restoration Flow
13 releases to those flows which would remain in-channel. When sufficient data are available to
14 determine the Factors of Safety, Reclamation would limit the release of Restoration Flows to
15 those flows which would maintain standard USACE levee performance criteria at all times.

16 This report, similar to the 2014 and 2015 Reports, describes both the future Program studies and
17 monitoring and non-program actions with the potential to inform then-existing channel capacity.
18 The future Program technical studies include the implementation of the SJLE Project (includes
19 geotechnical exploration and analysis), continued study and updates to the Reach 2A
20 Morphology Study (as needed), continued subsidence monitoring and study, as well as a
21 vegetation study. The Program monitoring activities also continue to include: gage monitoring,
22 water surface profile surveys, aerial and topographic surveys, vegetation surveys, and sediment
23 mobilization monitoring.

24 There are other entities that are active in the Restoration Area and whose programs may help
25 inform or impact then-existing channel capacity. The SJRRP will need to closely coordinate and
26 collaborate with these entities by sharing data and coordinating specific actions along the river
27 that can inform or impact channel capacity. These entities and activities include the LSJLD's
28 operation and maintenance of the bypass system and river channel; the U.S. Fish & Wildlife
29 Service operation of weirs within the boundaries of the Merced National Wildlife Refuge
30 (MNWR) along the Middle Eastside Bypass, and DWR efforts such as the Non-Urban Levee
31 Evaluations, the Regional Flood Management Planning effort and the Flood System Repair
32 Project. The SJRRP would continue to coordinate with these non-Program efforts and actions,
33 and the CCAG will consider the effect of these actions in future Channel Capacity Reports.

1 2.0 Introduction

2 The San Joaquin River Restoration Program (SJRRP) was established in late 2006 to implement
3 a Stipulation of Settlement (Settlement) in *NRDC, et al., v. Kirk Rodgers, et al.* The U.S.
4 Department of the Interior, Bureau of Reclamation (Reclamation), the Federal lead agency under
5 the National Environmental Policy Act (NEPA), and the California Department of Water
6 Resources (DWR), the State lead agency under the California Environmental Quality Act
7 (CEQA), prepared a joint Program Environmental Impact Statement/Report (PEIS/R) to support
8 implementation of the Settlement. The Settlement calls for releases of Restoration Flows, which
9 were initiated in 2014 and are specific volumes of water to be released from Friant Dam during
10 different water year types, according to Exhibit B of the Settlement. Federal authorization for
11 implementing the Settlement is provided in the San Joaquin River Restoration Settlement Act
12 (Act) (Public Law 111-11). Reclamation signed the Record of Decision (ROD) on September 28,
13 2012. Both the PEIS/R and the ROD committed to establishing a Channel Capacity Advisory
14 Group (CCAG) to determine and update estimates of then-existing channel capacities as needed
15 and to maintain Restoration Flows at or below estimates of then-existing channel capacities.
16 Then-existing channel capacities in the Restoration Area (the San Joaquin River between Friant
17 Dam and the confluence of the Merced River) correspond to flows that would not significantly
18 increase flood risk from Restoration Flows. Sections of the PEIS/R applicable to the CCAG are
19 included in Appendix A of this report.

20 This Channel Capacity Report for the 2016 Restoration Year (2016 Report) is the third in the
21 series of annual reports required to fulfil the commitments in the ROD. The 2014 and 2015
22 Channel Capacity Reports can be found at the SJRRP website under the following links:

23 2014 Report - [http://www.restoresjr.net/download/program-documents/program-docs-
24 2014/Channel_Capacity_Report_Final_-_2014_Accessible.pdf](http://www.restoresjr.net/download/program-documents/program-docs-2014/Channel_Capacity_Report_Final_-_2014_Accessible.pdf)

25 2105 Report - [http://www.restoresjr.net/download/program-documents/program-docs-
26 2015/Channel%20Capacity%20Report_Final_01132015_Accessible.pdf](http://www.restoresjr.net/download/program-documents/program-docs-2015/Channel%20Capacity%20Report_Final_01132015_Accessible.pdf)

27 The 2015 Report did not provide any updates to the 2014 Report then-existing channel
28 capacities, but highlighted future studies and data gaps that will be key in informing future
29 channel capacities. However, this report will recommend updating then-existing channel
30 capacities for the 2016 Restoration Year that will consider subsidence and geotechnical data for
31 some of the reaches. In doing so, this report will describe the new studies that directly support
32 the recommendations for then-existing channel capacity, as well as updates to studies described
33 in the 2015 Report. The 2016 Report will also continue to summarize and provide updates of the
34 future actions, and the studies and monitoring that will impact future then-existing channel
35 capacities.

1 The 2016 Report was available for a 60-day public review and comment period beginning on
2 September 18, 2015 to November 17, 2015. Written comments were received by Wonderful
3 Orchards. The comments and responses are summarized and included in Appendix E of this
4 Report.

5 **2.1 Objective**

6 This Channel Capacity Report is required by the SJRRP PEIS/R and the corresponding ROD.
7 The primary objective of the report is to provide the CCAG and the public a summary of the
8 prior year's data, methods, and estimated channel capacities and the following year's monitoring
9 and management actions. In doing so, it will present data, evaluations, estimates of then-existing
10 channel capacity, and management actions to address levee stability, hydraulics, and sediment
11 transport within the system in accordance with levee performance standards. Identifying then-
12 existing channel capacity is critically important to ensure the release of Restoration Flows in
13 2016 would not significantly increase flood risk in the Restoration Area. This report only
14 considers flood risks associated with levee failure when estimating then-existing channel
15 capacity. All other potential material impacts, including agricultural seepage, are addressed in
16 other analyses.

17 This report shall be prepared annually in coordination with the CCAG. The purpose of the
18 CCAG is to provide independent review of estimated then-existing channel capacities,
19 monitoring results, and management actions to address vegetation and sediment transport within
20 the systems as developed by the Bureau of Reclamation (Reclamation).

21 **2.2 CCAG Roles and Responsibilities**

22 The CCAG is comprised of the following organizations and representatives:

- 23 • Bureau of Reclamation (Convener):
 - 24 - Pablo Arroyave, Deputy Regional Director (primary)
 - 25 - Alicia Forsythe, SJRRP Program Manager (alternate)

26

- 1 • CA Department of Water Resources (Co-convener):
 - 2 - To be determined, (primary)
 - 3 - Kevin Faulkenberry, Chief, South Central Region Office (alternate)
- 4 • U.S. Army Corps of Engineers:
 - 5 - To be determined, Project Manager (primary)
 - 6 - Christy Jones, Lead Water Manager (alternate)
- 7 • Lower San Joaquin Levee District:
 - 8 - Reggie Hill, General Manager (primary)
 - 9 - Robert Tull (alternate)
- 10 • Central Valley Flood Protection Board:
 - 11 - Len Marino, Chief Engineer (primary)
 - 12 - Ali Porbaha, Senior Engineer (alternate)

13 The roles and responsibilities of the CCAG members are as follows:

- 14 • **Provide independent review of Reclamation’s estimates of then-existing channel**
15 **capacity as needed:** Provide an independent review of Reclamation’s estimated then-
16 existing channel capacities, monitoring results, and management actions to address levee
17 stability, hydraulics, and sediment transport within the system estimated by Reclamation in
18 accordance with standard USACE levee performance criteria.
- 19 • **Provide independent review of Channel Capacity Reports:** Annually or in the event
20 Reclamation proposes increasing the upper limit of releases for Restoration Flows,
21 Reclamation will release a public report detailing the new upper limits of releases and data
22 and methods used to develop the new upper limits of releases. The CCAG provides input
23 during the development of these public reports.
- 24 • **Participate in Channel Capacity Advisory Group meetings:** Reclamation organizes
25 working meetings for the CCAG to review progress made in developing the annual reports.
26 These meetings are an opportunity for the CCAG to comment on content as it is developed.
27 CCAG members attend and participate in working meetings.
- 28 • **Provide independent and timely review of data:** The CCAG provides a timely review of
29 data, analytical methodology, and results used to estimate the then-existing channel
30 capacities.
- 31 • **Provide input and guidance on monitoring and management actions:** Reclamation
32 provides occasional updates on on-going erosion monitoring and management results –
33 including monitoring of potential erosion sites – to the CCAG. The CCAG provides
34 comments on information provided through these updates.

1 2.3 Channel Capacity Technical Factors

2 There are several factors that can impact and limit channel capacity. The following is a summary
 3 of the factors that could be considered when evaluating and recommending then-existing channel
 4 capacities, as well as determining potential future improvements and other management actions
 5 of the SJRRP.

- 6 • **Levee Integrity** - Channel capacity may be limited if the levee is not constructed to design
 7 criteria (e.g., insufficient slope stability Factor of Safety or underseepage Factor of Safety) or
 8 if there is insufficient data to assess levee performance. In addition, observations (e.g., boils,
 9 sloughing, seepage, etc.) made of the performance of a levee during historical flow releases
 10 can also provide information on levee integrity and stability. These factors may result in
 11 recommendations to increase or decrease channel capacity.
- 12 • **Erosion** - Stream bank erosion that encroaches on the levee prism or has a significant
 13 potential to encroach on the levee prism increases the potential for levee failure. Therefore,
 14 channel capacity may be limited if erosion is present that could result in levee failure during
 15 a flow release.
- 16 • **Duration and Timing and Flow Releases** –The duration and timing of flow releases may
 17 cause water to be against a levee for a period of time which could result in the levee
 18 becoming saturated. As the levee becomes saturated, seepage through and sloughing of the
 19 soil can occur, which could result in the loss of foundation stability and ultimately potential
 20 levee failure.
- 21 • **Sediment Transport** - Sedimentation or scouring may change the geometry of the channel
 22 and increase or decrease channel capacity.
- 23 • **Subsidence** - Ground subsidence may change the geometry of the channel and increase or
 24 decrease channel capacity. Subsidence may also reduce freeboard, thus increasing the
 25 potential for overtopping during flow releases.
- 26 • **Vegetation** - In-channel vegetation may impact flow and stage and is measured by channel
 27 roughness in a hydraulic analysis. Changes in in-channel vegetation can increase or decrease
 28 channel capacity.
- 29 • **Operation and Maintenance** - Levee operation and maintenance (O&M) programs are
 30 necessary to assess changed conditions that could impact channel capacity and to provide
 31 flood fight capability in case of levee failure. Channel capacity may be limited if there are
 32 inadequate O&M resources to monitor conditions that could affect channel capacity.
- 33 • **Constructed Improvements** - Levee construction may improve levee integrity or channel
 34 geometry and increase channel capacity.
- 35 • **Additional Factors** - Other future conditions (i.e. climate change, structures, land
 36 encroachments, etc.) not listed above, or those recommended by the CCAG will also be a
 37 consideration in evaluating channel capacity.

38 The above factors, as well as others, are being considered as part of the current or future SJRRP
 39 studies and monitoring to determine then-existing channel capacity.

1 **2.4 PEIS/R Approach to Minimizing Flood Risk**

2 As outlined in the PEIS/R, Reclamation will minimize flood risk from Restoration Flows
3 throughout the Settlement implementation process by undertaking three integrated measures: (1)
4 establish a CCAG and determine and update the estimates of then-existing channel capacities as
5 needed; (2) maintain Restoration Flows below estimates of then-existing channel capacities; and
6 (3) closely monitor erosion and perform maintenance and/or reduce Restoration Flows as
7 necessary to avoid erosion-related impacts. The CCAG was established in coordination with the
8 Department of Water Resources (DWR) and prior to the release of Restoration Flows for the
9 2014 Restoration Year. Reclamation is to prepare an annual report, which would include data
10 and methods used to develop estimates of then-existing channel capacities. A draft report is
11 provided to the CCAG for its review and comment for a period of 60 days. In the event that
12 comments or recommendations are received from the CCAG within 60 days, Reclamation would
13 be required to consider and respond to such comments and prepare a final report for distribution
14 to the CCAG within 60 days of the close of the draft report review period. Reclamation will not
15 increase Restoration Flows above the previously determined then-existing channel capacities
16 until 10 days after the final report is prepared and distributed to the CCAG. Draft reports include
17 the data, methods, and estimated channel capacities; flow limits and any maintenance activities;
18 and monitoring efforts and management actions. Draft and final reports will be made available to
19 the public concurrent with their distribution to the CCAG. This report is the third in the series of
20 annual Channel Capacity Reports.

21 Reclamation will convene the CCAG as required until 2030, but may stop earlier, provided that
22 then-existing channel capacities are determined to equal or exceed the maximum proposed
23 Restoration Flows throughout the Restoration Area. If after 2030 then-existing channel capacities
24 decrease such that full Restoration Flows cannot be conveyed, the CCAG would be reconvened
25 and function as described above until such time that the then-existing channel capacities are
26 determined to equal or exceed the full Restoration Flows.

1 **3.0 Study Area**

2 The San Joaquin River originates from the Sierra Nevada Mountains and carries snowmelt from
3 mountain meadows to the valley floor before turning north and becoming the backbone of
4 tributaries draining into the San Joaquin Valley. It is California's second longest river and
5 discharges to the Sacramento-San Joaquin Delta (Delta) and, ultimately, to the Pacific Ocean
6 through San Francisco Bay.

7 In 1944, Reclamation completed construction of Friant Dam on the San Joaquin River. With the
8 completion of Friant-Kern Canal in 1951 and Madera Canal in 1945, Friant Dam diverted San
9 Joaquin River water supplies to over 1 million acres of highly productive farmland along the
10 eastern portion of the San Joaquin Valley. In 1959, construction of the Lower San Joaquin River
11 Flood Control Project (LSJRFC Project) began. The LSJRFC Project was completed in 1967 and
12 provides flood protection along the San Joaquin River and tributaries in Merced, Madera, and
13 Fresno Counties. The LSJRFC Project includes 108 river miles (RMs), 191 miles of levees, and
14 protects over 300,000 acres. An additional 67 miles of non-Project levees also provide flood
15 projection along the San Joaquin River.

16 The study area starts from the Friant Dam and ends at the confluence of the San Joaquin River
17 with the Merced River. The Channel Capacity Report will focus on the portion of the study area
18 where levees exist along channels to control flows. The leveed reaches on the San Joaquin River
19 start at Gravelly Ford (RM 226.9) and continue to the Merced River confluence (RM 118.2). The
20 study area also includes the Eastside Bypass from the Sand Slough Connector Channel to the
21 confluence with the San Joaquin River and the Mariposa Bypass. The study area is shown in
22 Figure 3-1.

23 The study area reaches are shown in Figure 3-2 and are describe below. Currently SJRRP flows
24 pass through Reaches 1 through 4A, through the Sand Slough Connector Channel and into the
25 Eastside Bypass, where they travel through Eastside Bypass before entering Reach 5 of the San
26 Joaquin River. Since Reach 1 does not have levees, it is not the focus of the analyses included in
27 this report and is not discussed further. The flood capacities of each of the reaches within the
28 study area, as part of the overall flood control system are shown in Figure 3-3 (DWR, 1985).

29 **3.1 Reach 2**

30 Reach 2 marks the beginning of the LSJRFC Project levees and therefore the start of this report's
31 study area. Reach 2 begins at Gravelly Ford and extends approximately 24 miles downstream to
32 the Mendota Pool, continuing the boundary between Fresno and Madera counties. This reach is a
33 meandering, low-gradient channel. Reach 2 is subdivided at the Chowchilla Bypass Bifurcation
34 Structure (CBBS) into two subreaches. Both Reach 2A and Reach 2B were dry in most months
35 prior to the SJRRP. Reach 2A is subject to extensive seepage losses. Reach 2B is a sandy
36 channel with limited conveyance capacity. Reach 2A has a flood design capacity of 8,000 cubic
37 feet per second (cfs) while Reach 2B has a flood design capacity of 2,500 cfs. In Reach 2B,
38 seepage problems are reported to occur at discharges in excess of 1,300 cfs (McBain & Trush,
39 2002). The levees in Reach 2B are not part of the LSJRFC Project. As part of the SJRRP,

1 setback levees are anticipated to be constructed in Reach 2B to increase its capacity to at least
2 4,500 cfs.

3 **3.2 Reach 3**

4 Reach 3 begins at Mendota Dam and extends approximately 23 miles downstream to Sack Dam.
5 Reach 3 conveys flows of up to 800 cfs from the Mendota Pool for diversion to the Arroyo Canal
6 at Sack Dam, maintaining year-round flow in a meandering channel with a sandy bed. This reach
7 continues along the boundary between Fresno and Madera counties. The sandy channel
8 meanders through a predominantly agricultural area, and diversion structures are common in this
9 reach. Reach 3 has a flood design capacity of 4,500 cfs. The levees in Reach 3 are also not part
10 of the LSJRFC Project. Flood flows from the Kings River are conveyed to Reach 3 via Fresno
11 Slough and Mendota Dam.

12 **3.3 Reach 4**

13 Reach 4 is approximately 46 miles long, and is subdivided into three distinct subreaches. Reach
14 4A begins at Sack Dam and extends to the Sand Slough Control Structure. Other than short 1-2
15 mile levee segments at the downstream end, levees in Reach 4A are not part of the LSJRFC
16 Project (Figure 3-3). This subreach is dry in most months except under flood conditions and
17 SJRRP flows. Reach 4B1 begins at the Sand Slough Control Structure and continues to the
18 confluence of the San Joaquin River and the Mariposa Bypass. Only the lower 2 miles of Reach
19 4B1 levees just upstream of the Mariposa Bypass are part of the LSJRFC Project. All flows
20 reaching the Sand Slough Control Structure are diverted to the flood bypass system via the Sand
21 Slough Connector Channel, leaving Reach 4B1 perennially dry for more than 40 years, with the
22 exception of agricultural return flows. Reach 4B1 has a flood design capacity of 1,500 cfs, but
23 the current channel capacity is unknown and could be zero in some locations (SJRRP, 2011). As
24 part of the SJRRP, setback levees may be constructed in Reach 4B1 to increase its capacity to at
25 least 475 cfs and possibly up to 4,500 cfs, depending on the alternative. Reach 4B2 begins at the
26 confluence of the Mariposa Bypass, where flood flows in the bypass system rejoin the mainstem
27 San Joaquin River. Reach 4B2 extends to the confluence of the Eastside Bypass. The levees in
28 this reach are all part of the LSJRFC Project. Reach 4B2 has a capacity of 10,000 cfs.

29 **3.4 Reach 5**

30 Reach 5 of the San Joaquin River extends approximately 18 miles from the confluence of the
31 Eastside Bypass downstream to the Merced River confluence. This reach receives flows from
32 Mud and Salt sloughs, and channels that run through both agricultural and wildlife management
33 areas. Much of Reach 5 includes levees that are within the LSJRFC Project. Reach 5 is the end of
34 the study area and has a flood design capacity of 26,000 cfs.

1 **3.5 Eastside Bypass and Mariposa Bypass**

2 The Middle Eastside Bypass (Reach 2) extends from Sand Slough Connector Channel to the
3 Eastside Bypass Control Structure. Flood flows from Reach 4A of the San Joaquin River and the
4 Upper Eastside Bypass (Reach 1) and the Chowchilla Bypass can be diverted into the bypass at
5 the head of this reach. The Merced National Wildlife Refuge (MNWF) is in the middle of this
6 reach of the bypass and diverts some flows to its Refuge by using two weirs. The Lower Eastside
7 Bypass (Reach 3) extends from the head of the Mariposa Bypass to the head of Reach 5, and
8 receives flows from Deadman, Owens, and Bear creeks. The Mariposa Bypass extends from the
9 Mariposa Bypass Control Structure to the head of Reach 4B2. A drop structure is located near
10 the downstream end of the Mariposa Bypass that dissipates energy from flows before they enter
11 the mainstem San Joaquin River. The flood design flow for the Middle Eastside Bypass (Reach
12 2) is 16,500 cfs; the Lower Eastside Bypass (Reach 3) is between 8,000 cfs at its upstream end
13 and 18,500 cfs just downstream of its confluence with Bear Creek; and 8,500 cfs for the
14 Mariposa Bypass. As part of the SJRRP, the Middle and Lower Eastside bypasses may be used
15 for Restoration Flows, but its overall design flood capacity will not be increased.





Figure 3-1.


San Joaquin River Restoration Program Location

1
2
3



1
2
3

Figure 3-2.
San Joaquin River Reaches and Flood Bypass System



1
2
3

Figure 3-3.
Flood Channel Design Flows

4.0 Then-existing Channel Capacity Criteria

Then-existing channel capacities, as defined for this report, consider levee stability and seepage, but not other factors like agricultural seepage. This section presents the levee evaluation criteria described in the PEIS/R for determining then-existing channel capacity and briefly describes the process that will be used to collect data and perform analyses to determine levee conditions to further refine then-existing channel capacity estimates.

4.1 PEIS/R Levee Criteria

An objective of the SJRRP is to minimize increases in flood risk due to the release of Restoration Flows. To achieve this objective, the PEIS/R included the levee design criteria developed by USACE in Design and Construction of Levees Engineering and Design Manual (Manual No. 1110-2-1913) (USACE, 2000), Engineering Manual: Slope Stability (Manual No. 1110-2-1902) (USACE, 2003), and Design Guidance for Levee Underseepage (Engineering Technical Letter No. 1110-2-569) (USACE, 2005). The levee design criteria and guidelines are to be applied throughout the Restoration Area.

The levee criteria are included in the PEIS/R to reduce the risk of levee failure to less-than-significant-levels by meeting levee slope stability and underseepage Factors of Safety. The PEIS/R states that Restoration Flows should not cause the levee slope stability Factor of Safety to be below 1.4, or the underseepage Factor of Safety to be reduced below the value corresponding to an exit gradient at the (landside) toe of the levee of 0.5. The levee slope stability Factor of Safety is defined as the ratio of available shear strength of the top stratum of the levee slope to the necessary shear strength to keep the slope stable (USACE, 2003). The application of the levee slope stability Factor of Safety of 1.4 is required for federally authorized flood control projects. The underseepage Factor of Safety is defined as a ratio of the critical hydraulic gradient to the actual exit gradient of seepage on the levee. USACE design guidance recommends that the allowable underseepage Factor of Safety used in evaluations and/or design of seepage control measures should correspond to an exit gradient at the toe of the levee of 0.5 (in general this would provide a Factor of Safety of 1.6), but states that deviation from recommended design guidance is acceptable when based and documented on sound engineering judgment and experience (USACE, 2005). The SJRRP will continue to coordinate with DWR, CVFPB, and USACE to ensure appropriate methods and criteria are used in all levee evaluations and design.

Until adequate data are available to determine these Factors of Safety, Reclamation would limit the release of Restoration Flows to those that would remain in-channel. In-channel flows are flows that maintain a water surface elevation at or below the elevation of the landside levee toe (i.e., the base of the levee). When sufficient data is available to determine the levee slope stability and underseepage Factors of Safety, Reclamation would limit Restoration Flows to levels that would correspond to the appropriate levee slope stability Factor of Safety of 1.4 or higher and an underseepage Factor of Safety corresponding to an exit gradient at the toe of the levee of 0.5 or lower at all times. Implementing this measure would reduce the risk of levee

1 failure due to underseepage, through-seepage, and associated levee stability issues to less-than-
2 significant levels.

3 In addition, systematic levee condition monitoring would be implemented as described in more
4 detail in PEIS/R Appendix D, *Physical Monitoring and Management Plan*. Observation of levee
5 erosion, seepage, boils, impaired emergency levee access, or other indications of increased flood
6 risk identified through ongoing monitoring at potential erosion sites would indicate that the
7 minimum Factors of Safety are not met and would trigger immediate reductions in Restoration
8 Flows at the site. Such observations would supersede channel capacity estimates, and Restoration
9 Flows would be reduced in areas where these conditions occur.

10 **4.2 Future Evaluation Process**


11 The SJRRP will continue to complete and update the studies necessary to determine then-
12 existing channel capacity. This includes, in part, collecting and assessing the necessary
13 geotechnical data to determine the appropriate levee slope stability and underseepage Factors of
14 Safety. To complete this task, the San Joaquin Levee Evaluation Project (SJLE Project) was
15 initiated by DWR. The SJLE Project includes collecting geotechnical data along the river and
16 flood bypasses, evaluating the levee geotechnical performance at various water surface
17 elevations, and identifying levees and appropriate actions to improve levee performance. The
18 goal of this evaluation is to gain adequate information on the levees to determine the levee slope
19 stability and underseepage Factors of Safety. This will provide Reclamation with the necessary
20 information to make decisions on Restoration Flow releases that will reduce the risk of levee
21 failure. Details of the initial phase of results of the SJLE Project, as well as other studies and
22 monitoring that may be used to inform channel capacities are summarized in Section 7 -
23 Completed Channel Capacity Studies and Related Work and Section 10 - Future Program
24 Studies and Monitoring with the Potential to Inform Then Existing Channel Capacity.

1 **5.0 Data and Analytical Tools**

2 The following sections describe the data and analytical tools used to determine then-existing
3 channel capacity. The sections provide an overview of the restoration hydrograph and hydraulic,
4 sediment transport modeling and levee assessment tools. This section also includes a summary of
5 the overall strategy Reclamation and DWR developed for the coordination and application of the
6 hydraulic and sediment modeling tools.

7 **5.1 Restoration Hydrograph**

8 The SJRRP flow hydrograph involves a spring and a fall pulse with base flow releases of 350 cfs
9 from Friant Dam in the summer and winter months in most year types. These hydrographs are
10 provided in Exhibit B of the Settlement and the Restoration Flow hydrograph at Friant Dam is
11 summarized in Figure 5-1. Spring flow pulses range from 1,500 cfs maximum release in a
12 critical-high year type, to a 4,000 cfs release in a wet year type. The Restoration Administrator,
13 an independent individual called for in the Settlement, makes recommendations to the Secretary
14 of the Interior on how best to shape the hydrograph to meet the Restoration Goal of the
15 Settlement. The Restoration Administrator has the flexibility to adjust the hydrographs,
16 consistent with the Settlement, including releasing buffer flows of up to 10 percent, mobilizing
17 gravel with an up to 8,000 cfs pulse, and flexibly scheduling the spring pulse volume within a
18 period defined as 28 days in advance of the Settlement Exhibit B hydrographs (i.e. beginning on
19 February 1 with 500 cfs), and 28 days later than the Exhibit B hydrographs (ending on May 28 at
20 4,000 cfs). The fall pulse volume may be flexibly scheduled from October 1 to November 30. In
21 wet year types, an additional volume is available for riparian recruitment that can extend 60 to 90
22 days past the end of the spring pulse flow.
23



1 - NRDC v Rodgers, Stipulation of Settlement, CIV NO. S-88-1658 - LKK/OGH, Exhibit B, September 13, 2008
 2 - Hydrographs reflect assumptions about seepage losses and tributary inflows which are specified in the settlement

Figure 5 - 1
Restoration Flow Hydrograph at Friant Dam

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16

In order to determine the Restoration Hydrograph, Reclamation will first use DWR forecasts to predict the unimpaired inflow to Millerton Lake. Then this volume is allocated to the Friant Division long-term contractors and water users in Reach 1 per Reclamation standard practice, and to the SJRRP using a methodology called Method 3.1 gamma. Reclamation then submits an allocation and a default flow schedule to the Restoration Administrator, with flow volumes by type (i.e., base flow, spring pulse, fall pulse, riparian recruitment). The Restoration Administrator responds with a flow recommendation using the flexibility as described above to change the flow schedule. Reclamation confirms that the Restoration Administrator recommendation is consistent with all applicable regulation (Settlement, Water Board Orders, channel capacity), accepts the recommendation, and then implements the schedule. For more information see the Restoration Flow Guidelines at the following website:

http://www.restoresjr.net/download/program-documents/program-docs-2013/SJRRP_RFG_December_2013.pdf

Based on the schedule identified in the Settlement, Restoration Flows began on January 1, 2014. At present, because of seepage and possible levee stability issues, the river system is not capable of passing the full Restoration Flows, and so flows are released up to the then-existing channel capacity. This report provides Reclamation’s analysis of then-existing channel capacities, and the CCAG was formed to provide a peer review of that analysis in helping Reclamation determine the recommended Restoration Flows that can be released without significantly increasing flood risk. Preparation of this report and review by the CCAG will continue until such time that then-existing channel capacities are determined to equal or exceed the maximum proposed Restoration Flows throughout the Restoration Area.

1 The studies described in Section 7 - Completed Channel Capacity Studies and Related Work
 2 evaluates a maximum flow of 4,500 cfs in each of the study reaches. This maximum flow is
 3 based on the Settlement required capacity in Reach 2B and Reach 4B. Restoration Flows may be
 4 as high as 8,000 cfs in the upper reaches to perform functions such as flushing spawning gravels,
 5 but are expected to attenuate so not to exceed a maximum channel capacity of 4,500 cfs in Reach
 6 2B.

7 **5.2 Hydraulics**

8 One-dimensional (1-D) steady-state Hydrologic Engineering Center's River Analysis System
 9 (HEC-RAS) hydraulic models of the 150-mile reach of the San Joaquin River and Bypass
 10 System between Friant Dam (RM 267.6) and the mouth of the Merced River (RM 118.2) were
 11 developed and validated by Tetra Tech, Inc. (Tetra Tech) and DWR to support the SJRRP. Two-
 12 dimensional (2-D) hydrodynamic models of all of the reaches except for Reach 5 were developed
 13 by Reclamation. DWR also developed a site specific model of a 2.5-mile segment of the
 14 downstream portion of Reach 2A. The following describes how these models were used to
 15 evaluate channel capacity in this report.

16 **5.2.1 One-dimensional (1-D) Modeling**

17 The HEC-RAS hydraulic models provide a means of evaluating current 1-D hydraulic conditions
 18 along the river and flood bypass system over a range of flows, including those specified in the
 19 Settlement and flood events (Tetra Tech, 2014). The 1-D models have been used to perform a
 20 number of analyses related to channel capacity, including:

- 21 • Assess channel capacities, including an evaluation of the degree to which sedimentation
 22 would affect channel capacities in Reach 2A.
- 23 • Provide input to sediment-transport analyses, including an evaluation of the sediment-
 24 transport behavior in Reaches 2A, 2B and 3; and the Eastside Bypass.
- 25 • Assess potential effects of Restoration Flows on levee underseepage, levee erosion and
 26 stability, channel stability and flood carrying capacity.
- 27 • Assess the effects of subsidence in Reach 3, Reach 4A and the Middle Eastside Bypass on
 28 channel capacity.

29 Most of the studies completed by the SJRRP, including estimating channel capacity, used
 30 DWR's existing conditions HEC-RAS model of the river, which contains overbank topography
 31 based on 2008 LiDAR mapping. Surveys by Reclamation and DWR have demonstrated that
 32 considerable subsidence has occurred along Reach 3, Reach 4A, and the Eastside Bypass. Using
 33 survey data collected in 2013 and 2014, DWR has updated the models in those reaches to reflect
 34 subsidence. These models, until further updated, will be used by the SJRRP in evaluating
 35 channel capacity.

1 **5.2.2 Two-dimensional (2-D) Modeling**

2 Reclamation has developed 2-D hydrodynamic models for reaches 1B, 2A, 2B, 3, 4A, 4B1, 4B2
 3 of the San Joaquin River and the Eastside Bypass. The 2-D models use the depth-averaged St.
 4 Venant equations and an unstructured mesh to model water surface elevation, depth, and
 5 velocities and report the above plus bed shear stress, critical sediment diameter, and sediment
 6 transport capacity at each quadrilateral or triangular mesh cell. Applications of 2-D models for
 7 channel capacity studies could include modeling of side channels, bank erosion, local flow
 8 velocity and eddy patterns, as well as flow over in-channel bars and levees.

9 **5.3 Sediment Transport**

10 1-D and 2-D sediment transport models are also being employed by the SJRRP. These models
 11 were developed to evaluate the effects of SJRRP actions on sediment transport along the river
 12 and flood bypasses. The existing sediment transport models were developed using Reclamation's
 13 SRH modeling system and incorporate the same foundational input data used in the hydraulic
 14 models described above. In addition, DWR also developed an existing conditions sediment
 15 model for much of the Bypass using HEC-6T. These models were or will also be employed to
 16 evaluate channel capacity as described below.

17 **5.3.1 1-D Modeling**

18 Reclamation developed SRH-1D sediment transport models to assess the reach-averaged erosion
 19 and deposition impacts of the SJRRP to Reaches 1 through 5 in the PEIS/R. These models would
 20 be useful for evaluating future channel capacity studies by simulating the future reach-averaged
 21 sediment transport, erosion and deposition in the SJR and flood bypass system under various
 22 flow routing scenarios. DWR also developed a mobile-boundary sediment-transport model using
 23 HEC-6T of the bypass from the San Joaquin River Control Structure to the Eastside Bypass
 24 Control Structure. Similar to the SRH-1D models, this model will be useful for evaluating the
 25 long-term trends of aggradation and degradation in the bypass under Restoration Flow and
 26 subsidence conditions. However, SRH-1D, HEC-6T, and other 1-D models are limited in their
 27 ability to simulate local sediment transport conditions resulting from topographic variability
 28 within a cross section, in river bends, around structures (such as bifurcations), and the
 29 differences between channel and floodplain deposition.

30 **5.3.2 2-D Modeling**

31 Tetra Tech developed and calibrated a 2-D sediment-transport model for the approximately
 32 2.5-mile reach immediately upstream from the CBBS. The model was developed to provide a
 33 refined tool that can be used to predict the behavior of the downstream portion of Reach 2A and
 34 to provide a more accurate estimate of sediment movement from Reach 2A through the San
 35 Joaquin River Control Structure at the CBBS and into Reach 2B under various conditions (Tetra
 36 Tech, 2013a). This model was used to complete a Reach 2A Sediment Study, which is

1 summarized in the 2014 Report. This model will likely continue to be used in future evaluations
2 of the sediment conditions within the vicinity of the CBBS.

3 **5.4 Geotechnical**

4 The seepage and stability analyses to evaluate levee impacts were performed using the 2-D finite
5 element software program SEEP/W, developed by GEO-SLOPE International, Ltd. The model
6 uses topographic and geotechnical data to analyze underseepage and excess pore-water pressure.
7 This is to determine exit gradients and the controlling water surface elevation that may result in
8 failure due to underseepage. The levee slope stability analysis was performed using SLOPE/W, a
9 2-D limit equilibrium stability analysis software program developed by GEO-SLOPE
10 International, Ltd. following the Spencer Method. The same topography used for the seepage
11 analysis was also used for the slope stability analysis. Pore-water pressures calculated by the
12 SEEP/W models are imported into SLOPE/W. The model uses effective shear strengths for the
13 different soil layers to determine the minimum factor of safety for surfaces that affect the overall
14 stability of the levee for different water surface elevations. The SEEP/W and SLOPE/W tools are
15 used in the geotechnical evaluations of the SJLE Project described in Section 7.2 and Section
16 10.1.1.

17 **5.5 Modeling Strategy**

18 Numerical modeling has been a key tool used by the SJRRP to develop designs for the site-
19 specific projects and perform quantitative evaluation of SJRRP actions. The SJRRP has
20 developed a set of hydraulic and sediment transport modeling tools to evaluate then-existing
21 channel capacity, as well as to complete other studies and actions implemented by the SJRRP.
22 Having separate tools available for different modeling applications provides the flexibility to
23 meet both efficiency and accuracy needs. No single model was deemed appropriate to effectively
24 model all aspects that are necessary to understand the actions of the SJRRP. The additional
25 complexity caused by employing different models that can generally meet similar objectives is
26 necessary to ensure that the appropriate models are being utilized for the appropriate purpose. To
27 allow for consistency in the application of the modeling tools, Reclamation and DWR have
28 developed a strategy memorandum specifically for the hydraulic and sediment transport
29 modeling. The strategy can be found in Appendix B of the 2015 Report at the following website:

30 [http://www.restoresjr.net/download/program-documents/program-docs-
31 2015/CCAG_Report_Appendix_B_01132015_Accessible.pdf](http://www.restoresjr.net/download/program-documents/program-docs-2015/CCAG_Report_Appendix_B_01132015_Accessible.pdf)

32 The strategy will be updated, as necessary to reflect changes and updates to the modeling tools.
33 The strategy summarizes the models available, general differences, and preferred usage to
34 develop and evaluate SJRRP actions. Selection of the appropriate tool for any specific study,
35 including channel capacity, will depend on the purpose of the study, level of detail needed, and
36 the preference of the agency performing the analysis.

6.0 Current Then-existing Channel Capacity

For the 2015 Restoration Year, the SJRRP limited Restoration Flow releases to then-existing channel capacities recommended in the 2014 Report. These capacities were based on the In-channel Capacity Study and Middle Eastside Geotechnical Assessment described in Section 7.0 of the 2015 Report. Limiting Restoration Flows to these capacities reduced the risk of levee failure due to underseepage, and through-seepage. The current then-existing channel capacities are shown in Table 6-1.

Table 6-1
Current Then-existing Channel Capacity

Reach	Current Then-existing Channel Capacity (cfs)
Reach 2A	1,630
Reach 2B	1,120
Reach 3	2,760
Reach 4A	970
Reach 4B1	Not Analyzed
Reach 4B2	930
Reach 5	1,940
Middle Eastside Bypass	370
Lower Eastside Bypass	2,890
Mariposa Bypass	350

These channel capacities are being refined in this year's report based on the studies and related work described in the following section.

7.0 Completed Channel Capacity Studies and Related Work

The following section summarizes the technical studies and related work that has been completed at the time of publication of this report that relate to channel capacities. Since the publication of the 2015 Report, additional data and analysis were completed to refine the current then-existing channel capacities. So, for this report, an Updated In-channel Capacity Study, and a Priority 1 Levee Geotechnical Assessment of levees within Reach 2A, Reach 4A, and the Middle Eastside Bypass are included in this section of the report as they were directly used to make capacity recommendations for this year's report. The following describes the studies that were specifically evaluated to determine the recommended then-existing channel capacities in this report.

1 **7.1 Updated In-channel Capacity Study**

2 A channel capacity study of the San Joaquin River and the Eastside and Mariposa bypasses
3 between Friant Dam and the confluence with the Merced River was conducted in 2013. Since the
4 completion of the initial in-channel capacity analysis, additional data and analysis has been
5 completed to understand the impacts of ground subsidence on capacity within the Restoration
6 Area, and to determine the geotechnical conditions of the levees in Reach 2A, Reach 4A, and the
7 Middle Eastside Bypass. This new information has been incorporated into a new updated study,
8 *San Joaquin River In-channel Capacity Analysis* (Tetra Tech, 2015b) that is included in
9 Appendix B. This study provides updated in-channel capacity estimates within leveed reaches
10 that can inform then-existing channel capacity prior to sufficient data becoming available to
11 determine levee slope stability and underseepage Factors of Safety. Although some of the
12 reaches already have geotechnical data available, in-channel capacities are still reported and
13 updated for all reaches inside and outside of the geotechnical study areas.

14 The majority of the updates to in-channel capacities were to consider subsidence in Reach 3,
15 Reach 4A, and the Middle Eastside Bypass. Additional updates included in this study are
16 verification of and revisions to a small number of outside ground elevations, an assessment of the
17 impacts of the operation of the MNWR weirs in the Middle Eastside Bypass on channel capacity,
18 and consideration of if an isolated length of levee in Reach 5 will be impacted by Restoration
19 Flows. No changes were made to in-channel capacities for Reach 2A, Reach 4B2, the Lower
20 Eastside Bypass and the Mariposa Bypass.

21 In general, the purpose of the study was to identify the flow in each reach at which the water-
22 surface elevation would stay below the levees in each reach. Specific tasks included determining
23 the channel capacity for each reach, as well as the approximate length of the left and right bank
24 levee where the water surface elevation of 2,000 cfs and 4,500 cfs flows exceeded the outside
25 ground elevation.


26 **7.1.1 Methodology and Assumptions**

27 The in-channel capacity was evaluated for each subreach that is bounded by levees in Reaches
28 2A, 2B, 3, 4A, 4B2, 5, Middle Eastside Bypass, Lower Eastside Bypass, and the Mariposa
29 Bypass. As part of the SJRRP, new setback levees are being evaluated for Reach 4B1 to safely
30 convey Restoration Flows. Since the current capacity is assumed to be negligible, it is assumed
31 that no Restoration Flows will be conveyed in this reach until channel capacity improvements are
32 made. Therefore, Reach 4B1 was not included in this analysis. Setback levees are also
33 anticipated in Reach 2B, but because Restoration Flow releases will be routed through this reach
34 prior to their construction, channel capacity was evaluated along the levees upstream from the
35 direct impacts of Mendota Pool.

36 The 1-D HEC-RAS hydraulic models discussed in Section 5.2 - Data and Analytical Tools were
37 used for the analysis. The models in Reach 3, Reach 4A and the Middle Eastside Bypass were
38 adjusted to consider subsidence. The magnitude of the elevation adjustments made to the models
39 to account for subsidence is indicated in Attachment B (Figure 2). Elevation adjustments in

1 Reach 3 range from near zero at the upstream end to about 2.3 feet at the downstream end. The
 2 largest change in elevation (2.7 feet) occurs just below the upstream end of Reach 4A, which
 3 decreases in the downstream direction to about 1.3 feet at the boundary between Reach 4A and
 4 the Middle Eastside Bypass. Elevation changes in the Middle Eastside Bypass range from about
 5 1.3 feet at the upstream end to near zero at the downstream end of the reach.

6 To determine the outside ground to which the models results would be compared to determine
 7 in-channel capacities, the landside levee toe elevations were identified for each reach. In this
 8 analysis, the outside ground elevation adjacent to the landside levee toe was selected to represent
 9 the elevation of the landside levee toe. The elevations were identified at each hydraulic model
 10 cross-section primarily through inspection of the cross-sectional topography and were verified
 11 through review of the aerial photography, contour mapping, and topographic surveys. The
 12 outside ground elevations were selected for both the left and right levees. In-channel capacities
 13 reported in this analysis are based on water-surface profiles developed by running the models
 14 over a series of local flows. Figure 7-1 is a conceptual figure of the outside ground elevation
 15 location and the in-channel flow capacity.



16
 17
 18

Figure 7-1.
Levee Schematic Defining Levee Features and In-channel Capacity

1 **7.1.2 Analysis and Results**

2 Computed water-surface profiles were compared to the outside ground elevations adjacent to
3 both the left and right levees along the extent of each reach. The in-channel flow capacity of each
4 reach was determined to be the highest flow rate through the reach where the water-surface
5 elevation is at or below the outside ground elevation for any part of the reach. Results for each
6 reach are described in the following sections and are summarized in Table 7-1.

1
2

Table 7-1.
Summary of In-channel Capacity for Each Side of Levee by River Reach

Reach	Levee Side	In-channel Capacity ¹ (cfs)
Reach 2A	Left	2,430
Reach 2A	Right	1,630
Reach 2B (Entire Reach)	Left	0
Reach 2B (Entire Reach)	Right	0
Reach 2B (Excluding Mendota Pool) ²	Left	1,120
Reach 2B (Excluding Mendota Pool) ²	Right	1,550
Reach 3	Left	3,960
Reach 3	Right	2,860
Reach 4A (Inside Geotechnical Study Area) ³	Left	980
Reach 4A (Inside Geotechnical Study Area) ³	Right	1,340
Reach 4A (Outside Geotechnical Study Area)	Left	2,840
Reach 4A (Outside Geotechnical Study Area)	Right	2,840
Reach 4B2	Left	1,370
Reach 4B2	Right	930 ⁴
Reach 5	Left	2,350
Reach 5	Right	2,500
Middle Eastside Bypass (Eastside Bypass Reach 2) (Boards Out) ⁵	Left	10 ⁶
Middle Eastside Bypass (Eastside Bypass Reach 2) (Boards Out) ⁵	Right	340 ⁶
Lower Eastside Bypass (Eastside Bypass Reach 3)	Left	2,970
Lower Eastside Bypass (Eastside Bypass Reach 3)	Right	2,890
Mariposa Bypass	Left	650
Mariposa Bypass	Right	350

3
4
5
6
7
8

¹ Capacity based on outside ground elevations.
² Portion of reach above influence of Mendota Pool (about RM 209.5).
³ Includes the length of levee that was analyzed under the SJLE Project and is included in the Geotechnical Conditions Report.
⁴ Capacity excludes localized deep depressions, which would reduce capacity to 50 cfs.
⁵ "Boards Out" condition assumes that the weirs used to divert flows into the MNWR are not operating.
⁶ In-channel capacity is essentially 0 cfs when the refuge is diverting flow and the weirs are operating ("Typical Boards" and "Boards In").

1 In **Reach 2A**, along the right and left levees, the highest local flow for which the water-surface is
2 at or below the outside ground elevation is 1,630 and 2,430 cfs, respectively (Figures 3 through 6
3 in Appendix B). For about 3.3 miles of this reach, the water surface at Restoration Flows of
4 4,500 cfs would be at or above the outside toe of the levee. Generally, subsidence has been fairly
5 minor in Reach 2A compared to other reaches, so subsidence was not considered at this time and
6 no updates were made to in-channel capacity. Additional studies, as described in Section 10.1. 3
7 will also be completed to determine if significant changes in capacity has occurred in this reach
8 as a result of subsidence.

9 In **Reach 2B**, outside ground elevations along the lower portion of this reach are generally lower
10 than the normal pool elevation at Mendota Dam (Figures 7 through 10 in Appendix B). When
11 considering the entire reach, including Mendota Pool, the capacity along both sides of the
12 channel is 0 cfs. As a result, the existing flow capacity was evaluated for the entire reach as well
13 as only for the portion of the reach upstream from the influence of the pool. When only the
14 portion of the reach upstream from the influence of the pool is considered, the highest local flow
15 in which the water surface is at or below the outside ground elevation is about 1,120 cfs along
16 the left levee and 1,550 cfs along the right levee. For about 17.7 miles of this reach, the water
17 surface at Restoration Flows of 4,500 cfs would be at or above the outside toe of the levee
18 (includes the levees influenced by Mendota Pool). However, it should be noted that model results
19 show that at 4,500 cfs, portions of the levees are overtopped under existing conditions and
20 therefore would not convey 4,500 cfs. In addition, although subsidence has occurred in this
21 reach, it has been fairly minor when compared to other reaches, so subsidence was not
22 considered and no updates were made to in-channel capacity. Similar to Reach 2A, additional
23 studies, as described in Section 10.1.3 will also be completed to determine if significant changes
24 in capacity has occurred in this reach as a result of subsidence.

25 In **Reach 3**, outside ground elevations are reasonably high along much of the reach except for an
26 area immediately upstream of Sack Dam (Figures 11 through 13 in Appendix B). The hydraulic
27 model and outside ground elevations have been updated to consider subsidence and the in-
28 channel capacity results in this reach are based on those updates. Flow capacity in this area is
29 limited by a depression on the right side that has a capacity of 2,860 cfs. On the left side of the
30 channel, the capacity of the outside ground elevation is 3,960 cfs. For about 4.3 miles of this
31 reach, the water surface at Restoration Flows of 4,500 cfs would be at or above the outside toe of
32 the levee. In general, subsidence has caused the overall slope in this reach to steepen, which has
33 increased capacity and reduced the length of levee that is at or below the outside toe by
34 2.8 miles.

35 In **Reach 4A**, the maximum local flow for which the water-surface is at or below the outside
36 ground elevation for the levees is characterized both within and outside of where geotechnical
37 data has been collected. In addition, the hydraulic model and outside ground elevations have
38 been updated to consider subsidence and the in-channel capacity results in this reach are based
39 on those updates (Tetra Tech, 2015c). For the levees within the geotechnical study area, the
40 maximum local flow is 1,340 cfs for the right levee and 980 cfs for the left levee (Figures 14
41 through 17 in Appendix B). For levees outside of the geotechnical study area, the maximum
42 local flow is 2,840 cfs for both the left and right levees. In general, subsidence is causing the
43 reach to steepen and flatten out. At the downstream end of the reach, there is an area of

1 subsidence that is significantly greater than Reach 3, and the downstream portion of Reach 4A,
2 creating a "bowl" effect that has reduced capacity in the upstream portion of the reach. However,
3 changes in in-channel capacity as a result of subsidence are fairly minor. However, the overall
4 length of levee where the water surface elevation would be at or above the outside toe of the
5 levee for 4,500 cfs is 19.7 miles, compared to 17.8 miles if subsidence is not considered.

6 In **Reach 4B2**, the ground adjacent to the right levee in Reach 4B2 has many depressions, but
7 due to one localized and deep depression along the right levee, the in-channel capacity is limited
8 to about 50 cfs (Figures 18 through 21 in Appendix B). Aerial photographs and contour mapping
9 indicate that these depressions are relatively small, and can contain water even at low flows,
10 which would not make them a levee stability issue. If these local, right side depressions are
11 excluded from the analysis, the capacity along the right levee increases to 930 cfs. The outside
12 ground along the left levee is not as low, which results in an in-channel capacity of
13 approximately 1,370 cfs. For about 14.0 miles of this reach, the water surface at Restoration
14 Flows of 4,500 cfs would be at or above the outside toe of the levee. Subsidence is not
15 significant in this reach, so in-channel capacities were not updated to consider subsidence.

16 In **Reach 5**, most of the areas with limited capacities occur along the mid- to upper- portion of
17 this reach, but one exception is a levee feature that exists along the left side of the channel near
18 the downstream end of the reach (Figures 22 through 24 in Appendix B). This segment of levee
19 does not have a hydraulic connection to the main channel for flows up to 4,500 cfs. Therefore,
20 this levee segment was removed from the analysis. The highest local flow for which the water-
21 surface is at or below the outside ground elevation is 2,350 cfs and 2,500 cfs along the left and
22 right levees, respectively. For about 3.5 miles of this reach, the water surface at Restoration
23 Flows of 4,500 cfs would be at or above the outside toe of the levee. Subsidence is not
24 significant in this reach, so in-channel capacities were not updated to consider subsidence.

25 In the **Middle Eastside Bypass**, at the upstream end of this reach, the channel bed is near the
26 elevation of the ground outside of the levees on both the right and left sides. The hydraulic model
27 and outside ground elevations have been updated to consider subsidence and the in-channel
28 capacity results in this reach are based on those updates (Tetra Tech, 2015a). There are two weirs
29 with boards located in the Middle Eastside Bypass that are used to divert water into the MNWR.
30 To provide information regarding the sensitivity of the weir settings on the in-channel capacities,
31 three weir configurations were evaluated. One configuration assumes that the upstream and
32 downstream weirs remain fully open. This condition represents the conditions of the boards
33 when the refuge is not diverting flows and is referred to as "Boards Out". The second weir
34 configuration is representative of the most typical setting of the boards that is required by the
35 refuge to divert flows during most years, and is referred to as "Typical Boards." The elevation of
36 the boards in this configuration is based surveys that were conducted in 2015, and represents a
37 partial closure of the downstream weir, and the upstream weir remaining completely open. The
38 third weir configuration assumes that both the up- and downstream weirs are completely closed.
39 According to refuge staff, if water is available, the refuge will occasional place all of the boards
40 into the weirs so that they can fill the upstream ponds within the bypass. This condition is
41 referred to as "Boards In".

1 Under the Boards Out condition, the computed water-surface profiles indicate that the highest
 2 local flow for which the water-surface is at or below the outside ground elevation along the left
 3 levee is about 10 cfs, and along the right levee is 340 cfs (Figures 25 through 28 in Appendix B).
 4 When there are "Typical Boards" or "Boards In" conditions, the in-channel capacity is essentially
 5 0 cfs. These low in-channel capacities are the result of the low outside ground elevations
 6 compared to the channel bed. Subsidence has caused the reach to steepen for most of the reach,
 7 but there has also been a "bowl" of greater subsidence at the upstream end, which is where
 8 capacity is already an issue. Therefore, the overall capacity and the length of levee impacted
 9 have not significantly changed. For about 18.5 miles of this reach, the water surface at
 10 Restoration Flows of 4,500 cfs would be at or above the outside toe of the levee.

11 In the **Lower Eastside Bypass** (Eastside Bypass Reach 3), the computed water-surface profiles
 12 indicate that the highest local flow for which the water-surface is at or below the outside ground
 13 elevation along the left levee is 2,970 cfs and along the right levee is 2,890 cfs (Figures 29
 14 through 31 in Appendix B). For about 3.6 miles of this reach, the water surface at Restoration
 15 Flows of 4,500 cfs would be at or above the outside toe of the levee. Subsidence is not
 16 significant in this reach, so in-channel capacities were not updated to consider subsidence.

17 In the **Mariposa Bypass** along the left and right levees, the highest local flow for which the
 18 water-surface is at or below the outside ground elevation is 650 cfs and 350 cfs, respectively
 19 (Figures 32 through 35 in Appendix B). As evident from the low in-channel capacity, the outside
 20 ground elevations in this reach are relatively low when compared to the main flow channel, but
 21 they are also relatively uniform throughout the entire reach. For about 6.6 miles of this reach, the
 22 water surface at Restoration Flows of 4,500 cfs would be at or above the outside toe of the levee.
 23 Subsidence is not significant in this reach, so in-channel capacities were not updated to consider
 24 subsidence.

25 **7.2 Priority 1 Levee Geotechnical Assessment**

26 Levee evaluations along the San Joaquin River and flood bypasses are being conducted by DWR
 27 to assist the SJRRP assess flood risks due to levee seepage and stability associated with the
 28 release of Restoration Flows for the SJRRP. The evaluations were performed under DWR's
 29 SJLE Project (Section 10.1.1) and included the exploration and evaluation of existing levees
 30 within the Restoration Area that will be used to convey future Restoration Flows. The evaluation
 31 will allow the SJRRP to identify the maximum flow that can be conveyed on the levees without
 32 exceeding USACE criteria for levee underseepage and slope stability.

33 In identifying the priorities of the SJLE Project, DWR classified levee segments in the
 34 Restoration Area in one of three categories representing an increasing priority for the need to
 35 complete the geotechnical evaluation and analyses. Details of the specific tasks, including the
 36 methodology for prioritization of the levees are summarized in Section 10.1.2 of the 2014
 37 Report. Priority 1 levees are located in Reach 2A (14.9 miles), the Middle Eastside Bypass (from
 38 Sand Slough to the Eastside Bypass Control Structure) (20.6 miles), and the lowest portion of
 39 Reach 4A (4.1 miles). The following section summarizes the geotechnical investigations for the


1 Priority 1 levees, and the subsequent flow analysis to identify the maximum allowable flow that
 2 can be conveyed on the levees in each reach.

3 **7.2.1 Geotechnical Investigations**

4 The initial phase of the SJLE Project included levee evaluations within two Priority 1 study
 5 areas—15 miles of levees in Reach 2A (Gravelly Ford Study Area) and 25 miles of levees along
 6 the lower portion of Reach 4A and the Middle Eastside Bypass (Middle Eastside Bypass Study
 7 Area). Figures 7-2 and 7-3 show the Gravelly Ford and Eastside Bypass Study Areas,
 8 respectively.

9 The evaluations included reconnaissance-level geotechnical explorations, soils testing, and
 10 seepage and stability analyses at multiple water surface elevations along multiple levee
 11 segments. Geotechnical Conditions Reports (GCR) that includes the evaluations for both study
 12 areas can be downloaded from the DWR at the following link:

13 <https://d3.water.ca.gov/owncloud/index.php/s/p2xY8xBjBDQ112z>.



14 **Figure 7-2.**
 15 **Gravelly Ford Study Area**
 16
 17




Figure 7-3.
Middle Eastside Bypass Study Area

1
2
3
4

1 Investigations were initially performed in these study areas to develop subsurface stratigraphy,
2 establish soil parameters for analyses, and characterize levee performance. These investigations
3 comprised of historical data review and geomorphic studies that included reviewing aerial
4 photography, topographic base maps, surficial geologic maps, and maps and documents that
5 describe historic levee performance. The geomorphic study was used to generate maps to
6 develop a preliminary characterization of levee foundation conditions. The maps were also used
7 to plan subsurface explorations and to assess potentially problematic conditions and areas where
8 potentially adverse geologic conditions were identified.

9 Initial field investigations were then conducted including geophysical surveys, soil borings and
10 cone penetrometer tests (CPTs). The drilling program included soil borings approximately every
11 1 mile of levee and cone penetrometer tests approximately every 1000 feet along the levee
12 crowns. Explorations completed for this investigation include 44 hollow-stem auger and/or mud-
13 rotary borings and 138 CPTs. Generally, explorations advanced along the levee crown were
14 completed to a depth of four times the height of the levee, or to a minimum depth of 40 feet and
15 explorations performed along the levee toe were completed to a depth of three times the levee
16 height, or to a minimum depth of 30 feet. CPTs were also performed next to existing mud-rotary
17 borings to ascertain reliability of CPT correlation between drilling methods, and to assess
18 stratigraphy between borings and other CPT locations.

19 Geophysical surveys were then conducted to help investigate and characterize subsurface
20 materials along specific areas selected based on the geomorphology map and initial field
21 investigation results. Electrical resistivity imaging was selected as the method of geophysical
22 investigation. Electrical resistivity survey results identified variations in electrical resistivity that
23 correlate to different material types. Higher electrical resistance indicates coarser-grained, more
24 permeable materials, and lower electrical resistance indicates fine-grained and less-permeable
25 blanket materials. Review of the geophysical and drilling data informed a second phase of
26 drilling that included hand auger borings along the levee toe hand augers. A total of 46 hand
27 auger borings were performed on the landside and waterside levee toes. Hand auger borings
28 performed along the landside and waterside toes of the levee were completed generally to a
29 depth of about 10 feet.

30 A total of 176 explorations were completed along the levee crown and 56 explorations were
31 completed along the landside levee toe. Geotechnical laboratory tests were performed on
32 selected soil samples obtained from borings to learn about the geotechnical characteristics and
33 engineering properties of subsurface materials including grain-sizes, permeabilities, shear
34 strengths, and hydraulic conductivities. This information was then input into the levee seepage
35 and stability models to identify the maximum allowable water surface elevations that can occur
36 on the levees without exceeding USACE criteria for seepage and stability.

37 The results of the seepage and stability modeling were used to identify the controlling failure
38 mechanism in the Priority 1 levee reaches and to estimate the highest elevation that water could
39 be placed on the waterside levee slopes and still meet seepage and stability criteria. In this
40 analysis, Priority 1 levees were divided into individual levee reaches, based on similarities in
41 subsurface conditions, levee geometry and the presence of canals and ditches alongside the
42 levees. A total of 8 levee reaches were assessed for the Gravelly Ford Study Area and 18 levee

1 reaches were assessed for the Middle Eastside Bypass Study Area. An analysis cross section was
 2 selected for each reach as being representative of the location where seepage or stability issues
 3 are most likely to occur (i.e., the most critical point on the levee for potential failure). The
 4 maximum water surface elevation at each levee cross section that would not exceed geotechnical
 5 criteria for seepage and slope stability was then identified for each levee reach.

6 The extent of analyses performed for the SJLE Project was limited to seepage and stability
 7 analyses and does not include assessment of other levee failure mechanisms that may affect levee
 8 performance such as erosion, penetrations, and discontinuities in levee protection. The seepage
 9 and stability modeling evaluated through-levee seepage, underseepage, and landside stability.
 10 Assessment results indicate that underseepage controls the maximum allowable water surface
 11 elevation for about 80 percent of the levees in the study area.

12 **7.2.2 Maximum Allowable Flow Analysis and Results**


13 The result of the SJLE Project evaluations was a maximum water surface elevation in 26 levee
 14 reaches within the Gravelly Ford and Middle Eastside Bypass Study Areas that can be safely
 15 conveyed by the existing levees without exceeding USACE criteria. Hydraulic analyses to
 16 establish a maximum flow capacity in these levee reaches were then performed on results of the
 17 SJLE Project analysis.

18 In performing the analyses, 1-D hydraulic models (described in Section 5.2.1) developed for the
 19 SJRRP were employed. The geometry in the existing-conditions hydraulic models are based on
 20 2008 LiDAR overbank elevations and 2011/2012 in-channel bathymetry. To address recent
 21 subsidence, the model geometry, and maximum water surface elevations from the GCR were
 22 adjusted in Reach 4A and the Middle Eastside Bypass. The models and maximum water surface
 23 elevations were not adjusted for subsidence in Reach 2A since subsidence was assumed to have
 24 minimal impact on the results.

25 A range of flows up to the full Restoration flow of 4,500 cfs were modeled in the Eastside
 26 Bypass Study Area and up to 6,000 cfs maximum flows for the Gravelly Ford Study Area
 27 (Restoration Flow magnitudes above 4,500 cfs are possible to account for attenuation and flow
 28 losses upstream of Reach 2B which will have a capacity of 4,500 cfs). All flows used in the
 29 model were assumed to be local flows. The maximum water surface elevations at the assigned
 30 model cross section were then used to interpolate a discharge based on flow profiles for the range
 31 of flows. If the associated discharge was greater than 4,500 cfs in the Eastside Bypass Study
 32 Area and 6,000 cfs in the Gravelly Ford Study Area, then a capacity of “>4,500 cfs” or
 33 “>6,000 cfs” was reported and no further analyses was made. Similar to the In-channel Capacity
 34 Analysis described in Section 7.1, the MNWR three weir conditions were considered.

35 The result of the Priority 1 levee evaluations of maximum flows showed that allowable flows in
 36 Reach 2A are over 6,000 cfs throughout the entire reach when considering levee seepage and
 37 stability; in Reach 4A, the capacity of the evaluated portion of the reach was over 4,500 cfs.
 38 However, a few portions of the Middle Eastside Bypass cannot convey 4,500 cfs without
 39 exceeding USACE criteria for levee seepage and slope stability. In this reach, four levee reaches

1 could not convey a 4,500 cfs without exceeding USACE criteria, including one 3-mile reach of
 2 the right bank downstream of Sand Slough that can only convey flows up to 1,070 cfs without
 3 exceeding USACE criteria. This reach is shown as Reach O on Figure 7-4. This reach, when the
 4 MNWR weirs are operating with "Boards In", cannot convey any flow without exceeding
 5 USACE criteria. When the weirs are operating in the "Typical Board" configuration, flows up to
 6 580 cfs can be conveyed without exceeding USACE criteria. Figure 7-4 identifies all of the levee
 7 reaches that do not convey at least 4,500 cfs and Tables 7-2 and 7-3 summarize the maximum
 8 water surface elevation, and the respective allowable flows that can be put into each reach of the
 9 Priority 1 levees. These analyses are fully described in *Levee Capacity Evaluation of*
 10 *Geotechnical Gravelly Ford (Reach 2A) Study Area*, dated May 22, 2015 and *Levee Capacity*
 11 *Evaluation of Geotechnical Middle Eastside Bypass (Reach 4A, Sand Slough Connector*
 12 *Channel, Upper and Middle Eastside Bypass) Study Area*, dated May 26, 2015, included in
 13 Appendices C and D, respectively.



14
 15
 16
 17

Figure 7-4.
Reaches with Maximum Allowable Flows of less than 4,500 cfs

1
2**Table 7-2.****Priority 1 Maximum Allowable Flows on Levees for the Gravelly Ford Study Area**

GCR Reach	GCR Station (ft)	Representative Model Cross Section	GCR Reference Elevation (ft)	Capacity (cfs)
Gravelly Ford Study Area (Reach 2A)				
A	11418+00	526981	176.0	>6,000
B	11560+00	541706	182.5	>6,000
C	11644+00	549708	185.3	>6,000
D	11708+00	555801	189.7	>6,000
E ¹				
F	11647+00	521166	173.3	>6,000
G	11742+00	532395	178.7	>6,000
H	11830+00	538908	182.6	>6,000

3
4¹ Reach E was not evaluated due to the low height of the levee.

Table 7-3.

Priority 1 Maximum Allowable Flows on Levees for the Eastside Bypass Study Area

GCR Reach	GCR Station (ft)	Representative Model Cross Section	Post-Subsidence		
			GCR Reference Elevation (ft) [post-subsidence]	Capacity (cfs)	
				Typical Boards	Boards Out
Eastside Bypass Study Area (Reach 4A and Middle Eastside Bypass)					
A	102000	60106	99.4	>4,500	>4,500
B	106500	64035	105.5	>4,500	>4,500
C	111000	69622	98.2	3,290	3,290
D	116400 ²	73247	100.9	>4,500	>4,500
E	136100	93015	103.2	>4,500	>4,500
F	144600	101445	102.6	>4,500	>4,500
G	152300	107371	111.4	>4,500	>4,500
H	155500	108228	109.2	>4,500	>4,500
I	157000	109849	108.6	>4,500	>4,500
J	106000	61699	96.3	4,150	4,150
K	111830	67946	100.2	>4,500	>4,500
L	116800	72501	99.6	2,600	2,600
M	126500	82690	105.6	>4,500	>4,500
N	134500	90952	102.3	>4,500	>4,500
O	140500	96995	99.2	580 ¹	1,070
P	152500	109849	104.3	>4,500	>4,500
Q	937400	269381	109.7	>4,500	>4,500
R	926300	270685	107.3	>4,500	>4,500

¹ If all of boards are placed in the weirs at the refuge, the capacity of this reach is essentially 0 cfs.

8.0 Recommended Then-existing Channel Capacities

The purpose of this section is to present the recommended then-existing channel capacities based on results from the current channel capacity studies summarized in the previous sections of this report. Then-existing channel capacities are defined as flows that would not significantly increase flood risk from Restoration Flows in the Restoration Area. To reduce this risk, the PEIS/R included levee design criteria for levee slope stability and underseepage Factors of Safety based on USACE criteria for levees. The application of the criteria requires the collection and evaluation of data at locations throughout the Restoration Area. Until adequate data are available to apply the USACE criteria, the release of Restoration Flows would be limited to those that would remain in-channel (the water surface elevation in the river remains below the levees).

Two studies have been completed and provide the best information to better inform channel capacities, the Updated In-channel Capacity Study summarized in Section 7.1 and the Priority 1 Levee Assessment summarized in Section 7.2. The results in these two studies were used to inform recommended then-existing channel capacities. This information uses in-channel capacity as the best estimate of then-existing channel capacities for Reach 2B, Reach 3, portions of Reach 4A, Reach 4B2, Reach 5, Lower Eastside Bypass and Mariposa Bypass. For Reach 2A, the lower 2.5 miles of Reach 4A and the Middle Eastside Bypass, adequate data was available to perform a geotechnical analysis and these results were used to determine then-existing channel capacity.

Based on the results summarized in Sections 7.1 and 7.2 and detailed in Appendices B, C, and D, the recommended then-existing channel capacities for the San Joaquin River and flood bypasses within the Study Area are described below.

- The recommended then-existing channel capacity for Reach 2A is at least 6,000 cfs based on the geotechnical data and a maximum water surface elevation on the left levee less than 1 mile upstream from the CBBS. This is an increase from the then-existing channel capacity recommended in the 2015 Report when the geotechnical data is considered.
- The recommended then-existing channel capacity for Reach 2B considering in-channel capacity is 1,120 cfs based on a low point along the left levee approximately 4.6 miles upstream of the Mendota Dam. The influence of the Mendota Pool was not considered because normal pool water surface elevations in the pool are already higher than some outside ground elevations adjacent to levees and Restoration Flows would not significantly change this water surface due to the requirements to operate Mendota Dam to maintain a relatively constant pool elevation. There is no change in then-existing channel capacity that was recommended in the 2015 Report.
- The recommended then-existing channel capacity for Reach 3 considering subsidence and in-channel capacity is 2,860 cfs based on a low depression along the right levee about 11.4 miles upstream of Sack Dam. There is a slight increase in the then-existing channel capacity recommended in the 2015 Report when subsidence is considered.
- The recommended then-existing channel capacity considering subsidence, in-channel capacity and the geotechnical assessment for Reach 4A is 2,840 cfs, which is the in-channel

1 capacity of the reach outside of the geotechnical study area. The critical area is on the left
 2 and right levees approximately 2 miles upstream of Sand Slough. This is an increase from the
 3 then-existing channel capacity recommended in the 2015 Report when the geotechnical data
 4 and in-channel capacity are considered.

5 • The recommended then-existing channel capacity considering in-channel capacity for Reach
 6 4B2 is 930 cfs based on the low ground elevation along the right levee approximately one
 7 mile downstream of the confluence of the Mariposa Bypass. The three major depressions
 8 were not considered in this or the previous analysis, which would limit the flow to 50 cfs,
 9 since these depressions would likely fill with water and reduce levee stability concerns.
 10 There is no change in then-existing channel capacity that was recommended in the 2015
 11 Report.

12 • The recommended then-existing channel capacity considering in-channel capacity for Reach
 13 5 is 2,350 cfs, based on a low point along the right levee near the downstream end of the
 14 reach. This is an increase from the then-existing channel capacity recommended in the 2015
 15 Report based on the removal of a section of levee that is not hydraulically connected to the
 16 main channel at flows less than 4,500 cfs.

17 • The recommended then-existing channel capacity considering subsidence and the
 18 geotechnical assessment for the Middle Eastside Bypass is 580 cfs. This is based on a 3-mile
 19 portion of the right bank downstream of Sand Slough. This flow assumes that the weirs are
 20 configured and operated at their typical board setting ("Typical Boards") that is required by
 21 the refuge to divert flows during most years. If the refuge is not diverting flows, the capacity
 22 would increase to 1,070 cfs. On the rare occasion that all of the boards are in the weirs, no
 23 Restoration flow can be put in the bypass without exceeding USACE criteria. The then-
 24 existing channel capacity recommended is based on the "Typical Boards" condition,
 25 geotechnical data and subsidence and is an increase from the then-existing channel capacity
 26 recommended in the 2015 Report.

27 • The recommended then-existing channel capacity considering in-channel capacity for the
 28 Lower Eastside Bypass is 2,890 cfs based on the low point along the right levee just
 29 downstream of the Eastside Bypass Control Structure. There is no change in then-existing
 30 channel capacity that was recommended in the 2015 Report.

31 • The recommended then-existing channel capacity considering in-channel capacity for the
 32 Mariposa Bypass is 350 cfs based on a low point along the right levee about 1.3 miles
 33 upstream of the drop structure. There is no change in then-existing channel capacity that was
 34 recommended in the 2015 Report.

35 Table 8-1 summarizes the current and recommended then-existing channel capacities for each
 36 reach of the San Joaquin River and the flood bypasses, as well as, what study was used to
 37 determine then-existing channel capacity. Then-existing channel capacities recommended above
 38 do not consider limitations to Restoration Flows as it relates to agricultural seepage. For the 2016
 39 Restoration Year, releases of Restoration Flows in Reach 2A, Reach 2, Reach 4A and the
 40 Eastside Bypass are limited by agricultural seepage, and not levee stability. Table 8-1 also notes

1 current limitations of Restoration Flows based on agricultural seepage. Details of how these
 2 seepage limits are determined and limit Restoration Flows are in the Seepage Management Plan
 3 described in Section 9.2.4.

4 **Table 8-1.**
 5 **Current and Recommended Then-existing Channel Capacity**

Reach	Current Then-existing Channel Capacity (cfs)	Recommended Then-existing Channel Capacity (cfs) ¹	Study that determines Then-existing capacity
Reach 2A	1,630	6,000 ²	Geotechnical Assessment (Table 7.2)
Reach 2B	1,120	1,120	In-channel (Table 7.1)
Reach 3	2,760	2,860 ³	In-channel (Table 7.1)
Reach 4A	970	2,840 ⁴	Geotechnical Assessment (Table 7.3) and In-channel (Tables 7.1)
Reach 4B1	Not Analyzed	Not Analyzed	--
Reach 4B2	930	930	In-channel (Table 7.1)
Reach 5	1,940	2,350	In-channel (Table 7.1)
Middle Eastside Bypass	370	580 ⁵	Geotechnical Assessment (Table 7.3)
Lower Eastside Bypass	2,890	2,890	In-channel (Table 7.1)
Mariposa Bypass	350	350	In-channel (Table 7.1)

6 ¹ Then-existing channel capacity is based on levee stability only and does not consider limitations to Restoration Flows related to agricultural
 7 seepage.
 8 ² Capacity not assessed for flows greater than 6,000 cfs. Restoration Flows are limited to 2,140 cfs due to agricultural seepage.
 9 ³ Restoration Flows are limited to 900 cfs due to agricultural seepage.
 10 ⁴ Restoration Flows are anticipated to be limited to 300 cfs due to agricultural seepage.
 11 ⁵ The recommended then-existing channel capacity reflects the typical board setting at the weirs that allows for flow diversions within the
 12 Merced National Wildlife Refuge. If all of the boards are removed from the weirs, the capacity could increase to 1,070 cfs. If all of the boards
 13 are placed in the weirs, Restoration Flows could not be put into the bypass without exceeding USACE criteria. Restoration Flows are
 14 anticipated to be limited to 300 cfs due to agricultural seepage.
 15
 16

9.0 Future Program Actions with the Potential to Improve Then-existing Channel Capacity

Throughout Settlement implementation, the maximum downstream extent and rate of Restoration Flows to be released would be limited to then-existing channel capacities. As channel or structure modifications are completed with additional environmental compliance, maximum Restoration Flow releases would be correspondingly increased in accordance with then-existing channel capacities and the release schedule. Consistent with the commitments made in the PEIS/R ROD, Restoration Flows would be reduced, as needed, to address material seepage and levee stability impacts, as identified in the Physical Monitoring and Management Plan in Appendix D of the PEIS/R. If releases of water from Friant Dam are required for flood control purposes, concurrent Restoration Flows would be reduced by an amount equivalent to the required flood control release. If flood control releases from Friant exceed the concurrent scheduled Restoration Flows, no additional releases above those required for flood control would be made for SJRRP purposes.

Until sufficient data are available to determine the levee seepage and stability Factors of Safety, Reclamation would limit Restoration Flow releases to those flows which would remain in-channel. When sufficient data are available to determine the Factors of Safety, Reclamation would limit the release of Restoration Flows to those flows which would maintain standard USACE levee performance criteria at all times.

The following sections identify potential immediate, near-term and long-term actions by the SJRRP that could affect then-existing channel capacity due to changes in the physical conditions within the Restoration Area. The listed potential actions and projects is not a comprehensive list, but a list of actions that may be implemented. Future actions listed in future annual channel capacity reports may change as monitoring is conducted and physical changes within the Restoration Area occur and are identified. If any actions increase then-existing channel capacities, a new Channel Capacity Report will be prepared prior to Reclamation increasing Restoration Flows.

9.1 Immediate Actions

Immediate actions are described at a project-level in the PEIS/R including specific details in the *Physical Monitoring and Management Plan* in Appendix D. Potential immediate actions to a reduction in channel capacity continue to include removal of vegetation and debris and/or restrictions on Restoration Flows that would exceed channel capacity.

Since the start Restoration Flows, the SJRRP has implemented flow limitations and immediate flow reductions to address issues related to then-existing channel capacity, mainly for groundwater seepage and will continue to do so on an as-needed basis during the release of Restoration Flows.

Vegetation removal would be conducted by mechanical or chemical means. Nonnative plant removal would receive priority over removal of native species. These responses could include unplanned emergency actions or actions taken within the water year.

1 **9.2 Near-Term Actions**

2 In addition to immediate actions, the SJRRP is evaluating sediment, vegetation and operational
3 and maintenance projects that are being considered for implementation in the next couple of
4 years (near-term) to address the potential to maintain or increase then-existing channel
5 capacities. The following sections update the anticipated implementation schedules of the near-
6 term actions described in the previous year's 2015 Report, as well as provide updates and future
7 activities related to levee stability and channel capacity summarized in the *Physical Monitoring*
8 *and Management Plan*.

9 **9.2.1 Sediment Removal Projects**

10 Sediment deposition in the Eastside Bypass contributes to reduced channel capacities. At present,
11 there is one proposed project to remove sediment from the river system near the confluence of
12 the Eastside Bypass and Reach 4B1 of the San Joaquin River. An Appraisal level study was
13 conducted for this project in 2013, and a technical memorandum was completed documenting the
14 concepts and costs for this study. This project has the potential to increase the low flow channel
15 capacity in the Middle Eastside Bypass, which parallels Reach 4B1. It is expected that this
16 project will be completed in 2016.

17 **9.2.2 Vegetation Removal Projects**

18 Vegetation within the channel can reduce channel capacity by increasing channel roughness.
19 Vegetation management may be necessary to maintain then-existing channel capacities.
20 Reclamation is continuing to work with a local non-profit, the San Joaquin River Parkway and
21 Conservation Trust, to identify, manage, and monitor invasive aquatic and riparian species. The
22 existing program is anticipated to continue into the future.

23 **9.2.3 Operations and Maintenance Improvements**

24 Overall operation and maintenance including vegetation and sediment management, structure
25 and gate operations, levee stability and integrity of the San Joaquin River and flood bypasses can
26 impact then-existing channel capacity. Reclamation remains open to providing funding to help
27 the LSJLD adapt to changes in maintenance type and frequency as a result of Restoration Flows.
28 However, these funds have to be provided consistent with Federal Law.

29 **9.2.4 Seepage Management Plan**

30 Reclamation has developed a Seepage Management Plan and Seepage Project Handbook to
31 guide efforts related to groundwater seepage. It should be noted that the actions and findings of
32 the Seepage Management Plan, although related to channel capacity, is being reported as it
33 relates to agricultural seepage only. However, data collection and seepage projects will be
34 closely coordinated to determine effect on channel capacities. Reclamation releases Restoration

1 Flows in a manner that groundwater levels do not exceed thresholds that could cause seepage
 2 issues due to Restoration Flow releases.

3 There are 93 groups of assessor parcels that may need seepage projects and will be evaluated for
 4 impacts. Reclamation will be gradually implementing seepage projects by parcel group based on
 5 flow restriction. Reclamation has implemented the first two projects, and anticipates
 6 implementing a third in 2015 or 2016. Once these three are implemented, Reclamation estimates
 7 approximately 300 cfs can pass into the Eastside Bypass (subject to real time groundwater
 8 monitoring). Anticipated Restoration Flow limitations for each reach due to agricultural seepage
 9 for the 2016 Restoration Year is shown in Table 9-1.

10 **Table 9-1**
 11 **Restoration Flow Limitations at it Relates to Agricultural Seepage**

Reach	Seepage Management Plan Restoration Flow Limitations (cfs)
Reach 2A	2,140
Reach 2B	--
Reach 3	900
Reach 4A	300 ¹
Reach 4B1	Not Analyzed
Reach 4B2	--
Reach 5	2,350
Middle Eastside Bypass	300 ¹
Lower Eastside Bypass	--
Mariposa Bypass	--

12 ¹ Anticipated limit based on seepage project implementation.

13 The Seepage Management Plan and Seepage Project Handbook can be found at the SJRRP
 14 website under the following link:

15 [http://www.restoresjr.net/download/program-documents/program-docs-
 16 2014/SMP_Draft_September_2014.pdf](http://www.restoresjr.net/download/program-documents/program-docs-2014/SMP_Draft_September_2014.pdf).

17 **9.3 Long-Term Actions**

18 Long-term actions by the SJRRP will be needed to achieve then-existing channel capacities in
 19 the San Joaquin River and flood bypasses that can convey maximum Restoration Flow releases.
 20 Potential long-term actions could include, but would not be limited to, the following: providing a
 21 larger floodplain between levees through the acquisition of land and construction of setback
 22 levees; re-grading of land between levees; construction of sediment traps; sediment removal;
 23 levee improvements; construction of grade control structures; and channel grading.

1 Long-term actions would require a determination of need, identification for funding, and site-
 2 specific environmental compliance documentation. These actions would be considered by the
 3 SJRRP to allow the continued increase of then-existing channel capacity to meet full Restoration
 4 Flows.

5 The SJRRP is continuing to work on several long-term projects related to increasing site-specific
 6 channel capacity as provided for in the Settlement paragraphs 11(a) and 11(b). These projects
 7 include the following activities to be completed in future years:

- 8 • Construct Mendota Pool Bypass. Building a bypass around the Mendota Pool to convey
 9 at least 4,500 cfs from Reach 2B to Reach 3. This could also include a fish screen or
 10 positive fish barrier to avoid fish straying into Mendota Pool.
- 11 • Modify Reach 2B to convey at least 4,500 cfs. The channel would be modified to expand
 12 its capacity to at least 4,500 cfs with integrated floodplain habitat. New levees would be
 13 constructed to accommodate Restoration Flows, increasing the flood capacity of the
 14 reach.
- 15 • Modify Reach 4B1 to convey at least 475 cfs. Reach 4B would be modified to convey at
 16 least 475 cfs with integrated floodplain habitat. In addition to modifications of the Reach
 17 4B1 channel to convey at least 475 cfs, the Settlement and the San Joaquin River
 18 Restoration Settlement Act, Public Law 111-11, Section 10009(f)(2)(B) also requires that
 19 a determination be made on increasing the channel capacity to 4,500 cfs. Modification of
 20 the San Joaquin River Headgate Structure and other structures would also need to be
 21 completed to enable fish passage and flow routing. These modifications are to be made
 22 consistent with the decision as to whether 4,500 cfs is routed through Reach 4B1.

23 **9.4 Framework for Implementation**

24 The long-term actions identified above are included in the SJRRP’s draft *2015 Revised*
 25 *Framework for Implementation* (Framework). The Framework is an update and revision to the
 26 *Third Party Working Draft Framework for Implementation*, dated June 19, 2012 (2012
 27 Framework), and establishes a realistic schedule for the Framework’s “core” actions based upon
 28 the best available technical, biological, schedule and funding information. Specifically, this
 29 Revised Framework establishes the following:

- 30 • Five year visions to provide clear, realistic, and accomplishable steps towards meeting
 31 the Restoration Goal and Water Management Goal;
- 32 • Achievable schedules based upon realistic Federal and State of California appropriation
 33 levels, improving our ability to plan and be transparent on actions; and
- 34 • More clearly defined roles and responsibilities for each Implementing Agency, increasing
 35 each agency’s ability to budget, plan, and approve construction actions.

1 This Revised Framework provides a more realistic schedule and associated future funding needs
2 for the San Joaquin River Restoration Program (SJRRP or Program) Implementing Agencies to
3 focus on “core” actions identified in the 2012 Framework and implementation of the Stipulation
4 of Settlement in NRDC, et al. v. Kirk Rodgers, et al. (Settlement) and the San Joaquin River
5 Restoration Settlement Act, Title X of Public Law 111-11 (Settlement Act). The Revised
6 Framework includes objectives to have 1,300 cubic feet per second of channel capacity
7 throughout the San Joaquin River to Reach 4A, Reach 5 and the Eastside Bypass by the end of
8 2019, 2,500 cfs of capacity by the end of 2024, and 4,500 cfs capacity by the end of 2029.
9 Channel capacity improvements include levee improvements identified by the remaining reaches
10 constrained by then-existing channel capacity, and groundwater seepage projects needed to
11 release flows without causing crop yield impacts. Approximately \$300 million of levee
12 improvement projects and \$189 million of seepage projects are included in the Revised
13 Framework, which combined total about a third of the total SJRRP cost.

14 The Framework can be found at the SJRRP website under the following link:

15 http://www.restoresjr.net/wp-content/uploads/Revised-Framework_Final_20150729.pdf

16 **10.0 Future Program Studies and Monitoring with the** 17 **Potential to Inform Then-existing Channel** 18 **Capacity**

19 There are several factors that can impact and limit channel capacity. Potential factors could
20 include overall levee construction or integrity (e.g., insufficient slope stability factor of safety or
21 underseepage factor of safety); flow duration and timing that could saturate the levee and cause
22 instability; erosion of the stream banks that could cause potential levee failure; sedimentation or
23 scouring; ground subsidence; and increased roughness from vegetation. Other future conditions,
24 such as climate change and operation and maintenance while not directly impacting channel
25 capacity, could have long-term impacts on overall performance of the conveyance system. These
26 factors, as well as others were considered in developing future SJRRP studies and monitoring to
27 determine then-existing channel capacity. The following section summarizes the specific studies
28 and data collection activities planned by the SJRRP to allow a better understanding of then-
29 existing channel capacity or changes in channel capacity.

30 **10.1 Technical Studies**

31 The 2015 Report described several future technical studies that either build on the studies
32 described in Section 7.0 – Current Channel Capacity Studies and Related Work Completed or
33 will provide additional information necessary to identify future then-existing channel capacities.
34 All of those studies are currently being conducted and the following describes a status update of
35 these activities.

1 **10.1.1 San Joaquin Levee Evaluation Project**

2 The SJLE Project assists the SJRRP in assessing flood risks associated with the SJRRP with
3 respect to levee seepage and stability. Currently, DWR is performing the next steps on the SJLE
4 Project to continue DWR's support to the SJRRP by providing guidance on flood risk due to the
5 release of Restoration Flows on the levees along the San Joaquin River. DWR is initiating
6 feasibility-level study on the critical levee reach that initial levee evaluations have shown will
7 exceed USACE criteria for underseepage at a target Restoration Flow release of 1,300 cfs. DWR
8 will also continue the exploration and evaluations of Priority 2 and 3 levees to inform the SJRRP
9 of future remediation needs and costs. These activities are described below.

10 The evaluation of the Priority 1 levees provided a reconnaissance-level analysis to identify levee
11 reaches that may experience flood performance issues during Restoration Flow releases. The
12 analysis has resulted in a single 3-mile levee reach (Reach O) in the Middle Eastside Bypass that
13 will need feasibility-level study to identify if the levee will need to be improved to allow
14 Restoration Flow releases from Friant of 1,300 cfs. The Framework for Implementation shows
15 implementation of all measures to allow 1,300 cfs Restoration Flows in 2019. In completing the
16 design for Reach O, DWR will evaluate the remediation measures that will consider subsidence
17 and design flood flows. DWR will also coordinate any levee remediation projects with
18 Reclamation to ensure that levee improvements are consistent with improvements to address
19 agricultural seepage issues and the preferred alternative for the Reach 4B site-specific project.

20 Priority 2 evaluations are currently being performed on about 30 miles of levees in Reach 4B2
21 and the Mariposa Bypass and 3 miles on the right bank of Reach 3. The initial explorations,
22 including 102 bore holes, CPTs, and geophysical surveys, and testing of the soils data has been
23 completed. The next step will be to evaluate the results of the data and plan and implement the
24 next phase of explorations. Priority 3 levee initial evaluations are scheduled to start in 2016.

25 Since the evaluations of the SJLE Project are limited to seepage and stability analyses, and do
26 not include assessment of other levee failure mechanisms, a field monitoring program will also
27 be implemented to document levee performance under Restoration Flow conditions. Because it is
28 not anticipated that Restoration Flows will be placed on the levees until spring 2017, the
29 monitoring plan will be developed and incorporated into the 2017 Channel Capacity Report.
30 Additional details of the specific tasks that are included in the SJLE Project are summarized in
31 Section 10.1.2 of the 2014 Report.

32 **10.1.2 Reach 2A Morphology Study**

33 The Reach 2A Sediment Study was carried out in the lower portion of Reach 2A to investigate
34 sediment deposition upstream from the CBBS, which may have been a result of the 2009 through
35 2011 Restoration and 2011 flood flow releases. The study showed that in the short-term, and
36 Restoration Flows did not have a significant impact on channel capacity in the lower portion of
37 Reach 2A. Continued monitoring is planned to improve understanding of longer term impacts
38 and to test the hypothesis that Restoration Flows will continue the pattern of general degradation
39 throughout Reach 2A, but that deposition will continue to occur immediately upstream of the

1 CBBS. This study would help the SJRRP determine the short-term and long-term channel
 2 response in Reach 2A and its potential impact on then-existing channel capacity, as well as on
 3 operation of the CBBS. This information can also be used to assess the potential need to change
 4 then-existing channel capacity in Reach 2A or to take immediate or long term-actions. The initial
 5 study was described in Section 7.3 of the 2014 Report; a summary of the potential work that
 6 could be completed is in Section 10.1.3 of the 2014 Report.

7 **10.1.3 Subsidence Monitoring and Studies**

8 The 2015 Report included a description of the methods and results of the subsidence monitoring
 9 and levee surveys completed from 2011 to 2013 by Reclamation, Mid-Pacific Region, Division
 10 of Design and Construction, Surveys and Mapping Branch (MP-220) and the California
 11 Department of Water Resources, South Central Region Office (DWR-SCRO) for the San
 12 Joaquin River Restoration Program (SJRRP). Additional details are also provided in *Technical*
 13 *Memorandum, Subsidence Monitoring*, dated September 2014 and prepared by DWR and
 14 Reclamation that are included in the 2015 Report (Attachment E). The results of the monitoring
 15 are being used to study subsidence within the Restoration Area and to support the various studies
 16 that will help the SJRRP determine changes in then-existing channel capacities as a result of
 17 subsidence. The following sections provide an update to the monitoring and study efforts.

18 ***Reclamation Geodetic Control Network***


19 In 2011, Reclamation established the SJRRP Geodetic Control Network, using static GPS
 20 methods, to investigate subsidence within the Restoration and surrounding study areas. To
 21 monitor the rate of subsidence over time, Reclamation conducts bi-annual surveys, in July and
 22 December, of the established network made up of 85 control points. The control point elevations
 23 are updated after each survey and are used by the SJRRP to study subsidence, as well as to
 24 provide more accurate horizontal and vertical control for other studies.

25 After each survey, Reclamation prepares exhibit maps that compare the most recent data with the
 26 data from the previous survey, as well as from previous years. The exhibit maps give a good
 27 overall picture of the subsidence trends within the Restoration Area. Figure 10-1 shows the
 28 calculated annual subsidence rates continue to range from about 0.15 ft/year to 0.75 ft/year based
 29 on survey data collected in December 2011 and December 2014, and averaged over a three year
 30 period. The calculated annual subsidence rates will vary with time, but in general, appear to
 31 either remain constant, or in some areas increase since the start of the surveys.

32 Beginning in May 2012 Reclamation began monitoring the Arroyo and Temple-Santa Rita (TSR)
 33 Canals to understand the localized subsidence near Sack Dam. This data is being collected to
 34 support the design efforts for the Arroyo Canal Fish Screen and Sack Dam Fish Passage Project.
 35 The project is currently on hold until the SJRRP can better understand the magnitude of future
 36 subsidence and the effect of subsidence on the final design and operations.

37 The SJRRP is using the semiannual monitoring data and the Arroyo and TSR survey, in part to
 38 support and update a design criteria technical memorandum which will document subsidence
 39 within the SJRRP Restoration Area. The technical memorandum will establish the recommended

1 subsidence criteria that will be applied to the designs for future site-specific projects in Reach
2 2B, Reach 4B, and at the Arroyo Canal diversion in Reach 3, as well as for the levee, seepage
3 projects and other site-specific project designs in Reaches 2A through 4B. A final draft of the
4 technical memorandum will be circulated for comment, and finalized in late 2015 or 2016.



1
2
3

Figure 10-1.
Regional Subsidence Map

1 ***DWR Capacity Studies and Analysis***

2 DWR, in coordination with Reclamation, will conduct a study to better understand the effects of
 3 long-term subsidence on channel capacity, and the designs of the levee, seepage, and site-
 4 specific projects. In performing this study, the 1-D hydraulic models will be developed using the
 5 latest LiDAR data collected in early 2015, and employed for existing and future design
 6 conditions considering subsidence for the entire Restoration Area. The subsidence rates will be
 7 based on the average rate of subsidence currently being measured by Reclamation since 2011.
 8 This study will be completed in 2016.

9 In addition to updating the models, and assessing the channel capacity to consider future
 10 subsidence, DWR has started to move forward with a study within the flood bypasses to
 11 understand how subsidence is changing the sediment transport. The study is designed to better
 12 understand and quantify how subsidence-induced sedimentation will affect channel capacity and
 13 to provide information on the amount of sediment removal that may be required to maintain
 14 necessary design flow capacities. Results from the sediment transport study could provide
 15 information to further evaluate bypass flow capacities, as well as refine certain aspects of the
 16 design for the Reach 4B, Eastside Bypass and Mariposa Bypass Channel and Structural
 17 Improvements Project.

18 **10.1.4 Vegetation Modeling**

19 Reclamation will use existing SRH-2D hydraulic models to quantify potential increases in river
 20 stage given increases in riparian growth in reaches that convey the SJRRP Restoration Flows.
 21 This study will help the SJRRP determine if action needs to be taken to maintain or reduce then-
 22 existing channel capacities. It is expected that the analysis will be performed in Reaches 2A and
 23 4A as they have the highest potential for vegetation recruitment as a result of rewetting. The
 24 existing conditions Reclamation-built 2-D models, described briefly in Section 5.0 - Data and
 25 Analytical Tools, will be used as a starting condition. The potential increase in vegetation will be
 26 estimated using analogs to surrounding reaches. Various methods will be used to predict the
 27 increase in river stage due to increasing vegetation density. A technical report documenting the
 28 effect of vegetation roughness in Reaches 2A and 4A is expected in 2015.

29 **10.2 Monitoring Activities**

30 The SJRRP is continuing various monitoring activities for different studies and purposes. The
 31 monitoring described below will guide implementation of the Settlement for observing and
 32 adjusting to changes in physical conditions within the Restoration Area including those changes
 33 that may impact channel capacity. These monitoring activities are described in the *Physical*
 34 *Monitoring and Management Plan*, which is in Appendix D of the PEIS/R, the *Restoration Flow*
 35 *Guidelines*, or the *Seepage Management Plan*. The following sections describe the monitoring
 36 that may be undertaken on an as-needed basis.

1 10.2.1 Flow monitoring

2 The objective of continuing to monitor flow is to ensure compliance with the hydrograph
3 releases in Exhibit B of the Settlement and any other applicable flow releases without exceeding
4 then-existing channel capacity. Reclamation, DWR and the USGS currently maintain 23 flow
5 and staff gages along the San Joaquin River and tributaries between Friant Dam and the Merced
6 confluence. These gages are used to determine the flow in each reach of the river. All of the
7 gages shown in Figure 10-2 below are telemetered and available online at the California Data
8 Exchange Center (CDEC). Each of the operating agencies also conducts periodic flow
9 measurements in order to develop and adjust rating curves as necessary. Final daily average data
10 is determined monthly by Reclamation, as requested by DWR, and annually by the USGS. Flow
11 monitoring stations provide calibration data for hydraulic models and a key dataset for
12 comparison and evaluation. Monitoring of these stations would continue as needed to help ensure
13 Restoration Flows do not exceed then-existing channel capacities.

14 In addition to the flow monitoring already being completed, DWR will also develop a flow and
15 channel capacity water surface elevation monitoring plan to evaluate future changes in channel
16 capacity at critical sites due to vegetation, sedimentation, or other channel changes. The
17 objective is to develop a monitoring plan for the critical locations identified in each reach that
18 limit the flow capacity of the reach. The plan will include a review of the existing monitoring
19 stations to determine if they are close enough and adequate for monitoring the critical sites. If the
20 existing monitoring sites are not adequate, new sites will be identified in consultation with other
21 on-going programs so that new stage and flow measuring devices can be installed. The plan will
22 allow the SJRRP to identify when channel capacities are changing to inform when or if actions
23 discussed in Section 9.0 need to be implemented. This plan is expected to be completed in 2016.

24




Figure 10-2.

Current flow gages (purple) and staff gages (pink) available on CDEC

1
2
3

10.2.2 Water surface profile surveys

4

Along with flow monitoring, water surface profile (WSP) surveys help inform the SJRRP of the potential changes in stage and channel capacity as a result of a change in specific or reach-wide conditions due to subsidence, vegetation, channel work and sediment transport. In 2016, additional WSP surveys may be completed in some reaches, depending on flow releases from Friant and model calibration needs.

5
6
7
8
9

10.2.3 Aerial Photography and Topographic surveys

10

The purpose of the aerial photography and topographic surveys is to obtain information about the river stage, hydraulic roughness, river width, and bed elevation to assist with scientific studies that would inform the SJRRP about how physical changes in the system are impacting then-existing channel capacities. A number of survey data sets have been collected in this region before and after the Settlement to support the SJRRP. The most current topography was the aerial LiDAR completed in 2008 and bathymetric surveys that were completed in 2010/2011. Because of subsidence experienced in the Restoration Area and the uncertainties on the rates of subsidence, additional topographic and bathymetric LiDAR surveys were collected in 2015.

11
12
13
14
15
16
17
18

1 Bathymetry surveys in some reaches will be completed in 2015 and 2016, as needed. New terrain
2 surfaces will be created with this updated topographic data and will be used for site-specific
3 designs and to update hydraulic models and studies which could be used to inform then-existing
4 channel capacity. In addition to the LiDAR surveys, additional surveys may be completed to
5 support other ongoing and future studies related to subsidence, channel capacity, erosion
6 monitoring, and sediment transport.

7 Aerial photography with both natural color and infrared were completed at the same time as
8 LiDAR in early 2015.

9 **10.2.5 Vegetation surveys**

10 The purpose of the previous and future vegetation surveys is to obtain information on the
11 establishment and recruitment of vegetation. This information can be used by the SJRRP to
12 determine if actions need to be taken to address capacity issues as a result of increased channel
13 roughness from vegetation. Annual surveys have occurred since 2011 and future surveys will be
14 conducted annually after flood events as part of baseline SJRRP monitoring. The extent and
15 scope of the monitoring is discussed in Section 10.2.5 of the 2014 Report.

16 **10.2.6 Sediment Mobilization Monitoring**

17 The purpose of sedimentation mobilization monitoring is to obtain information on sediment
18 mobilization, bar formation, and bank erosion. This information will be useful for implementing
19 sediment removal strategies to help maintain channel capacity, developing studies to determine
20 the impacts of sedimentation on channel capacity, as well as identifying and mitigating areas that
21 could compromise levee integrity. Future sedimentation monitoring includes suspended sediment
22 and erosion monitoring.

23 ***Suspended Sediment***

24 Reclamation continues to collect suspended sediment data to inform channel capacity. The
25 USGS collects suspended-sediment, bedload, bed gradation data, and stream discharge eight
26 times at several locations. These sampling sites, listed in the order of the downstream direction,
27 are: Highway 41, Skaggs Bridge, Gravelly Ford, 1.3 miles west of Napa Ave (above CBBS),
28 below CBBS, and below Mendota Dam. This information has and will continue to be useful to
29 DWR and Reclamation studies on the sedimentation impacts on channel capacity in the San
30 Joaquin River and flood bypasses.

31 ***Erosion Monitoring***

32 Erosion monitoring of the channel and channel banks would be conducted by DWR to identify
33 areas that may potentially compromise levee integrity for consideration of future management
34 actions and projects (flow reduction, revetment, armoring, etc.). The objective of this work is to

1 develop a plan to monitor erosion and deposition within the Restoration Area as they may
2 threaten flow conveyance and confinement to the floodway. DWR will develop a plan that will
3 be designed to provide proactive detection of developing hazards prior to incurring damage to
4 infrastructure and communities. Monitoring would be completed by DWR by obtaining and
5 reviewing aerial photography to identify actively eroding channel margins. From those results,
6 DWR will select sites for monitoring and develop a field survey plan. In future years, DWR will
7 continue to collect and review aerial photography periodically, as needed, based on the
8 magnitude of flows experienced in each reach. In addition, part of the monitoring plan in future
9 years could include analysis and review of reach-wide mapping by SJRRP LiDAR or other
10 means as it becomes available. Periodic supplemental surveys would be performed in areas
11 identified as key erosion locations and established as needing longer term monitoring. Reports
12 will be prepared annually for review to determine the flow effects on channel capacity and
13 potential hazards to infrastructure and communities.
14
15

11.0 Non-Program Actions and Studies that May Influence Future Channel Capacity

There are several other entities that are active in the Restoration Area and whose programs may help inform or impact then-existing channel capacity. The SJRRP will need to closely coordinate and collaborate with these entities by sharing information and data, as well as coordinating specific actions along the river that can inform or impact channel capacity. This section provides recent updates of the programs, actions, and studies of other agencies that could impact or allow a better understanding of future channel capacity within the SJRRP Restoration Area. The 2014 Report provides a more complete description of these activities of these agencies.

11.1 Lower San Joaquin Levee District

The LSJLD is a local agency that is responsible for operation, maintenance, and emergency management of the LSJRFC Project, which is part of the State Plan of Flood Control (SPFC) facilities within the SJRRP Restoration Area. The LSJLD operates and maintains levees, bypasses and other facilities built in connection with the SPFC and these actions directly impact the capacities of the reaches in the study area. The LSJLD identified six erosion sites along Reach 2A of the San Joaquin River experiencing increased levels of bank erosion that threaten the flood control levee system. To reduce this potential and maintain channel capacity, bank stabilization efforts currently underway consist of lining the banks with erosion-resistant materials such as rock, concrete rubble and local hard-pan. Five of the six sites have been completed. It is anticipated that the LSJLD will start work on the remaining site in June 2016.

11.2 Merced National Wildlife Refuge

The U.S. Fish & Wildlife Service (USFWS) currently operates a pair of weirs within the boundaries of the MNWR along the Middle Eastside Bypass that could have an impact on channel capacity. These weirs are referred to as the upper and lower wildlife refuge weirs, since they are located at the upstream and downstream intersections of the MNWR and the bypass. These structures have the ability to check water both upstream of the MNWR and within its boundaries for diversion to the various wetlands operated by USFWS. When the boards are placed into the weirs, they have significant impact on water surface elevation and capacity of the bypass, as described in Section 7.0 - *Completed Channel Capacity Studies*. Coordination of the release of Restoration Flows and the operation of the weirs will be critical to ensure that USACE criteria are being met.

1 **11.3 DWR**

2 In support of the Central Valley Flood Protection Plan (CVFPP), DWR is leading three specific
3 efforts within the SJRRP Restoration Area that may affect or inform channel capacity.

4 **11.3.1 Non-Urban Levee Evaluations**

5 As a component of the CVFPP, DWR has been performing geotechnical evaluations of over
6 1,800 miles of levees throughout the Central Valley. The evaluations are divided into the Urban
7 Levee Evaluations (ULE) Project for levees protecting populations greater than 10,000 and the
8 NULE Project for remaining levees including a portion of the levee features within the
9 Restoration Area. The evaluations are limited to Project levees and appurtenant Non-Project
10 levees, which protect part of a basin partially protected by Project levees or may impact the
11 performance of Project levees.

12 As discussed in the 2014 Report, the subsurface exploration portion of the program was
13 completed in 2012 and consisted of approximately 5 CPTs and 1 exploratory boring on the levee
14 crest per mile with occasional explorations on the levee toe. A total of 164 CPTs and 40 borings
15 were drilled on or along levees in Reaches 2A, 3, and 4A. A total of 125 CPTs and 46 borings
16 were drilled along the Eastside Bypass and Chowchilla Bypass Canal. The Geotechnical Data
17 Report (GDR) for this effort was completed in February 2014. Seepage and stability evaluations
18 were also perform on these levees and the results of these analyses in Reach 3 and 4A are
19 presented in a Geotechnical Overview Report (GOR). The analyses for Reach 2A were combined
20 with the SJLE Project analysis and presented in the Gravelly Ford Study Area GCR as described
21 in Section 7.2, Priority 1 Levee Geotechnical Assessment. The reports also include proposed
22 alternatives and preliminary costs for remediating the existing levees. The NULE assessments
23 will continue to be used by the SJLE Project in areas where priority levees were identified.

24 **11.3.2 Regional Flood Management Planning**

25 As a next step in refining the CVFPP, DWR has been coordinating a Regional Flood
26 Management Planning effort for the Central Valley. The regional planning effort supports
27 locally-developed Region Flood Management Plans (RFMP) and is an important step in updating
28 and implementing the CVFPP. The main goal of the RFMP is to identify high priority regional
29 flood risk reduction solutions that are both economically viable and implementable. As part of
30 the regional planning effort, the Upper San Joaquin River (USJR) Region, that encompasses a
31 significant part of the Restoration Area, was created.

32 The USJR Region prepared a RFMP that describes the region's flood hazards, flood control
33 systems, and ultimately the vision for a "floodsafe" region. There are 86 projects and
34 management actions that are proposed in the USJR RFMP and it is expected that several of the
35 proposed projects will reduce flood risk in the Restoration Area. Ten SJRRP projects are
36 included on the USJR Region's project list and the USJR Region has been coordinating with the

1 SJRRP on potential projects that could increase then-existing channel capacities in the
2 Restoration Area.

3 With the development of the regional flood plan complete, the USJR Region has now moved to
4 the second phase of the planning effort which is intended to continue the meaningful engagement
5 by the Regional Partners in regional flood planning and further develop strategies for addressing
6 governance and institutional issues in improving flood management and implement projects
7 identified in their regional plan. As DWR reviews the completed RFMP to gain specific
8 information regarding the proposed regional flood improvements, actions, and policy
9 recommendations, the USJR Region will be promoting regional collaboration with DWR's
10 Basinwide Feasibility Studies and the other critical work that will be included in the CVFPP
11 2017 update. Important processes like establishing regional governance to lead and effectively
12 manage grant funds and addressing institutional barriers from permitting and operating and
13 maintaining the existing facilities will be a high priority for the USJR Region.

14 **11.3.3 Flood System Repair Project**

15 As part of implementing actions in the CVFPP, DWR is also implementing near-term priority
16 actions, the Flood System Repair Project (FSRP) to help Local Maintaining Agencies (LMAs)
17 reduce flood risks in non-urban areas. Through FSRP, DWR is assisting LMAs by providing
18 them with technical and financial support to repair documented critical problems with flood
19 control facilities of the State Plan of Flood Control (SPFC) in non-urban areas.

20 The objectives of the FSRP are to repair documented critical problems like erosion sites (50-foot
21 in length or less), hydraulic control structures, and deteriorated levee patrol roads. Under the
22 FSRP, DWR is working with the LSJLD to re-rock 25.5 miles of levee roadways to provide all-
23 weather access to the levees. This will help reduce flood risks by improving the reliability of the
24 levees for levee monitoring during flood events. In addition, the FSRP is working with the
25 LSJLD to modernize the Chowchilla Bypass, San Joaquin River, Eastside Bypass, and Mariposa
26 Bypass control structures' electronic gate controls. These modifications will improve the system
27 operations by providing a more reliable system and allowing the ability to adjust gate settings
28 quicker for more efficient operation. The LSJLD prepared the plans and specifications and is
29 working with DWR on the schedule and funding. The LSJLD has the needed permits and the
30 levee roadway rocking will start in June 2016.

31

1 12.0References

- 2 Bureau of Reclamation, 2010. SRH-2D version 2: Theory and User’s Manual: Sedimentation and
 3 River Hydraulics—Two-Dimensional River Flow Modeling. Technical Service Center,
 4 Denver, CO, 2010.
- 5 _____, 2012). San Joaquin River Restoration Daily Flow Model (SJRRP) Documentation for the
 6 Reach 4B Study, Technical Report No. 86-68210-2012-04, Prepared for the San Joaquin
 7 River Restoration Program, Technical Service Center, Denver, CO, 2012.
- 8 CA Department of Water Resources, 1985. Flood Channel Design Flows (Modified) May 1985.
 9 _____, Division of Flood Management, 2012. Identification and Prioritization of Levee
 10 Segments for Geotechnical Exploration and Analyses, August 30.
- 11 _____, South Central Region Office, 2013. Evaluation of the Effect of Subsidence on Flow
 12 Capacity in the Chowchilla and Eastside Bypasses, 2013.
- 13 McBain & Trush 2002. San Joaquin River Restoration Study Background Report. Prepared by
 14 Friant Water Users Authority, Lindsay, California, and Natural Resources Defense
 15 Council, San Francisco, California. December.
- 16 Reclamation Board, 1967; amended 1978, revised 1985. Lower San Joaquin River Flood Control
 17 Project: Operation and Maintenance Manual for Levees, Irrigation and Drainage
 18 Structures, Channels, and Miscellaneous Facilities.
- 19 Tetra Tech, Inc. 2013a. San Joaquin River, Reach 2B, Two-dimensional Sediment-transport
 20 Modeling to Evaluate Sediment Budget through the San Joaquin River Bypass Structure,
 21 Prepared for California Department of Water Resources, April 2013.
- 22 _____, 2014. Draft San Joaquin River and Bypass System 1-D Steady State HEC-RAS Model
 23 Documentation, Prepared for California Department of Water Resources, April 2014.
- 24 _____, 2015a. Reaches 3, 4A and Middle Eastside Bypass (MESB) Subsidence and Capacity
 25 Study, Draft technical memorandum prepared for the California Dept. of Water
 26 Resources, Fresno, California, February.
- 27 _____ . 2015b. Draft San Joaquin River In-channel Capacity Analysis, Draft technical
 28 memorandum prepared for the California Dept. of Water Resources, Fresno, California,
 29 June.
- 30 San Joaquin River Restoration Program. 2011. Reach 4B, Eastside Bypass, and Mariposa Bypass
 31 Channel and Structural Improvements Project, Initial Alternatives Technical
 32 Memorandum, October 2011.
- 33 Towill, Inc., 2009. Topographic and Bathymetric Mapping of the San Joaquin River from Friant
 34 Dam to Highway 99 (Reach 1A). Letter of Transmittal submitted with mapping to Tetra
 35 Tech-MEI for California Department of Water Resources, Fresno, California, April 24.
- 36 URS, 2013. Channel Capacity Assessment Based on Geotechnical Considerations. Prepared for
 37 the California Department of Water Resources, August 30.

- 1 U.S. Army Corps of Engineers. 2000. Design and Construction of Levees Engineering and
- 2 Design Manual. Manual No. 1110-2-1913. April 2000. Table 6-1b, page 6-5.
- 3 _____. 2003. Engineering and Design – Slope Stability. Manual No. 1110-2-1902. October
- 4 2003.
- 5 _____. 2005. Design Guidance for Levee Underseepage Engineering Technical Letter. ETL
- 6 1110-2-569. May 2005.