

SAN JOAQUIN RIVER RESTORATION PROGRAM
Weekly Groundwater Report - Week Ending Feb 13, 2010

REACH 2A

Buffer Zone (ft)						
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank	
FA-9	2/9/2010	20.27	4-6	218.2	Left	
MW-47	2/9/2010	20.23	6-8	218.2	Right	
MA-4	2/9/2010	21.9	6-8	217.2	Right	
MW-49B	2/9/2010	18.7	4-6	217.2	Left	

REACH 2B

Buffer Zone (ft)						
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank	
MW-54B	2/10/2010	22.21	TBD	211.8	Right	
MW-55B	2/10/2010	12.82	6-8	211.8	Left	
R2B-1	2/11/2010	6.35	4-6	207.1	Right	
R2B-2	2/11/2010	13.5	4-6	205.1	Right	

REACH 3

Buffer Zone (ft)						
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank	
R3-1	2/11/2010	10.6	4-6	191.6	Right	
R3-6	2/11/2010	10.25	4-6	196.6	Right	
R3-7	2/11/2010	8.8	3-5	199.2	Right	

REACH 4

Buffer Zone (ft)						
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank	
MW-84	2/11/2010	38.4	4-6	173.9	Right	
MW-87B	2/11/2010	>14 (Dry)	4-6	173.9	Left	

PRELIMINARY SAN JOAQUIN RIVER FLOW DATA

Location	Station_ID	Reach	River Mile	Flow (cfs)	Date	Time
Friant Dam	MIL	1	267.6	400	2/12/2010	1200
Gravelly Ford	GRF	2A	227.6	195	2/12/2010	1200
SJR below BIF	SJB	2B	216	0	2/12/2010	1200
SJR near Mendota	MEN	3	202.1	279	2/12/2010	1200
SJR near Dos Palos	SDP	4	181.5	8	2/12/2010	1200
SJR at Fremont Ford	FFB	5	125.1	618	2/12/2010	1200
SJR above Merced River	11273400	5	118.3	716	2/12/2010	1200

REAL TIME GROUNDWATER MONITOR WELL INFORMATION

Well ID	CDEC_ID	Weblink
MW-54B	W54	http://cdec.water.ca.gov/cgi-progs/queryF?s=w54
R3-1	R31	http://cdec.water.ca.gov/cgi-progs/queryF?s=r31
R3-7	R37	http://cdec.water.ca.gov/cgi-progs/queryF?s=r37

NOTE: All data are provisional and are subject to revision
TBD=To be determined NR=No Reading (Well Inaccessible)

Buffer Zone as defined in the Draft SJRRP Seepage Mgt Plan (ft BGS= feet below ground surface)
DTW_GS = Depth to Groundwater from Ground Surface
CDEC = California Data Exchange Center

SAN JOAQUIN RIVER RESTORATION PROGRAM
Weekly Groundwater Report - Week Ending Feb 13, 2010

REACH 2A

Buffer Zone (ft)						
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank	
FA-9	2/9/2010	20.27	4-6	218.2	Left	
MW-47	2/9/2010	20.23	6-8	218.2	Right	
MA-4	2/9/2010	21.9	6-8	217.2	Right	
MW-49B	2/9/2010	18.7	4-6	217.2	Left	

REACH 2B

Buffer Zone (ft)						
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank	
MW-54B	2/10/2010	22.21	TBD	211.8	Right	
MW-55B	2/10/2010	12.82	6-8	211.8	Left	
R2B-1	2/11/2010	6.35	4-6	207.1	Right	
R2B-2	2/11/2010	13.5	4-6	205.1	Right	

REACH 3

Buffer Zone (ft)						
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank	
R3-1	2/11/2010	10.6	4-6	191.6	Right	
R3-6	2/11/2010	10.25	4-6	196.6	Right	
R3-7	2/11/2010	8.8	3-5	199.2	Right	

REACH 4

Buffer Zone (ft)						
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank	
MW-84	2/11/2010	38.4	4-6	173.9	Right	
MW-87B	2/11/2010	>14 (Dry)	4-6	173.9	Left	

PRELIMINARY SAN JOAQUIN RIVER FLOW DATA

Location	Station_ID	Reach	River Mile	Flow (cfs)	Date	Time
Friant Dam	MIL	1	267.6	400	2/12/2010	1200
Gravelly Ford	GRF	2A	227.6	195	2/12/2010	1200
SJR below BIF	SJB	2B	216	0	2/12/2010	1200
SJR near Mendota	MEN	3	202.1	279	2/12/2010	1200
SJR near Dos Palos	SDP	4	181.5	8	2/12/2010	1200
SJR at Fremont Ford	FFB	5	125.1	618	2/12/2010	1200
SJR above Merced River	11273400	5	118.3	716	2/12/2010	1200

REAL TIME GROUNDWATER MONITOR WELL INFORMATION

Well ID	CDEC_ID	Weblink
MW-54B	W54	http://cdec.water.ca.gov/cgi-progs/queryF?s=w54
R3-1	R31	http://cdec.water.ca.gov/cgi-progs/queryF?s=r31
R3-7	R37	http://cdec.water.ca.gov/cgi-progs/queryF?s=r37

NOTE: All data are provisional and are subject to revision
 TBD=To be determined NR=No Reading (Well Inaccessible)

Buffer Zone as defined in the Draft SJRRP Seepage Mgt Plan (ft BGS= feet below ground surface)
 DTW_GS = Depth to Groundwater from Ground Surface
 CDEC = California Data Exchange Center

SAN JOAQUIN RIVER RESTORATION PROGRAM
Weekly Groundwater Report - Week Ending Feb 20, 2010

REACH 2A

Buffer Zone (ft)						
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank	
FA-9	2/16/2010	20.56	4-6	218.2	Left	
MW-47	2/16/2010	20.75	6-8	218.2	Right	
MA-4	2/16/2010	22.23	6-8	217.2	Right	
MW-49B	2/16/2010	19.03	4-6	217.2	Left	

REACH 2B

Buffer Zone (ft)						
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank	
MW-54B	2/17/2010	22.03	TBD	211.8	Right	
MW-55B	2/17/2010	12.81	6-8	211.8	Left	
R2B-1	2/18/2010	6.1	4-6	207.1	Right	
R2B-2	2/18/2010	13.17	4-6	205.1	Right	

REACH 3

Buffer Zone (ft)						
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank	
R3-1	2/18/2010	10.1	4-6	191.6	Right	
R3-6	2/18/2010	9.6	4-6	196.6	Right	
R3-7	2/18/2010	8.15	3-5	199.2	Right	

REACH 4

Buffer Zone (ft)						
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank	
MW-84	2/17/2010	41.4	4-6	173.9	Right	
MW-87B	2/17/2010	>14 (Dry)	4-6	173.9	Left	

PRELIMINARY SAN JOAQUIN RIVER FLOW DATA

Location	Station_ID	Reach	River Mile	Flow (cfs)	Date	Time
Friant Dam	MIL	1	267.6	400	2/19/2010	1200
Gravelly Ford	GRF	2A	227.6	214	2/19/2010	1200
SJR below BIF	SJB	2B	216	0	2/19/2010	1200
SJR near Mendota	MEN	3	202.1	312	2/19/2010	1200
SJR near Dos Palos	SDP	4	181.5	15	2/19/2010	1200
SJR at Fremont Ford	FFB	5	125.1	287	2/19/2010	900
SJR above Merced River	11273400	5	118.3	402	2/19/2010	1200

REAL TIME GROUNDWATER MONITOR WELL INFORMATION

Well ID	CDEC_ID	Weblink
MW-54B	W54	http://cdec.water.ca.gov/cgi-progs/queryF?s=w54
R3-1	R31	http://cdec.water.ca.gov/cgi-progs/queryF?s=r31
R3-7	R37	http://cdec.water.ca.gov/cgi-progs/queryF?s=r37

NOTE: All data are provisional and are subject to revision
TBD=To be determined NR=No Reading (Well Inaccessible)

Buffer Zone as defined in the Draft SJRRP Seepage Mgt Plan (ft BGS= feet below ground surface)
DTW_GS = Depth to Groundwater from Ground Surface
CDEC = California Data Exchange Center

SAN JOAQUIN RIVER RESTORATION PROGRAM
Weekly Groundwater Report - Week Ending Feb 27, 2010

REACH 2A

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
FA-9	2/23/2010	13.62	4-6	218.2	Left
MW-47	2/23/2010	11.29	6-8	218.2	Right
MA-4	2/23/2010	17.5	6-8	217.2	Right
MW-49B	2/23/2010	8.03	4-6	217.2	Left

REACH 2B

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
MW-54B	2/24/2010	21.74	TBD	211.8	Right
MW-55B	2/24/2010	12.63	6-8	211.8	Left
R2B-1	2/25/2010	5.85	4-6	207.1	Right
R2B-2	2/25/2010	12.98	4-6	205.1	Right

REACH 3

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
R3-1	2/25/2010	9.88	4-6	191.6	Right
R3-6	2/25/2010	10.05	4-6	196.6	Right
R3-7	2/25/2010	8.88	3-5	199.2	Right

REACH 4

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
MW-84	2/25/2010	45.3	4-6	173.9	Right
MW-87B	2/25/2010	>14 (Dry)	4-6	173.9	Left

PRELIMINARY SAN JOAQUIN RIVER FLOW DATA

Location	Station_ID	Reach	River Mile	Flow (cfs)	Date	Time
Friant Dam	MIL	1	267.6	350	2/26/2010	1300
Gravelly Ford	GRF	2A	227.6	304	2/26/2010	1200
SJR below BIF	SJB	2B	216	287	2/25/2010	900
SJR near Mendota	MEN	3	202.1	161	2/26/2010	1200
SJR near Dos Palos	SDP	4	181.5	BRT	2/26/2010	1200
SJR at Fremont Ford	FFB	5	125.1	508	2/26/2010	900
SJR above Merced River	11273400	5	118.3	674	2/26/2010	1200

REAL TIME GROUNDWATER MONITOR WELL INFORMATION

Well ID	CDEC_ID	Weblink
MW-54B	W54	http://cdec.water.ca.gov/cgi-progs/queryF?s=w54
R3-1	R31	http://cdec.water.ca.gov/cgi-progs/queryF?s=r31
R3-7	R37	http://cdec.water.ca.gov/cgi-progs/queryF?s=r37

NOTE: All data are provisional and are subject to revision
 TBD=To be determined NR=No Reading (Well Inaccessible)

Buffer Zone as defined in the Draft SJRRP Seepage Mgt Plan (ft BGS= feet below ground surface)
 DTW_GS = Depth to Groundwater from Ground Surface
 CDEC = California Data Exchange Center
 BRT=Below Rating Table

SAN JOAQUIN RIVER RESTORATION PROGRAM
Weekly Groundwater Report - Week Ending March 6, 2010

REACH 2A

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
FA-9	3/2/2010	10.57	4-6	218.2	Left
MW-47	3/2/2010	9.78	6-8	218.2	Right
MA-4	3/2/2010	13.33	6-8	217.2	Right
MW-49B	3/2/2010	6.78	4-6	217.2	Left

REACH 2B

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
MW-54B	3/3/2010	19.03	TBD	211.8	Right
MW-55B	3/3/2010	9.65	6-8	211.8	Left
R2B-1	3/4/2010	5.57	4-6	207.1	Right
R2B-2	3/4/2010	12.88	4-6	205.1	Right

REACH 3

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
R3-1	3/4/2010	9.92	4-6	191.6	Right
R3-6	3/4/2010	9.87	4-6	196.6	Right
R3-7	3/4/2010	8.54	3-5	199.2	Right

REACH 4

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
MW-84	3/4/2010	39.71	4-6	173.9	Right
MW-87B	3/4/2010	>14 (Dry)	4-6	173.9	Left

PRELIMINARY SAN JOAQUIN RIVER FLOW DATA

Location	Station_ID	Reach	River Mile	Flow (cfs)	Date	Time
Friant Dam	MIL	1	267.6	504	3/4/2010	24 hr Avg.
Gravelly Ford	GRF	2A	227.6	476	3/4/2010	1200
SJR below BIF	SJB	2B	216	279	3/4/2010	1200
SJR near Mendota	MEN	3	202.1	259	3/4/2010	1200
SJR near Dos Palos	SDP	4	181.5	110	3/4/2010	1200
SJR at Fremont Ford	FFB	5	125.1	1190	3/4/2010	1200
SJR above Merced River	11273400	5	118.3	1480	3/4/2010	1200

REAL TIME GROUNDWATER MONITOR WELL INFORMATION

Well ID	CDEC_ID	Weblink
MW-54B	W54	http://cdec.water.ca.gov/cgi-progs/queryF?s=w54
R3-1	R31	http://cdec.water.ca.gov/cgi-progs/queryF?s=r31
R3-7	R37	http://cdec.water.ca.gov/cgi-progs/queryF?s=r37

NOTE: All data are provisional and are subject to revision
TBD=To be determined NR=No Reading (Well Inaccessible)

Buffer Zone as defined in the Draft SJRRP Seepage Mgt Plan (ft BGS= feet below ground surface)
DTW_GS = Depth to Groundwater from Ground Surface
CDEC = California Data Exchange Center
BRT=Below Rating Table

SAN JOAQUIN RIVER RESTORATION PROGRAM
Weekly Groundwater Report - Week Ending March 13, 2010

REACH 2A

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
FA-9	3/9/2010	9.53	4-6	218.2	Left
MW-47	3/9/2010	8.94	6-8	218.2	Right
MA-4	3/9/2010	11.92	6-8	217.2	Right
MW-49B	3/9/2010	5.79	4-6	217.2	Left

REACH 2B

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
MW-54B	3/10/2010	17.2	TBD	211.8	Right
MW-55B	3/10/2010	8.26	6-8	211.8	Left
R2B-1	3/11/2010	5.58	4-6	207.1	Right
R2B-2	3/11/2010	12.72	4-6	205.1	Right

REACH 3

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
R3-1	3/11/2010	9.63	4-6	191.6	Right
R3-6	3/11/2010	9.12	4-6	196.6	Right
R3-7	3/11/2010	7.72	3-5	199.2	Right

REACH 4

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
MW-84	3/11/2010	36.42	4-6	173.9	Right
MW-87B	3/11/2010	>14 (Dry)	4-6	173.9	Left

PRELIMINARY SAN JOAQUIN RIVER FLOW DATA

Location	Station_ID	Reach	River Mile	Flow (cfs)	Date	Time
Friant Dam	MIL	1	267.6	497	3/10/2010	24 hr Avg.
Gravelly Ford	GRF	2A	227.6	452	3/11/2010	1200
SJR below BIF	SJB	2B	216	343	3/11/2010	1200
SJR near Mendota	MEN	3	202.1	550	3/11/2010	1200
SJR near Dos Palos	SDP	4	181.5	235	3/11/2010	1200
SJR at Fremont Ford	FFB	5	125.1	918	3/11/2010	1200
SJR above Merced River	11273400	5	118.3	1110	3/11/2010	1200

REAL TIME GROUNDWATER MONITOR WELL INFORMATION

Well ID	CDEC_ID	Weblink
MW-54B	W54	http://cdec.water.ca.gov/cgi-progs/queryF?s=w54
R3-1	R31	http://cdec.water.ca.gov/cgi-progs/queryF?s=r31
R3-7	R37	http://cdec.water.ca.gov/cgi-progs/queryF?s=r37

NOTE: All data are provisional and are subject to revision
TBD=To be determined NR=No Reading (Well Inaccessible)

Buffer Zone as defined in the Draft SJRRP Seepage Mgt Plan (ft BGS= feet below ground surface)
DTW_GS = Depth to Groundwater from Ground Surface
CDEC = California Data Exchange Center
BRT=Below Rating Table

SAN JOAQUIN RIVER RESTORATION PROGRAM
Weekly Groundwater Report - Week Ending March 20, 2010

REACH 2A

Buffer Zone (ft)						
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank	
FA-9	3/16/2010	9.35	4-6	218.2	Left	
MW-47	3/16/2010	8.71	6-8	218.2	Right	
MA-4	3/16/2010	11.75	6-8	217.2	Right	
MW-49B	3/16/2010	5.90	4-6	217.2	Left	

REACH 2B

Buffer Zone (ft)						
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank	
MW-54B	3/17/2010	16.81	TBD	211.8	Right	
MW-55B	3/17/2010	8.00	6-8	211.8	Left	
R2B-1	3/18/2010	5.45	4-6	207.1	Right	
R2B-2	3/18/2010	12.46	4-6	205.1	Right	

REACH 3

Buffer Zone (ft)						
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank	
R3-1	3/18/2010	9.35	4-6	191.6	Right	
R3-6	3/18/2010	8.82	4-6	196.6	Right	
R3-7	3/18/2010	7.33	3-5	199.2	Right	

REACH 4

Buffer Zone (ft)						
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank	
MW-84	3/18/2010	34.82	4-6	173.9	Right	
MW-87B	3/18/2010	>14 (Dry)	4-6	173.9	Left	

PRELIMINARY SAN JOAQUIN RIVER FLOW DATA

Location	Station_ID	Reach	River Mile	Flow (cfs)	Date	Time
Friant Dam	MIL	1	267.6	800	3/17/2010	24 hr Avg.
Gravelly Ford	GRF	2A	227.6	530	3/18/2010	1200
SJR below BIF	SJB	2B	216	367	3/18/2010	1200
SJR near Mendota	MEN	3	202.1	624	3/18/2010	1200
SJR near Dos Palos	SDP	4	181.5	276	3/18/2010	1200
SJR at Fremont Ford	FFB	5	125.1	731	3/18/2010	1200
SJR above Merced River	11273400	5	118.3	940	3/18/2010	1200

REAL TIME GROUNDWATER MONITOR WELL INFORMATION

Well ID	CDEC_ID	Weblink
MW-54B	W54	http://cdec.water.ca.gov/cgi-progs/queryF?s=w54
R3-1	R31	http://cdec.water.ca.gov/cgi-progs/queryF?s=r31
R3-7	R37	http://cdec.water.ca.gov/cgi-progs/queryF?s=r37

NOTE: All data are provisional and are subject to revision
 TBD=To be determined NR=No Reading (Well Inaccessible)

Buffer Zone as defined in the Draft SJRRP Seepage Mgt Plan (ft BGS= feet below ground surface)
 DTW_GS = Depth to Groundwater from Ground Surface
 CDEC = California Data Exchange Center
 BRT=Below Rating Table

SAN JOAQUIN RIVER RESTORATION PROGRAM
Weekly Groundwater Report - Week Ending March 27, 2010

REACH 2A

Buffer Zone (ft)						
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank	
FA-9	3/23/2010	8.76	4-6	218.2	Left	
MW-47	3/23/2010	8.15	6-8	218.2	Right	
MA-4	3/23/2010	11.47	6-8	217.2	Right	
MW-49B	3/23/2010	5.30	4-6	217.2	Left	

REACH 2B

Buffer Zone (ft)						
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank	
MW-54B	3/24/2010	15.64	TBD	211.8	Right	
MW-55B	3/24/2010	7.10	6-8	211.8	Left	
R2B-1	3/25/2010	5.45	4-6	207.1	Right	
R2B-2	3/25/2010	12.34	4-6	205.1	Right	

REACH 3

Buffer Zone (ft)						
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank	
R3-1	3/25/2010	8.88	4-6	191.6	Right	
R3-6	3/25/2010	8.38	4-6	196.6	Right	
R3-7	3/25/2010	6.82	3-5	199.2	Right	

REACH 4

Buffer Zone (ft)						
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank	
MW-84	3/25/2010	33.73	4-6	173.9	Right	
MW-87B	3/25/2010	Dry (>14)	4-6	173.9	Left	

PRELIMINARY SAN JOAQUIN RIVER FLOW DATA

Location	Station_ID	Reach	River Mile	Flow (cfs)	Date	Time
Friant Dam	MIL	1	267.6	807	3/24/2010	24 hr Avg.
Gravelly Ford	GRF	2A	227.6	653	3/25/2010	1200
SJR below BIF	SJB	2B	216	486	3/25/2010	1200
SJR near Mendota	MEN	3	202.1	737	3/25/2010	1200
SJR near Dos Palos	SDP	4	181.5	414	3/25/2010	1200
SJR at Fremont Ford	FFB	5	125.1	756	3/25/2010	1200
SJR above Merced River	11273400	5	118.3	846	3/25/2010	1200

REAL TIME GROUNDWATER MONITOR WELL INFORMATION

Well ID	CDEC_ID	Weblink
MW-54B	W54	http://cdec.water.ca.gov/cgi-progs/queryF?s=w54
R3-1	R31	http://cdec.water.ca.gov/cgi-progs/queryF?s=r31
R3-7	R37	http://cdec.water.ca.gov/cgi-progs/queryF?s=r37

NOTE: All data are provisional and are subject to revision
TBD=To be determined NR=No Reading (Well Inaccessible)

Buffer Zone as defined in the Draft SJRRP Seepage Mgt Plan (ft BGS= feet below ground surface)
DTW_GS = Depth to Groundwater from Ground Surface
CDEC = California Data Exchange Center
BRT=Below Rating Table

SAN JOAQUIN RIVER RESTORATION PROGRAM
Weekly Groundwater Report - Week Ending April 3, 2010

REACH 2A

Buffer Zone (ft)						
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank	
FA-9	3/30/2010	8.60	4-6	218.2	Left	
MW-47	3/30/2010	7.97	6-8	218.2	Right	
MA-4	3/30/2010	11.35	6-8	217.2	Right	
MW-49B	3/30/2010	5.15	4-6	217.2	Left	

REACH 2B

Buffer Zone (ft)						
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank	
MW-54B	3/31/2010	15.03	TBD	211.8	Right	
MW-55B	3/31/2010	6.96	6-8	211.8	Left	
R2B-1	4/1/2010	5.53	4-6	207.1	Right	
R2B-2	4/1/2010	12.33	4-6	205.1	Right	

REACH 3

Buffer Zone (ft)						
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank	
R3-1	4/1/2010	7.98	4-6	191.6	Right	
R3-6	4/1/2010	8.00	4-6	196.6	Right	
R3-7	4/1/2010	6.48	3-5	199.2	Right	

REACH 4

Buffer Zone (ft)						
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank	
MW-84	4/1/2010	31.88	4-6	173.9	Right	
MW-87B	4/1/2010	Dry (>14)	4-6	173.9	Left	

PRELIMINARY SAN JOAQUIN RIVER FLOW DATA

Location	Station_ID	Reach	River Mile	Flow (cfs)	Date	Time
Friant Dam	MIL	1	267.6	1096	3/31/2010	24 hr Avg.
Gravelly Ford	GRF	2A	227.6	929	4/1/2010	1200
SJR below BIF	SJB	2B	216	628	4/1/2010	1200
SJR near Mendota	MEN	3	202.1	831	4/1/2010	1200
SJR near Dos Palos	SDP	4	181.5	476	4/1/2010	1200
SJR at Fremont Ford	FFB	5	125.1	682	4/1/2010	1200
SJR above Merced River	11273400	5	118.3	693	4/1/2010	1200

REAL TIME GROUNDWATER MONITOR WELL INFORMATION

Well ID	CDEC_ID	Weblink
MW-54B	W54	http://cdec.water.ca.gov/cgi-progs/queryF?s=w54
R3-1	R31	http://cdec.water.ca.gov/cgi-progs/queryF?s=r31
R3-7	R37	http://cdec.water.ca.gov/cgi-progs/queryF?s=r37

NOTE: All data are provisional and are subject to revision
 TBD=To be determined NR=No Reading (Well Inaccessible)

Buffer Zone as defined in the Draft SJRRP Seepage Mgt Plan (ft BGS= feet below ground surface)
 DTW_GS = Depth to Groundwater from Ground Surface
 CDEC = California Data Exchange Center
 BRT=Below Rating Table

SAN JOAQUIN RIVER RESTORATION PROGRAM
Weekly Groundwater Report - Week Ending April 10, 2010

REACH 2A

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
FA-9	4/6/2010	7.98	4-6	218.2	Left
MW-47	4/6/2010	7.42	6-8	218.2	Right
MA-4	4/6/2010	11.00	6-8	217.2	Right
MW-49B	4/6/2010	4.52	4-6	217.2	Left

REACH 2B

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
MW-54B	4/7/2010	12.53	TBD	211.8	Right
MW-55B	4/7/2010	6.33	6-8	211.8	Left
R2B-1	4/8/2010	4.22	4-6	207.1	Right
R2B-2	4/8/2010	12.09	4-6	205.1	Right

REACH 3

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
R3-1	4/8/2010	7.83	4-6	191.6	Right
R3-6	4/8/2010	7.37	4-6	196.6	Right
R3-7	4/8/2010	5.75	3-5	199.2	Right

REACH 4

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
MW-84	4/8/2010	29.45	4-6	173.9	Right
MW-87B	4/8/2010	Dry (>14)	4-6	173.9	Left

PRELIMINARY SAN JOAQUIN RIVER FLOW DATA

Location	Station_ID	Reach	River Mile	Flow (cfs)	Date	Time
Friant Dam	MIL	1	267.6	1100	4/7/2010	24 hr Avg.
Gravelly Ford	GRF	2A	227.6	1044	4/8/2010	1200
SJR below BIF	SJB	2B	216	783	4/8/2010	1200
SJR near Mendota	MEN	3	202.1	1020	4/8/2010	1200
SJR near Dos Palos	SDP	4	181.5	721	4/8/2010	1200
SJR at Fremont Ford	FFB	5	125.1	907	4/8/2010	1200
SJR above Merced River	11273400	5	118.3	900	4/8/2010	1200

REAL TIME GROUNDWATER MONITOR WELL INFORMATION

Well ID	CDEC_ID	Weblink
MW-54B	W54	http://cdec.water.ca.gov/cgi-progs/queryF?s=w54
R3-1	R31	http://cdec.water.ca.gov/cgi-progs/queryF?s=r31
R3-7	R37	http://cdec.water.ca.gov/cgi-progs/queryF?s=r37

NOTE: All data are provisional and are subject to revision
 TBD=To be determined NR=No Reading (Well Inaccessible)

Buffer Zone as defined in the Draft SJRRP Seepage Mgt Plan (ft BGS= feet below ground surface)
 DTW_GS = Depth to Groundwater from Ground Surface
 CDEC = California Data Exchange Center
 BRT=Below Rating Table

SAN JOAQUIN RIVER RESTORATION PROGRAM
Weekly Groundwater Report - Week Ending April 17, 2010

REACH 2A

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
FA-9	4/13/2010	7.76	4-6	218.2	Left
MW-47	4/13/2010	7.30	6-8	218.2	Right
MA-4	4/13/2010	10.85	6-8	217.2	Right
MW-49B	4/13/2010	4.30	4-6	217.2	Left

REACH 2B

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
MW-54B	4/14/2010	11.35	TBD	211.8	Right
MW-55B	4/14/2010	5.82	6-8	211.8	Left
R2B-1	4/15/2010	4.61	4-6	207.1	Right
R2B-2	4/15/2010	11.87	4-6	205.1	Right

REACH 3

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
R3-1	4/15/2010	7.68	4-6	191.6	Right
R3-6	4/15/2010	7.27	4-6	196.6	Right
R3-7	4/15/2010	5.72	3-5	199.2	Right

REACH 4

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
MW-84	4/15/2010	28.54	4-6	173.9	Right
MW-87B	4/15/2010	Dry (>14)	4-6	173.9	Left

PRELIMINARY SAN JOAQUIN RIVER FLOW DATA

Location	Station_ID	Reach	River Mile	Flow (cfs)	Date	Time
Friant Dam	MIL	1	267.6	1246	4/14/2010	24 hr Avg.
Gravelly Ford	GRF	2A	227.6	1258	4/15/2010	1200
SJR below BIF	SJB	2B	216	1046	4/15/2010	1200
SJR near Mendota	MEN	3	202.1	1010	4/15/2010	1200
SJR near Dos Palos	SDP	4	181.5	713	4/15/2010	1200
SJR at Fremont Ford	FFB	5	125.1	1130	4/15/2010	1200
SJR above Merced River	11273400	5	118.3	1140	4/15/2010	1200

REAL TIME GROUNDWATER MONITOR WELL INFORMATION

Well ID	CDEC_ID	Weblink
MW-54B	W54	http://cdec.water.ca.gov/cgi-progs/queryF?s=w54
R3-1	R31	http://cdec.water.ca.gov/cgi-progs/queryF?s=r31
R3-7	R37	http://cdec.water.ca.gov/cgi-progs/queryF?s=r37

NOTE: All data are provisional and are subject to revision
 TBD=To be determined NR=No Reading (Well Inaccessible)

Buffer Zone as defined in the Draft SJRRP Seepage Mgt Plan (ft BGS= feet below ground surface)
 DTW_GS = Depth to Groundwater from Ground Surface
 CDEC = California Data Exchange Center
 BRT=Below Rating Table

SAN JOAQUIN RIVER RESTORATION PROGRAM
Weekly Groundwater Report - Week Ending April 24, 2010

REACH 2A

Buffer Zone (ft)						
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank	
FA-9	4/20/2010	6.90	4-6	218.2	Left	
MW-47	4/20/2010	6.86	6-8	218.2	Right	
MA-4	4/20/2010	10.62	6-8	217.2	Right	
MW-49B	4/20/2010	3.84	4-6	217.2	Left	

REACH 2B

Buffer Zone (ft)						
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank	
MW-54B	4/21/2010	10.06	TBD	211.8	Right	
MW-55B	4/21/2010	5.34	6-8	211.8	Left	
R2B-1	4/22/2010	4.85	4-6	207.1	Right	
R2B-2	4/22/2010	11.76	4-6	205.1	Right	

REACH 3

Buffer Zone (ft)						
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank	
R3-1	4/22/2010	7.56	4-6	191.6	Right	
R3-6	4/22/2010	7.27	4-6	196.6	Right	
R3-7	4/22/2010	5.82	3-5	199.2	Right	

REACH 4

Buffer Zone (ft)						
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank	
MW-84	4/22/2010	27.76	4-6	173.9	Right	
MW-87B	4/22/2010	Dry (>14)	4-6	173.9	Left	

PRELIMINARY SAN JOAQUIN RIVER FLOW DATA

Location	Station_ID	Reach	River Mile	Flow (cfs)	Date	Time
Friant Dam	MIL	1	267.6	1103	4/21/2010	24 hr Avg.
Gravelly Ford	GRF	2A	227.6	1166	4/22/2010	1200
SJR below BIF	SJB	2B	216	1046	4/22/2010	1200
SJR near Mendota	MEN	3	202.1	918	4/22/2010	1200
SJR near Dos Palos	SDP	4	181.5	793	4/22/2010	1200
SJR at Fremont Ford	FFB	5	125.1	1020	4/22/2010	1200
SJR above Merced River	11273400	5	118.3	1060	4/22/2010	1200

REAL TIME GROUNDWATER MONITOR WELL INFORMATION

Well ID	CDEC_ID	Weblink
MW-54B	W54	http://cdec.water.ca.gov/cgi-progs/queryF?s=w54
R3-1	R31	http://cdec.water.ca.gov/cgi-progs/queryF?s=r31
R3-7	R37	http://cdec.water.ca.gov/cgi-progs/queryF?s=r37

NOTE: All data are provisional and are subject to revision
TBD=To be determined NR=No Reading (Well Inaccessible)

Buffer Zone as defined in the Draft SJRRP Seepage Mgt Plan (ft BGS= feet below ground surface)
DTW_GS = Depth to Groundwater from Ground Surface
CDEC = California Data Exchange Center
BRT=Below Rating Table

SAN JOAQUIN RIVER RESTORATION PROGRAM
Weekly Groundwater Report - Week Ending May 1, 2010

REACH 2A

Buffer Zone (ft)						
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank	
FA-9	4/27/2010	6.82	4-6	218.2	Left	
MW-47	4/27/2010	6.72	6-8	218.2	Right	
MA-4	4/27/2010	9.36	6-8	217.2	Right	
MW-49B	4/27/2010	3.79	4-6	217.2	Left	

REACH 2B

Buffer Zone (ft)						
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank	
MW-54B	4/28/2010	9.53	TBD	211.8	Right	
MW-55B	4/28/2010	5.33	6-8	211.8	Left	
R2B-1	4/29/2010	5.04	4-6	207.1	Right	
R2B-2	4/29/2010	11.70	4-6	205.1	Right	

REACH 3

Buffer Zone (ft)						
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank	
R3-1	4/29/2010	7.58	4-6	191.6	Right	
R3-6	4/29/2010	7.33	4-6	196.6	Right	
R3-7	4/29/2010	6.48	3-5	199.2	Right	

REACH 4

Buffer Zone (ft)						
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank	
MW-84	4/29/2010	26.78	4-6	173.9	Right	
MW-87B	4/29/2010	Dry (>14)	4-6	173.9	Left	

PRELIMINARY SAN JOAQUIN RIVER FLOW DATA

Location	Station_ID	Reach	River Mile	Flow (cfs)	Date	Time
Friant Dam	MIL	1	267.6	1338	4/28/2010	24 hr Avg.
Gravelly Ford	GRF	2A	227.6	1195	4/29/2010	1200
SJR below BIF	SJB	2B	216	1093	4/29/2010	1200
SJR near Mendota	MEN	3	202.1	889	4/29/2010	1200
SJR near Dos Palos	SDP	4	181.5	736	4/29/2010	1200
SJR at Fremont Ford	FFB	5	125.1	910	4/29/2010	1200
SJR above Merced River	11273400	5	118.3	1570	4/29/2010	1200

REAL TIME GROUNDWATER MONITOR WELL INFORMATION

Well ID	CDEC_ID	Weblink
MW-54B	W54	http://cdec.water.ca.gov/cgi-progs/queryF?s=w54
R3-1	R31	http://cdec.water.ca.gov/cgi-progs/queryF?s=r31
R3-7	R37	http://cdec.water.ca.gov/cgi-progs/queryF?s=r37

NOTE: All data are provisional and are subject to revision
 TBD=To be determined NR=No Reading (Well Inaccessible)

Buffer Zone as defined in the Draft SJRRP Seepage Mgt Plan (ft BGS= feet below ground surface)
 DTW_GS = Depth to Groundwater from Ground Surface
 CDEC = California Data Exchange Center
 BRT=Below Rating Table

SAN JOAQUIN RIVER RESTORATION PROGRAM
Weekly Groundwater Report - Week Ending May 8, 2010

REACH 2A

Buffer Zone (ft)						
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank	
FA-9	5/4/2010	6.82	4-6	218.2	Left	
MW-47	5/4/2010	6.34	6-8	218.2	Right	
MA-4	5/4/2010	10.37	6-8	217.2	Right	
MW-49B	5/4/2010	3.45	4-6	217.2	Left	

REACH 2B

Buffer Zone (ft)						
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank	
MW-54B	5/5/2010	8.99	TBD	211.8	Right	
MW-55B	5/5/2010	4.82	6-8	211.8	Left	
R2B-1	5/6/2010	5.23	4-6	207.1	Right	
R2B-2	5/6/2010	11.53	4-6	205.1	Right	

REACH 3

Buffer Zone (ft)						
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank	
R3-1	5/6/2010	7.45	4-6	191.6	Right	
R3-6	5/6/2010	6.91	4-6	196.6	Right	
R3-7	5/6/2010	5.40	3-5	199.2	Right	

REACH 4

Buffer Zone (ft)						
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank	
MW-84	5/6/2010	26.42	4-6	173.9	Right	
MW-87B	5/6/2010	Dry (>14)	4-6	173.9	Left	

PRELIMINARY SAN JOAQUIN RIVER FLOW DATA

Location	Station_ID	Reach	River Mile	Flow (cfs)	Date	Time
Friant Dam	MIL	1	267.6	1541	5/5/2010	24 hr Avg.
Gravelly Ford	GRF	2A	227.6	1375	5/6/2010	1200
SJR below BIF	SJB	2B	216	1255	5/6/2010	1200
SJR near Mendota	MEN	3	202.1	1130	5/6/2010	1200
SJR near Dos Palos	SDP	4	181.5	736	5/6/2010	1200
SJR at Fremont Ford	FFB	5	125.1	900	5/6/2010	1200
SJR above Merced River	11273400	5	118.3	1190	5/6/2010	1200

REAL TIME GROUNDWATER MONITOR WELL INFORMATION

Well ID	CDEC_ID	Weblink
MW-54B	W54	http://cdec.water.ca.gov/cgi-progs/queryF?s=w54
R3-1	R31	http://cdec.water.ca.gov/cgi-progs/queryF?s=r31
R3-7	R37	http://cdec.water.ca.gov/cgi-progs/queryF?s=r37

NOTE: All data are provisional and are subject to revision
TBD=To be determined NR=No Reading (Well Inaccessible)

Buffer Zone as defined in the Draft SJRRP Seepage Mgt Plan (ft BGS= feet below ground surface)
DTW_GS = Depth to Groundwater from Ground Surface
CDEC = California Data Exchange Center
BRT=Below Rating Table

SAN JOAQUIN RIVER RESTORATION PROGRAM
Weekly Groundwater Report - Week Ending May 15, 2010

REACH 2A

Buffer Zone (ft)						
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank	
FA-9	5/11/2010	6.75	4-6	218.2	Left	
MW-47	5/11/2010	6.25	6-8	218.2	Right	
MA-4	5/11/2010	10.15	6-8	217.2	Right	
MW-49B	5/11/2010	3.25	4-6	217.2	Left	

REACH 2B

Buffer Zone (ft)						
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank	
MW-54B	5/12/2010	8.80	TBD	211.8	Right	
MW-55B	5/12/2010	4.70	6-8	211.8	Left	
R2B-1	5/13/2010	5.38	4-6	207.1	Right	
R2B-2	5/13/2010	11.32	4-6	205.1	Right	

REACH 3

Buffer Zone (ft)						
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank	
R3-1	5/13/2010	7.31	4-6	191.6	Right	
R3-6	5/13/2010	7.59	4-6	196.6	Right	
R3-7	5/13/2010	6.22	3-5	199.2	Right	

REACH 4

Buffer Zone (ft)						
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank	
MW-84	5/13/2010	25.72	4-6	173.9	Right	
MW-87B	5/13/2010	Dry (>14)	4-6	173.9	Left	

PRELIMINARY SAN JOAQUIN RIVER FLOW DATA

Location	Station_ID	Reach	River Mile	Flow (cfs)	Date	Time
Friant Dam	MIL	1	267.6	1553	5/12/2010	24 hr Avg.
Gravelly Ford	GRF	2A	227.6	1443	5/13/2010	1200
SJR below BIF	SJB	2B	216	1288	5/13/2010	1200
SJR near Mendota	MEN	3	202.1	772	5/13/2010	1200
SJR near Dos Palos	SDP	4	181.5	230	5/13/2010	1200
SJR at Fremont Ford	FFB	5	125.1	708	5/13/2010	1200
SJR above Merced River	11273400	5	118.3	730	5/13/2010	1200

REAL TIME GROUNDWATER MONITOR WELL INFORMATION

Well ID	CDEC_ID	Weblink
MW-54B	W54	http://cdec.water.ca.gov/cgi-progs/queryF?s=w54
R3-1	R31	http://cdec.water.ca.gov/cgi-progs/queryF?s=r31
R3-7	R37	http://cdec.water.ca.gov/cgi-progs/queryF?s=r37

NOTE: All data are provisional and are subject to revision
 TBD=To be determined NR=No Reading (Well Inaccessible)

Buffer Zone as defined in the Draft SJRRP Seepage Mgt Plan (ft BGS= feet below ground surface)
 DTW_GS = Depth to Groundwater from Ground Surface
 CDEC = California Data Exchange Center
 BRT=Below Rating Table

SAN JOAQUIN RIVER RESTORATION PROGRAM
Weekly Groundwater Report - Week Ending May 22, 2010

REACH 2A

Buffer Zone (ft)						
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank	
FA-9	5/18/2010	6.72	4-6	218.2	Left	
MW-47	5/18/2010	6.74	6-8	218.2	Right	
MA-4	5/18/2010	10.11	6-8	217.2	Right	
MW-49B	5/18/2010	3.20	4-6	217.2	Left	

REACH 2B

Buffer Zone (ft)						
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank	
MW-54B	5/19/2010	8.57	TBD	211.8	Right	
MW-55B	5/19/2010	4.76	6-8	211.8	Left	
R2B-1	5/20/2010	5.54	4-6	207.1	Right	
R2B-2	5/20/2010	10.93	4-6	205.1	Right	

REACH 3

Buffer Zone (ft)						
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank	
R3-1	5/20/2010	7.58	4-6	191.6	Right	
R3-6	5/20/2010	7.86	4-6	196.6	Right	
R3-7	5/20/2010	6.52	3-5	199.2	Right	

REACH 4

Buffer Zone (ft)						
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank	
MW-84	5/20/2010	22.80	4-6	173.9	Right	
MW-87B	5/20/2010	Dry (>14)	4-6	173.9	Left	

PRELIMINARY SAN JOAQUIN RIVER FLOW DATA

Location	Station_ID	Reach	River Mile	Flow (cfs)	Date	Time
Friant Dam	MIL	1	267.6	1532	5/19/2010	24 hr Avg.
Gravelly Ford	GRF	2A	227.6	1431	5/20/2010	1200
SJR below BIF	SJB	2B	216	1060	5/20/2010	1200
SJR near Mendota	MEN	3	202.1	693	5/20/2010	1200
SJR near Dos Palos	SDP	4	181.5	279	5/20/2010	1200
SJR at Fremont Ford	FFB	5	125.1	511	5/20/2010	1200
SJR above Merced River	11273400	5	118.3	799	5/20/2010	1200

REAL TIME GROUNDWATER MONITOR WELL INFORMATION

Well ID	CDEC_ID	Weblink
MW-54B	W54	http://cdec.water.ca.gov/cgi-progs/queryF?s=w54
R3-1	R31	http://cdec.water.ca.gov/cgi-progs/queryF?s=r31
R3-7	R37	http://cdec.water.ca.gov/cgi-progs/queryF?s=r37

NOTE: All data are provisional and are subject to revision
TBD=To be determined NR=No Reading (Well Inaccessible)

Buffer Zone as defined in the Draft SJRRP Seepage Mgt Plan (ft BGS= feet below ground surface)
DTW_GS = Depth to Groundwater from Ground Surface
CDEC = California Data Exchange Center
BRT=Below Rating Table

SAN JOAQUIN RIVER RESTORATION PROGRAM
Weekly Groundwater Report - Week Ending May 29, 2010

REACH 2A						
Buffer Zone (ft)						
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank	
FA-9	5/25/2010	6.19	4-6	218.2	Left	
MW-47	5/25/2010	5.93	6-8	218.2	Right	
MA-4	5/25/2010	9.30	6-8	217.2	Right	
MW-49B	5/25/2010	2.20	4-6	217.2	Left	

REACH 2B						
Buffer Zone (ft)						
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank	
MW-54B	5/26/2010	8.39	TBD	211.8	Right	
MW-55B	5/26/2010	4.71	6-8	211.8	Left	
R2B-1	5/27/2010	5.61	4-6	207.1	Right	
R2B-2	5/27/2010	9.78	4-6	205.1	Right	

REACH 3						
Buffer Zone (ft)						
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank	
R3-1	5/27/2010	7.63	4-6	191.6	Right	
R3-6	5/27/2010	7.03	4-6	196.6	Right	
R3-7	5/27/2010	5.45	3-5	199.2	Right	

REACH 4						
Buffer Zone (ft)						
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank	
MW-84	5/27/2010	22.44	4-6	173.9	Right	
MW-87B	5/27/2010	Dry (>14)	4-6	173.9	Left	

PRELIMINARY SAN JOAQUIN RIVER FLOW DATA							
Location	Station_ID	Reach	River Mile	Flow (cfs)	Date	Time	
Friant Dam	MIL	1	267.6	1550	5/26/2010	24 hr Avg.	
Gravelly Ford	GRF	2A	227.6	1418	5/27/2010	1200	
SJR below BIF	SJB	2B	216	1230	5/27/2010	1200	
SJR near Mendota	MEN	3	202.1	1090	5/27/2010	1200	
SJR near Dos Palos	SDP	4	181.5	480	5/27/2010	1200	
SJR at Fremont Ford	FFB	5	125.1	561	5/27/2010	1200	
SJR above Merced River	11273400	5	118.3	716	5/27/2010	1200	

REAL TIME GROUNDWATER MONITOR WELL INFORMATION		
Well ID	CDEC_ID	Weblink
MW-54B	W54	http://cdec.water.ca.gov/cgi-progs/queryF?s=w54
R3-1	R31	http://cdec.water.ca.gov/cgi-progs/queryF?s=r31
R3-7	R37	http://cdec.water.ca.gov/cgi-progs/queryF?s=r37

NOTE: All data are provisional and are subject to revision
 TBD=To be determined NR=No Reading (Well Inaccessible)

Buffer Zone as defined in the Draft SJRRP Seepage Mgt Plan (ft BGS= feet below ground surface)
 DTW_GS = Depth to Groundwater from Ground Surface
 CDEC = California Data Exchange Center
 BRT=Below Rating Table

SAN JOAQUIN RIVER RESTORATION PROGRAM
Weekly Groundwater Report - Week Ending June 5, 2010

REACH 2A

Buffer Zone (ft)						
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank	
FA-9	6/1/2010	7.15	4-6	218.2	Left	
MW-47	6/1/2010	4.36	6-8	218.2	Right	
MA-4	6/1/2010	9.85	6-8	217.2	Right	
MW-49B	6/1/2010	4.30	4-6	217.2	Left	

REACH 2B

Buffer Zone (ft)						
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank	
MW-54B	6/3/2010	10.70	TBD	211.8	Right	
MW-55B	6/3/2010	6.70	6-8	211.8	Left	
R2B-1	6/3/2010	5.64	4-6	207.1	Right	
R2B-2	6/3/2010	9.27	4-6	205.1	Right	

REACH 3

Buffer Zone (ft)						
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank	
R3-1	6/3/2010	7.30	4-6	191.6	Right	
R3-6	6/3/2010	7.39	4-6	196.6	Right	
R3-7	6/3/2010	5.90	3-5	199.2	Right	

REACH 4

Buffer Zone (ft)						
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank	
MW-84	6/3/2010	22.53	4-6	173.9	Right	
MW-87B	6/3/2010	Dry (>14)	4-6	173.9	Left	

PRELIMINARY SAN JOAQUIN RIVER FLOW DATA

Location	Station_ID	Reach	River Mile	Flow (cfs)	Date	Time
Friant Dam	MIL	1	267.6	795	6/2/2010	24 hr Avg.
Gravelly Ford	GRF	2A	227.6	542	6/3/2010	1200
SJR below BIF	SJB	2B	216	590	6/3/2010	1200
SJR near Mendota	MEN	3	202.1	813	6/3/2010	1200
SJR near Dos Palos	SDP	4	181.5	475	6/3/2010	1200
SJR at Fremont Ford	FFB	5	125.1	809	6/3/2010	1200
SJR above Merced River	11273400	5	118.3	940	6/3/2010	1200

REAL TIME GROUNDWATER MONITOR WELL INFORMATION

Well ID	CDEC_ID	Weblink
MW-54B	W54	http://cdec.water.ca.gov/cgi-progs/queryF?s=w54
R3-1	R31	http://cdec.water.ca.gov/cgi-progs/queryF?s=r31
R3-7	R37	http://cdec.water.ca.gov/cgi-progs/queryF?s=r37

NOTE: All data are provisional and are subject to revision
 TBD=To be determined NR=No Reading (Well Inaccessible)

Buffer Zone as defined in the Draft SJRRP Seepage Mgt Plan (ft BGS= feet below ground surface)
 DTW_GS = Depth to Groundwater from Ground Surface
 CDEC = California Data Exchange Center
 BRT=Below Rating Table

SAN JOAQUIN RIVER RESTORATION PROGRAM
Weekly Groundwater Report - Week Ending June 12, 2010

REACH 2A

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
FA-9	6/8/2010	7.45	4-6	218.2	Left
MW-47	6/8/2010	8.05	6-8	218.2	Right
MA-4	6/8/2010	11.17	6-8	217.2	Right
MW-49B	6/8/2010	4.87	4-6	217.2	Left

REACH 2B

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
MW-54B	6/8/2010	11.83	TBD	211.8	Right
MW-55B	6/8/2010	7.03	6-8	211.8	Left
R2B-1	6/10/2010	5.67	4-6	207.1	Right
R2B-2	6/10/2010	10.10	4-6	205.1	Right

REACH 3

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
R3-1	6/10/2010	7.33	4-6	191.6	Right
R3-6	6/10/2010	6.84	4-6	196.6	Right
R3-7	6/10/2010	5.25	3-5	199.2	Right

REACH 4

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
MW-84	6/10/2010	22.63	4-6	173.9	Right
MW-87B	6/10/2010	Dry (>14)	4-6	173.9	Left

PRELIMINARY SAN JOAQUIN RIVER FLOW DATA

Location	Station_ID	Reach	River Mile	Flow (cfs)	Date	Time
Friant Dam	MIL	1	267.6	348	6/9/2010	24 hr Avg.
Gravelly Ford	GRF	2A	227.6	462	6/10/2010	1200
SJR below BIF	SJB	2B	216	441	6/10/2010	1200
SJR near Mendota	MEN	3	202.1	1110	6/10/2010	1200
SJR near Dos Palos	SDP	4	181.5	413	6/10/2010	1200
SJR at Fremont Ford	FFB	5	125.1	579	6/10/2010	1200
SJR above Merced River	11273400	5	118.3	968	6/10/2010	1200

REAL TIME GROUNDWATER MONITOR WELL INFORMATION

Well ID	CDEC_ID	Weblink
MW-54B	W54	http://cdec.water.ca.gov/cgi-progs/queryF?s=w54
R3-1	R31	http://cdec.water.ca.gov/cgi-progs/queryF?s=r31
R3-7	R37	http://cdec.water.ca.gov/cgi-progs/queryF?s=r37

NOTE: All data are provisional and are subject to revision
 TBD=To be determined NR=No Reading (Well Inaccessible)

Buffer Zone as defined in the Draft SJRRP Seepage Mgt Plan (ft BGS= feet below ground surface)
 DTW_GS = Depth to Groundwater from Ground Surface
 CDEC = California Data Exchange Center
 BRT=Below Rating Table

SAN JOAQUIN RIVER RESTORATION PROGRAM
Weekly Groundwater Report - Week Ending June 19, 2010

REACH 2A

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
FA-9	6/15/2010	8.74	4-6	218.2	Left
MW-47	6/15/2010	9.03	6-8	218.2	Right
MA-4	6/15/2010	11.19	6-8	217.2	Right
MW-49B	6/15/2010	6.18	4-6	217.2	Left

REACH 2B

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
MW-54B	6/15/2010	15.68	TBD	211.8	Right
MW-55B	6/15/2010	8.74	6-8	211.8	Left
R2B-1	6/17/2010	5.78	4-6	207.1	Right
R2B-2	6/17/2010	10.33	4-6	205.1	Right

REACH 3

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
R3-1	6/17/2010	7.35	4-6	191.6	Right
R3-6	6/17/2010	7.69	4-6	196.6	Right
R3-7	6/17/2010	6.43	3-5	199.2	Right

REACH 4

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
MW-84	6/17/2010	25.11	4-6	173.9	Right
MW-87B	6/17/2010	Dry (>14)	4-6	173.9	Left

PRELIMINARY SAN JOAQUIN RIVER FLOW DATA

Location	Station_ID	Reach	River Mile	Flow (cfs)	Date	Time
Friant Dam	MIL	1	267.6	350	6/16/2010	24 hr Avg.
Gravelly Ford	GRF	2A	227.6	156	6/17/2010	1200
SJR below BIF	SJB	2B	216	122	6/17/2010	1200
SJR near Mendota	MEN	3	202.1	700	6/17/2010	1200
SJR near Dos Palos	SDP	4	181.5	88	6/17/2010	1200
SJR at Fremont Ford	FFB	5	125.1	448	6/17/2010	1200
SJR above Merced River	11273400	5	118.3	596	6/17/2010	1200

REAL TIME GROUNDWATER MONITOR WELL INFORMATION

Well ID	CDEC_ID	Weblink
MW-54B	W54	http://cdec.water.ca.gov/cgi-progs/queryF?s=w54
R3-1	R31	http://cdec.water.ca.gov/cgi-progs/queryF?s=r31
R3-7	R37	http://cdec.water.ca.gov/cgi-progs/queryF?s=r37

NOTE: All data are provisional and are subject to revision
 TBD=To be determined NR=No Reading (Well Inaccessible)

Buffer Zone as defined in the Draft SJRRP Seepage Mgt Plan (ft BGS= feet below ground surface)
 DTW_GS = Depth to Groundwater from Ground Surface
 CDEC = California Data Exchange Center
 BRT=Below Rating Table

SAN JOAQUIN RIVER RESTORATION PROGRAM
Weekly Groundwater Report - Week Ending June 26, 2010

REACH 2A

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
FA-9	6/22/2010	9.42	4-6	218.2	Left
MW-47	6/22/2010	9.38	6-8	218.2	Right
MA-4	6/22/2010	11.77	6-8	217.2	Right
MW-49B	6/22/2010	6.53	4-6	217.2	Left

REACH 2B

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
MW-54B	6/22/2010	17.04	TBD	211.8	Right
MW-55B	6/22/2010	9.75	6-8	211.8	Left
R2B-1	6/24/2010	5.87	4-6	207.1	Right
R2B-2	6/24/2010	10.93	4-6	205.1	Right

REACH 3

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
R3-1	6/24/2010	7.39	4-6	191.6	Right
R3-6	6/24/2010	7.98	4-6	196.6	Right
R3-7	6/24/2010	6.78	3-5	199.2	Right

REACH 4

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
MW-84	6/21/2010	35.78	4-6	173.9	Right
MW-87B	6/21/2010	Dry (>14)	4-6	173.9	Left

PRELIMINARY SAN JOAQUIN RIVER FLOW DATA

Location	Station_ID	Reach	River Mile	Flow (cfs)	Date	Time
Friant Dam	MIL	1	267.6	351	6/23/2010	24 hr Avg.
Gravelly Ford	GRF	2A	227.6	139	6/24/2010	1100
SJR below BIF	SJB	2B	216	76	6/24/2010	1200
SJR near Mendota	MEN	3	202.1	570	6/24/2010	1200
SJR near Dos Palos	SDP	4	181.5	25	6/24/2010	1200
SJR at Fremont Ford	FFB	5	125.1	320	6/24/2010	1200
SJR above Merced River	11273400	5	118.3	458	6/24/2010	1200

REAL TIME GROUNDWATER MONITOR WELL INFORMATION

Well ID	CDEC_ID	Weblink
MW-54B	W54	http://cdec.water.ca.gov/cgi-progs/queryF?s=w54
R3-1	R31	http://cdec.water.ca.gov/cgi-progs/queryF?s=r31
R3-7	R37	http://cdec.water.ca.gov/cgi-progs/queryF?s=r37

NOTE: All data are provisional and are subject to revision
 TBD=To be determined NR=No Reading (Well Inaccessible)

Buffer Zone as defined in the Draft SJRRP Seepage Mgt Plan (ft BGS= feet below ground surface)
 DTW_GS = Depth to Groundwater from Ground Surface
 CDEC = California Data Exchange Center
 BRT=Below Rating Table

SAN JOAQUIN RIVER RESTORATION PROGRAM
Weekly Groundwater Report - Week Ending July 3, 2010

REACH 2A

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
FA-9	6/29/2010	9.00	4-6	218.2	Left
MW-47	6/29/2010	9.60	6-8	218.2	Right
MA-4	6/29/2010	12.20	6-8	217.2	Right
MW-49B	6/29/2010	6.68	4-6	217.2	Left

REACH 2B

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
MW-54B	7/1/2010	17.77	TBD	211.8	Right
MW-55B	7/1/2010	10.43	6-8	211.8	Left
R2B-1	7/1/2010	6.00	4-6	207.1	Right
R2B-2	7/1/2010	11.53	4-6	205.1	Right

REACH 3

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
R3-1	7/1/2010	7.74	4-6	191.6	Right
R3-6	7/1/2010	8.35	4-6	196.6	Right
R3-7	7/1/2010	7.06	3-5	199.2	Right

REACH 4

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
MW-84	6/28/2010	21.68	4-6	173.9	Right
MW-87B	6/28/2010	Dry (>14)	4-6	173.9	Left

PRELIMINARY SAN JOAQUIN RIVER FLOW DATA

Location	Station_ID	Reach	River Mile	Flow (cfs)	Date	Time
Friant Dam	MIL	1	267.6	352	6/30/2010	24 hr Avg.
Gravelly Ford	GRF	2A	227.6	121	7/1/2010	1200
SJR below BIF	SJB	2B	216	60	7/1/2010	1200
SJR near Mendota	MEN	3	202.1	528	7/1/2010	1200
SJR near Dos Palos	SDP	4	181.5	28	7/1/2010	1200
SJR at Fremont Ford	FFB	5	125.1	266	7/1/2010	1200
SJR above Merced River	11273400	5	118.3	387	7/1/2010	1200

REAL TIME GROUNDWATER MONITOR WELL INFORMATION

Well ID	CDEC_ID	Weblink
MW-54B	W54	http://cdec.water.ca.gov/cgi-progs/queryF?s=w54
R3-1	R31	http://cdec.water.ca.gov/cgi-progs/queryF?s=r31
R3-7	R37	http://cdec.water.ca.gov/cgi-progs/queryF?s=r37

NOTE: All data are provisional and are subject to revision
 TBD=To be determined NR=No Reading (Well Inaccessible)

Buffer Zone as defined in the Draft SJRRP Seepage Mgt Plan (ft BGS= feet below ground surface)
 DTW_GS = Depth to Groundwater from Ground Surface
 CDEC = California Data Exchange Center
 BRT=Below Rating Table

SAN JOAQUIN RIVER RESTORATION PROGRAM
Weekly Groundwater Report - Week Ending July 10, 2010

REACH 2A

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
FA-9	7/6/2010	9.67	4-6	218.2	Left
MW-47	7/6/2010	9.55	6-8	218.2	Right
MA-4	7/6/2010	12.25	6-8	217.2	Right
MW-49B	7/6/2010	6.68	4-6	217.2	Left

REACH 2B

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
MW-54B	7/6/2010	17.85	TBD	211.8	Right
MW-55B	7/6/2010	10.44	6-8	211.8	Left
R2B-1	7/8/2010	6.10	4-6	207.1	Right
R2B-2	7/8/2010	11.80	4-6	205.1	Right

REACH 3

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
R3-1	7/8/2010	NR	4-6	191.6	Right
R3-6	7/8/2010	7.90	4-6	196.6	Right
R3-7	7/8/2010	6.53	3-5	199.2	Right

REACH 4

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
MW-84	7/8/2010	21.88	4-6	173.9	Right
MW-87B	7/8/2010	Dry (>14)	4-6	173.9	Left

PRELIMINARY SAN JOAQUIN RIVER FLOW DATA

Location	Station_ID	Reach	River Mile	Flow (cfs)	Date	Time
Friant Dam	MIL	1	267.6	351	7/7/2010	24 hr Avg.
Gravelly Ford	GRF	2A	227.6	166	7/8/2010	1100
SJR below BIF	SJB	2B	216	79	7/8/2010	1200
SJR near Mendota	MEN	3	202.1	713	7/8/2010	1200
SJR near Dos Palos	SDP	4	181.5	37	7/8/2010	1200
SJR at Fremont Ford	FFB	5	125.1	241	7/8/2010	1200
SJR above Merced River	11273400	5	118.3	381	7/8/2010	1200

REAL TIME GROUNDWATER MONITOR WELL INFORMATION

Well ID	CDEC_ID	Weblink
MW-54B	W54	http://cdec.water.ca.gov/cgi-progs/queryF?s=w54
R3-1	R31	http://cdec.water.ca.gov/cgi-progs/queryF?s=r31
R3-7	R37	http://cdec.water.ca.gov/cgi-progs/queryF?s=r37

NOTE: All data are provisional and are subject to revision
 TBD=To be determined NR=No Reading (Well Inaccessible)

Buffer Zone as defined in the Draft SJRRP Seepage Mgt Plan (ft BGS= feet below ground surface)
 DTW_GS = Depth to Groundwater from Ground Surface
 CDEC = California Data Exchange Center
 BRT=Below Rating Table

SAN JOAQUIN RIVER RESTORATION PROGRAM
Weekly Groundwater Report - Week Ending July 17, 2010

REACH 2A

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
FA-9	7/13/2010	9.83	4-6	218.2	Left
MW-47	7/13/2010	9.54	6-8	218.2	Right
MA-4	7/13/2010	12.08	6-8	217.2	Right
MW-49B	7/13/2010	6.70	4-6	217.2	Left

REACH 2B

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
MW-54B	7/13/2010	17.84	TBD	211.8	Right
MW-55B	7/13/2010	10.41	6-8	211.8	Left
R2B-1	7/15/2010	6.22	4-6	207.1	Right
R2B-2	7/15/2010	11.68	4-6	205.1	Right

REACH 3

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
R3-1	7/15/2010	NR	4-6	191.6	Right
R3-6	7/15/2010	8.02	4-6	196.6	Right
R3-7	7/15/2010	6.75	3-5	199.2	Right

REACH 4

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
MW-84	7/12/2010	21.65	4-6	173.9	Right
MW-87B	7/12/2010	Dry (>14)	4-6	173.9	Left

PRELIMINARY SAN JOAQUIN RIVER FLOW DATA

Location	Station_ID	Reach	River Mile	Flow (cfs)	Date	Time
Friant Dam	MIL	1	267.6	350	7/14/2010	24 hr Avg.
Gravelly Ford	GRF	2A	227.6	168	7/15/2010	1200
SJR below BIF	SJB	2B	216	75	7/15/2010	1200
SJR near Mendota	MEN	3	202.1	654	7/15/2010	1200
SJR near Dos Palos	SDP	4	181.5	21	7/15/2010	1200
SJR at Fremont Ford	FFB	5	125.1	211	7/15/2010	1200
SJR above Merced River	11273400	5	118.3	345	7/15/2010	1200

REAL TIME GROUNDWATER MONITOR WELL INFORMATION

Well ID	CDEC_ID	Weblink
MW-54B	W54	http://cdec.water.ca.gov/cgi-progs/queryF?s=w54
R3-1	R31	http://cdec.water.ca.gov/cgi-progs/queryF?s=r31
R3-7	R37	http://cdec.water.ca.gov/cgi-progs/queryF?s=r37

NOTE: All data are provisional and are subject to revision
 TBD=To be determined NR=No Reading (Well Inaccessible)

Buffer Zone as defined in the Draft SJRRP Seepage Mgt Plan (ft BGS= feet below ground surface)
 DTW_GS = Depth to Groundwater from Ground Surface
 CDEC = California Data Exchange Center
 BRT=Below Rating Table

SAN JOAQUIN RIVER RESTORATION PROGRAM
Weekly Groundwater Report - Week Ending July 24, 2010

REACH 2A

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
FA-9	7/20/2010	9.25	4-6	218.2	Left
MW-47	7/20/2010	9.75	6-8	218.2	Right
MA-4	7/20/2010	12.30	6-8	217.2	Right
MW-49B	7/20/2010	6.82	4-6	217.2	Left

REACH 2B

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
MW-54B	7/20/2010	18.00	TBD	211.8	Right
MW-55B	7/20/2010	10.60	6-8	211.8	Left
R2B-1	7/22/2010	6.51	4-6	207.1	Right
R2B-2	7/22/2010	11.74	4-6	205.1	Right

REACH 3

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
R3-1	7/22/2010	NR	4-6	191.6	Right
R3-6	7/22/2010	7.88	4-6	196.6	Right
R3-7	7/22/2010	6.69	3-5	199.2	Right

REACH 4

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
MW-84	7/19/2010	20.98	4-6	173.9	Right
MW-87B	7/19/2010	Dry (>14)	4-6	173.9	Left

PRELIMINARY SAN JOAQUIN RIVER FLOW DATA

Location	Station_ID	Reach	River Mile	Flow (cfs)	Date	Time
Friant Dam	MIL	1	267.6	352	7/22/2010	24 hr Avg.
Gravelly Ford	GRF	2A	227.6	150	7/22/2010	1200
SJR below BIF	SJB	2B	216	55	7/22/2010	1200
SJR near Mendota	MEN	3	202.1	638	7/22/2010	1200
SJR near Dos Palos	SDP	4	181.5	22	7/22/2010	1200
SJR at Fremont Ford	FFB	5	125.1	189	7/22/2010	1200
SJR above Merced River	11273400	5	118.3	317	7/22/2010	1200

REAL TIME GROUNDWATER MONITOR WELL INFORMATION

Well ID	CDEC_ID	Weblink
MW-54B	W54	http://cdec.water.ca.gov/cgi-progs/queryF?s=w54
R3-7	R37	http://cdec.water.ca.gov/cgi-progs/queryF?s=r37
MW-75	W75	http://cdec.water.ca.gov/cgi-progs/queryF?s=w75
MW-89	W89	http://cdec.water.ca.gov/cgi-progs/queryF?s=w89
MW-92	W92	http://cdec.water.ca.gov/cgi-progs/queryF?s=w92

NOTE: All data are provisional and are subject to revision

TBD=To be determined NR=No Reading (Well Inaccessible)

Buffer Zone as defined in the Draft SJRRP Seepage Mgt Plan (ft BGS= feet below ground surface)

DTW_GS = Depth to Groundwater from Ground Surface

CDEC = California Data Exchange Center

BRT=Below Rating Table

SAN JOAQUIN RIVER RESTORATION PROGRAM
Weekly Groundwater Report - Week Ending July 31, 2010

REACH 2A

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
FA-9	7/27/2010	9.80	4-6	218.2	Left
MW-47	7/27/2010	9.80	6-8	218.2	Right
MA-4	7/27/2010	12.32	6-8	217.2	Right
MW-49B	7/27/2010	6.93	4-6	217.2	Left

REACH 2B

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
MW-54B	7/27/2010	18.08	TBD	211.8	Right
MW-55B	7/27/2010	10.66	6-8	211.8	Left
R2B-1	7/29/2010	6.41	4-6	207.1	Right
R2B-2	7/29/2010	11.86	4-6	205.1	Right

REACH 3

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
R3-1	7/29/2010	NR	4-6	191.6	Right
R3-6	7/29/2010	7.21	4-6	196.6	Right
R3-7	7/29/2010	6.88	3-5	199.2	Right

REACH 4

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
MW-84	7/26/2010	21.81	4-6	173.9	Right
MW-87B	7/26/2010	Dry (>14)	4-6	173.9	Left

PRELIMINARY SAN JOAQUIN RIVER FLOW DATA

Location	Station_ID	Reach	River Mile	Flow (cfs)	Date	Time
Friant Dam	MIL	1	267.6	347	7/28/2010	24 hr Avg.
Gravelly Ford	GRF	2A	227.6	132	7/29/2010	1200
SJR below BIF	SJB	2B	216	39	7/29/2010	1200
SJR near Mendota	MEN	3	202.1	584	7/29/2010	1200
SJR near Dos Palos	SDP	4	181.5	76	7/29/2010	1200
SJR at Fremont Ford	FFB	5	125.1	192	7/28/2010	1200
SJR above Merced River	11273400	5	118.3	252	7/29/2010	1200

REAL TIME GROUNDWATER MONITOR WELL INFORMATION

Well ID	CDEC_ID	Weblink
MW-54B	W54	http://cdec.water.ca.gov/cgi-progs/queryF?s=w54
R3-7	R37	http://cdec.water.ca.gov/cgi-progs/queryF?s=r37
MW-75	W75	http://cdec.water.ca.gov/cgi-progs/queryF?s=w75
MW-89	W89	http://cdec.water.ca.gov/cgi-progs/queryF?s=w89
MW-92	W92	http://cdec.water.ca.gov/cgi-progs/queryF?s=w92

NOTE: All data are provisional and are subject to revision

TBD=To be determined NR=No Reading (Well Inaccessible)

Buffer Zone as defined in the Draft SJRRP Seepage Mgt Plan (ft BGS= feet below ground surface)

DTW_GS = Depth to Groundwater from Ground Surface

CDEC = California Data Exchange Center

BRT=Below Rating Table

SAN JOAQUIN RIVER RESTORATION PROGRAM
Weekly Groundwater Report - Week Ending August 7, 2010

REACH 2A

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
FA-9	8/3/2010	9.79	4-6	218.2	Left
MW-47	8/3/2010	9.88	6-8	218.2	Right
MA-4	8/3/2010	12.37	6-8	217.2	Right
MW-49B	8/3/2010	6.94	4-6	217.2	Left

REACH 2B

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
MW-54B	8/3/2010	18.31	TBD	211.8	Right
MW-55B	8/3/2010	10.83	6-8	211.8	Left
R2B-1	8/5/2010	6.49	4-6	207.1	Right
R2B-2	8/5/2010	11.91	4-6	205.1	Right

REACH 3

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
R3-1	8/5/2010	NR	4-6	191.6	Right
R3-6	8/5/2010	7.90	4-6	196.6	Right
R3-7	8/5/2010	6.67	3-5	199.2	Right

REACH 4

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
MW-84	8/2/2010	22.60	4-6	173.9	Right
MW-87B	8/2/2010	Dry (>14)	4-6	173.9	Left

PRELIMINARY SAN JOAQUIN RIVER FLOW DATA

Location	Station_ID	Reach	River Mile	Flow (cfs)	Date	Time
Friant Dam	MIL	1	267.6	358	8/4/2010	24 hr Avg.
Gravelly Ford	GRF	2A	227.6	147	8/5/2010	1200
SJR below BIF	SJB	2B	216	43	8/5/2010	1200
SJR near Mendota	MEN	3	202.1	664	8/5/2010	1200
SJR near Dos Palos	SDP	4	181.5	45	8/5/2010	1200
SJR at Fremont Ford	FFB	5	125.1	267	8/5/2010	1200
SJR above Merced River	11273400	5	118.3	281	8/4/2010	1200

REAL TIME GROUNDWATER MONITOR WELL INFORMATION

Well ID	CDEC_ID	Weblink
MW-54B	W54	http://cdec.water.ca.gov/cgi-progs/queryF?s=w54
R3-7	R37	http://cdec.water.ca.gov/cgi-progs/queryF?s=r37
MW-75	W75	http://cdec.water.ca.gov/cgi-progs/queryF?s=w75
MW-89	W89	http://cdec.water.ca.gov/cgi-progs/queryF?s=w89
MW-92	W92	http://cdec.water.ca.gov/cgi-progs/queryF?s=w92

NOTE: All data are provisional and are subject to revision

TBD=To be determined NR=No Reading (Well Inaccessible)

Buffer Zone as defined in the Draft SJRRP Seepage Mgt Plan (ft BGS= feet below ground surface)

DTW_GS = Depth to Groundwater from Ground Surface

CDEC = California Data Exchange Center

BRT=Below Rating Table

SAN JOAQUIN RIVER RESTORATION PROGRAM
Weekly Groundwater Report - Week Ending August 14, 2010

REACH 2A

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
FA-9	8/10/2010	10.12	4-6	218.2	Left
MW-47	8/10/2010	9.89	6-8	218.2	Right
MA-4	8/10/2010	12.20	6-8	217.2	Right
MW-49B	8/10/2010	7.04	4-6	217.2	Left

REACH 2B

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
MW-54B	8/10/2010	18.52	TBD	211.8	Right
MW-55B	8/10/2010	10.84	6-8	211.8	Left
R2B-1	8/12/2010	6.51	4-6	207.1	Right
R2B-2	8/12/2010	11.54	4-6	205.1	Right

REACH 3

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
R3-1	8/12/2010	NR	4-6	191.6	Right
R3-6	8/12/2010	8.38	4-6	196.6	Right
R3-7	8/12/2010	7.06	3-5	199.2	Right

REACH 4

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
MW-84	8/12/2010	22.75	4-6	173.9	Right
MW-87B	8/12/2010	Dry (>14)	4-6	173.9	Left

PRELIMINARY SAN JOAQUIN RIVER FLOW DATA

Location	Station_ID	Reach	River Mile	Flow (cfs)	Date	Time
Friant Dam	MIL	1	267.6	348	8/11/2010	24 hr Avg.
Gravelly Ford	GRF	2A	227.6	137	8/12/2010	1200
SJR below BIF	SJB	2B	216	43	8/12/2010	1200
SJR near Mendota	MEN	3	202.1	550	8/12/2010	1200
SJR near Dos Palos	SDP	4	181.5	7	8/12/2010	1200
SJR at Fremont Ford	FFB	5	125.1	217	8/12/2010	1200
SJR above Merced River	11273400	5	118.3	252	8/12/2010	1200

REAL TIME GROUNDWATER MONITOR WELL INFORMATION

Well ID	CDEC_ID	Weblink
MW-54B	W54	http://cdec.water.ca.gov/cgi-progs/queryF?s=w54
R3-7	R37	http://cdec.water.ca.gov/cgi-progs/queryF?s=r37
MW-75	W75	http://cdec.water.ca.gov/cgi-progs/queryF?s=w75
MW-89	W89	http://cdec.water.ca.gov/cgi-progs/queryF?s=w89
MW-92	W92	http://cdec.water.ca.gov/cgi-progs/queryF?s=w92

NOTE: All data are provisional and are subject to revision

TBD=To be determined NR=No Reading (Well Inaccessible)
 Buffer Zone as defined in the Draft SJRRP Seepage Mgt Plan (ft BGS= feet below ground surface)
 DTW_GS = Depth to Groundwater from Ground Surface
 CDEC = California Data Exchange Center
 BRT=Below Rating Table

SAN JOAQUIN RIVER RESTORATION PROGRAM
Weekly Groundwater Report - Week Ending August 21, 2010

REACH 2A

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
FA-9	8/18/2010	9.30	4-6	218.2	Left
MW-47	8/18/2010	9.83	6-8	218.2	Right
MA-4	8/18/2010	12.20	6-8	217.2	Right
MW-49B	8/18/2010	6.98	4-6	217.2	Left

REACH 2B

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
MW-54B	8/18/2010	18.21	TBD	211.8	Right
MW-55B	8/18/2010	10.86	6-8	211.8	Left
R2B-1	8/19/2010	6.51	4-6	207.1	Right
R2B-2	8/19/2010	11.71	4-6	205.1	Right

REACH 3

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
R3-1	8/19/2010	NR	4-6	191.6	Right
R3-6	8/19/2010	8.35	4-6	196.6	Right
R3-7	8/19/2010	7.00	3-5	199.2	Right

REACH 4

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
MW-84	8/17/2010	22.65	4-6	173.9	Right
MW-87B	8/17/2010	Dry (>14)	4-6	173.9	Left

PRELIMINARY SAN JOAQUIN RIVER FLOW DATA

Location	Station_ID	Reach	River Mile	Flow (cfs)	Date	Time
Friant Dam	MIL	1	267.6	342	8/18/2010	24 hr Avg.
Gravelly Ford	GRF	2A	227.6	139	8/19/2010	1200
SJR below BIF	SJB	2B	216	53	8/19/2010	1200
SJR near Mendota	MEN	3	202.1	605	8/19/2010	1200
SJR near Dos Palos	SDP	4	181.5	91	8/19/2010	1200
SJR at Fremont Ford	FFB	5	125.1	227	8/19/2010	1200
SJR above Merced River	11273400	5	118.3	262	8/19/2010	1200

REAL TIME GROUNDWATER MONITOR WELL INFORMATION

Well ID	CDEC_ID	Weblink
MW-54B	W54	http://cdec.water.ca.gov/cgi-progs/queryF?s=w54
R3-7	R37	http://cdec.water.ca.gov/cgi-progs/queryF?s=r37
MW-75	W75	http://cdec.water.ca.gov/cgi-progs/queryF?s=w75
MW-89	W89	http://cdec.water.ca.gov/cgi-progs/queryF?s=w89
MW-92	W92	http://cdec.water.ca.gov/cgi-progs/queryF?s=w92

NOTE: All data are provisional and are subject to revision

TBD=To be determined NR=No Reading (Well Inaccessible)

Buffer Zone as defined in the Draft SJRRP Seepage Mgt Plan (ft BGS= feet below ground surface)

DTW_GS = Depth to Groundwater from Ground Surface

CDEC = California Data Exchange Center

BRT=Below Rating Table

SAN JOAQUIN RIVER RESTORATION PROGRAM
Weekly Groundwater Report - Week Ending August 28, 2010

REACH 2A

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
FA-9	8/26/2010	10.07	4-6	218.2	Left
MW-47	8/26/2010	9.99	6-8	218.2	Right
MA-4	8/26/2010	12.45	6-8	217.2	Right
MW-49B	8/26/2010	7.14	4-6	217.2	Left

REACH 2B

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
MW-54B	8/27/2010	18.56	TBD	211.8	Right
MW-55B	8/27/2010	11.06	6-8	211.8	Left
R2B-1	8/26/2010	6.55	4-6	207.1	Right
R2B-2	8/26/2010	11.83	4-6	205.1	Right

REACH 3

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
R3-1	8/26/2010	NR	4-6	191.6	Right
R3-6	8/26/2010	8.63	4-6	196.6	Right
R3-7	8/26/2010	7.40	3-5	199.2	Right

REACH 4

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
MW-84	8/26/2010	23.36	4-6	173.9	Right
MW-87B	8/26/2010	Dry (>14)	4-6	173.9	Left

PRELIMINARY SAN JOAQUIN RIVER FLOW DATA

Location	Station_ID	Reach	River Mile	Flow (cfs)	Date	Time
Friant Dam	MIL	1	267.6	323	8/26/2010	24 hr Avg.
Gravelly Ford	GRF	2A	227.6	130	8/26/2010	1200
SJR below BIF	SJB	2B	216	35	8/26/2010	1200
SJR near Mendota	MEN	3	202.1	431	8/26/2010	1200
SJR near Dos Palos	SDP	4	181.5	2	8/26/2010	1200
SJR at Fremont Ford	FFB	5	125.1	173	8/26/2010	1200
SJR above Merced River	11273400	5	118.3	213	8/26/2010	1200

REAL TIME GROUNDWATER MONITOR WELL INFORMATION

Well ID	CDEC_ID	Weblink
MW-54B	W54	http://cdec.water.ca.gov/cgi-progs/queryF?s=w54
R3-7	R37	http://cdec.water.ca.gov/cgi-progs/queryF?s=r37
MW-75	W75	http://cdec.water.ca.gov/cgi-progs/queryF?s=w75
MW-89	W89	http://cdec.water.ca.gov/cgi-progs/queryF?s=w89
MW-92	W92	http://cdec.water.ca.gov/cgi-progs/queryF?s=w92

NOTE: All data are provisional and are subject to revision

TBD=To be determined NR=No Reading (Well Inaccessible)
 Buffer Zone as defined in the Draft SJRRP Seepage Mgt Plan (ft BGS= feet below ground surface)
 DTW_GS = Depth to Groundwater from Ground Surface
 CDEC = California Data Exchange Center
 BRT=Below Rating Table

SAN JOAQUIN RIVER RESTORATION PROGRAM
Weekly Groundwater Report - Week Ending September 4, 2010

REACH 2A

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
FA-9	8/31/2010	10.17	4-6	218.2	Left
MW-47	8/31/2010	9.95	6-8	218.2	Right
MA-4	8/31/2010	12.30	6-8	217.2	Right
MW-49B	8/31/2010	7.10	4-6	217.2	Left

REACH 2B

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
MW-54B	8/31/2010	18.51	TBD	211.8	Right
MW-55B	8/31/2010	11.10	6-8	211.8	Left
R2B-1	8/31/2010	6.51	4-6	207.1	Right
R2B-2	8/31/2010	11.95	4-6	205.1	Right

REACH 3

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
R3-1	9/2/2010	NR	4-6	191.6	Right
R3-6	9/2/2010	8.91	4-6	196.6	Right
R3-7	9/2/2010	7.71	3-5	199.2	Right

REACH 4

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
MW-84	9/2/2010	23.49	4-6	173.9	Right
MW-87B	9/2/2010	Dry (>14)	4-6	173.9	Left

PRELIMINARY SAN JOAQUIN RIVER FLOW DATA

Location	Station_ID	Reach	River Mile	Flow (cfs)	Date	Time
Friant Dam	MIL	1	267.6	349	9/2/2010	24 hr Avg.
Gravelly Ford	GRF	2A	227.6	147	9/2/2010	1200
SJR below BIF	SJB	2B	216	56	9/2/2010	1200
SJR near Mendota	MEN	3	202.1	369	9/2/2010	1200
SJR near Dos Palos	SDP	4	181.5	BRT	9/2/2010	1200
SJR at Fremont Ford	FFB	5	125.1	270	9/2/2010	1200
SJR above Merced River	11273400	5	118.3	302	9/2/2010	1200

REAL TIME GROUNDWATER MONITOR WELL INFORMATION

Well ID	CDEC_ID	Weblink
MW-54B	W54	http://cdec.water.ca.gov/cgi-progs/queryF?s=w54
R3-7	R37	http://cdec.water.ca.gov/cgi-progs/queryF?s=r37
MW-75	W75	http://cdec.water.ca.gov/cgi-progs/queryF?s=w75
MW-89	W89	http://cdec.water.ca.gov/cgi-progs/queryF?s=w89
MW-92	W92	http://cdec.water.ca.gov/cgi-progs/queryF?s=w92

NOTE: All data are provisional and are subject to revision

TBD=To be determined NR=No Reading (Well Inaccessible)

Buffer Zone as defined in the Draft SJRRP Seepage Mgt Plan (ft BGS= feet below ground surface)

DTW_GS = Depth to Groundwater from Ground Surface

CDEC = California Data Exchange Center

BRT=Below Rating Table

SAN JOAQUIN RIVER RESTORATION PROGRAM
Weekly Groundwater Report - Week Ending September 11, 2010

REACH 2A

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
FA-9	9/7/2010	10.15	4-6	218.2	Left
MW-47	9/7/2010	9.85	6-8	218.2	Right
MA-4	9/7/2010	11.85	6-8	217.2	Right
MW-49B	9/7/2010	7.04	4-6	217.2	Left

REACH 2B

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
MW-54B	9/7/2010	18.41	TBD	211.8	Right
MW-55B	9/7/2010	10.94	6-8	211.8	Left
R2B-1	9/7/2010	6.49	4-6	207.1	Right
R2B-2	9/7/2010	12.10	4-6	205.1	Right

REACH 3

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
R3-1	9/9/2010	NR	4-6	191.6	Right
R3-6	9/9/2010	9.51	4-6	196.6	Right
R3-7	9/9/2010	8.30	3-5	199.2	Right

REACH 4

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
MW-84	9/9/2010	24.01	4-6	173.9	Right
MW-87B	9/9/2010	Dry (>14)	4-6	173.9	Left

PRELIMINARY SAN JOAQUIN RIVER FLOW DATA

Location	Station_ID	Reach	River Mile	Flow (cfs)	Date	Time
Friant Dam	MIL	1	267.6	344	9/9/2010	24 hr Avg.
Gravelly Ford	GRF	2A	227.6	160	9/9/2010	1200
SJR below BIF	SJB	2B	216	56	9/9/2010	1200
SJR near Mendota	MEN	3	202.1	274	9/9/2010	1200
SJR near Dos Palos	SDP	4	181.5	BRT	9/9/2010	1200
SJR at Fremont Ford	FFB	5	125.1	260	9/9/2010	1200
SJR above Merced River	11273400	5	118.3	397	9/9/2010	1200

REAL TIME GROUNDWATER MONITOR WELL INFORMATION

Well ID	CDEC_ID	Weblink
MW-54B	W54	http://cdec.water.ca.gov/cgi-progs/queryF?s=w54
R3-7	R37	http://cdec.water.ca.gov/cgi-progs/queryF?s=r37
MW-75	W75	http://cdec.water.ca.gov/cgi-progs/queryF?s=w75
MW-89	W89	http://cdec.water.ca.gov/cgi-progs/queryF?s=w89
MW-92	W92	http://cdec.water.ca.gov/cgi-progs/queryF?s=w92

NOTE: All data are provisional and are subject to revision

TBD=To be determined NR=No Reading (Well Inaccessible)
 Buffer Zone as defined in the Draft SJRRP Seepage Mgt Plan (ft BGS= feet below ground surface)
 DTW_GS = Depth to Groundwater from Ground Surface
 CDEC = California Data Exchange Center
 BRT=Below Rating Table

SAN JOAQUIN RIVER RESTORATION PROGRAM
Weekly Groundwater Report - Week Ending September 18, 2010

REACH 2A

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
FA-9	9/14/2010	10.10	4-6	218.2	Left
MW-47	9/14/2010	9.79	6-8	218.2	Right
MA-4	9/14/2010	12.34	6-8	217.2	Right
MW-49B	9/14/2010	6.99	4-6	217.2	Left

REACH 2B

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
MW-54B	9/14/2010	18.13	TBD	211.8	Right
MW-55B	9/14/2010	10.81	6-8	211.8	Left
R2B-1	9/14/2010	6.35	4-6	207.1	Right
R2B-2	9/14/2010	12.04	4-6	205.1	Right

REACH 3

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
R3-1	9/16/2010	NR	4-6	191.6	Right
R3-6	9/16/2010	9.30	4-6	196.6	Right
R3-7	9/16/2010	7.91	3-5	199.2	Right

REACH 4

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
MW-84	9/16/2010	23.51	4-6	173.9	Right
MW-87B	9/16/2010	Dry (>14)	4-6	173.9	Left

PRELIMINARY SAN JOAQUIN RIVER FLOW DATA

Location	Station_ID	Reach	River Mile	Flow (cfs)	Date	Time
Friant Dam	MIL	1	267.6	350	9/16/2010	24 hr Avg.
Gravelly Ford	GRF	2A	227.6	164	9/16/2010	1200
SJR below BIF	SJB	2B	216	70	9/16/2010	1200
SJR near Mendota	MEN	3	202.1	359	9/16/2010	1200
SJR near Dos Palos	SDP	4	181.5	BRT	9/16/2010	1200
SJR at Fremont Ford	FFB	5	125.1	350	9/16/2010	1200
SJR above Merced River	11273400	5	118.3	338	9/16/2010	1200

REAL TIME GROUNDWATER MONITOR WELL INFORMATION

Well ID	CDEC_ID	Weblink
MW-54B	W54	http://cdec.water.ca.gov/cgi-progs/queryF?s=w54
R3-7	R37	http://cdec.water.ca.gov/cgi-progs/queryF?s=r37
MW-75	W75	http://cdec.water.ca.gov/cgi-progs/queryF?s=w75
MW-89	W89	http://cdec.water.ca.gov/cgi-progs/queryF?s=w89
MW-92	W92	http://cdec.water.ca.gov/cgi-progs/queryF?s=w92

NOTE: All data are provisional and are subject to revision

TBD=To be determined NR=No Reading (Well Inaccessible)

Buffer Zone as defined in the Draft SJRRP Seepage Mgt Plan (ft BGS= feet below ground surface)

DTW_GS = Depth to Groundwater from Ground Surface

CDEC = California Data Exchange Center

BRT=Below Rating Table

SAN JOAQUIN RIVER RESTORATION PROGRAM
Weekly Groundwater Report - Week Ending September 25, 2010

REACH 2A

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
FA-9	9/21/2010	9.61	4-6	218.2	Left
MW-47	9/21/2010	9.71	6-8	218.2	Right
MA-4	9/21/2010	11.85	6-8	217.2	Right
MW-49B	9/21/2010	6.91	4-6	217.2	Left

REACH 2B

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
MW-54B	9/21/2010	17.76	TBD	211.8	Right
MW-55B	9/21/2010	10.62	6-8	211.8	Left
R2B-1	9/21/2010	6.34	4-6	207.1	Right
R2B-2	9/21/2010	12.17	4-6	205.1	Right

REACH 3

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
R3-1	9/23/2010	NR	4-6	191.6	Right
R3-6	9/23/2010	9.63	4-6	196.6	Right
R3-7	9/23/2010	8.36	3-5	199.2	Right

REACH 4

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
MW-84	9/23/2010	24.16	4-6	173.9	Right
MW-87B	9/23/2010	Dry (>14)	4-6	173.9	Left

PRELIMINARY SAN JOAQUIN RIVER FLOW DATA

Location	Station_ID	Reach	River Mile	Flow (cfs)	Date	Time
Friant Dam	MIL	1	267.6	352	9/23/2010	24 hr Avg.
Gravelly Ford	GRF	2A	227.6	162	9/23/2010	1200
SJR below BIF	SJB	2B	216	70	9/23/2010	1200
SJR near Mendota	MEN	3	202.1	275	9/23/2010	1200
SJR near Dos Palos	SDP	4	181.5	BRT	9/23/2010	1200
SJR at Fremont Ford	FFB	5	125.1	164	9/23/2010	1200
SJR above Merced River	11273400	5	118.3	246	9/23/2010	1200

REAL TIME GROUNDWATER MONITOR WELL INFORMATION

Well ID	CDEC_ID	Weblink
MW-54B	W54	http://cdec.water.ca.gov/cgi-progs/queryF?s=w54
R3-7	R37	http://cdec.water.ca.gov/cgi-progs/queryF?s=r37
MW-75	W75	http://cdec.water.ca.gov/cgi-progs/queryF?s=w75
MW-89	W89	http://cdec.water.ca.gov/cgi-progs/queryF?s=w89
MW-92	W92	http://cdec.water.ca.gov/cgi-progs/queryF?s=w92

NOTE: All data are provisional and are subject to revision

TBD=To be determined NR=No Reading (Well Inaccessible)

Buffer Zone as defined in the Draft SJRRP Seepage Mgt Plan (ft BGS= feet below ground surface)

DTW_GS = Depth to Groundwater from Ground Surface

CDEC = California Data Exchange Center

BRT=Below Rating Table

SAN JOAQUIN RIVER RESTORATION PROGRAM
Weekly Groundwater Report - Week Ending October 2, 2010

REACH 2A

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
FA-9	9/28/2010	9.85	4-6	218.2	Left
MW-47	9/28/2010	9.71	6-8	218.2	Right
MA-4	9/28/2010	11.98	6-8	217.2	Right
MW-49B	9/28/2010	6.93	4-6	217.2	Left

REACH 2B

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
MW-54B	9/28/2010	17.75	TBD	211.8	Right
MW-55B	9/28/2010	10.45	6-8	211.8	Left
R2B-1	9/28/2010	6.29	4-6	207.1	Right
R2B-2	9/28/2010	12.14	4-6	205.1	Right

REACH 3

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
R3-1	9/30/2010	NR	4-6	191.6	Right
R3-6	9/30/2010	9.51	4-6	196.6	Right
R3-7	9/30/2010	8.20	3-5	199.2	Right

REACH 4

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
MW-84	9/30/2010	24.73	4-6	173.9	Right
MW-87B	9/30/2010	Dry (>14)	4-6	173.9	Left

PRELIMINARY SAN JOAQUIN RIVER FLOW DATA

Location	Station_ID	Reach	River Mile	Flow (cfs)	Date	Time
Friant Dam	MIL	1	267.6	351	9/30/2010	24 hr Avg.
Gravelly Ford	GRF	2A	227.6	162	9/30/2010	1200
SJR below BIF	SJB	2B	216	72	9/30/2010	1200
SJR near Mendota	MEN	3	202.1	315	9/30/2010	1200
SJR near Dos Palos	SDP	4	181.5	BRT	9/30/2010	1200
SJR at Fremont Ford	FFB	5	125.1	148	9/30/2010	1200
SJR above Merced River	11273400	5	118.3	212	9/30/2010	1200

REAL TIME GROUNDWATER MONITOR WELL INFORMATION

Well ID	CDEC_ID	Weblink
MW-54B	W54	http://cdec.water.ca.gov/cgi-progs/queryF?s=w54
R3-7	R37	http://cdec.water.ca.gov/cgi-progs/queryF?s=r37
MW-75	W75	http://cdec.water.ca.gov/cgi-progs/queryF?s=w75
MW-89	W89	http://cdec.water.ca.gov/cgi-progs/queryF?s=w89
MW-92	W92	http://cdec.water.ca.gov/cgi-progs/queryF?s=w92

NOTE: All data are provisional and are subject to revision

TBD=To be determined NR=No Reading (Well Inaccessible)

Buffer Zone as defined in the Draft SJRRP Seepage Mgt Plan (ft BGS= feet below ground surface)

DTW_GS = Depth to Groundwater from Ground Surface

CDEC = California Data Exchange Center

BRT=Below Rating Table

SAN JOAQUIN RIVER RESTORATION PROGRAM
Weekly Groundwater Report - Week Ending October 9, 2010

REACH 2A

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
FA-9	10/5/2010	10.01	4-6	218.2	Left
MW-47	10/5/2010	9.81	6-8	218.2	Right
MA-4	10/5/2010	11.90	6-8	217.2	Right
MW-49B	10/5/2010	7.03	4-6	217.2	Left

REACH 2B

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
MW-54B	10/5/2010	17.75	TBD	211.8	Right
MW-55B	10/5/2010	10.79	6-8	211.8	Left
R2B-1	10/5/2010	6.20	4-6	207.1	Right
R2B-2	10/5/2010	12.14	4-6	205.1	Right

REACH 3

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
R3-1	10/7/2010	NR	4-6	191.6	Right
R3-6	10/7/2010	9.20	4-6	196.6	Right
R3-7	10/7/2010	7.89	3-5	199.2	Right

REACH 4

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
MW-84	10/7/2010	25.31	4-6	173.9	Right
MW-87B	10/7/2010	Dry (>14)	4-6	173.9	Left

PRELIMINARY SAN JOAQUIN RIVER FLOW DATA

Location	Station_ID	Reach	River Mile	Flow (cfs)	Date	Time
Friant Dam	MIL	1	267.6	360	10/7/2010	24 hr Avg.
Gravelly Ford	GRF	2A	227.6	166	10/7/2010	1200
SJR below BIF	SJB	2B	216	73	10/7/2010	1200
SJR near Mendota	MEN	3	202.1	369	10/7/2010	1200
SJR near Dos Palos	SDP	4	181.5	BRT	10/7/2010	1200
SJR at Fremont Ford	FFB	5	125.1	209	10/7/2010	1200
SJR above Merced River	11273400	5	118.3	264	10/7/2010	1200

REAL TIME GROUNDWATER MONITOR WELL INFORMATION

Well ID	CDEC_ID	Weblink
MW-54B	W54	http://cdec.water.ca.gov/cgi-progs/queryF?s=w54
R3-7	R37	http://cdec.water.ca.gov/cgi-progs/queryF?s=r37
MW-75	W75	http://cdec.water.ca.gov/cgi-progs/queryF?s=w75
MW-89	W89	http://cdec.water.ca.gov/cgi-progs/queryF?s=w89
MW-92	W92	http://cdec.water.ca.gov/cgi-progs/queryF?s=w92

NOTE: All data are provisional and are subject to revision

TBD=To be determined NR=No Reading (Well Inaccessible)

Buffer Zone as defined in the Draft SJRRP Seepage Mgt Plan (ft BGS= feet below ground surface)

DTW_GS = Depth to Groundwater from Ground Surface

CDEC = California Data Exchange Center

BRT=Below Rating Table

SAN JOAQUIN RIVER RESTORATION PROGRAM
Weekly Groundwater Report - Week Ending October 16, 2010

REACH 2A

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
FA-9	10/12/2010	9.89	4-6	218.2	Left
MW-47	10/12/2010	9.60	6-8	218.2	Right
MA-4	10/12/2010	11.63	6-8	217.2	Right
MW-49B	10/12/2010	6.81	4-6	217.2	Left

REACH 2B

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
MW-54B	10/12/2010	17.63	TBD	211.8	Right
MW-55B	10/12/2010	10.48	6-8	211.8	Left
R2B-1	10/12/2010	6.15	4-6	207.1	Right
R2B-2	10/12/2010	12.10	4-6	205.1	Right

REACH 3

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
R3-1	10/14/2010	NR	4-6	191.6	Right
R3-6	10/14/2010	9.61	4-6	196.6	Right
R3-7	10/14/2010	8.26	3-5	199.2	Right

REACH 4

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
MW-84	10/14/2010	25.85	4-6	173.9	Right
MW-87B	10/14/2010	Dry (>14)	4-6	173.9	Left

PRELIMINARY SAN JOAQUIN RIVER FLOW DATA

Location	Station_ID	Reach	River Mile	Flow (cfs)	Date	Time
Friant Dam	MIL	1	267.6	352	10/14/2010	24 hr Avg.
Gravelly Ford	GRF	2A	227.6	190	10/14/2010	1200
SJR below BIF	SJB	2B	216	100	10/14/2010	1200
SJR near Mendota	MEN	3	202.1	312	10/14/2010	1200
SJR near Dos Palos	SDP	4	181.5	BRT	10/14/2010	1200
SJR at Fremont Ford	FFB	5	125.1	209	10/14/2010	1200
SJR above Merced River	11273400	5	118.3	256	10/14/2010	1500

REAL TIME GROUNDWATER MONITOR WELL INFORMATION

Well ID	CDEC_ID	Weblink
MW-54B	W54	http://cdec.water.ca.gov/cgi-progs/queryF?s=w54
R3-7	R37	http://cdec.water.ca.gov/cgi-progs/queryF?s=r37
MW-75	W75	http://cdec.water.ca.gov/cgi-progs/queryF?s=w75
MW-89	W89	http://cdec.water.ca.gov/cgi-progs/queryF?s=w89
MW-92	W92	http://cdec.water.ca.gov/cgi-progs/queryF?s=w92

NOTE: All data are provisional and are subject to revision

TBD=To be determined NR=No Reading (Well Inaccessible)

Buffer Zone as defined in the Draft SJRRP Seepage Mgt Plan (ft BGS= feet below ground surface)

DTW_GS = Depth to Groundwater from Ground Surface

CDEC = California Data Exchange Center

BRT=Below Rating Table

SAN JOAQUIN RIVER RESTORATION PROGRAM
Weekly Groundwater Report - Week Ending October 30, 2010

REACH 2A					
Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
FA-9	10/26/2010	9.67	4-6	218.2	Left
MW-47	10/26/2010	9.56	6-8	218.2	Right
MA-4	10/26/2010	11.55	6-8	217.2	Right
MW-49B	10/26/2010	6.80	4-6	217.2	Left

REACH 2B					
Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
MW-54B	10/26/2010	17.32	TBD	211.8	Right
MW-55B	10/26/2010	10.31	6-8	211.8	Left
R2B-1	10/26/2010	5.94	4-6	207.1	Right
R2B-2	10/26/2010	12.12	4-6	205.1	Right

REACH 3					
Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
R3-1	10/28/2010	NR	4-6	191.6	Right
R3-6	10/28/2010	9.83	4-6	196.6	Right
R3-7	10/28/2010	8.51	3-5	199.2	Right

REACH 4					
Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
MW-84	10/28/2010	25.35	4-6	173.9	Right
MW-87B	10/28/2010	Dry (>14)	4-6	173.9	Left

PRELIMINARY SAN JOAQUIN RIVER FLOW DATA						
Location	Station_ID	Reach	River Mile	Flow (cfs)	Date	Time
Friant Dam	MIL	1	267.6	351	10/28/2010	24 hr Avg.
Gravelly Ford	GRF	2A	227.6	192	10/28/2010	1200
SJR below BIF	SJB	2B	216	107	10/28/2010	1200
SJR near Mendota	MEN	3	202.1	272	10/28/2010	1200
SJR near Dos Palos	SDP	4	181.5	58	10/28/2010	1200
SJR at Fremont Ford	FFB	5	125.1	259	10/28/2010	1200
SJR above Merced River	11273400	5	118.3	928	10/28/2010	1200

REAL TIME GROUNDWATER MONITOR WELL INFORMATION		
Well ID	CDEC_ID	Weblink
MW-54B	W54	http://cdec.water.ca.gov/cgi-progs/queryF?s=w54
R3-7	R37	http://cdec.water.ca.gov/cgi-progs/queryF?s=r37
MW-75	W75	http://cdec.water.ca.gov/cgi-progs/queryF?s=w75
MW-89	W89	http://cdec.water.ca.gov/cgi-progs/queryF?s=w89
MW-92	W92	http://cdec.water.ca.gov/cgi-progs/queryF?s=w92

NOTE: All data are provisional and are subject to revision

TBD=To be determined NR=No Reading (Well Inaccessible)
 Buffer Zone as defined in the Draft SJRRP Seepage Mgt Plan (ft BGS= feet below ground surface)
 DTW_GS = Depth to Groundwater from Ground Surface
 CDEC = California Data Exchange Center
 BRT=Below Rating Table

SAN JOAQUIN RIVER RESTORATION PROGRAM
Weekly Groundwater Report - Week Ending November 6, 2010

REACH 2A

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
FA-9	11/2/2010	9.70	4-6	218.2	Left
MW-47	11/2/2010	9.52	6-8	218.2	Right
MA-4	11/2/2010	11.63	6-8	217.2	Right
MW-49B	11/2/2010	6.75	4-6	217.2	Left

REACH 2B

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
MW-54B	11/2/2010	17.09	TBD	211.8	Right
MW-55B	11/2/2010	10.12	6-8	211.8	Left
R2B-1	11/2/2010	5.83	4-6	207.1	Right
R2B-2	11/2/2010	12.20	4-6	205.1	Right

REACH 3

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
R3-1	11/4/2010	NR	4-6	191.6	Right
R3-6	11/4/2010	9.85	4-6	196.6	Right
R3-7	11/4/2010	8.58	3-5	199.2	Right

REACH 4

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
MW-84	11/4/2010	25.06	4-6	173.9	Right
MW-87B	11/4/2010	Dry (>14)	4-6	173.9	Left

PRELIMINARY SAN JOAQUIN RIVER FLOW DATA

Location	Station_ID	Reach	River Mile	Flow (cfs)	Date	Time
Friant Dam	MIL	1	267.6	351	11/4/2010	24 hr Avg.
Gravelly Ford	GRF	2A	227.6	183	11/4/2010	1200
SJR below BIF	SJB	2B	216	90	11/4/2010	1200
SJR near Mendota	MEN	3	202.1	241	11/4/2010	1200
SJR near Dos Palos	SDP	4	181.5	58	11/4/2010	1200
SJR at Fremont Ford	FFB	5	125.1	209	11/4/2010	1200
SJR above Merced River	11273400	5	118.3	435	11/4/2010	1200

REAL TIME GROUNDWATER MONITOR WELL INFORMATION

Well ID	CDEC_ID	Weblink
MW-54B	W54	http://cdec.water.ca.gov/cgi-progs/queryF?s=w54
R3-7	R37	http://cdec.water.ca.gov/cgi-progs/queryF?s=r37
MW-75	W75	http://cdec.water.ca.gov/cgi-progs/queryF?s=w75
MW-89	W89	http://cdec.water.ca.gov/cgi-progs/queryF?s=w89
MW-92	W92	http://cdec.water.ca.gov/cgi-progs/queryF?s=w92

NOTE: All data are provisional and are subject to revision

TBD=To be determined NR=No Reading (Well Inaccessible)

Buffer Zone as defined in the Draft SJRRP Seepage Mgt Plan (ft BGS= feet below ground surface)

DTW_GS = Depth to Groundwater from Ground Surface

CDEC = California Data Exchange Center

BRT=Below Rating Table

SAN JOAQUIN RIVER RESTORATION PROGRAM
Weekly Groundwater Report - Week Ending November 13, 2010

REACH 2A

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
FA-9	11/9/2010	9.69	4-6	218.2	Left
MW-47	11/9/2010	9.46	6-8	218.2	Right
MA-4	11/9/2010	11.63	6-8	217.2	Right
MW-49B	11/9/2010	6.82	4-6	217.2	Left

REACH 2B

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
MW-54B	11/9/2010	16.90	TBD	211.8	Right
MW-55B	11/9/2010	9.98	6-8	211.8	Left
R2B-1	11/9/2010	5.75	4-6	207.1	Right
R2B-2	11/9/2010	12.08	4-6	205.1	Right

REACH 3

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
R3-1	11/11/2010	NR	4-6	191.6	Right
R3-6	11/11/2010	9.90	4-6	196.6	Right
R3-7	11/11/2010	8.65	3-5	199.2	Right

REACH 4

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
MW-84	11/11/2010	25.00	4-6	173.9	Right
MW-87B	11/11/2010	Dry (>14)	4-6	173.9	Left

PRELIMINARY SAN JOAQUIN RIVER FLOW DATA

Location	Station_ID	Reach	River Mile	Flow (cfs)	Date	Time
Friant Dam	MIL	1	267.6	355	11/11/2010	24 hr Avg.
Gravelly Ford	GRF	2A	227.6	195	11/11/2010	1200
SJR below BIF	SJB	2B	216	113	11/11/2010	1200
SJR near Mendota	MEN	3	202.1	224	11/11/2010	1200
SJR near Dos Palos	SDP	4	181.5	69	11/11/2010	1200
SJR at Fremont Ford	FFB	5	125.1	238	11/11/2010	1200
SJR above Merced River	11273400	5	118.3	369	11/11/2010	1200

REAL TIME GROUNDWATER MONITOR WELL INFORMATION

Well ID	CDEC_ID	Weblink
MW-54B	W54	http://cdec.water.ca.gov/cgi-progs/queryF?s=w54
R3-7	R37	http://cdec.water.ca.gov/cgi-progs/queryF?s=r37
MW-75	W75	http://cdec.water.ca.gov/cgi-progs/queryF?s=w75
MW-89	W89	http://cdec.water.ca.gov/cgi-progs/queryF?s=w89
MW-92	W92	http://cdec.water.ca.gov/cgi-progs/queryF?s=w92

NOTE: All data are provisional and are subject to revision

TBD=To be determined NR=No Reading (Well Inaccessible)
 Buffer Zone as defined in the Draft SJRRP Seepage Mgt Plan (ft BGS= feet below ground surface)
 DTW_GS = Depth to Groundwater from Ground Surface
 CDEC = California Data Exchange Center
 BRT=Below Rating Table

SAN JOAQUIN RIVER RESTORATION PROGRAM
Weekly Groundwater Report - Week Ending November 20, 2010

REACH 2A

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
FA-9	11/16/2010	9.62	4-6	218.2	Left
MW-47	11/16/2010	9.44	6-8	218.2	Right
MA-4	11/16/2010	11.99	6-8	217.2	Right
MW-49B	11/16/2010	6.69	4-6	217.2	Left

REACH 2B

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
MW-54B	11/16/2010	16.79	TBD	211.8	Right
MW-55B	11/16/2010	9.88	6-8	211.8	Left
R2B-1	11/16/2010	5.71	4-6	207.1	Right
R2B-2	11/16/2010	12.14	4-6	205.1	Right

REACH 3

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
R3-1	11/18/2010	NR	4-6	191.6	Right
R3-6	11/18/2010	9.83	4-6	196.6	Right
R3-7	11/18/2010	8.50	3-5	199.2	Right

REACH 4

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
MW-84	11/18/2010	24.45	4-6	173.9	Right
MW-87B	11/18/2010	Dry (>14)	4-6	173.9	Left

PRELIMINARY SAN JOAQUIN RIVER FLOW DATA

Location	Station_ID	Reach	River Mile	Flow (cfs)	Date	Time
Friant Dam	MIL	1	267.6	699	11/18/2010	24 hr Avg.
Gravelly Ford	GRF	2A	227.6	391	11/18/2010	1200
SJR below BIF	SJB	2B	216	173	11/18/2010	1200
SJR near Mendota	MEN	3	202.1	265	11/18/2010	1200
SJR near Dos Palos	SDP	4	181.5	67	11/18/2010	1030
SJR at Fremont Ford	FFB	5	125.1	218	11/18/2010	1200
SJR above Merced River	11273400	5	118.3	376	11/18/2010	1200

REAL TIME GROUNDWATER MONITOR WELL INFORMATION

Well ID	CDEC_ID	Weblink
MW-54B	W54	http://cdec.water.ca.gov/cgi-progs/queryF?s=w54
R3-7	R37	http://cdec.water.ca.gov/cgi-progs/queryF?s=r37
MW-75	W75	http://cdec.water.ca.gov/cgi-progs/queryF?s=w75
MW-89	W89	http://cdec.water.ca.gov/cgi-progs/queryF?s=w89
MW-92	W92	http://cdec.water.ca.gov/cgi-progs/queryF?s=w92

NOTE: All data are provisional and are subject to revision

TBD=To be determined NR=No Reading (Well Inaccessible)
 Buffer Zone as defined in the Draft SJRRP Seepage Mgt Plan (ft BGS= feet below ground surface)
 DTW_GS = Depth to Groundwater from Ground Surface
 CDEC = California Data Exchange Center
 BRT=Below Rating Table

SAN JOAQUIN RIVER RESTORATION PROGRAM
Weekly Groundwater Report - Week Ending November 27, 2010

REACH 2A

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
FA-9	11/23/2010	8.43	4-6	218.2	Left
MW-47	11/23/2010	8.35	6-8	218.2	Right
MA-4	11/23/2010	11.19	6-8	217.2	Right
MW-49B	11/23/2010	5.56	4-6	217.2	Left

REACH 2B

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
MW-54B	11/23/2010	15.02	TBD	211.8	Right
MW-55B	11/23/2010	8.02	6-8	211.8	Left
R2B-1	11/23/2010	NR	4-6	207.1	Right
R2B-2	11/23/2010	12.20	4-6	205.1	Right

REACH 3

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
R3-1	11/24/2010	NR	4-6	191.6	Right
R3-6	11/24/2010	NR	4-6	196.6	Right
R3-7	11/24/2010	8.63	3-5	199.2	Right

REACH 4

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
MW-84	11/24/2010	NR	4-6	173.9	Right
MW-87B	11/24/2010	NR	4-6	173.9	Left
MW-89	11/24/2010	10.66	6-8	175.4	Right
MW-92	11/24/2010	7.36	TBD	170.0	Left

PRELIMINARY SAN JOAQUIN RIVER FLOW DATA

Location	Station_ID	Reach	River Mile	Flow (cfs)	Date	Time
Friant Dam	MIL	1	267.6	308	11/23/2010	24 hr Avg.
Gravelly Ford	GRF	2A	227.6	566	11/23/2010	1200
SJR below BIF	SJB	2B	216	388	11/23/2010	1200
SJR near Mendota	MEN	3	202.1	222	11/23/2010	1200
SJR near Dos Palos	SDP	4	181.5	58	11/23/2010	1200
SJR at Fremont Ford	FFB	5	125.1	310	11/23/2010	1200
SJR above Merced River	11273400	5	118.3	581	11/23/2010	1200

REAL TIME GROUNDWATER MONITOR WELL INFORMATION

Well ID	CDEC_ID	Weblink
MW-54B	W54	http://cdec.water.ca.gov/cgi-progs/queryF?s=w54
R3-7	R37	http://cdec.water.ca.gov/cgi-progs/queryF?s=r37
MW-75	W75	http://cdec.water.ca.gov/cgi-progs/queryF?s=w75
MW-89	W89	http://cdec.water.ca.gov/cgi-progs/queryF?s=w89
MW-92	W92	http://cdec.water.ca.gov/cgi-progs/queryF?s=w92

NOTE: All data are provisional and are subject to revision

TBD=To be determined NR=No Reading (Well Inaccessible)
 Buffer Zone as defined in the Draft SJRRP Seepage Mgt Plan (ft BGS= feet below ground surface)
 DTW_GS = Depth to Groundwater from Ground Surface
 CDEC = California Data Exchange Center
 BRT=Below Rating Table

SAN JOAQUIN RIVER RESTORATION PROGRAM
Weekly Groundwater Report - Week Ending December 4, 2010

REACH 2A

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
FA-9	11/30/2010	9.23	4-6	218.2	Left
MW-47	11/30/2010	9.35	6-8	218.2	Right
MA-4	11/30/2010	12.00	6-8	217.2	Right
MW-49B	11/30/2010	6.60	4-6	217.2	Left

REACH 2B

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
MW-54B	11/30/2010	16.00	TBD	211.8	Right
MW-55B	11/30/2010	9.30	6-8	211.8	Left
R2B-1	11/30/2010	5.69	4-6	207.1	Right
R2B-2	11/30/2010	12.32	4-6	205.1	Right

REACH 3

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
R3-1	12/2/2010	NR	4-6	191.6	Right
R3-6	12/2/2010	10.03	4-6	196.6	Right
R3-7	12/2/2010	8.75	3-5	199.2	Right

REACH 4

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
MW-84	12/2/2010	24.21	4-6	173.9	Right
MW-87B	12/2/2010	Dry	4-6	173.9	Left
MW-89	12/2/2010	10.59	6-8	175.4	Right
MW-92	12/2/2010	7.35	TBD	170.0	Left

PRELIMINARY SAN JOAQUIN RIVER FLOW DATA

Location	Station_ID	Reach	River Mile	Flow (cfs)	Date	Time
Friant Dam	MIL	1	267.6	102	12/2/2010	24 hr Avg.
Gravelly Ford	GRF	2A	227.6	179	12/2/2010	1200
SJR below BIF	SJB	2B	216	117	12/2/2010	1200
SJR near Mendota	MEN	3	202.1	206	12/2/2010	1200
SJR near Dos Palos	SDP	4	181.5	64	12/2/2010	1200
SJR at Fremont Ford	FFB	5	125.1	303	12/2/2010	1200
SJR above Merced River	11273400	5	118.3	526	12/2/2010	1200

REAL TIME GROUNDWATER MONITOR WELL INFORMATION

Well ID	CDEC_ID	Weblink
MW-54B	W54	http://cdec.water.ca.gov/cgi-progs/queryF?s=w54
R3-7	R37	http://cdec.water.ca.gov/cgi-progs/queryF?s=r37
MW-75	W75	http://cdec.water.ca.gov/cgi-progs/queryF?s=w75
MW-89	W89	http://cdec.water.ca.gov/cgi-progs/queryF?s=w89
MW-92	W92	http://cdec.water.ca.gov/cgi-progs/queryF?s=w92

NOTE: All data are provisional and are subject to revision

TBD=To be determined NR=No Reading (Well Inaccessible)

Buffer Zone as defined in the Draft SJRRP Seepage Mgt Plan (ft BGS= feet below ground surface)

DTW_GS = Depth to Groundwater from Ground Surface

CDEC = California Data Exchange Center

BRT=Below Rating Table

SAN JOAQUIN RIVER RESTORATION PROGRAM
Weekly Groundwater Report - Week Ending December 11, 2010

REACH 2A

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
FA-9	12/7/2010	9.95	4-6	218.2	Left
MW-47	12/7/2010	10.08	6-8	218.2	Right
MA-4	12/7/2010	12.34	6-8	217.2	Right
MW-49B	12/7/2010	7.27	4-6	217.2	Left

REACH 2B

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
MW-54B	12/7/2010	17.25	TBD	211.8	Right
MW-55B	12/7/2010	10.55	6-8	211.8	Left
R2B-1	12/7/2010	5.63	4-6	207.1	Right
R2B-2	12/7/2010	12.37	4-6	205.1	Right

REACH 3

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
R3-1	12/9/2010	NR	4-6	191.6	Right
R3-6	12/9/2010	10.45	4-6	196.6	Right
R3-7	12/9/2010	9.30	3-5	199.2	Right

REACH 4

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
MW-84	12/9/2010	24.30	4-6	173.9	Right
MW-87B	12/9/2010	Dry	4-6	173.9	Left
MW-89	12/9/2010	10.86	6-8	175.4	Right
MW-92	12/9/2010	8.18	TBD	170.0	Left

PRELIMINARY SAN JOAQUIN RIVER FLOW DATA

Location	Station_ID	Reach	River Mile	Flow (cfs)	Date	Time
Friant Dam	MIL	1	267.6	76	12/9/2010	24 hr Avg.
Gravelly Ford	GRF	2A	227.6	27	12/9/2010	1200
SJR below BIF	SJB	2B	216	BRT	12/9/2010	1200
SJR near Mendota	MEN	3	202.1	101	12/9/2010	1200
SJR near Dos Palos	SDP	4	181.5	BRT	12/9/2010	1200
SJR at Fremont Ford	FFB	5	125.1	267	12/9/2010	1200
SJR above Merced River	11273400	5	118.3	355	12/9/2010	1200

REAL TIME GROUNDWATER MONITOR WELL INFORMATION

Well ID	CDEC_ID	Weblink
MW-54B	W54	http://cdec.water.ca.gov/cgi-progs/queryF?s=w54
R3-7	R37	http://cdec.water.ca.gov/cgi-progs/queryF?s=r37
MW-75	W75	http://cdec.water.ca.gov/cgi-progs/queryF?s=w75
MW-89	W89	http://cdec.water.ca.gov/cgi-progs/queryF?s=w89
MW-92	W92	http://cdec.water.ca.gov/cgi-progs/queryF?s=w92

NOTE: All data are provisional and are subject to revision

TBD=To be determined NR=No Reading (Well Inaccessible)

Buffer Zone as defined in the Draft SJRRP Seepage Mgt Plan (ft BGS= feet below ground surface)

DTW_GS = Depth to Groundwater from Ground Surface

CDEC = California Data Exchange Center

BRT=Below Rating Table

SAN JOAQUIN RIVER RESTORATION PROGRAM
Weekly Groundwater Report - Week Ending December 18, 2010

REACH 2A

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
FA-9	12/14/2010	10.62	4-6	218.2	Left
MW-47	12/14/2010	10.78	6-8	218.2	Right
MA-4	12/14/2010	12.98	6-8	217.2	Right
MW-49B	12/14/2010	8.42	4-6	217.2	Left

REACH 2B

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
MW-54B	12/14/2010	17.71	TBD	211.8	Right
MW-55B	12/14/2010	11.15	6-8	211.8	Left
R2B-1	12/14/2010	5.59	4-6	207.1	Right
R2B-2	12/14/2010	12.35	4-6	205.1	Right

REACH 3

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
R3-1	12/15/2010	NR	4-6	191.6	Right
R3-6	12/15/2010	10.71	4-6	196.6	Right
R3-7	12/15/2010	9.51	3-5	199.2	Right

REACH 4

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
MW-84	12/15/2010	24.35	4-6	173.9	Right
MW-87B	12/15/2010	Dry	4-6	173.9	Left
MW-89	12/16/2010	11.39	6-8	175.4	Right
MW-92	12/16/2010	8.59	TBD	170.0	Left

PRELIMINARY SAN JOAQUIN RIVER FLOW DATA

Location	Station_ID	Reach	River Mile	Flow (cfs)	Date	Time
Friant Dam	MIL	1	267.6	77	12/16/2010	24 hr Avg.
Gravelly Ford	GRF	2A	227.6	0	12/16/2010	1200
SJR below BIF	SJB	2B	216	BRT	12/16/2010	1200
SJR near Mendota	MEN	3	202.1	139	12/16/2010	1200
SJR near Dos Palos	SDP	4	181.5	BRT	12/14/2010	630
SJR at Fremont Ford	FFB	5	125.1	195	12/16/2010	1200
SJR above Merced River	11273400	5	118.3	480	12/16/2010	1200

REAL TIME GROUNDWATER MONITOR WELL INFORMATION

Well ID	CDEC_ID	Weblink
MW-54B	W54	http://cdec.water.ca.gov/cgi-progs/queryF?s=w54
R3-7	R37	http://cdec.water.ca.gov/cgi-progs/queryF?s=r37
MW-75	W75	http://cdec.water.ca.gov/cgi-progs/queryF?s=w75
MW-89	W89	http://cdec.water.ca.gov/cgi-progs/queryF?s=w89
MW-92	W92	http://cdec.water.ca.gov/cgi-progs/queryF?s=w92

NOTE: All data are provisional and are subject to revision

TBD=To be determined NR=No Reading (Well Inaccessible)
 Buffer Zone as defined in the Draft SJRRP Seepage Mgt Plan (ft BGS= feet below ground surface)
 DTW_GS = Depth to Groundwater from Ground Surface
 CDEC = California Data Exchange Center
 BRT=Below Rating Table

SAN JOAQUIN RIVER RESTORATION PROGRAM
Weekly Groundwater Report - Week Ending December 25, 2010

REACH 2A

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
FA-9	12/21/2010	NR	4-6	218.2	Left
MW-47	12/21/2010	NR	6-8	218.2	Right
MA-4	12/21/2010	NR	6-8	217.2	Right
MW-49B	12/21/2010	NR	4-6	217.2	Left

REACH 2B

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
MW-54B	12/21/2010	18.16	TBD	211.8	Right
MW-55B	12/21/2010	NR	6-8	211.8	Left
R2B-1	12/21/2010	NR	4-6	207.1	Right
R2B-2	12/21/2010	NR	4-6	205.1	Right

REACH 3

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
R3-1	12/21/2010	NR	4-6	191.6	Right
R3-6	12/21/2010	NR	4-6	196.6	Right
R3-7	12/21/2010	9.63	3-5	199.2	Right

REACH 4

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
MW-84	12/21/2010	NR	4-6	173.9	Right
MW-87B	12/21/2010	NR	4-6	173.9	Left
MW-89	12/21/2010	11.58	6-8	175.4	Right
MW-92	12/21/2010	8.27	TBD	170.0	Left

PRELIMINARY SAN JOAQUIN RIVER FLOW DATA

Location	Station_ID	Reach	River Mile	Flow (cfs)	Date	Time
Friant Dam	MIL	1	267.6	34	12/21/2010	24 hr Avg.
Gravelly Ford	GRF	2A	227.6	201	12/21/2010	1200
SJR below BIF	SJB	2B	216	BRT	12/21/2010	1200
SJR near Mendota	MEN	3	202.1	72	12/21/2010	1200
SJR near Dos Palos	SDP	4	181.5	7	12/21/2010	1200
SJR at Fremont Ford	FFB	5	125.1	1440	12/21/2010	1200
SJR above Merced River	11273400	5	118.3	1890	12/21/2010	1200

REAL TIME GROUNDWATER MONITOR WELL INFORMATION

Well ID	CDEC_ID	Weblink
MW-54B	W54	http://cdec.water.ca.gov/cgi-progs/queryF?s=w54
R3-7	R37	http://cdec.water.ca.gov/cgi-progs/queryF?s=r37
MW-75	W75	http://cdec.water.ca.gov/cgi-progs/queryF?s=w75
MW-89	W89	http://cdec.water.ca.gov/cgi-progs/queryF?s=w89
MW-92	W92	http://cdec.water.ca.gov/cgi-progs/queryF?s=w92

NOTE: All data are provisional and are subject to revision

TBD=To be determined NR=No Reading (Well Inaccessible)

Buffer Zone as defined in the Draft SJRRP Seepage Mgt Plan (ft BGS= feet below ground surface)

DTW_GS = Depth to Groundwater from Ground Surface

CDEC = California Data Exchange Center

BRT=Below Rating Table

SAN JOAQUIN RIVER RESTORATION PROGRAM
Weekly Groundwater Report - Week Ending January 8, 2011

REACH 2A

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
FA-9	1/4/2011	3.48	4-6	218.2	Left
MW-47	1/4/2011	2.78	6-8	218.2	Right
MA-4	1/4/2011	6.36	6-8	217.2	Right
MW-49B	1/4/2011	NR	4-6	217.2	Left

REACH 2B

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
MW-54B	1/4/2011	11.40	TBD	211.8	Right
MW-55B	1/4/2011	5.05	6-8	211.8	Left
R2B-1	1/4/2011	5.15	4-6	207.1	Right
R2B-2	1/4/2011	12.16	4-6	205.1	Right

REACH 3

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
R3-1	1/6/2011	NR	4-6	191.6	Right
R3-6	1/6/2011	NR	4-6	196.6	Right
R3-7	1/6/2011	5.05	3-5	199.2	Right

REACH 4

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
MW-84	1/6/2011	NR	4-6	173.9	Right
MW-87B	1/6/2011	NR	4-6	173.9	Left
MW-89	1/6/2011	7.32	6-8	175.4	Right
MW-92	1/6/2011	7.48	TBD	170.0	Left

PRELIMINARY SAN JOAQUIN RIVER FLOW DATA

Location	Station_ID	Reach	River Mile	Flow (cfs)	Date	Time
Friant Dam	MIL	1	267.6	5993	1/6/2011	24 hr Avg.
Gravelly Ford	GRF	2A	227.6	5406	1/6/2011	1200
SJR below BIF	SJB	2B	216	1185	1/6/2011	1200
SJR near Mendota	MEN	3	202.1	1320	1/6/2011	1200
SJR near Dos Palos	SDP	4	181.5	ART	1/6/2011	1200
SJR at Fremont Ford	FFB	5	125.1	9030	1/6/2011	1200
SJR above Merced River	11273400	5	118.3	2940	1/4/2010	1200

REAL TIME GROUNDWATER MONITOR WELL INFORMATION

Well ID	CDEC_ID	Weblink
MW-54B	W54	http://cdec.water.ca.gov/cgi-progs/queryF?s=w54
R3-7	R37	http://cdec.water.ca.gov/cgi-progs/queryF?s=r37
MW-75	W75	http://cdec.water.ca.gov/cgi-progs/queryF?s=w75
MW-89	W89	http://cdec.water.ca.gov/cgi-progs/queryF?s=w89
MW-92	W92	http://cdec.water.ca.gov/cgi-progs/queryF?s=w92

NOTE: All data are provisional and are subject to revision

TBD=To be determined NR=No Reading (Well Inaccessible)

Buffer Zone as defined in the Draft SJRRP Seepage Mgt Plan (ft BGS= feet below ground surface)

DTW_GS = Depth to Groundwater from Ground Surface

CDEC = California Data Exchange Center

BRT=Below Rating Table

ART=Above Rating Table

SAN JOAQUIN RIVER RESTORATION PROGRAM
Weekly Groundwater Report - Week Ending January 15, 2011

REACH 2A

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
FA-9	1/13/2011	NR	4-6	218.2	Left
MW-47	1/13/2011	NR	6-8	218.2	Right
MA-4	1/13/2011	NR	6-8	217.2	Right
MW-49B	1/13/2011	NR	4-6	217.2	Left

REACH 2B

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
MW-54B	1/13/2011	10.16	TBD	211.8	Right
MW-55B	1/13/2011	NR	6-8	211.8	Left
R2B-1	1/13/2011	NR	4-6	207.1	Right
R2B-2	1/13/2011	NR	4-6	205.1	Right

REACH 3

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
R3-1	1/13/2011	NR	4-6	191.6	Right
R3-6	1/13/2011	5.50	4-6	196.6	Right
R3-7	1/13/2011	3.41	3-5	199.2	Right

REACH 4

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
MW-84	1/13/2011	21.91	4-6	173.9	Right
MW-87B	1/13/2011	NR	4-6	173.9	Left
MW-89	1/13/2011	5.40	6-8	175.4	Right
MW-92	1/13/2011	7.46	TBD	170.0	Left

PRELIMINARY SAN JOAQUIN RIVER FLOW DATA

Location	Station_ID	Reach	River Mile	Flow (cfs)	Date	Time
Friant Dam	MIL	1	267.6	2976	1/13/2011	24 hr Avg.
Gravelly Ford	GRF	2A	227.6	3120	1/13/2011	1200
SJR below BIF	SJB	2B	216	871	1/13/2011	1200
SJR near Mendota	MEN	3	202.1	1900	1/13/2011	1200
SJR near Dos Palos	SDP	4	181.5	1799	1/13/2011	1200
SJR at Fremont Ford	FFB	5	125.1	6440	1/13/2011	1200
SJR above Merced River	11273400	5	118.3	2750	1/13/2011	1200

REAL TIME GROUNDWATER MONITOR WELL INFORMATION

Well ID	CDEC_ID	Weblink
MW-54B	W54	http://cdec.water.ca.gov/cgi-progs/queryF?s=w54
R3-7	R37	http://cdec.water.ca.gov/cgi-progs/queryF?s=r37
MW-75	W75	http://cdec.water.ca.gov/cgi-progs/queryF?s=w75
MW-89	W89	http://cdec.water.ca.gov/cgi-progs/queryF?s=w89
MW-92	W92	http://cdec.water.ca.gov/cgi-progs/queryF?s=w92

NOTE: All data are provisional and are subject to revision

TBD=To be determined NR=No Reading (Well Inaccessible)

Buffer Zone as defined in the Draft SJRRP Seepage Mgt Plan (ft BGS= feet below ground surface)

DTW_GS = Depth to Groundwater from Ground Surface

CDEC = California Data Exchange Center

BRT=Below Rating Table

ART=Above Rating Table

SAN JOAQUIN RIVER RESTORATION PROGRAM
Weekly Groundwater Report - Week Ending January 29, 2011

REACH 2A

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
FA-9	1/24/2011	5.83	4-6	218.2	Left
MW-47	1/24/2011	5.64	6-8	218.2	Right
MA-4	1/24/2011	9.50	6-8	217.2	Right
MW-49B	1/24/2011	2.80	4-6	217.2	Left

REACH 2B

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
MW-54B	1/24/2011	13.89	TBD	211.8	Right
MW-55B	1/24/2011	7.90	6-8	211.8	Left
R2B-1	1/24/2011	5.35	4-6	207.1	Right
R2B-2	1/24/2011	10.90	4-6	205.1	Right

REACH 3

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
R3-1	1/27/2011	NR	4-6	191.6	Right
R3-6	1/27/2011	NR	4-6	196.6	Right
R3-7	1/27/2011	8.68	3-5	199.2	Right

REACH 4

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
MW-84	1/26/2011	21.81	4-6	173.9	Right
MW-87B	1/26/2011	Dry	4-6	173.9	Left
MW-89	1/27/2011	9.62	6-8	175.4	Right
MW-92	1/27/2011	7.91	TBD	170.0	Left

PRELIMINARY SAN JOAQUIN RIVER FLOW DATA

Location	Station_ID	Reach	River Mile	Flow (cfs)	Date	Time
Friant Dam	MIL	1	267.6	869	1/27/2011	24 hr Avg.
Gravelly Ford	GRF	2A	227.6	933	1/27/2011	1200
SJR below BIF	SJB	2B	216	441	1/27/2011	1200
SJR near Mendota	MEN	3	202.1	165	1/27/2011	1200
SJR near Dos Palos	SDP	4	181.5	BRT	1/27/2011	1200
SJR at Fremont Ford	FFB	5	125.1	1600	1/27/2011	1200
SJR above Merced River	11273400	5	118.3	2920	1/27/2011	1200

REAL TIME GROUNDWATER MONITOR WELL INFORMATION

Well ID	CDEC_ID	Weblink
MW-54B	W54	http://cdec.water.ca.gov/cgi-progs/queryF?s=w54
R3-7	R37	http://cdec.water.ca.gov/cgi-progs/queryF?s=r37
MW-75	W75	http://cdec.water.ca.gov/cgi-progs/queryF?s=w75
MW-89	W89	http://cdec.water.ca.gov/cgi-progs/queryF?s=w89
MW-92	W92	http://cdec.water.ca.gov/cgi-progs/queryF?s=w92

NOTE: All data are provisional and are subject to revision

TBD=To be determined NR=No Reading (Well Inaccessible)

Buffer Zone as defined in the Draft SJRRP Seepage Mgt Plan (ft BGS= feet below ground surface)

DTW_GS = Depth to Groundwater from Ground Surface

CDEC = California Data Exchange Center

BRT=Below Rating Table

ART=Above Rating Table

SAN JOAQUIN RIVER RESTORATION PROGRAM
Weekly Groundwater Report - Week Ending February 5, 2011

REACH 2A

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
FA-9	2/2/2011	7.10	4-6	218.2	Left
MW-47	2/2/2011	7.22	6-8	218.2	Right
MA-4	2/2/2011	10.82	6-8	217.2	Right
MW-49B	2/2/2011	4.25	4-6	217.2	Left

REACH 2B

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
MW-54B	2/2/2011	13.02	TBD	211.8	Right
MW-55B	2/2/2011	7.00	6-8	211.8	Left
R2B-1	2/2/2011	5.34	4-6	207.1	Right
R2B-2	2/2/2011	11.31	4-6	205.1	Right

REACH 3

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
R3-1	1/31/2011	NR	4-6	191.6	Right
R3-6	1/31/2011	10.20	4-6	196.6	Right
R3-7	1/31/2011	9.06	3-5	199.2	Right

REACH 4

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
MW-84	1/31/2011	22.15	4-6	173.9	Right
MW-87B	1/31/2011	Dry	4-6	173.9	Left
MW-89	2/3/2011	10.82	6-8	175.4	Right
MW-92	2/3/2011	6.46	TBD	170.0	Left

PRELIMINARY SAN JOAQUIN RIVER FLOW DATA

Location	Station_ID	Reach	River Mile	Flow (cfs)	Date	Time
Friant Dam	MIL	1	267.6	201	2/3/2011	24 hr Avg.
Gravelly Ford	GRF	2A	227.6	479	2/3/2011	1200
SJR below BIF	SJB	2B	216	432	2/3/2011	1200
SJR near Mendota	MEN	3	202.1	76	2/3/2011	1200
SJR near Dos Palos	SDP	4	181.5	27	2/3/2011	1200
SJR at Fremont Ford	FFB	5	125.1	702	2/3/2011	1200
SJR above Merced River	11273400	5	118.3	2210	2/3/2011	1200

REAL TIME GROUNDWATER MONITOR WELL INFORMATION

Well ID	CDEC_ID	Weblink
MW-54B	W54	http://cdec.water.ca.gov/cgi-progs/queryF?s=w54
R3-7	R37	http://cdec.water.ca.gov/cgi-progs/queryF?s=r37
MW-75	W75	http://cdec.water.ca.gov/cgi-progs/queryF?s=w75
MW-89	W89	http://cdec.water.ca.gov/cgi-progs/queryF?s=w89
MW-92	W92	http://cdec.water.ca.gov/cgi-progs/queryF?s=w92

NOTE: All data are provisional and are subject to revision

TBD=To be determined NR=No Reading (Well Inaccessible)

Buffer Zone as defined in the Draft SJRRP Seepage Mgt Plan (ft BGS= feet below ground surface)

DTW_GS = Depth to Groundwater from Ground Surface

CDEC = California Data Exchange Center

BRT=Below Rating Table

ART=Above Rating Table

SAN JOAQUIN RIVER RESTORATION PROGRAM
Weekly Groundwater Report - Week Ending February 12, 2011

REACH 2A

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
FA-9	2/9/2011	8.00	4-6	218.2	Left
MW-47	2/9/2011	8.30	6-8	218.2	Right
MA-4	2/9/2011	11.54	6-8	217.2	Right
MW-49B	2/9/2011	5.96	4-6	217.2	Left

REACH 2B

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
MW-54B	2/9/2011	15.10	TBD	211.8	Right
MW-55B	2/9/2011	8.63	6-8	211.8	Left
R2B-1	2/9/2011	5.25	4-6	207.1	Right
R2B-2	2/9/2011	11.22	4-6	205.1	Right

REACH 3

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
R3-1	2/7/2011	NR	4-6	191.6	Right
R3-5	2/7/2011	7.61	TBD	197.8	Right
R3-6	2/7/2011	10.03	4-6	196.6	Right
R3-7	2/7/2011	8.65	3-5	199.2	Right

REACH 4

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
MW-84	2/7/2011	22.37	4-6	173.9	Right
MW-87B	2/7/2011	Dry	4-6	173.9	Left
MW-89	2/10/2011	11.37	6-8	175.4	Right
MW-90	2/10/2011	2.55	TBD	168.0	Right
MW-92	2/10/2011	4.15	TBD	170.0	Left
MW-94	2/10/2011	3.96	TBD	166.7	Right
MW-95	2/10/2011	3.36	TBD	166.7	Right

PRELIMINARY SAN JOAQUIN RIVER FLOW DATA

Location	Station_ID	Reach	River Mile	Flow (cfs)	Date	Time
Friant Dam	MIL	1	267.6	201	2/10/2011	24 hr Avg.
Gravelly Ford	GRF	2A	227.6	210	2/10/2011	1200
SJR below BIF	SJB	2B	216	179	2/10/2011	1200
SJR near Mendota	MEN	3	202.1	155	2/10/2011	1200
SJR near Dos Palos	SDP	4	181.5	24	2/10/2011	1200
SJR at Fremont Ford	FFB	5	125.1	520	2/10/2011	1200
SJR above Merced River	11273400	5	118.3	2060	2/10/2011	1200

REAL TIME GROUNDWATER MONITOR WELL INFORMATION

Well ID	CDEC_ID	Weblink
MW-54B	W54	http://cdec.water.ca.gov/cgi-progs/queryF?s=w54
R3-7	R37	http://cdec.water.ca.gov/cgi-progs/queryF?s=r37
MW-75	W75	http://cdec.water.ca.gov/cgi-progs/queryF?s=w75
MW-89	W89	http://cdec.water.ca.gov/cgi-progs/queryF?s=w89
MW-92	W92	http://cdec.water.ca.gov/cgi-progs/queryF?s=w92

NOTE: All data are provisional and are subject to revision

TBD=To be determined NR=No Reading (Well Inaccessible)
 Buffer Zone as defined in the Draft SJRRP Seepage Mgt Plan (ft BGS= feet below ground surface)
 DTW_GS = Depth to Groundwater from Ground Surface
 CDEC = California Data Exchange Center
 BRT=Below Rating Table
 ART=Above Rating Table

SAN JOAQUIN RIVER RESTORATION PROGRAM
Weekly Groundwater Report - Week Ending February 19, 2011

REACH 2A

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
FA-9	2/16/2011	8.39	4-6	218.2	Left
MW-47	2/16/2011	8.59	6-8	218.2	Right
MA-4	2/16/2011	11.80	6-8	217.2	Right
MW-49B	2/16/2011	6.27	4-6	217.2	Left

REACH 2B

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
MW-54B	2/14/2011	16.26	TBD	211.8	Right
MW-55B	2/14/2011	9.50	6-8	211.8	Left
R2B-1	2/14/2011	5.40	4-6	207.1	Right
R2B-2	2/14/2011	11.51	4-6	205.1	Right

REACH 3

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
R3-1	2/14/2011	NR	4-6	191.6	Right
R3-5	2/14/2011	10.50	TBD	197.8	Right
R3-6	2/14/2011	9.57	4-6	196.6	Right
R3-7	2/14/2011	8.43	3-5	199.2	Right

REACH 4

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
MW-84	2/18/2011	29.90	4-6	173.9	Right
MW-87B	2/18/2011	Dry	4-6	173.9	Left
MW-89	2/17/2011	11.33	6-8	175.4	Right
MW-90	2/14/2011	2.72	TBD	168.0	Right
MW-92	2/14/2011	3.27	TBD	170.0	Left
MW-94	2/14/2011	3.58	TBD	166.7	Right
MW-95	2/14/2011	3.65	TBD	166.7	Right

PRELIMINARY SAN JOAQUIN RIVER FLOW DATA

Location	Station_ID	Reach	River Mile	Flow (cfs)	Date	Time
Friant Dam	MIL	1	267.6	200	2/17/2011	24 hr Avg.
Gravelly Ford	GRF	2A	227.6	175	2/17/2011	1200
SJR below BIF	SJB	2B	216	145	2/17/2011	1200
SJR near Mendota	MEN	3	202.1	209	2/17/2011	1200
SJR near Dos Palos	SDP	4	181.5	45	2/17/2011	1200
SJR at Fremont Ford	FFB	5	125.1	529	2/17/2011	1200
SJR above Merced River	11273400	5	118.3	1120	2/17/2011	1200

REAL TIME GROUNDWATER MONITOR WELL INFORMATION

Well ID	CDEC_ID	Weblink
MW-54B	W54	http://cdec.water.ca.gov/cgi-progs/queryF?s=w54
R3-7	R37	http://cdec.water.ca.gov/cgi-progs/queryF?s=r37
MW-75	W75	http://cdec.water.ca.gov/cgi-progs/queryF?s=w75
MW-89	W89	http://cdec.water.ca.gov/cgi-progs/queryF?s=w89
MW-92	W92	http://cdec.water.ca.gov/cgi-progs/queryF?s=w92

NOTE: All data are provisional and are subject to revision

TBD=To be determined NR=No Reading (Well Inaccessible)
 Buffer Zone as defined in the Draft SJRRP Seepage Mgt Plan (ft BGS= feet below ground surface)
 DTW_GS = Depth to Groundwater from Ground Surface
 CDEC = California Data Exchange Center
 BRT=Below Rating Table
 ART=Above Rating Table

SAN JOAQUIN RIVER RESTORATION PROGRAM
Weekly Groundwater Report - Week Ending February 26, 2011

REACH 2A

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
FA-9	2/23/2011	8.25	4-6	218.2	Left
MW-47	2/23/2011	8.38	6-8	218.2	Right
MA-4	2/23/2011	11.82	6-8	217.2	Right
MW-49B	2/23/2011	6.02	4-6	217.2	Left

REACH 2B

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
MW-54B	2/23/2011	15.75	TBD	211.8	Right
MW-55B	2/23/2011	9.07	6-8	211.8	Left
R2B-1	2/23/2011	5.22	4-6	207.1	Right
R2B-2	2/23/2011	11.61	4-6	205.1	Right

REACH 3

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
R3-1	2/23/2011	NR	4-6	191.6	Right
R3-5	2/23/2011	10.44	TBD	197.8	Right
R3-6	2/23/2011	9.49	4-6	196.6	Right
R3-7	2/23/2011	8.05	3-5	199.2	Right

REACH 4

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
MW-75	2/24/2011	9.28	6-8	187.0	Left
MW-84	2/18/2011	29.90	4-6	173.9	Right
MW-87B	2/18/2011	Dry	4-6	173.9	Left
MW-89	2/24/2011	10.85	6-8	175.4	Right
MW-90	2/22/2011	2.51	TBD	168.0	Right
MW-92	2/22/2011	4.99	TBD	170.0	Left
MW-94	2/22/2011	3.93	TBD	166.7	Right
MW-95	2/22/2011	5.40	TBD	166.7	Right

PRELIMINARY SAN JOAQUIN RIVER FLOW DATA

Location	Station_ID	Reach	River Mile	Flow (cfs)	Date	Time
Friant Dam	MIL	1	267.6	200	2/24/2011	24 hr Avg.
Gravelly Ford	GRF	2A	227.6	214	2/24/2011	1200
SJR below BIF	SJB	2B	216	169	2/24/2011	1200
SJR near Mendota	MEN	3	202.1	429	2/24/2011	1200
SJR near Dos Palos	SDP	4	181.5	25	2/24/2011	1200
SJR at Fremont Ford	FFB	5	125.1	1840	2/24/2011	1200
SJR above Merced River	11273400	5	118.3	2370	2/24/2011	1200

REAL TIME GROUNDWATER MONITOR WELL INFORMATION

Well ID	CDEC_ID	Weblink
MW-54B	W54	http://cdec.water.ca.gov/cgi-progs/queryF?s=w54
R3-7	R37	http://cdec.water.ca.gov/cgi-progs/queryF?s=r37
MW-75	W75	http://cdec.water.ca.gov/cgi-progs/queryF?s=w75
MW-89	W89	http://cdec.water.ca.gov/cgi-progs/queryF?s=w89
MW-92	W92	http://cdec.water.ca.gov/cgi-progs/queryF?s=w92

NOTE: All data are provisional and are subject to revision

TBD=To be determined NR=No Reading (Well Inaccessible)

Buffer Zone as defined in the Draft SJRRP Seepage Mgt Plan (ft BGS= feet below ground surface)

DTW_GS = Depth to Groundwater from Ground Surface

CDEC = California Data Exchange Center

BRT=Below Rating Table

ART=Above Rating Table

SAN JOAQUIN RIVER RESTORATION PROGRAM
Weekly Groundwater Report - Week Ending March 5, 2011

REACH 2A

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
FA-9	3/2/2011	8.40	4-6	218.2	Left
MW-47	3/2/2011	8.48	6-8	218.2	Right
MA-4	3/2/2011	11.65	6-8	217.2	Right
MW-49B	3/2/2011	6.15	4-6	217.2	Left

REACH 2B

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
MW-54B	3/2/2011	15.80	TBD	211.8	Right
MW-55B	3/2/2011	9.21	6-8	211.8	Left
R2B-1	3/2/2011	5.20	4-6	207.1	Right
R2B-2	3/2/2011	11.55	4-6	205.1	Right

REACH 3

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
R3-5	2/28/2011	10.08	TBD	197.8	Right
R3-6	2/28/2011	9.10	4-6	196.6	Right
R3-7	2/28/2011	7.60	3-5	199.2	Right
MW-75	2/28/2011	9.00	6-8	187.0	Left

REACH 4A

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
MW-84	2/28/2011	22.35	4-6	173.9	Right
MW-87B	2/28/2011	Dry	4-6	173.9	Left
MW-89	2/28/2011	11.00	6-8	175.4	Right
MW-92	2/28/2011	5.87	TBD	170.0	Left

REACH 4B

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
MW-90	3/2/2011	2.84	TBD	168.0	Right
MW-94	3/2/2011	4.19	TBD	166.7	Right
MW-95	3/2/2011	3.76	TBD	166.7	Right

PRELIMINARY SAN JOAQUIN RIVER FLOW DATA

Location	Station_ID	Reach	River Mile	Flow (cfs)	Date	Time
Friant Dam	MIL	1	267.6	200	3/3/2011	24 hr Avg.
Gravelly Ford	GRF	2A	227.6	224	3/3/2011	1200
SJR below BIF	SJB	2B	216	161	3/3/2011	1200
SJR near Mendota	MEN	3	202.1	621	3/3/2011	1200
SJR near Dos Palos	SDP	4	181.5	79	3/3/2011	1200
SJR at Fremont Ford	FFB	5	125.1	1310	3/3/2011	1200
SJR above Merced River	11273400	5	118.3	2010	3/3/2011	1200

REAL TIME GROUNDWATER MONITOR WELL INFORMATION

Well ID	CDEC_ID	Weblink
MW-54B	W54	http://cdec.water.ca.gov/cgi-progs/queryF?s=w54
R3-7	R37	http://cdec.water.ca.gov/cgi-progs/queryF?s=r37
MW-75	W75	http://cdec.water.ca.gov/cgi-progs/queryF?s=w75
MW-89	W89	http://cdec.water.ca.gov/cgi-progs/queryF?s=w89
MW-92	W92	http://cdec.water.ca.gov/cgi-progs/queryF?s=w92

NOTE: All data are provisional and are subject to revision

TBD=To be determined NR=No Reading (Well Inaccessible)
 Buffer Zone as defined in the Draft SJRRP Seepage Mgt Plan (ft BGS= feet below ground surface)
 DTW_GS = Depth to Groundwater from Ground Surface
 CDEC = California Data Exchange Center
 BRT=Below Rating Table
 ART=Above Rating Table

SAN JOAQUIN RIVER RESTORATION PROGRAM
Weekly Groundwater Report - Week Ending March 12, 2011

REACH 2A

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
FA-9	3/9/2011	7.88	4-6	218.2	Left
MW-47	3/9/2011	7.79	6-8	218.2	Right
MA-4	3/9/2011	11.15	6-8	217.2	Right
MW-49B	3/9/2011	5.05	4-6	217.2	Left

REACH 2B

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
MW-54B	3/9/2011	15.07	TBD	211.8	Right
MW-55B	3/9/2011	8.26	6-8	211.8	Left
R2B-1	3/9/2011	5.20	4-6	207.1	Right
R2B-2	3/9/2011	11.51	4-6	205.1	Right

REACH 3

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
R3-5	3/7/2011	9.51	TBD	197.8	Right
R3-6	3/7/2011	7.90	4-6	196.6	Right
R3-7	3/7/2011	7.09	3-5	199.2	Right
MW-75	3/8/2011	4.80	6-8	187.0	Left

REACH 4A

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
MW-84	2/28/2011	22.35	4-6	173.9	Right
MW-87B	2/28/2011	Dry	4-6	173.9	Left
MW-89	3/10/2011	10.57	6-8	175.4	Right
MW-92	3/7/2011	6.31	TBD	170.0	Left

REACH 4B

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
MW-90	3/11/2011	3.30	TBD	168.0	Right
MW-94	3/11/2011	4.50	TBD	166.7	Right
MW-95	3/7/2011	3.91	TBD	166.7	Right

PRELIMINARY SAN JOAQUIN RIVER FLOW DATA

Location	Station_ID	Reach	River Mile	Flow (cfs)	Date	Time
Friant Dam	MIL	1	267.6	700	3/10/2011	24 hr Avg.
Gravelly Ford	GRF	2A	227.6	648	3/10/2011	1200
SJR below BIF	SJB	2B	216	426	3/10/2011	1200
SJR near Mendota	MEN	3	202.1	314	3/10/2011	1200
SJR near Dos Palos	SDP	4	181.5	29	3/10/2011	1200
SJR at Fremont Ford	FFB	5	125.1	1100	3/10/2011	1200
SJR above Merced River	11273400	5	118.3	1810	3/10/2011	1200

REAL TIME GROUNDWATER MONITOR WELL INFORMATION

Well ID	CDEC_ID	Weblink
MW-54B	W54	http://cdec.water.ca.gov/cgi-progs/queryF?s=w54
R3-7	R37	http://cdec.water.ca.gov/cgi-progs/queryF?s=r37
MW-75	W75	http://cdec.water.ca.gov/cgi-progs/queryF?s=w75
MW-89	W89	http://cdec.water.ca.gov/cgi-progs/queryF?s=w89
MW-92	W92	http://cdec.water.ca.gov/cgi-progs/queryF?s=w92

NOTE: All data are provisional and are subject to revision

TBD=To be determined NR=No Reading (Well Inaccessible)

Buffer Zone as defined in the Draft SJRRP Seepage Mgt Plan (ft BGS= feet below ground surface)

DTW_GS = Depth to Groundwater from Ground Surface

CDEC = California Data Exchange Center

BRT=Below Rating Table

ART=Above Rating Table

SAN JOAQUIN RIVER RESTORATION PROGRAM
Weekly Groundwater Report - Week Ending March 19, 2011

REACH 2A

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
FA-9	3/16/2011	7.59	4-6	218.2	Left
MW-47	3/16/2011	7.48	6-8	218.2	Right
MA-4	3/16/2011	11.03	6-8	217.2	Right
MW-49B	3/16/2011	4.57	4-6	217.2	Left

REACH 2B

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
MW-54B	3/16/2011	13.38	TBD	211.8	Right
MW-55B	3/16/2011	7.30	6-8	211.8	Left
R2B-1	3/16/2011	5.19	4-6	207.1	Right
R2B-2	3/16/2011	12.53	4-6	205.1	Right

REACH 3

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
R3-5	3/14/2011	10.29	TBD	197.8	Right
R3-6	3/14/2011	9.35	4-6	196.6	Right
R3-7	3/14/2011	8.39	3-5	199.2	Right
MW-75	3/17/2011	5.78	6-8	187.0	Left

REACH 4A

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
MW-84	3/14/2011	19.19	4-6	173.9	Right
MW-87B	3/14/2011	Dry	4-6	173.9	Left
MW-89	3/17/2011	10.40	6-8	175.4	Right
MW-92	3/14/2011	6.83	TBD	170.0	Left

REACH 4B

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
MW-90	3/14/2011	3.24	TBD	168.0	Right
MW-94	3/14/2011	4.43	TBD	166.7	Right
MW-95	3/14/2011	4.20	TBD	166.7	Right

PRELIMINARY SAN JOAQUIN RIVER FLOW DATA

Location	Station_ID	Reach	River Mile	Flow (cfs)	Date	Time
Friant Dam	MIL	1	267.6	701	3/17/2011	24 hr Avg.
Gravelly Ford	GRF	2A	227.6	666	3/17/2011	1200
SJR below BIF	SJB	2B	216	475	3/17/2011	1200
SJR near Mendota	MEN	3	202.1	215	3/17/2011	1200
SJR near Dos Palos	SDP	4	181.5	53	3/17/2011	1200
SJR at Fremont Ford	FFB	5	125.1	765	3/17/2011	1200
SJR above Merced River	11273400	5	118.3	1380	3/17/2011	1200

REAL TIME GROUNDWATER MONITOR WELL INFORMATION

Well ID	CDEC_ID	Weblink
MW-54B	W54	http://cdec.water.ca.gov/cgi-progs/queryF?s=w54
R3-7	R37	http://cdec.water.ca.gov/cgi-progs/queryF?s=r37
MW-75	W75	http://cdec.water.ca.gov/cgi-progs/queryF?s=w75
MW-89	W89	http://cdec.water.ca.gov/cgi-progs/queryF?s=w89
MW-92	W92	http://cdec.water.ca.gov/cgi-progs/queryF?s=w92

NOTE: All data are provisional and are subject to revision

TBD=To be determined NR=No Reading (Well Inaccessible)

Buffer Zone as defined in the Draft SJRRP Seepage Mgt Plan (ft BGS= feet below ground surface)

DTW_GS = Depth to Groundwater from Ground Surface

CDEC = California Data Exchange Center

BRT=Below Rating Table

ART=Above Rating Table

SAN JOAQUIN RIVER RESTORATION PROGRAM
Weekly Groundwater Report - Week Ending March 26, 2011

REACH 2A

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
FA-9	3/21/2011	7.32	4-6	218.2	Left
MW-47	3/21/2011	7.24	6-8	218.2	Right
MA-4	3/21/2011	10.78	6-8	217.2	Right
MW-49B	3/21/2011	3.98	4-6	217.2	Left

REACH 2B

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
MW-54B	3/21/2011	12.50	TBD	211.8	Right
MW-55B	3/21/2011	6.73	6-8	211.8	Left
R2B-1	3/23/2011	5.13	4-6	207.1	Right
R2B-2	3/23/2011	11.34	4-6	205.1	Right

REACH 3

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
R3-5	3/23/2011	10.57	TBD	197.8	Right
R3-6	3/23/2011	9.62	4-6	196.6	Right
R3-7	3/23/2011	8.40	3-5	199.2	Right
MW-75	3/24/2011	5.97	6-8	187.0	Left

REACH 4A

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
MW-84	3/23/2011	18.85	4-6	173.9	Right
MW-87B	3/23/2011	Dry	4-6	173.9	Left
MW-89	3/24/2011	10.12	6-8	175.4	Right
MW-92	3/24/2011	6.85	TBD	170.0	Left

REACH 4B

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
MW-90	3/25/2011	NR	TBD	168.0	Right
MW-94	3/25/2011	NR	TBD	166.7	Right
MW-95	3/25/2011	NR	TBD	166.7	Right

PRELIMINARY SAN JOAQUIN RIVER FLOW DATA

Location	Station_ID	Reach	River Mile	Flow (cfs)	Date	Time
Friant Dam	MIL	1	267.6	4556	3/24/2011	24 hr Avg.
Gravelly Ford	GRF	2A	227.6	3110	3/24/2011	1200
SJR below BIF	SJB	2B	216	405	3/24/2011	1200
SJR near Mendota	MEN	3	202.1	980	3/24/2011	1200
SJR near Dos Palos	SDP	4	181.5	389	3/24/2011	1200
SJR at Fremont Ford	FFB	5	125.1	6440	3/24/2011	1200
SJR above Merced River	11273400	5	118.3	2990	3/24/2011	0

REAL TIME GROUNDWATER MONITOR WELL INFORMATION

Well ID	CDEC_ID	Weblink
MW-54B	W54	http://cdec.water.ca.gov/cgi-progs/queryF?s=w54
R3-7	R37	http://cdec.water.ca.gov/cgi-progs/queryF?s=r37
MW-75	W75	http://cdec.water.ca.gov/cgi-progs/queryF?s=w75
MW-89	W89	http://cdec.water.ca.gov/cgi-progs/queryF?s=w89
MW-92	W92	http://cdec.water.ca.gov/cgi-progs/queryF?s=w92

NOTE: All data are provisional and are subject to revision

TBD=To be determined NR=No Reading (Well Inaccessible)

Buffer Zone as defined in the Draft SJRRP Seepage Mgt Plan (ft BGS= feet below ground surface)

DTW_GS = Depth to Groundwater from Ground Surface

CDEC = California Data Exchange Center

BRT=Below Rating Table

ART=Above Rating Table

SAN JOAQUIN RIVER RESTORATION PROGRAM
Weekly Groundwater Report - Week Ending April 2, 2011

REACH 2A

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
FA-9	3/30/2011	2.00	4-6	218.2	Left
MW-47	3/30/2011	1.61	6-8	218.2	Right
MA-4	3/30/2011	3.43	6-8	217.2	Right
MW-49B	3/30/2011	NR	4-6	217.2	Left

REACH 2B

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
MW-54B	3/30/2011	9.74	TBD	211.8	Right
MW-55B	3/30/2011	5.23	6-8	211.8	Left
R2B-1	3/30/2011	5.00	4-6	207.1	Right
R2B-2	3/30/2011	10.36	4-6	205.1	Right

REACH 3

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
R3-5	3/30/2011	4.77	TBD	197.8	Right
R3-6	3/30/2011	2.69	4-6	196.6	Right
R3-7	3/30/2011	0.95	3-5	199.2	Right
MW-75	3/31/2011	5.94	6-8	187.0	Left

REACH 4A

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
MW-84	3/23/2011	18.85	4-6	173.9	Right
MW-87B	3/23/2011	Dry	4-6	173.9	Left
MW-89	3/31/2011	3.42	6-8	175.4	Right
MW-92	3/28/2011	6.05	TBD	170.0	Left

REACH 4B

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
MW-90	3/28/2011	0.79	TBD	168.0	Right
MW-94	3/28/2011	3.79	TBD	166.7	Right
MW-95	3/28/2011	2.34	TBD	166.7	Right

PRELIMINARY SAN JOAQUIN RIVER FLOW DATA

Location	Station_ID	Reach	River Mile	Flow (cfs)	Date	Time
Friant Dam	MIL	1	267.6	7233	3/31/2011	24 hr Avg.
Gravelly Ford	GRF	2A	227.6	7336	3/31/2011	1200
SJR below BIF	SJB	2B	216	704	3/31/2011	1200
SJR near Mendota	MEN	3	202.1	3150	3/31/2011	1200
SJR near Dos Palos	SDP	4	181.5	ART	3/31/2011	1200
SJR at Fremont Ford	FFB	5	125.1	15400	3/31/2011	1200
SJR above Merced River	11273400	5	118.3	ART	3/31/2011	1200

REAL TIME GROUNDWATER MONITOR WELL INFORMATION

Well ID	CDEC_ID	Weblink
MW-54B	W54	http://cdec.water.ca.gov/cgi-progs/queryF?s=w54
R3-7	R37	http://cdec.water.ca.gov/cgi-progs/queryF?s=r37
MW-75	W75	http://cdec.water.ca.gov/cgi-progs/queryF?s=w75
MW-89	W89	http://cdec.water.ca.gov/cgi-progs/queryF?s=w89
MW-92	W92	http://cdec.water.ca.gov/cgi-progs/queryF?s=w92

NOTE: All data are provisional and are subject to revision

TBD=To be determined NR=No Reading (Well Inaccessible)
 Buffer Zone as defined in the Draft SJRRP Seepage Mgt Plan (ft BGS= feet below ground surface)
 DTW_GS = Depth to Groundwater from Ground Surface
 CDEC = California Data Exchange Center
 BRT=Below Rating Table
 ART=Above Rating Table

SAN JOAQUIN RIVER RESTORATION PROGRAM
Weekly Groundwater Report - Week Ending April 9, 2011

REACH 2A

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
FA-9	4/6/2011	2.55	4-6	218.2	Left
MW-47	4/6/2011	1.47	6-8	218.2	Right
MA-4	4/6/2011	2.80	6-8	217.2	Right
MW-49B	4/6/2011	NR	4-6	217.2	Left

REACH 2B

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
MW-54B	4/6/2011	8.94	TBD	211.8	Right
MW-55B	4/6/2011	5.40	6-8	211.8	Left
R2B-1	4/6/2011	5.10	4-6	207.1	Right
R2B-2	4/6/2011	6.10	4-6	205.1	Right

REACH 3

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
R3-5	4/6/2011	2.57	TBD	197.8	Right
R3-6	4/6/2011	2.34	4-6	196.6	Right
R3-7	4/6/2011	-0.39	3-5	199.2	Right
MW-75	4/5/2011	5.93	6-8	187.0	Left

REACH 4A

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
MW-84	4/7/2011	NR	4-6	173.9	Right
MW-87B	4/7/2011	NR	4-6	173.9	Left
MW-89	4/5/2011	2.05	6-8	175.4	Right
MW-92	4/4/2011	6.37	TBD	170.0	Left

REACH 4B

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
MW-90	4/4/2011	0.83	TBD	168.0	Right
MW-94	4/4/2011	4.18	TBD	166.7	Right
MW-95	4/4/2011	2.72	TBD	166.7	Right

PRELIMINARY SAN JOAQUIN RIVER FLOW DATA

Location	Station_ID	Reach	River Mile	Flow (cfs)	Date	Time
Friant Dam	MIL	1	267.6	7243	4/7/2011	24 hr Avg.
Gravelly Ford	GRF	2A	227.6	7336	4/7/2011	1200
SJR below BIF	SJB	2B	216	1161	4/7/2011	1200
SJR near Mendota	MEN	3	202.1	3530	4/7/2011	1200
SJR near Dos Palos	SDP	4	181.5	ART	4/7/2011	1200
SJR at Fremont Ford	FFB	5	125.1	11900	4/7/2011	1200
SJR above Merced River	11273400	5	118.3	ART	4/7/2011	1200

REAL TIME GROUNDWATER MONITOR WELL INFORMATION

Well ID	CDEC_ID	Weblink
MW-54B	W54	http://cdec.water.ca.gov/cgi-progs/queryF?s=w54
R3-7	R37	http://cdec.water.ca.gov/cgi-progs/queryF?s=r37
MW-75	W75	http://cdec.water.ca.gov/cgi-progs/queryF?s=w75
MW-89	W89	http://cdec.water.ca.gov/cgi-progs/queryF?s=w89
MW-92	W92	http://cdec.water.ca.gov/cgi-progs/queryF?s=w92

NOTE: All data are provisional and are subject to revision

TBD=To be determined NR=No Reading (Well Inaccessible)

Buffer Zone as defined in the Draft SJRRP Seepage Mgt Plan (ft BGS= feet below ground surface)

DTW_GS = Depth to Groundwater from Ground Surface

CDEC = California Data Exchange Center

BRT=Below Rating Table

ART=Above Rating Table

SAN JOAQUIN RIVER RESTORATION PROGRAM
Weekly Groundwater Report - Week Ending April 16, 2011

REACH 2A

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
FA-9	4/13/2011	2.71	4-6	218.2	Left
MW-47	4/13/2011	1.80	6-8	218.2	Right
MA-4	4/13/2011	3.05	6-8	217.2	Right
MW-49B	4/13/2011	NR	4-6	217.2	Left

REACH 2B

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
MW-54B	4/13/2011	10.60	TBD	211.8	Right
MW-55B	4/13/2011	7.17	6-8	211.8	Left
R2B-1	4/13/2011	5.23	4-6	207.1	Right
R2B-2	4/13/2011	5.35	4-6	205.1	Right

REACH 3

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
R3-5	4/13/2011	2.78	TBD	197.8	Right
R3-6	4/13/2011	2.45	4-6	196.6	Right
R3-7	4/13/2011	0.00	3-5	199.2	Right
MW-75	4/12/2011	5.78	6-8	187.0	Left

REACH 4A

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
MW-84	4/11/2011	15.32	4-6	173.9	Right
MW-87B	4/11/2011	Dry (>14)	4-6	173.9	Left
MW-89	4/12/2011	2.07	6-8	175.4	Right
MW-92	4/11/2011	6.70	TBD	170.0	Left

REACH 4B

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
MW-90	4/11/2011	0.77	TBD	168.0	Right
MW-94	4/11/2011	4.27	TBD	166.7	Right
MW-95	4/11/2011	1.55	TBD	166.7	Right

PRELIMINARY SAN JOAQUIN RIVER FLOW DATA

Location	Station_ID	Reach	River Mile	Flow (cfs)	Date	Time
Friant Dam	MIL	1	267.6	6600	4/14/2011	24 hr Avg.
Gravelly Ford	GRF	2A	227.6	6468	4/14/2011	1200
SJR below BIF	SJB	2B	216	567	4/14/2011	1200
SJR near Mendota	MEN	3	202.1	3350	4/14/2011	1200
SJR near Dos Palos	SDP	4	181.5	ART	4/14/2011	1200
SJR at Fremont Ford	FFB	5	125.1	9970	4/14/2011	1200
SJR above Merced River	11273400	5	118.3	ART	4/14/2011	1200

REAL TIME GROUNDWATER MONITOR WELL INFORMATION

Well ID	CDEC_ID	Weblink
MW-54B	W54	http://cdec.water.ca.gov/cgi-progs/queryF?s=w54
R3-7	R37	http://cdec.water.ca.gov/cgi-progs/queryF?s=r37
MW-75	W75	http://cdec.water.ca.gov/cgi-progs/queryF?s=w75
MW-89	W89	http://cdec.water.ca.gov/cgi-progs/queryF?s=w89
MW-92	W92	http://cdec.water.ca.gov/cgi-progs/queryF?s=w92

NOTE: All data are provisional and are subject to revision

TBD=To be determined NR=No Reading (Well Inaccessible)

Buffer Zone as defined in the Draft SJRRP Seepage Mgt Plan (ft BGS= feet below ground surface)

DTW_GS = Depth to Groundwater from Ground Surface

CDEC = California Data Exchange Center

BRT=Below Rating Table

ART=Above Rating Table

SAN JOAQUIN RIVER RESTORATION PROGRAM
Weekly Groundwater Report - Week Ending April 23, 2011

REACH 2A

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
FA-9	4/20/2011	2.70	4-6	218.2	Left
MW-47	4/20/2011	1.70	6-8	218.2	Right
MA-4	4/20/2011	3.16	6-8	217.2	Right
MW-49B	4/20/2011	NR	4-6	217.2	Left

REACH 2B

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
MW-54B	4/20/2011	11.80	TBD	211.8	Right
MW-55B	4/20/2011	7.24	6-8	211.8	Left
R2B-1	4/20/2011	5.38	4-6	207.1	Right
R2B-2	4/20/2011	4.82	4-6	205.1	Right

REACH 3

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
R3-5	4/20/2011	2.00	TBD	197.8	Right
R3-6	4/20/2011	2.50	4-6	196.6	Right
R3-7	4/20/2011	-0.06	3-5	199.2	Right
MW-75	4/21/2011	5.69	6-8	187.0	Left

REACH 4A

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
MW-84	4/18/2011	12.32	4-6	173.9	Right
MW-87B	4/18/2011	Dry (>14)	4-6	173.9	Left
MW-89	4/21/2011	2.89	6-8	175.4	Right
MW-92	4/18/2011	6.91	TBD	170.0	Left

REACH 4B

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
MW-90	4/18/2011	0.88	TBD	168.0	Right
MW-94	4/18/2011	4.38	TBD	166.7	Right
MW-95	4/18/2011	2.51	TBD	166.7	Right

PRELIMINARY SAN JOAQUIN RIVER FLOW DATA

Location	Station_ID	Reach	River Mile	Flow (cfs)	Date	Time
Friant Dam	MIL	1	267.6	6094	4/21/2011	24 hr Avg.
Gravelly Ford	GRF	2A	227.6	6044	4/21/2011	1200
SJR below BIF	SJB	2B	216	534	4/21/2011	1200
SJR near Mendota	MEN	3	202.1	3120	4/21/2011	1200
SJR near Dos Palos	SDP	4	181.5	ART	4/21/2011	1200
SJR at Fremont Ford	FFB	5	125.1	8280	4/21/2011	1200
SJR above Merced River	11273400	5	118.3	ART	4/21/2011	1200

REAL TIME GROUNDWATER MONITOR WELL INFORMATION

Well ID	CDEC_ID	Weblink
MW-54B	W54	http://cdec.water.ca.gov/cgi-progs/queryF?s=w54
R3-7	R37	http://cdec.water.ca.gov/cgi-progs/queryF?s=r37
MW-75	W75	http://cdec.water.ca.gov/cgi-progs/queryF?s=w75
MW-89	W89	http://cdec.water.ca.gov/cgi-progs/queryF?s=w89
MW-92	W92	http://cdec.water.ca.gov/cgi-progs/queryF?s=w92

NOTE: All data are provisional and are subject to revision

TBD=To be determined NR=No Reading (Well Inaccessible)
 Buffer Zone as defined in the Draft SJRRP Seepage Mgt Plan (ft BGS= feet below ground surface)
 DTW_GS = Depth to Groundwater from Ground Surface
 CDEC = California Data Exchange Center
 BRT=Below Rating Table
 ART=Above Rating Table

SAN JOAQUIN RIVER RESTORATION PROGRAM
Weekly Groundwater Report - Week Ending April 30, 2011

REACH 2A

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
FA-9	4/27/2011	2.73	4-6	218.2	Left
MW-47	4/27/2011	2.44	6-8	218.2	Right
MA-4	4/27/2011	4.00	6-8	217.2	Right
MW-49B	4/27/2011	NR	4-6	217.2	Left

REACH 2B

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
MW-54B	4/27/2011	12.34	TBD	211.8	Right
MW-55B	4/27/2011	7.41	6-8	211.8	Left
R2B-1	4/27/2011	5.51	4-6	207.1	Right
R2B-2	4/27/2011	5.08	4-6	205.1	Right

REACH 3

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
R3-5	4/27/2011	0.23	TBD	197.8	Right
R3-6	4/27/2011	2.30	4-6	196.6	Right
R3-7	4/27/2011	0.21	3-5	199.2	Right
MW-75	4/28/2011	5.49	6-8	187.0	Left

REACH 4A

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
MW-84	4/25/2011	12.61	4-6	173.9	Right
MW-87B	4/25/2011	Dry (>14)	4-6	173.9	Left
MW-89	4/28/2011	3.29	6-8	175.4	Right
MW-92	4/25/2011	7.14	TBD	170.0	Left

REACH 4B

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
MW-90	4/25/2011	0.93	TBD	168.0	Right
MW-94	4/25/2011	4.50	TBD	166.7	Right
MW-95	4/25/2011	2.94	TBD	166.7	Right

PRELIMINARY SAN JOAQUIN RIVER FLOW DATA

Location	Station_ID	Reach	River Mile	Flow (cfs)	Date	Time
Friant Dam	MIL	1	267.6	4801	4/28/2011	24 hr Avg.
Gravelly Ford	GRF	2A	227.6	4748	4/28/2011	1200
SJR below BIF	SJB	2B	216	474	4/28/2011	1200
SJR near Mendota	MEN	3	202.1	3040	4/28/2011	1200
SJR near Dos Palos	SDP	4	181.5	2904	4/28/2011	1200
SJR at Fremont Ford	FFB	5	125.1	7340	4/28/2011	1200
SJR above Merced River	11273400	5	118.3	ART	4/28/2011	1200

REAL TIME GROUNDWATER MONITOR WELL INFORMATION

Well ID	CDEC_ID	Weblink
MW-54B	W54	http://cdec.water.ca.gov/cgi-progs/queryF?s=w54
R3-7	R37	http://cdec.water.ca.gov/cgi-progs/queryF?s=r37
MW-75	W75	http://cdec.water.ca.gov/cgi-progs/queryF?s=w75
MW-89	W89	http://cdec.water.ca.gov/cgi-progs/queryF?s=w89
MW-92	W92	http://cdec.water.ca.gov/cgi-progs/queryF?s=w92

NOTE: All data are provisional and are subject to revision

TBD=To be determined NR=No Reading (Well Inaccessible)

Buffer Zone as defined in the Draft SJRRP Seepage Mgt Plan (ft BGS= feet below ground surface)

DTW_GS = Depth to Groundwater from Ground Surface

CDEC = California Data Exchange Center

BRT=Below Rating Table

ART=Above Rating Table

SAN JOAQUIN RIVER RESTORATION PROGRAM
Weekly Groundwater Report - Week Ending May 7, 2011

REACH 2A

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
FA-9	5/4/2011	2.99	4-6	218.2	Left
MW-47	5/4/2011	3.42	6-8	218.2	Right
MA-4	5/4/2011	6.30	6-8	217.2	Right
MW-49B	5/4/2011	NR	4-6	217.2	Left

REACH 2B

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
MW-54B	5/4/2011	13.35	TBD	211.8	Right
MW-55B	5/4/2011	7.70	6-8	211.8	Left
R2B-1	5/4/2011	5.60	4-6	207.1	Right
R2B-2	5/4/2011	5.44	4-6	205.1	Right

REACH 3

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
R3-5	5/4/2011	3.94	TBD	197.8	Right
R3-6	5/4/2011	3.70	4-6	196.6	Right
R3-7	5/4/2011	1.68	3-5	199.2	Right
MW-75	5/5/2011	5.29	6-8	187.0	Left

REACH 4A

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
MW-84	5/5/2011	NR	4-6	173.9	Right
MW-87B	5/5/2011	NR	4-6	173.9	Left
MW-89	5/5/2011	4.70	6-8	175.4	Right
MW-92	5/2/2011	7.26	TBD	170.0	Left

REACH 4B

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
MW-90	5/2/2011	1.08	TBD	168.0	Right
MW-94	5/2/2011	3.69	TBD	166.7	Right
MW-95	5/2/2011	3.44	TBD	166.7	Right

PRELIMINARY SAN JOAQUIN RIVER FLOW DATA

Location	Station_ID	Reach	River Mile	Flow (cfs)	Date	Time
Friant Dam	MIL	1	267.6	4398	5/5/2011	24 hr Avg.
Gravelly Ford	GRF	2A	227.6	3782	5/5/2011	1200
SJR below BIF	SJB	2B	216	411	5/5/2011	1200
SJR near Mendota	MEN	3	202.1	2070	5/5/2011	1200
SJR near Dos Palos	SDP	4	181.5	1917	5/5/2011	1200
SJR at Fremont Ford	FFB	5	125.1	5770	5/5/2011	1200
SJR above Merced River	11273400	5	118.3	ART	5/5/2011	1200

REAL TIME GROUNDWATER MONITOR WELL INFORMATION

Well ID	CDEC_ID	Weblink
MW-54B	W54	http://cdec.water.ca.gov/cgi-progs/queryF?s=w54
R3-7	R37	http://cdec.water.ca.gov/cgi-progs/queryF?s=r37
MW-75	W75	http://cdec.water.ca.gov/cgi-progs/queryF?s=w75
MW-89	W89	http://cdec.water.ca.gov/cgi-progs/queryF?s=w89
MW-92	W92	http://cdec.water.ca.gov/cgi-progs/queryF?s=w92

NOTE: All data are provisional and are subject to revision

TBD=To be determined NR=No Reading (Well Inaccessible)
 Buffer Zone as defined in the Draft SJRRP Seepage Mgt Plan (ft BGS= feet below ground surface)
 DTW_GS = Depth to Groundwater from Ground Surface
 CDEC = California Data Exchange Center
 BRT=Below Rating Table
 ART=Above Rating Table

SAN JOAQUIN RIVER RESTORATION PROGRAM
Weekly Groundwater Report - Week Ending May 14, 2011

REACH 2A

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
FA-9	5/11/2011	3.61	4-6	218.2	Left
MW-47	5/11/2011	4.30	6-8	218.2	Right
MA-4	5/11/2011	7.20	6-8	217.2	Right
MW-49B	5/11/2011	NR	4-6	217.2	Left

REACH 2B

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
MW-54B	5/11/2011	13.63	TBD	211.8	Right
MW-55B	5/11/2011	7.94	6-8	211.8	Left
R2B-1	5/11/2011	NR	4-6	207.1	Right
R2B-2	5/11/2011	6.74	4-6	205.1	Right

REACH 3

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
R3-5	5/11/2011	6.54	TBD	197.8	Right
R3-6	5/11/2011	6.25	4-6	196.6	Right
R3-7	5/11/2011	4.81	3-5	199.2	Right
MW-75	5/12/2011	5.62	6-8	187.0	Left

REACH 4A

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
MW-84	5/9/2011	17.42	4-6	173.9	Right
MW-87B	5/9/2011	Dry(>14)	4-6	173.9	Left
MW-89	5/12/2011	7.20	6-8	175.4	Right
MW-92	5/9/2011	7.35	TBD	170.0	Left

REACH 4B

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
MW-90	5/9/2011	3.19	TBD	168.0	Right
MW-94	5/9/2011	4.56	TBD	166.7	Right
MW-95	5/9/2011	3.67	TBD	166.7	Right

PRELIMINARY SAN JOAQUIN RIVER FLOW DATA

Location	Station_ID	Reach	River Mile	Flow (cfs)	Date	Time
Friant Dam	MIL	1	267.6	2990	5/12/2011	24 hr Avg.
Gravelly Ford	GRF	2A	227.6	2980	5/12/2011	1200
SJR below BIF	SJB	2B	216	330	5/12/2011	1200
SJR near Mendota	MEN	3	202.1	777	5/12/2011	1200
SJR near Dos Palos	SDP	4	181.5	695	5/12/2011	1200
SJR at Fremont Ford	FFB	5	125.1	3980	5/12/2011	1200
SJR above Merced River	11273400	5	118.3	2790	5/12/2011	1200

REAL TIME GROUNDWATER MONITOR WELL INFORMATION

Well ID	CDEC_ID	Weblink
MW-54B	W54	http://cdec.water.ca.gov/cgi-progs/queryF?s=w54
R3-7	R37	http://cdec.water.ca.gov/cgi-progs/queryF?s=r37
MW-75	W75	http://cdec.water.ca.gov/cgi-progs/queryF?s=w75
MW-89	W89	http://cdec.water.ca.gov/cgi-progs/queryF?s=w89
MW-92	W92	http://cdec.water.ca.gov/cgi-progs/queryF?s=w92

NOTE: All data are provisional and are subject to revision

TBD=To be determined NR=No Reading (Well Inaccessible)

Buffer Zone as defined in the Draft SJRRP Seepage Mgt Plan (ft BGS= feet below ground surface)

DTW_GS = Depth to Groundwater from Ground Surface

CDEC = California Data Exchange Center

BRT=Below Rating Table

ART=Above Rating Table

SAN JOAQUIN RIVER RESTORATION PROGRAM
Weekly Groundwater Report - Week Ending May 21, 2011

REACH 2A

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
FA-9	5/18/2011	4.00	4-6	218.2	Left
MW-47	5/18/2011	3.87	6-8	218.2	Right
MA-4	5/18/2011	7.41	6-8	217.2	Right
MW-49B	5/18/2011	0.81	4-6	217.2	Left

REACH 2B

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
MW-54B	5/19/2011	NR	TBD	211.8	Right
MW-55B	5/19/2011	NR	6-8	211.8	Left
R2B-1	5/18/2011	5.51	4-6	207.1	Right
R2B-2	5/18/2011	7.60	4-6	205.1	Right

REACH 3

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
R3-5	5/18/2011	7.52	TBD	197.8	Right
R3-6	5/18/2011	6.85	4-6	196.6	Right
R3-7	5/18/2011	5.58	3-5	199.2	Right
MW-75	5/19/2011	5.83	6-8	187.0	Left

REACH 4A

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
MW-84	5/18/2011	NR	4-6	173.9	Right
MW-87B	5/18/2011	NR	4-6	173.9	Left
MW-89	5/19/2011	7.99	6-8	175.4	Right
MW-92	5/16/2011	7.52	TBD	170.0	Left

REACH 4B

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
MW-90	5/16/2011	1.30	TBD	168.0	Right
MW-94	5/16/2011	3.80	TBD	166.7	Right
MW-95	5/16/2011	3.48	TBD	166.7	Right

PRELIMINARY SAN JOAQUIN RIVER FLOW DATA

Location	Station_ID	Reach	River Mile	Flow (cfs)	Date	Time
Friant Dam	MIL	1	267.6	2906	5/19/2011	24 hr Avg.
Gravelly Ford	GRF	2A	227.6	2543	5/19/2011	1200
SJR below BIF	SJB	2B	216	924	5/19/2011	1200
SJR near Mendota	MEN	3	202.1	991	5/19/2011	1200
SJR near Dos Palos	SDP	4	181.5	560	5/19/2011	1200
SJR at Fremont Ford	FFB	5	125.1	2480	5/19/2011	1200
SJR above Merced River	11273400	5	118.3	2170	5/19/2011	1200

REAL TIME GROUNDWATER MONITOR WELL INFORMATION

Well ID	CDEC_ID	Weblink
MW-54B	W54	http://cdec.water.ca.gov/cgi-progs/queryF?s=w54
R3-7	R37	http://cdec.water.ca.gov/cgi-progs/queryF?s=r37
MW-75	W75	http://cdec.water.ca.gov/cgi-progs/queryF?s=w75
MW-89	W89	http://cdec.water.ca.gov/cgi-progs/queryF?s=w89
MW-92	W92	http://cdec.water.ca.gov/cgi-progs/queryF?s=w92

NOTE: All data are provisional and are subject to revision

TBD=To be determined NR=No Reading (Well Inaccessible)

Buffer Zone as defined in the Draft SJRRP Seepage Mgt Plan (ft BGS= feet below ground surface)

DTW_GS = Depth to Groundwater from Ground Surface

CDEC = California Data Exchange Center

BRT=Below Rating Table

ART=Above Rating Table

SAN JOAQUIN RIVER RESTORATION PROGRAM
Weekly Groundwater Report - Week Ending May 28, 2011

REACH 2A

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
FA-9	5/25/2011	4.64	4-6	218.2	Left
MW-47	5/25/2011	4.10	6-8	218.2	Right
MA-4	5/25/2011	7.19	6-8	217.2	Right
MW-49B	5/25/2011	NR	4-6	217.2	Left

REACH 2B

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
MW-54B	5/25/2011	8.37	TBD	211.8	Right
MW-55B	5/25/2011	4.90	6-8	211.8	Left
R2B-1	5/25/2011	5.44	4-6	207.1	Right
R2B-2	5/25/2011	8.16	4-6	205.1	Right

REACH 3

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
R3-5	5/26/2011	8.86	TBD	197.8	Right
R3-6	5/26/2011	8.10	4-6	196.6	Right
R3-7	5/26/2011	7.18	3-5	199.2	Right
MW-75	5/26/2011	6.08	6-8	187.0	Left

REACH 4A

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
MW-84	5/23/2011	17.87	4-6	173.9	Right
MW-87B	5/23/2011	12.26	4-6	173.9	Left
MW-89	5/26/2011	9.02	6-8	175.4	Right
MW-92	5/23/2011	7.67	TBD	170.0	Left

REACH 4B

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
MW-90	5/25/2011	1.65	TBD	168.0	Right
MW-94	5/25/2011	4.30	TBD	166.7	Right
MW-95	5/25/2011	3.50	TBD	166.7	Right

PRELIMINARY SAN JOAQUIN RIVER FLOW DATA

Location	Station_ID	Reach	River Mile	Flow (cfs)	Date	Time
Friant Dam	MIL	1	267.6	2889	5/25/2011	24 hr Avg.
Gravelly Ford	GRF	2A	227.6	2740	5/26/2011	1200
SJR below BIF	SJB	2B	216	1403	5/26/2011	1200
SJR near Mendota	MEN	3	202.1	377	5/26/2011	1200
SJR near Dos Palos	SDP	4	181.5	45	5/26/2011	1200
SJR at Fremont Ford	FFB	5	125.1	1890	5/26/2011	1200
SJR above Merced River	11273400	5	118.3	2560	5/26/2011	1200

REAL TIME GROUNDWATER MONITOR WELL INFORMATION

Well ID	CDEC_ID	Weblink
MW-54B	W54	http://cdec.water.ca.gov/cgi-progs/queryF?s=w54
R3-7	R37	http://cdec.water.ca.gov/cgi-progs/queryF?s=r37
MW-75	W75	http://cdec.water.ca.gov/cgi-progs/queryF?s=w75
MW-89	W89	http://cdec.water.ca.gov/cgi-progs/queryF?s=w89
MW-92	W92	http://cdec.water.ca.gov/cgi-progs/queryF?s=w92

NOTE: All data are provisional and are subject to revision

TBD=To be determined NR=No Reading (Well Inaccessible)

Buffer Zone as defined in the Draft SJRRP Seepage Mgt Plan (ft BGS= feet below ground surface)

DTW_GS = Depth to Groundwater from Ground Surface

CDEC = California Data Exchange Center

BRT=Below Rating Table

ART=Above Rating Table

SAN JOAQUIN RIVER RESTORATION PROGRAM
Weekly Groundwater Report - Week Ending June 4, 2011

REACH 2A

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
FA-9	5/31/2011	3.80	4-6	218.2	Left
MW-47	5/31/2011	4.00	6-8	218.2	Right
MA-4	5/31/2011	6.83	6-8	217.2	Right
MW-49B	5/31/2011	NR	4-6	217.2	Left

REACH 2B

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
MW-54B	5/31/2011	7.80	TBD	211.8	Right
MW-55B	5/31/2011	4.56	6-8	211.8	Left
R2B-1	5/31/2011	5.34	4-6	207.1	Right
R2B-2	5/31/2011	7.71	4-6	205.1	Right

REACH 3

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
R3-5	6/1/2011	9.31	TBD	197.8	Right
R3-6	6/1/2011	8.49	4-6	196.6	Right
R3-7	6/1/2011	7.30	3-5	199.2	Right
MW-75	6/1/2011	6.27	6-8	187.0	Left

REACH 4A

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
MW-84	6/2/2011	14.24	4-6	173.9	Right
MW-87B	6/2/2011	12.04	4-6	173.9	Left
MW-89	6/2/2011	10.06	6-8	175.4	Right
MW-92	6/2/2011	7.67	TBD	170.0	Left

REACH 4B

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
MW-90	6/2/2011	2.11	TBD	168.0	Right
MW-94	6/2/2011	4.60	TBD	166.7	Right
MW-95	6/2/2011	3.70	TBD	166.7	Right

PRELIMINARY SAN JOAQUIN RIVER FLOW DATA

Location	Station_ID	Reach	River Mile	Flow (cfs)	Date	Time
Friant Dam	MIL	1	267.6	2858	6/2/2011	24 hr Avg.
Gravelly Ford	GRF	2A	227.6	2740	6/2/2011	1200
SJR below BIF	SJB	2B	216	1368	6/2/2011	1200
SJR near Mendota	MEN	3	202.1	440	6/2/2011	1200
SJR near Dos Palos	SDP	4	181.5	1	6/2/2011	1200
SJR at Fremont Ford	FFB	5	125.1	1380	6/2/2011	1200
SJR above Merced River	11273400	5	118.3	1760	6/2/2011	1200

REAL TIME GROUNDWATER MONITOR WELL INFORMATION

Well ID	CDEC_ID	Weblink
MW-54B	W54	http://cdec.water.ca.gov/cgi-progs/queryF?s=w54
R3-7	R37	http://cdec.water.ca.gov/cgi-progs/queryF?s=r37
MW-75	W75	http://cdec.water.ca.gov/cgi-progs/queryF?s=w75
MW-89	W89	http://cdec.water.ca.gov/cgi-progs/queryF?s=w89
MW-92	W92	http://cdec.water.ca.gov/cgi-progs/queryF?s=w92

NOTE: All data are provisional and are subject to revision

TBD=To be determined NR=No Reading (Well Inaccessible)
 Buffer Zone as defined in the Draft SJRRP Seepage Mgt Plan (ft BGS= feet below ground surface)
 DTW_GS = Depth to Groundwater from Ground Surface
 CDEC = California Data Exchange Center
 BRT=Below Rating Table
 ART=Above Rating Table

SAN JOAQUIN RIVER RESTORATION PROGRAM
Weekly Groundwater Report - Week Ending June 11, 2011

REACH 2A

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
FA-9	6/7/2011	3.63	4-6	218.2	Left
MW-47	6/7/2011	3.96	6-8	218.2	Right
MA-4	6/7/2011	6.74	6-8	217.2	Right
MW-49B	6/7/2011	NR	4-6	217.2	Left

REACH 2B

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
MW-54B	6/7/2011	7.89	TBD	211.8	Right
MW-55B	6/7/2011	4.69	6-8	211.8	Left
R2B-1	6/7/2011	5.23	4-6	207.1	Right
R2B-2	6/7/2011	7.90	4-6	205.1	Right

REACH 3

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
R3-5	6/8/2011	8.70	TBD	197.8	Right
R3-6	6/8/2011	7.46	4-6	196.6	Right
R3-7	6/8/2011	6.25	3-5	199.2	Right
MW-75	6/8/2011	6.47	6-8	187.0	Left

REACH 4A

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
MW-84	6/9/2011	15.00	4-6	173.9	Right
MW-87B	6/9/2011	11.90	4-6	173.9	Left
MW-89	6/9/2011	9.43	6-8	175.4	Right
MW-92	6/9/2011	3.79	TBD	170.0	Left

REACH 4B

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
MW-90	6/9/2011	1.84	TBD	168.0	Right
MW-94	6/9/2011	4.49	TBD	166.7	Right
MW-95	6/9/2011	3.41	TBD	166.7	Right

PRELIMINARY SAN JOAQUIN RIVER FLOW DATA

Location	Station_ID	Reach	River Mile	Flow (cfs)	Date	Time
Friant Dam	MIL	1	267.6	2896	6/9/2011	24 hr Avg.
Gravelly Ford	GRF	2A	227.6	2373	6/9/2011	1200
SJR below BIF	SJB	2B	216	1112	6/9/2011	1200
SJR near Mendota	MEN	3	202.1	325	6/9/2011	1200
SJR near Dos Palos	SDP	4	181.5	298	6/9/2011	1200
SJR at Fremont Ford	FFB	5	125.1	1890	6/9/2011	1200
SJR above Merced River	11273400	5	118.3	1380	6/9/2011	1200

REAL TIME GROUNDWATER MONITOR WELL INFORMATION

Well ID	CDEC_ID	Weblink
MW-54B	W54	http://cdec.water.ca.gov/cgi-progs/queryF?s=w54
R3-7	R37	http://cdec.water.ca.gov/cgi-progs/queryF?s=r37
MW-75	W75	http://cdec.water.ca.gov/cgi-progs/queryF?s=w75
MW-89	W89	http://cdec.water.ca.gov/cgi-progs/queryF?s=w89
MW-92	W92	http://cdec.water.ca.gov/cgi-progs/queryF?s=w92

NOTE: All data are provisional and are subject to revision

TBD=To be determined NR=No Reading (Well Inaccessible)
 Buffer Zone as defined in the Draft SJRRP Seepage Mgt Plan (ft BGS= feet below ground surface)
 DTW_GS = Depth to Groundwater from Ground Surface
 CDEC = California Data Exchange Center
 BRT=Below Rating Table
 ART=Above Rating Table

SAN JOAQUIN RIVER RESTORATION PROGRAM
Weekly Groundwater Report - Week Ending June 18, 2011

REACH 2A

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
FA-9	6/14/2011	3.95	4-6	218.2	Left
MW-47	6/14/2011	4.24	6-8	218.2	Right
MA-4	6/14/2011	6.72	6-8	217.2	Right
MW-49B	6/14/2011	NR	4-6	217.2	Left

REACH 2B

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
MW-54B	6/14/2011	7.70	TBD	211.8	Right
MW-55B	6/14/2011	4.86	6-8	211.8	Left
R2B-1	6/14/2011	3.00	4-6	207.1	Right
R2B-2	6/14/2011	7.10	4-6	205.1	Right

REACH 3

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
R3-5	6/15/2011	8.73	TBD	197.8	Right
R3-6	6/15/2011	7.60	4-6	196.6	Right
R3-7	6/15/2011	6.42	3-5	199.2	Right
MW-75	6/15/2011	5.37	6-8	187.0	Left

REACH 4A

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
MW-84	6/16/2011	NR	4-6	173.9	Right
MW-87B	6/16/2011	NR	4-6	173.9	Left
MW-89	6/16/2011	9.52	6-8	175.4	Right
MW-92	6/16/2011	5.18	TBD	170.0	Left

REACH 4B

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
MW-90	6/16/2011	1.90	TBD	168.0	Right
MW-94	6/16/2011	4.53	TBD	166.7	Right
MW-95	6/16/2011	3.32	TBD	166.7	Right

PRELIMINARY SAN JOAQUIN RIVER FLOW DATA

Location	Station_ID	Reach	River Mile	Flow (cfs)	Date	Time
Friant Dam	MIL	1	267.6	3514	6/16/2011	24 hr Avg.
Gravelly Ford	GRF	2A	227.6	2820	6/16/2011	1200
SJR below BIF	SJB	2B	216	999	6/16/2011	1200
SJR near Mendota	MEN	3	202.1	329	6/16/2011	1200
SJR near Dos Palos	SDP	4	181.5	10	6/16/2011	1200
SJR at Fremont Ford	FFB	5	125.1	1640	6/16/2011	1200
SJR above Merced River	11273400	5	118.3	1410	6/16/2011	1200

REAL TIME GROUNDWATER MONITOR WELL INFORMATION

Well ID	CDEC_ID	Weblink
MW-54B	W54	http://cdec.water.ca.gov/cgi-progs/queryF?s=w54
R3-7	R37	http://cdec.water.ca.gov/cgi-progs/queryF?s=r37
MW-75	W75	http://cdec.water.ca.gov/cgi-progs/queryF?s=w75
MW-89	W89	http://cdec.water.ca.gov/cgi-progs/queryF?s=w89
MW-92	W92	http://cdec.water.ca.gov/cgi-progs/queryF?s=w92

NOTE: All data are provisional and are subject to revision

TBD=To be determined NR=No Reading (Well Inaccessible)

Buffer Zone as defined in the Draft SJRRP Seepage Mgt Plan (ft BGS= feet below ground surface)

DTW_GS = Depth to Groundwater from Ground Surface

CDEC = California Data Exchange Center

BRT=Below Rating Table

ART=Above Rating Table

SAN JOAQUIN RIVER RESTORATION PROGRAM
Weekly Groundwater Report - Week Ending June 25, 2011

REACH 2A

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
FA-9	6/21/2011	2.83	4-6	218.2	Left
MW-47	6/21/2011	2.87	6-8	218.2	Right
MA-4	6/21/2011	5.82	6-8	217.2	Right
MW-49B	6/21/2011	NR	4-6	217.2	Left

REACH 2B

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
MW-54B	6/21/2011	10.49	TBD	211.8	Right
MW-55B	6/21/2011	7.70	6-8	211.8	Left
R2B-1	6/21/2011	5.47	4-6	207.1	Right
R2B-2	6/21/2011	7.83	4-6	205.1	Right

REACH 3

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
R3-5	6/22/2011	6.80	TBD	197.8	Right
R3-6	6/22/2011	5.55	4-6	196.6	Right
R3-7	6/22/2011	3.89	3-5	199.2	Right
MW-75	6/22/2011	5.48	6-8	187.0	Left

REACH 4A

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
MW-84	6/23/2011	14.22	4-6	173.9	Right
MW-87B	6/23/2011	11.65	4-6	173.9	Left
MW-89	6/23/2011	7.83	6-8	175.4	Right
MW-92	6/23/2011	6.30	TBD	170.0	Left

REACH 4B

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
MW-90	6/23/2011	1.43	TBD	168.0	Right
MW-94	6/23/2011	4.60	TBD	166.7	Right
MW-95	6/23/2011	2.26	TBD	166.7	Right

PRELIMINARY SAN JOAQUIN RIVER FLOW DATA

Location	Station_ID	Reach	River Mile	Flow (cfs)	Date	Time
Friant Dam	MIL	1	267.6	5838	6/23/2011	24 hr Avg.
Gravelly Ford	GRF	2A	227.6	6062	6/23/2011	1200
SJR below BIF	SJB	2B	216	449	6/23/2011	1200
SJR near Mendota	MEN	3	202.1	1590	6/23/2011	1200
SJR near Dos Palos	SDP	4	181.5	722	6/23/2011	1200
SJR at Fremont Ford	FFB	5	125.1	4070	6/23/2011	1200
SJR above Merced River	11273400	5	118.3	2930	6/23/2011	1200

REAL TIME GROUNDWATER MONITOR WELL INFORMATION

Well ID	CDEC_ID	Weblink
MW-54B	W54	http://cdec.water.ca.gov/cgi-progs/queryF?s=w54
R3-7	R37	http://cdec.water.ca.gov/cgi-progs/queryF?s=r37
MW-75	W75	http://cdec.water.ca.gov/cgi-progs/queryF?s=w75
MW-89	W89	http://cdec.water.ca.gov/cgi-progs/queryF?s=w89
MW-92	W92	http://cdec.water.ca.gov/cgi-progs/queryF?s=w92

NOTE: All data are provisional and are subject to revision

TBD=To be determined NR=No Reading (Well Inaccessible)

Buffer Zone as defined in the Draft SJRRP Seepage Mgt Plan (ft BGS= feet below ground surface)

DTW_GS = Depth to Groundwater from Ground Surface

CDEC = California Data Exchange Center

BRT=Below Rating Table

ART=Above Rating Table

SAN JOAQUIN RIVER RESTORATION PROGRAM
Weekly Groundwater Report - Week Ending July 2, 2011

REACH 2A

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
FA-9	6/28/2011	2.54	4-6	218.2	Left
MW-47	6/28/2011	3.17	6-8	218.2	Right
MA-4	6/28/2011	5.40	6-8	217.2	Right
MW-49B	6/28/2011	NR	4-6	217.2	Left

REACH 2B

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
MW-54B	6/28/2011	12.48	TBD	211.8	Right
MW-55B	6/28/2011	8.30	6-8	211.8	Left
R2B-1	6/28/2011	5.43	4-6	207.1	Right
R2B-2	6/28/2011	8.00	4-6	205.1	Right

REACH 3

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
R3-5	6/29/2011	6.00	TBD	197.8	Right
R3-6	6/29/2011	4.92	4-6	196.6	Right
R3-7	6/29/2011	3.14	3-5	199.2	Right
MW-75	6/29/2011	5.93	6-8	187.0	Left

REACH 4A

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
MW-84	6/30/2011	NR	4-6	173.9	Right
MW-87B	6/30/2011	NR	4-6	173.9	Left
MW-89	6/30/2011	6.77	6-8	175.4	Right
MW-92	6/30/2011	6.50	TBD	170.0	Left

REACH 4B

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
MW-90	6/30/2011	1.25	TBD	168.0	Right
MW-94	6/30/2011	4.84	TBD	166.7	Right
MW-95	6/30/2011	2.20	TBD	166.7	Right

PRELIMINARY SAN JOAQUIN RIVER FLOW DATA

Location	Station_ID	Reach	River Mile	Flow (cfs)	Date	Time
Friant Dam	MIL	1	267.6	3001	6/30/2011	24 hr Avg.
Gravelly Ford	GRF	2A	227.6	3336	6/30/2011	1200
SJR below BIF	SJB	2B	216	972	6/30/2011	1200
SJR near Mendota	MEN	3	202.1	811	6/30/2011	1200
SJR near Dos Palos	SDP	4	181.5	795	6/30/2011	1200
SJR at Fremont Ford	FFB	5	125.1	5630	6/30/2011	1200
SJR above Merced River	11273400	5	118.3	NR	6/30/2011	1200

REAL TIME GROUNDWATER MONITOR WELL INFORMATION

Well ID	CDEC_ID	Weblink
MW-54B	W54	http://cdec.water.ca.gov/cgi-progs/queryF?s=w54
R3-7	R37	http://cdec.water.ca.gov/cgi-progs/queryF?s=r37
MW-75	W75	http://cdec.water.ca.gov/cgi-progs/queryF?s=w75
MW-89	W89	http://cdec.water.ca.gov/cgi-progs/queryF?s=w89
MW-92	W92	http://cdec.water.ca.gov/cgi-progs/queryF?s=w92

NOTE: All data are provisional and are subject to revision

TBD=To be determined NR=No Reading (Well Inaccessible)
 Buffer Zone as defined in the Draft SJRRP Seepage Mgt Plan (ft BGS= feet below ground surface)
 DTW_GS = Depth to Groundwater from Ground Surface
 CDEC = California Data Exchange Center
 BRT=Below Rating Table
 ART=Above Rating Table

SAN JOAQUIN RIVER RESTORATION PROGRAM
Weekly Groundwater Report - Week Ending July 9, 2011

REACH 2A

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
FA-9	7/5/2011	4.36	4-6	218.2	Left
MW-47	7/5/2011	4.71	6-8	218.2	Right
MA-4	7/5/2011	7.37	6-8	217.2	Right
MW-49B	7/5/2011	1.31	4-6	217.2	Left

REACH 2B

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
MW-54B	7/5/2011	9.40	TBD	211.8	Right
MW-55B	7/5/2011	5.75	6-8	211.8	Left
R2B-1	7/5/2011	5.72	4-6	207.1	Right
R2B-2	7/5/2011	7.60	4-6	205.1	Right

REACH 3

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
R3-5	7/6/2011	6.51	TBD	197.8	Right
R3-6	7/6/2011	5.50	4-6	196.6	Right
R3-7	7/6/2011	3.97	3-5	199.2	Right
MW-75	7/6/2011	6.61	6-8	187.0	Left

REACH 4A

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
MW-84	7/7/2011	13.12	4-6	173.9	Right
MW-87B	7/7/2011	11.16	4-6	173.9	Left
MW-89	7/7/2011	7.85	6-8	175.4	Right
MW-92	7/7/2011	3.03	TBD	170.0	Left

REACH 4B

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
MW-90	7/7/2011	1.74	TBD	168.0	Right
MW-94	7/7/2011	4.81	TBD	166.7	Right
MW-95	7/7/2011	2.93	TBD	166.7	Right

PRELIMINARY SAN JOAQUIN RIVER FLOW DATA

Location	Station_ID	Reach	River Mile	Flow (cfs)	Date	Time
Friant Dam	MIL	1	267.6	6158	7/7/2011	24 hr Avg.
Gravelly Ford	GRF	2A	227.6	3920	7/7/2011	1200
SJR below BIF	SJB	2B	216	1255	7/7/2011	1200
SJR near Mendota	MEN	3	202.1	1240	7/7/2011	1200
SJR near Dos Palos	SDP	4	181.5	731	7/7/2011	1200
SJR at Fremont Ford	FFB	5	125.1	1900	7/7/2011	1200
SJR above Merced River	11273400	5	118.3	NR	7/7/2011	1200

REAL TIME GROUNDWATER MONITOR WELL INFORMATION

Well ID	CDEC_ID	Weblink
MW-54B	W54	http://cdec.water.ca.gov/cgi-progs/queryF?s=w54
R3-7	R37	http://cdec.water.ca.gov/cgi-progs/queryF?s=r37
MW-75	W75	http://cdec.water.ca.gov/cgi-progs/queryF?s=w75
MW-89	W89	http://cdec.water.ca.gov/cgi-progs/queryF?s=w89
MW-92	W92	http://cdec.water.ca.gov/cgi-progs/queryF?s=w92
MW-130	130	http://cdec4gov.water.ca.gov/cgi-progs/queryF?130
MW-142	142	http://cdec4gov.water.ca.gov/cgi-progs/queryF?142

NOTE: All data are provisional and are subject to revision
 TBD=To be determined NR=No Reading (Well Inaccessible)
 Buffer Zone as defined in the Draft SJRRP Seepage Mgt Plan (ft BGS= feet below ground surface)
 DTW_GS = Depth to Groundwater from Ground Surface
 CDEC = California Data Exchange Center

BRT=Below Rating Table
 ART=Above Rating Table

SAN JOAQUIN RIVER RESTORATION PROGRAM
Weekly Groundwater Report - Week Ending July 16, 2011

REACH 2A

Buffer Zone (ft)						
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank	
FA-9	7/12/2011	1.62	4-6	218.2	Left	
MW-47	7/12/2011	2.23	6-8	218.2	Right	
MA-4	7/12/2011	3.92	6-8	217.2	Right	
MW-49B	7/12/2011	NR	4-6	217.2	Left	

REACH 2B

Buffer Zone (ft)						
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank	
MW-54B	7/12/2011	8.99	TBD	211.8	Right	
MW-55B	7/12/2011	5.24	6-8	211.8	Left	
R2B-1	7/12/2011	5.73	4-6	207.1	Right	
R2B-2	7/12/2011	6.41	4-6	205.1	Right	

REACH 3

Buffer Zone (ft)						
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank	
R3-5	7/13/2011	6.21	TBD	197.8	Right	
R3-6	7/13/2011	5.44	4-6	196.6	Right	
R3-7	7/13/2011	3.93	3-5	199.2	Right	
MW-75	7/13/2011	7.84	6-8	187.0	Left	

REACH 4A

Buffer Zone (ft)						
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank	
MW-84	7/14/2011	12.10	4-6	173.9	Right	
MW-87B	7/14/2011	10.92	4-6	173.9	Left	
MW-89	7/14/2011	7.03	6-8	175.4	Right	
MW-92	7/14/2011	5.96	TBD	170.0	Left	

REACH 4B

Buffer Zone (ft)						
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank	
MW-90	7/14/2011	1.43	TBD	168.0	Right	
MW-94	7/14/2011	5.04	TBD	166.7	Right	
MW-95	7/14/2011	2.93	TBD	166.7	Right	

PRELIMINARY SAN JOAQUIN RIVER FLOW DATA

Location	Station_ID	Reach	River Mile	Flow (cfs)	Date	Time
Friant Dam	MIL	1	267.6	2694	7/14/2011	24 hr Avg.
Gravelly Ford	GRF	2A	227.6	957	7/14/2011	1200
SJR below BIF	SJB	2B	216	1282	7/14/2011	1200
SJR near Mendota	MEN	3	202.1	650	7/14/2011	1200
SJR near Dos Palos	SDP	4	181.5	475	7/14/2011	1200
SJR at Fremont Ford	FFB	5	125.1	5610	7/14/2011	1200
SJR above Merced River	11273400	5	118.3	NR	7/14/2011	1200

REAL TIME GROUNDWATER MONITOR WELL INFORMATION

Well ID	CDEC_ID	Weblink
MW-54B	W54	http://cdec.water.ca.gov/cgi-progs/queryF?s=w54
R3-7	R37	http://cdec.water.ca.gov/cgi-progs/queryF?s=r37
MW-75	W75	http://cdec.water.ca.gov/cgi-progs/queryF?s=w75
MW-89	W89	http://cdec.water.ca.gov/cgi-progs/queryF?s=w89
MW-92	W92	http://cdec.water.ca.gov/cgi-progs/queryF?s=w92
MW-130	130	http://cdec4gov.water.ca.gov/cgi-progs/queryF?130
MW-142	142	http://cdec4gov.water.ca.gov/cgi-progs/queryF?142

NOTE: All data are provisional and are subject to revision
 TBD=To be determined NR=No Reading (Well Inaccessible)
 Buffer Zone as defined in the Draft SJRRP Seepage Mgt Plan (ft BGS= feet below ground surface)
 DTW_GS = Depth to Groundwater from Ground Surface
 CDEC = California Data Exchange Center

BRT=Below Rating Table
 ART=Above Rating Table

SAN JOAQUIN RIVER RESTORATION PROGRAM
Weekly Groundwater Report - Week Ending July 23, 2011

REACH 2A

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
FA-9	7/19/2011	6.12	4-6	218.2	Left
MW-47	7/19/2011	6.87	6-8	218.2	Right
MA-4	7/19/2011	9.30	6-8	217.2	Right
MW-49B	7/19/2011	3.27	4-6	217.2	Left

REACH 2B

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
MW-54B	7/19/2011	10.90	TBD	211.8	Right
MW-55B	7/19/2011	7.00	6-8	211.8	Left
R2B-1	7/19/2011	5.73	4-6	207.1	Right
R2B-2	7/19/2011	6.93	4-6	205.1	Right

REACH 3

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
R3-5	7/20/2011	8.83	TBD	197.8	Right
R3-6	7/20/2011	7.93	4-6	196.6	Right
R3-7	7/20/2011	6.91	3-5	199.2	Right
MW-75	7/20/2011	8.81	6-8	187.0	Left

REACH 4A

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
MW-84	7/21/2011	16.61	4-6	173.9	Right
MW-87B	7/21/2011	10.65	4-6	173.9	Left
MW-89	7/20/2011	9.67	6-8	175.4	Right
MW-92	7/21/2011	3.60	TBD	170.0	Left

REACH 4B

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
MW-90	7/21/2011	2.25	TBD	168.0	Right
MW-94	7/21/2011	5.02	TBD	166.7	Right
MW-95	7/21/2011	3.04	TBD	166.7	Right

PRELIMINARY SAN JOAQUIN RIVER FLOW DATA

Location	Station_ID	Reach	River Mile	Flow (cfs)	Date	Time
Friant Dam	MIL	1	267.6	348	7/21/2011	24 hr Avg.
Gravelly Ford	GRF	2A	227.6	375	7/21/2011	1200
SJR below BIF	SJB	2B	216	398	7/21/2011	1200
SJR near Mendota	MEN	3	202.1	327	7/21/2011	1200
SJR near Dos Palos	SDP	4	181.5	13	7/21/2011	1200
SJR at Fremont Ford	FFB	5	125.1	806	7/21/2011	1200
SJR above Merced River	11273400	5	118.3	992	7/21/2011	1200

REAL TIME GROUNDWATER MONITOR WELL INFORMATION

Well ID	CDEC_ID	Weblink
MW-54B	W54	http://cdec.water.ca.gov/cgi-progs/queryF?s=w54
R3-7	R37	http://cdec.water.ca.gov/cgi-progs/queryF?s=r37
MW-75	W75	http://cdec.water.ca.gov/cgi-progs/queryF?s=w75
MW-89	W89	http://cdec.water.ca.gov/cgi-progs/queryF?s=w89
MW-92	W92	http://cdec.water.ca.gov/cgi-progs/queryF?s=w92
MW-130	130	http://cdec4gov.water.ca.gov/cgi-progs/queryF?130
MW-142	142	http://cdec4gov.water.ca.gov/cgi-progs/queryF?142

NOTE: All data are provisional and are subject to revision
 TBD=To be determined NR=No Reading (Well Inaccessible)
 Buffer Zone as defined in the Draft SJRRP Seepage Mgt Plan (ft BGS= feet below ground surface)
 DTW_GS = Depth to Groundwater from Ground Surface
 CDEC = California Data Exchange Center

BRT=Below Rating Table
 ART=Above Rating Table

SAN JOAQUIN RIVER RESTORATION PROGRAM
Weekly Groundwater Report - Week Ending July 30, 2011

REACH 2A

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
FA-9	7/26/2011	6.90	4-6	218.2	Left
MW-47	7/26/2011	7.30	6-8	218.2	Right
MA-4	7/26/2011	10.84	6-8	217.2	Right
MW-49B	7/26/2011	4.93	4-6	217.2	Left

REACH 2B

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
MW-54B	7/26/2011	12.62	TBD	211.8	Right
MW-55B	7/26/2011	8.47	6-8	211.8	Left
R2B-1	7/26/2011	5.83	4-6	207.1	Right
R2B-2	7/26/2011	7.45	4-6	205.1	Right

REACH 3

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
R3-5	7/27/2011	9.11	TBD	197.8	Right
R3-6	7/27/2011	8.10	4-6	196.6	Right
R3-7	7/27/2011	6.98	3-5	199.2	Right
MW-75	7/27/2011	9.65	6-8	187.0	Left

REACH 4A

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
MW-84	7/28/2011	13.81	4-6	173.9	Right
MW-87B	7/28/2011	10.50	4-6	173.9	Left
MW-89	7/28/2011	10.97	6-8	175.4	Right
MW-92	7/28/2011	5.70	TBD	170.0	Left

REACH 4B

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
MW-90	7/28/2011	2.88	TBD	168.0	Right
MW-94	7/28/2011	4.85	TBD	166.7	Right
MW-95	7/28/2011	2.80	TBD	166.7	Right

PRELIMINARY SAN JOAQUIN RIVER FLOW DATA

Location	Station_ID	Reach	River Mile	Flow (cfs)	Date	Time
Friant Dam	MIL	1	267.6	347	7/28/2011	24 hr Avg.
Gravelly Ford	GRF	2A	227.6	229	7/28/2011	1200
SJR below BIF	SJB	2B	216	207	7/28/2011	1200
SJR near Mendota	MEN	3	202.1	415	7/28/2011	1200
SJR near Dos Palos	SDP	4	181.5	8	7/28/2011	1200
SJR at Fremont Ford	FFB	5	125.1	413	7/28/2011	1200
SJR above Merced River	11273400	5	118.3	271	7/28/2011	1200

REAL TIME GROUNDWATER MONITOR WELL INFORMATION

Well ID	CDEC_ID	Weblink
MW-54B	W54	http://cdec.water.ca.gov/cgi-progs/queryF?s=w54
R3-7	R37	http://cdec.water.ca.gov/cgi-progs/queryF?s=r37
MW-75	W75	http://cdec.water.ca.gov/cgi-progs/queryF?s=w75
MW-89	W89	http://cdec.water.ca.gov/cgi-progs/queryF?s=w89
MW-92	W92	http://cdec.water.ca.gov/cgi-progs/queryF?s=w92
MW-130	130	http://cdec4gov.water.ca.gov/cgi-progs/queryF?130
MW-142	142	http://cdec4gov.water.ca.gov/cgi-progs/queryF?142

NOTE: All data are provisional and are subject to revision
 TBD=To be determined NR=No Reading (Well Inaccessible)
 Buffer Zone as defined in the Draft SJRRP Seepage Mgt Plan (ft BGS= feet below ground surface)
 DTW_GS = Depth to Groundwater from Ground Surface
 CDEC = California Data Exchange Center

BRT=Below Rating Table
 ART=Above Rating Table

SAN JOAQUIN RIVER RESTORATION PROGRAM
Weekly Groundwater Report - Week Ending August 6, 2011

REACH 2A

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
FA-9	8/2/2011	7.30	4-6	218.2	Left
MW-47	8/2/2011	7.63	6-8	218.2	Right
MA-4	8/2/2011	11.15	6-8	217.2	Right
MW-49B	8/2/2011	5.28	4-6	217.2	Left

REACH 2B

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
MW-54B	8/2/2011	14.32	TBD	211.8	Right
MW-55B	8/2/2011	9.00	6-8	211.8	Left
R2B-1	8/2/2011	5.97	4-6	207.1	Right
R2B-2	8/2/2011	8.43	4-6	205.1	Right

REACH 3

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
R3-5	8/3/2011	9.20	TBD	197.8	Right
R3-6	8/3/2011	8.08	4-6	196.6	Right
R3-7	8/3/2011	6.95	3-5	199.2	Right
MW-75	8/3/2011	10.02	6-8	187.0	Left

REACH 4A

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
MW-84	8/4/2011	14.03	4-6	173.9	Right
MW-87B	8/4/2011	9.80	4-6	173.9	Left
MW-89	8/4/2011	11.66	6-8	175.4	Right
MW-92	8/4/2011	5.95	TBD	170.0	Left

REACH 4B

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
MW-90	8/4/2011	3.41	TBD	168.0	Right
MW-94	8/4/2011	5.25	TBD	166.7	Right
MW-95	8/4/2011	3.71	TBD	166.7	Right

PRELIMINARY SAN JOAQUIN RIVER FLOW DATA

Location	Station_ID	Reach	River Mile	Flow (cfs)	Date	Time
Friant Dam	MIL	1	267.6	351	8/4/2011	24 hr Avg.
Gravelly Ford	GRF	2A	227.6	256	8/4/2011	1200
SJR below BIF	SJB	2B	216	167	8/4/2011	1200
SJR near Mendota	MEN	3	202.1	415	8/4/2011	1200
SJR near Dos Palos	SDP	4	181.5	9	8/4/2011	1200
SJR at Fremont Ford	FFB	5	125.1	383	8/4/2011	1200
SJR above Merced River	11273400	5	118.3	417	8/4/2011	1200

REAL TIME GROUNDWATER MONITOR WELL INFORMATION

Well ID	CDEC_ID	Weblink
MW-54B	W54	http://cdec.water.ca.gov/cgi-progs/queryF?s=w54
R3-7	R37	http://cdec.water.ca.gov/cgi-progs/queryF?s=r37
MW-75	W75	http://cdec.water.ca.gov/cgi-progs/queryF?s=w75
MW-89	W89	http://cdec.water.ca.gov/cgi-progs/queryF?s=w89
MW-92	W92	http://cdec.water.ca.gov/cgi-progs/queryF?s=w92
MW-130	130	http://cdec4gov.water.ca.gov/cgi-progs/queryF?130
MW-142	142	http://cdec4gov.water.ca.gov/cgi-progs/queryF?142

NOTE: All data are provisional and are subject to revision
 TBD=To be determined NR=No Reading (Well Inaccessible)
 Buffer Zone as defined in the Draft SJRRP Seepage Mgt Plan (ft BGS= feet below ground surface)
 DTW_GS = Depth to Groundwater from Ground Surface
 CDEC = California Data Exchange Center

BRT=Below Rating Table
 ART=Above Rating Table

SAN JOAQUIN RIVER RESTORATION PROGRAM
Weekly Groundwater Report - Week Ending August 13, 2011

REACH 2A

Buffer Zone (ft)						
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank	
FA-9	8/10/2011	7.45	4-6	218.2	Left	
MW-47	8/10/2011	8.03	6-8	218.2	Right	
MA-4	8/10/2011	11.39	6-8	217.2	Right	
MW-49B	8/10/2011	5.44	4-6	217.2	Left	

REACH 2B

Buffer Zone (ft)						
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank	
MW-54B	8/10/2011	14.93	TBD	211.8	Right	
MW-55B	8/10/2011	9.30	6-8	211.8	Left	
R2B-1	8/10/2011	NR	4-6	207.1	Right	
R2B-2	8/10/2011	8.71	4-6	205.1	Right	

REACH 3

Buffer Zone (ft)						
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank	
R3-5	8/9/2011	9.54	TBD	197.8	Right	
R3-6	8/9/2011	8.40	4-6	196.6	Right	
R3-7	8/9/2011	7.20	3-5	199.2	Right	
MW-75	8/9/2011	10.08	6-8	187.0	Left	

REACH 4A

Buffer Zone (ft)						
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank	
MW-84	8/11/2011	21.37	4-6	173.9	Right	
MW-87B	8/11/2011	10.27	4-6	173.9	Left	
MW-89	8/11/2011	11.96	6-8	175.4	Right	
MW-92	8/11/2011	6.30	TBD	170.0	Left	

REACH 4B

Buffer Zone (ft)						
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank	
MW-90	8/11/2011	3.95	TBD	168.0	Right	
MW-94	8/11/2011	5.41	TBD	166.7	Right	
MW-95	8/11/2011	2.71	TBD	166.7	Right	

PRELIMINARY SAN JOAQUIN RIVER FLOW DATA

Location	Station_ID	Reach	River Mile	Flow (cfs)	Date	Time
Friant Dam	MIL	1	267.6	353	8/11/2011	24 hr Avg.
Gravelly Ford	GRF	2A	227.6	219	8/11/2011	1200
SJR below BIF	SJB	2B	216	133	8/11/2011	1200
SJR near Mendota	MEN	3	202.1	351	8/11/2011	1200
SJR near Dos Palos	SDP	4	181.5	15	8/11/2011	1200
SJR at Fremont Ford	FFB	5	125.1	399	8/11/2011	1200
SJR above Merced River	11273400	5	118.3	357	8/11/2011	1200

REAL TIME GROUNDWATER MONITOR WELL INFORMATION

Well ID	CDEC_ID	Weblink
MW-54B	W54	http://cdec.water.ca.gov/cgi-progs/queryF?s=w54
R3-7	R37	http://cdec.water.ca.gov/cgi-progs/queryF?s=r37
MW-75	W75	http://cdec.water.ca.gov/cgi-progs/queryF?s=w75
MW-89	W89	http://cdec.water.ca.gov/cgi-progs/queryF?s=w89
MW-92	W92	http://cdec.water.ca.gov/cgi-progs/queryF?s=w92
MW-130	130	http://cdec4gov.water.ca.gov/cgi-progs/queryF?130
MW-142	142	http://cdec4gov.water.ca.gov/cgi-progs/queryF?142

NOTE: All data are provisional and are subject to revision
TBD=To be determined NR=No Reading (Well Inaccessible)
Buffer Zone as defined in the Draft SJRRP Seepage Mgt Plan (ft BGS= feet below ground surface)
DTW_GS = Depth to Groundwater from Ground Surface
CDEC = California Data Exchange Center

BRT=Below Rating Table
ART=Above Rating Table

SAN JOAQUIN RIVER RESTORATION PROGRAM
Weekly Groundwater Report - Week Ending August 20, 2011

REACH 2A

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
FA-9	8/17/2011	7.62	4-6	218.2	Left
MW-47	8/17/2011	8.00	6-8	218.2	Right
MA-4	8/17/2011	11.50	6-8	217.2	Right
MW-49B	8/17/2011	5.45	4-6	217.2	Left

REACH 2B

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
MW-54B	8/17/2011	15.41	TBD	211.8	Right
MW-55B	8/17/2011	9.80	6-8	211.8	Left
R2B-1	8/17/2011	NR	4-6	207.1	Right
R2B-2	8/17/2011	8.98	4-6	205.1	Right

REACH 3

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
R3-5	8/16/2011	9.62	TBD	197.8	Right
R3-6	8/16/2011	8.45	4-6	196.6	Right
R3-7	8/16/2011	7.22	3-5	199.2	Right
MW-75	8/16/2011	10.03	6-8	187.0	Left

REACH 4A

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
MW-84	8/18/2011	NR	4-6	173.9	Right
MW-87B	8/18/2011	NR	4-6	173.9	Left
MW-89	8/15/2011	12.07	6-8	175.4	Right
MW-92	8/18/2011	5.88	TBD	170.0	Left

REACH 4B

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
MW-90	8/18/2011	4.24	TBD	168.0	Right
MW-94	8/18/2011	5.63	TBD	166.7	Right
MW-95	8/18/2011	3.24	TBD	166.7	Right

PRELIMINARY SAN JOAQUIN RIVER FLOW DATA

Location	Station_ID	Reach	River Mile	Flow (cfs)	Date	Time
Friant Dam	MIL	1	267.6	352	8/18/2011	24 hr Avg.
Gravelly Ford	GRF	2A	227.6	219	8/18/2011	1200
SJR below BIF	SJB	2B	216	120	8/18/2011	1200
SJR near Mendota	MEN	3	202.1	411	8/18/2011	1200
SJR near Dos Palos	SDP	4	181.5	8	8/18/2011	1200
SJR at Fremont Ford	FFB	5	125.1	411	8/18/2011	1200
SJR above Merced River	11273400	5	118.3	390	8/18/2011	1200

REAL TIME GROUNDWATER MONITOR WELL INFORMATION

Well ID	CDEC_ID	Weblink
MW-54B	W54	http://cdec.water.ca.gov/cgi-progs/queryF?s=w54
R3-7	R37	http://cdec.water.ca.gov/cgi-progs/queryF?s=r37
MW-75	W75	http://cdec.water.ca.gov/cgi-progs/queryF?s=w75
MW-89	W89	http://cdec.water.ca.gov/cgi-progs/queryF?s=w89
MW-92	W92	http://cdec.water.ca.gov/cgi-progs/queryF?s=w92
MW-130	130	http://cdec4gov.water.ca.gov/cgi-progs/queryF?130
MW-142	142	http://cdec4gov.water.ca.gov/cgi-progs/queryF?142

NOTE: All data are provisional and are subject to revision
 TBD=To be determined NR=No Reading (Well Inaccessible)
 Buffer Zone as defined in the Draft SJRRP Seepage Mgt Plan (ft BGS= feet below ground surface)
 DTW_GS = Depth to Groundwater from Ground Surface
 CDEC = California Data Exchange Center

BRT=Below Rating Table
 ART=Above Rating Table

SAN JOAQUIN RIVER RESTORATION PROGRAM
Weekly Groundwater Report - Week Ending August 27, 2011

REACH 2A

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
FA-9	8/23/2011	7.37	4-6	218.2	Left
MW-47	8/23/2011	8.00	6-8	218.2	Right
MA-4	8/23/2011	11.60	6-8	217.2	Right
MW-49B	8/23/2011	6.54	4-6	217.2	Left

REACH 2B

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
MW-54B	8/23/2011	15.43	TBD	211.8	Right
MW-55B	8/23/2011	9.90	6-8	211.8	Left
R2B-1	8/23/2011	NR	4-6	207.1	Right
R2B-2	8/23/2011	9.25	4-6	205.1	Right

REACH 3

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
R3-5	8/25/2011	9.40	TBD	197.8	Right
R3-6	8/25/2011	8.32	4-6	196.6	Right
R3-7	8/25/2011	7.00	3-5	199.2	Right
MW-75	8/25/2011	10.05	6-8	187.0	Left

REACH 4A

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
MW-84	8/25/2011	17.99	4-6	173.9	Right
MW-87B	8/25/2011	10.47	4-6	173.9	Left
MW-89	8/25/2011	11.88	6-8	175.4	Right
MW-92	8/25/2011	6.91	TBD	170.0	Left

REACH 4B

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
MW-90	8/24/2011	4.46	TBD	168.0	Right
MW-94	8/24/2011	5.71	TBD	166.7	Right
MW-95	8/24/2011	2.34	TBD	166.7	Right

PRELIMINARY SAN JOAQUIN RIVER FLOW DATA

Location	Station_ID	Reach	River Mile	Flow (cfs)	Date	Time
Friant Dam	MIL	1	267.6	350	8/25/2011	24 hr Avg.
Gravelly Ford	GRF	2A	227.6	229	8/25/2011	1200
SJR below BIF	SJB	2B	216	128	8/25/2011	1200
SJR near Mendota	MEN	3	202.1	421	8/25/2011	1200
SJR near Dos Palos	SDP	4	181.5	52	8/25/2011	1200
SJR at Fremont Ford	FFB	5	125.1	391	8/25/2011	1200
SJR above Merced River	11273400	5	118.3	1400	8/25/2011	1200

REAL TIME GROUNDWATER MONITOR WELL INFORMATION

Well ID	CDEC_ID	Weblink
MW-54B	W54	http://cdec.water.ca.gov/cgi-progs/queryF?s=w54
R3-7	R37	http://cdec.water.ca.gov/cgi-progs/queryF?s=r37
MW-75	W75	http://cdec.water.ca.gov/cgi-progs/queryF?s=w75
MW-89	W89	http://cdec.water.ca.gov/cgi-progs/queryF?s=w89
MW-92	W92	http://cdec.water.ca.gov/cgi-progs/queryF?s=w92
MW-130	130	http://cdec4gov.water.ca.gov/cgi-progs/queryF?130
MW-142	142	http://cdec4gov.water.ca.gov/cgi-progs/queryF?142

NOTE: All data are provisional and are subject to revision
 TBD=To be determined NR=No Reading (Well Inaccessible)
 Buffer Zone as defined in the Draft SJRRP Seepage Mgt Plan (ft BGS= feet below ground surface)
 DTW_GS = Depth to Groundwater from Ground Surface
 CDEC = California Data Exchange Center

BRT=Below Rating Table
 ART=Above Rating Table

SAN JOAQUIN RIVER RESTORATION PROGRAM
Weekly Groundwater Report - Week Ending September 3, 2011

REACH 2A

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
FA-9	8/30/2011	7.70	4-6	218.2	Left
MW-47	8/30/2011	8.04	6-8	218.2	Right
MA-4	8/30/2011	11.49	6-8	217.2	Right
MW-49B	8/30/2011	5.52	4-6	217.2	Left

REACH 2B

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
MW-54B	8/30/2011	15.60	TBD	211.8	Right
MW-55B	8/30/2011	9.95	6-8	211.8	Left
R2B-1	8/30/2011	NR	4-6	207.1	Right
R2B-2	8/30/2011	9.40	4-6	205.1	Right

REACH 3

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
R3-5	8/31/2011	10.06	TBD	197.8	Right
R3-6	8/31/2011	9.00	4-6	196.6	Right
R3-7	8/31/2011	7.88	3-5	199.2	Right
MW-75	9/1/2011	9.06	6-8	187.0	Left

REACH 4A

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
MW-84	8/31/2011	18.12	4-6	173.9	Right
MW-87B	8/31/2011	10.50	4-6	173.9	Left
MW-89	9/1/2011	11.83	6-8	175.4	Right
MW-92	9/1/2011	7.38	TBD	170.0	Left

REACH 4B

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
MW-90	9/2/2011	4.90	TBD	168.0	Right
MW-94	9/2/2011	5.81	TBD	166.7	Right
MW-95	9/2/2011	3.41	TBD	166.7	Right

PRELIMINARY SAN JOAQUIN RIVER FLOW DATA

Location	Station_ID	Reach	River Mile	Flow (cfs)	Date	Time
Friant Dam	MIL	1	267.6	347	9/1/2011	24 hr Avg.
Gravelly Ford	GRF	2A	227.6	219	9/1/2011	1200
SJR below BIF	SJB	2B	216	113	9/1/2011	1200
SJR near Mendota	MEN	3	202.1	323	9/1/2011	1200
SJR near Dos Palos	SDP	4	181.5	8	9/1/2011	1200
SJR at Fremont Ford	FFB	5	125.1	318	9/1/2011	1200
SJR above Merced River	11273400	5	118.3	517	9/1/2011	1200

REAL TIME GROUNDWATER MONITOR WELL INFORMATION

Well ID	CDEC_ID	Weblink
MW-54B	W54	http://cdec.water.ca.gov/cgi-progs/queryF?s=w54
R3-7	R37	http://cdec.water.ca.gov/cgi-progs/queryF?s=r37
MW-75	W75	http://cdec.water.ca.gov/cgi-progs/queryF?s=w75
MW-89	W89	http://cdec.water.ca.gov/cgi-progs/queryF?s=w89
MW-92	W92	http://cdec.water.ca.gov/cgi-progs/queryF?s=w92
MW-130	130	http://cdec4gov.water.ca.gov/cgi-progs/queryF?130
MW-142	142	http://cdec4gov.water.ca.gov/cgi-progs/queryF?142

NOTE: All data are provisional and are subject to revision
 TBD=To be determined NR=No Reading (Well Inaccessible)
 Buffer Zone as defined in the Draft SJRRP Seepage Mgt Plan (ft BGS= feet below ground surface)
 DTW_GS = Depth to Groundwater from Ground Surface
 CDEC = California Data Exchange Center

BRT=Below Rating Table
 ART=Above Rating Table

SAN JOAQUIN RIVER RESTORATION PROGRAM
Weekly Groundwater Report - Week Ending September 10, 2011

REACH 2A

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
FA-9	9/7/2011	7.61	4-6	218.2	Left
MW-47	9/7/2011	8.05	6-8	218.2	Right
MA-4	9/7/2011	10.86	6-8	217.2	Right
MW-49B	9/7/2011	5.63	4-6	217.2	Left

REACH 2B

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
MW-54B	9/7/2011	15.63	TBD	211.8	Right
MW-55B	9/7/2011	10.04	6-8	211.8	Left
R2B-1	9/7/2011	NR	4-6	207.1	Right
R2B-2	9/7/2011	9.64	4-6	205.1	Right

REACH 3

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
R3-5	9/8/2011	10.39	TBD	197.8	Right
R3-6	9/8/2011	9.34	4-6	196.6	Right
R3-7	9/8/2011	8.30	3-5	199.2	Right
MW-75	9/8/2011	8.87	6-8	187.0	Left

REACH 4A

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
MW-84	9/9/2011	16.40	4-6	173.9	Right
MW-87B	9/9/2011	10.59	4-6	173.9	Left
MW-89	9/8/2011	11.77	6-8	175.4	Right
MW-92	9/8/2011	8.03	TBD	170.0	Left

REACH 4B

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
MW-90	9/9/2011	5.20	TBD	168.0	Right
MW-94	9/9/2011	6.01	TBD	166.7	Right
MW-95	9/9/2011	3.69	TBD	166.7	Right

PRELIMINARY SAN JOAQUIN RIVER FLOW DATA

Location	Station_ID	Reach	River Mile	Flow (cfs)	Date	Time
Friant Dam	MIL	1	267.6	348	9/8/2011	24 hr Avg.
Gravelly Ford	GRF	2A	227.6	199	9/8/2011	1200
SJR below BIF	SJB	2B	216	119	9/8/2011	1200
SJR near Mendota	MEN	3	202.1	263	9/8/2011	1200
SJR near Dos Palos	SDP	4	181.5	40	9/8/2011	1200
SJR at Fremont Ford	FFB	5	125.1	263	9/8/2011	1200
SJR above Merced River	11273400	5	118.3	314	9/8/2011	1200

REAL TIME GROUNDWATER MONITOR WELL INFORMATION

Well ID	CDEC_ID	Weblink
MW-54B	W54	http://cdec.water.ca.gov/cgi-progs/queryF?s=w54
R3-7	R37	http://cdec.water.ca.gov/cgi-progs/queryF?s=r37
MW-75	W75	http://cdec.water.ca.gov/cgi-progs/queryF?s=w75
MW-89	W89	http://cdec.water.ca.gov/cgi-progs/queryF?s=w89
MW-92	W92	http://cdec.water.ca.gov/cgi-progs/queryF?s=w92
MW-130	130	http://cdec4gov.water.ca.gov/cgi-progs/queryF?130
MW-142	142	http://cdec4gov.water.ca.gov/cgi-progs/queryF?142

NOTE: All data are provisional and are subject to revision
 TBD=To be determined NR=No Reading (Well Inaccessible)
 Buffer Zone as defined in the Draft SJRRP Seepage Mgt Plan (ft BGS= feet below ground surface)
 DTW_GS = Depth to Groundwater from Ground Surface
 CDEC = California Data Exchange Center

BRT=Below Rating Table
 ART=Above Rating Table

SAN JOAQUIN RIVER RESTORATION PROGRAM
Weekly Groundwater Report - Week Ending September 17, 2011

REACH 2A

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
FA-9	9/12/2011	7.77	4-6	218.2	Left
MW-47	9/12/2011	8.12	6-8	218.2	Right
MA-4	9/12/2011	11.50	6-8	217.2	Right
MW-49B	9/12/2011	5.71	4-6	217.2	Left

REACH 2B

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
MW-54B	9/12/2011	15.80	TBD	211.8	Right
MW-55B	9/12/2011	10.16	6-8	211.8	Left
R2B-1	9/12/2011	NR	4-6	207.1	Right
R2B-2	9/12/2011	9.71	4-6	205.1	Right

REACH 3

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
R3-5	9/14/2011	10.51	TBD	197.8	Right
R3-6	9/14/2011	9.42	4-6	196.6	Right
R3-7	9/14/2011	8.19	3-5	199.2	Right
MW-75	9/14/2011	8.57	6-8	187.0	Left

REACH 4A

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
MW-84	9/16/2011	17.11	4-6	173.9	Right
MW-87B	9/16/2011	10.69	4-6	173.9	Left
MW-89	9/14/2011	12.00	6-8	175.4	Right
MW-92	9/16/2011	8.48	TBD	170.0	Left

REACH 4B

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
MW-90	9/16/2011	5.48	TBD	168.0	Right
MW-94	9/16/2011	6.37	TBD	166.7	Right
MW-95	9/16/2011	1.97	TBD	166.7	Right

PRELIMINARY SAN JOAQUIN RIVER FLOW DATA

Location	Station_ID	Reach	River Mile	Flow (cfs)	Date	Time
Friant Dam	MIL	1	267.6	350	9/15/2011	24 hr Avg.
Gravelly Ford	GRF	2A	227.6	212	9/15/2011	1200
SJR below BIF	SJB	2B	216	132	9/15/2011	1200
SJR near Mendota	MEN	3	202.1	373	9/15/2011	1200
SJR near Dos Palos	SDP	4	181.5	BRT	9/8/2011	1200
SJR at Fremont Ford	FFB	5	125.1	214	9/15/2011	1200
SJR above Merced River	11273400	5	118.3	425	9/15/2011	1200

REAL TIME GROUNDWATER MONITOR WELL INFORMATION

Well ID	CDEC_ID	Weblink
MW-54B	W54	http://cdec.water.ca.gov/cgi-progs/queryF?s=w54
R3-7	R37	http://cdec.water.ca.gov/cgi-progs/queryF?s=r37
MW-75	W75	http://cdec.water.ca.gov/cgi-progs/queryF?s=w75
MW-89	W89	http://cdec.water.ca.gov/cgi-progs/queryF?s=w89
MW-92	W92	http://cdec.water.ca.gov/cgi-progs/queryF?s=w92
MW-130	130	http://cdec4gov.water.ca.gov/cgi-progs/queryF?130
MW-142	142	http://cdec4gov.water.ca.gov/cgi-progs/queryF?142

NOTE: All data are provisional and are subject to revision
 TBD=To be determined NR=No Reading (Well Inaccessible)
 Buffer Zone as defined in the Draft SJRRP Seepage Mgt Plan (ft BGS= feet below ground surface)
 DTW_GS = Depth to Groundwater from Ground Surface
 CDEC = California Data Exchange Center

BRT=Below Rating Table
 ART=Above Rating Table

SAN JOAQUIN RIVER RESTORATION PROGRAM
Weekly Groundwater Report - Week Ending September 24, 2011

REACH 2A

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
FA-9	9/19/2011	7.13	4-6	218.2	Left
MW-47	9/19/2011	8.20	6-8	218.2	Right
MA-4	9/19/2011	11.37	6-8	217.2	Right
MW-49B	9/19/2011	5.71	4-6	217.2	Left

REACH 2B

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
MW-54B	9/19/2011	15.71	TBD	211.8	Right
MW-55B	9/19/2011	10.10	6-8	211.8	Left
R2B-1	9/19/2011	NR	4-6	207.1	Right
R2B-2	9/19/2011	10.00	4-6	205.1	Right

REACH 3

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
R3-5	9/21/2011	10.39	TBD	197.8	Right
R3-6	9/21/2011	9.32	4-6	196.6	Right
R3-7	9/21/2011	7.94	3-5	199.2	Right
MW-75	9/22/2011	8.49	6-8	187.0	Left

REACH 4A

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
MW-84	9/23/2011	17.59	4-6	173.9	Right
MW-87B	9/23/2011	10.74	4-6	173.9	Left
MW-89	9/22/2011	11.69	6-8	175.4	Right
MW-92	9/22/2011	8.73	TBD	170.0	Left

REACH 4B

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
MW-90	9/23/2011	5.74	TBD	168.0	Right
MW-94	9/23/2011	6.48	TBD	166.7	Right
MW-95	9/23/2011	3.34	TBD	166.7	Right

PRELIMINARY SAN JOAQUIN RIVER FLOW DATA

Location	Station_ID	Reach	River Mile	Flow (cfs)	Date	Time
Friant Dam	MIL	1	267.6	347	9/22/2011	24 hr Avg.
Gravelly Ford	GRF	2A	227.6	208	9/22/2011	1200
SJR below BIF	SJB	2B	216	128	9/22/2011	1200
SJR near Mendota	MEN	3	202.1	444	9/22/2011	1200
SJR near Dos Palos	SDP	4	181.5	BRT	9/22/2011	1200
SJR at Fremont Ford	FFB	5	125.1	227	9/22/2011	1200
SJR above Merced River	11273400	5	118.3	445	9/22/2011	1200

REAL TIME GROUNDWATER MONITOR WELL INFORMATION

Well ID	CDEC_ID	Weblink
MW-54B	W54	http://cdec.water.ca.gov/cgi-progs/queryF?s=w54
R3-7	R37	http://cdec.water.ca.gov/cgi-progs/queryF?s=r37
MW-75	W75	http://cdec.water.ca.gov/cgi-progs/queryF?s=w75
MW-89	W89	http://cdec.water.ca.gov/cgi-progs/queryF?s=w89
MW-92	W92	http://cdec.water.ca.gov/cgi-progs/queryF?s=w92
MW-130	130	http://cdec4gov.water.ca.gov/cgi-progs/queryF?130
MW-142	142	http://cdec4gov.water.ca.gov/cgi-progs/queryF?142

NOTE: All data are provisional and are subject to revision
 TBD=To be determined NR=No Reading (Well Inaccessible)
 Buffer Zone as defined in the Draft SJRRP Seepage Mgt Plan (ft BGS= feet below ground surface)
 DTW_GS = Depth to Groundwater from Ground Surface
 CDEC = California Data Exchange Center

BRT=Below Rating Table
 ART=Above Rating Table

SAN JOAQUIN RIVER RESTORATION PROGRAM
Weekly Groundwater Report - Week Ending October 1, 2011

REACH 2A

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
FA-9	9/28/2011	8.00	4-6	218.2	Left
MW-47	9/28/2011	8.26	6-8	218.2	Right
MA-4	9/28/2011	10.16	6-8	217.2	Right
MW-49B	9/28/2011	5.74	4-6	217.2	Left

REACH 2B

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
MW-54B	9/26/2011	15.74	TBD	211.8	Right
MW-55B	9/26/2011	10.16	6-8	211.8	Left
R2B-1	9/26/2011	NR	4-6	207.1	Right
R2B-2	9/26/2011	10.20	4-6	205.1	Right

REACH 3

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
R3-5	9/28/2011	9.98	TBD	197.8	Right
R3-6	9/28/2011	9.35	4-6	196.6	Right
R3-7	9/28/2011	8.06	3-5	199.2	Right
MW-75	9/29/2011	8.54	6-8	187.0	Left

REACH 4A

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
MW-84	9/30/2011	17.95	4-6	173.9	Right
MW-87B	9/30/2011	10.82	4-6	173.9	Left
MW-89	9/29/2011	11.74	6-8	175.4	Right
MW-92	9/29/2011	8.98	TBD	170.0	Left

REACH 4B

Buffer Zone (ft)					
Well ID	Date	DTW_GS (ft)	BGS)	River Mile	Bank
MW-90	9/30/2011	5.86	TBD	168.0	Right
MW-94	9/30/2011	6.37	TBD	166.7	Right
MW-95	9/30/2011	2.78	TBD	166.7	Right

PRELIMINARY SAN JOAQUIN RIVER FLOW DATA

Location	Station_ID	Reach	River Mile	Flow (cfs)	Date	Time
Friant Dam	MIL	1	267.6	350	9/29/2011	24 hr Avg.
Gravelly Ford	GRF	2A	227.6	214	9/29/2011	1200
SJR below BIF	SJB	2B	216	124	9/29/2011	1200
SJR near Mendota	MEN	3	202.1	375	9/29/2011	1200
SJR near Dos Palos	SDP	4	181.5	BRT	9/29/2011	1200
SJR at Fremont Ford	FFB	5	125.1	209	9/29/2011	1200
SJR above Merced River	11273400	5	118.3	461	9/29/2011	1200

REAL TIME GROUNDWATER MONITOR WELL INFORMATION

Well ID	CDEC_ID	Weblink
MW-54B	W54	http://cdec.water.ca.gov/cgi-progs/queryF?s=w54
R3-7	R37	http://cdec.water.ca.gov/cgi-progs/queryF?s=r37
MW-75	W75	http://cdec.water.ca.gov/cgi-progs/queryF?s=w75
MW-89	W89	http://cdec.water.ca.gov/cgi-progs/queryF?s=w89
MW-92	W92	http://cdec.water.ca.gov/cgi-progs/queryF?s=w92
MW-130	130	http://cdec4gov.water.ca.gov/cgi-progs/queryF?130
MW-142	142	http://cdec4gov.water.ca.gov/cgi-progs/queryF?142

NOTE: All data are provisional and are subject to revision
 TBD=To be determined NR=No Reading (Well Inaccessible)
 Buffer Zone as defined in the Draft SJRRP Seepage Mgt Plan (ft BGS= feet below ground surface)
 DTW_GS = Depth to Groundwater from Ground Surface
 CDEC = California Data Exchange Center

BRT=Below Rating Table
 ART=Above Rating Table