

Site ID	Year	Month	Day	Hour	Temp (C)
MUDSL	2013	4	10	10	17.463
MUDSL	2013	4	10	9	17.486
MUDSL	2013	4	10	8	17.51
MUDSL	2013	4	10	7	17.534
MUDSL	2013	4	10	6	17.558
MUDSL	2013	4	10	5	17.582
MUDSL	2013	4	10	4	17.605
MUDSL	2013	4	10	3	17.605
MUDSL	2013	4	10	2	17.629
MUDSL	2013	4	10	1	17.629
MUDSL	2013	4	10	0	17.629
MUDSL	2013	4	9	23	17.653
MUDSL	2013	4	9	22	17.653
MUDSL	2013	4	9	21	17.653
MUDSL	2013	4	9	20	17.677
MUDSL	2013	4	9	19	17.701
MUDSL	2013	4	9	18	17.724
MUDSL	2013	4	9	17	17.748
MUDSL	2013	4	9	16	17.796
MUDSL	2013	4	9	15	17.843
MUDSL	2013	4	9	14	17.891
MUDSL	2013	4	9	13	17.962
MUDSL	2013	4	9	12	18.01
MUDSL	2013	4	9	11	18.081
MUDSL	2013	4	9	10	18.129
MUDSL	2013	4	9	9	18.2
MUDSL	2013	4	9	8	18.247
MUDSL	2013	4	9	7	18.295
MUDSL	2013	4	9	6	18.343
MUDSL	2013	4	9	5	18.39
MUDSL	2013	4	9	4	18.438
MUDSL	2013	4	9	3	18.461
MUDSL	2013	4	9	2	18.509
MUDSL	2013	4	9	1	18.533
MUDSL	2013	4	9	0	18.557
MUDSL	2013	4	8	23	18.58
MUDSL	2013	4	8	22	18.604
MUDSL	2013	4	8	21	18.628
MUDSL	2013	4	8	20	18.652
MUDSL	2013	4	8	19	18.675
MUDSL	2013	4	8	18	18.699
MUDSL	2013	4	8	17	18.723
MUDSL	2013	4	8	16	18.747
MUDSL	2013	4	8	15	18.794

Site ID	Year	Month	Day	Hour	Temp (C)
MUDSL	2013	4	8	14	18.818
MUDSL	2013	4	8	13	18.866
MUDSL	2013	4	8	12	18.889
MUDSL	2013	4	8	11	18.937
MUDSL	2013	4	8	10	18.961
MUDSL	2013	4	8	9	18.985
MUDSL	2013	4	8	8	18.985
MUDSL	2013	4	8	7	19.008
MUDSL	2013	4	8	6	19.008
MUDSL	2013	4	8	5	19.008
MUDSL	2013	4	8	4	19.008
MUDSL	2013	4	8	3	18.985
MUDSL	2013	4	8	2	18.985
MUDSL	2013	4	8	1	18.961
MUDSL	2013	4	8	0	18.961
MUDSL	2013	4	7	23	18.913
MUDSL	2013	4	7	22	18.913
MUDSL	2013	4	7	21	18.889
MUDSL	2013	4	7	20	18.866
MUDSL	2013	4	7	19	18.842
MUDSL	2013	4	7	18	18.842
MUDSL	2013	4	7	17	18.818
MUDSL	2013	4	7	16	18.818
MUDSL	2013	4	7	15	18.842
MUDSL	2013	4	7	14	18.866
MUDSL	2013	4	7	13	18.866
MUDSL	2013	4	7	12	18.889
MUDSL	2013	4	7	11	18.913
MUDSL	2013	4	7	10	18.937
MUDSL	2013	4	7	9	18.961
MUDSL	2013	4	7	8	18.961
MUDSL	2013	4	7	7	18.961
MUDSL	2013	4	7	6	18.985
MUDSL	2013	4	7	5	18.985
MUDSL	2013	4	7	4	18.985
MUDSL	2013	4	7	3	18.961
MUDSL	2013	4	7	2	18.961
MUDSL	2013	4	7	1	18.961
MUDSL	2013	4	7	0	18.937
MUDSL	2013	4	6	23	18.913
MUDSL	2013	4	6	22	18.913
MUDSL	2013	4	6	21	18.889
MUDSL	2013	4	6	20	18.866
MUDSL	2013	4	6	19	18.866

Site ID	Year	Month	Day	Hour	Temp (C)
MUDSL	2013	4	6	18	18.866
MUDSL	2013	4	6	17	18.842
MUDSL	2013	4	6	16	18.866
MUDSL	2013	4	6	15	18.866
MUDSL	2013	4	6	14	18.889
MUDSL	2013	4	6	13	18.913
MUDSL	2013	4	6	12	18.937
MUDSL	2013	4	6	11	18.961
MUDSL	2013	4	6	10	18.961
MUDSL	2013	4	6	9	18.985
MUDSL	2013	4	6	8	19.008
MUDSL	2013	4	6	7	19.008
MUDSL	2013	4	6	6	19.032
MUDSL	2013	4	6	5	19.032
MUDSL	2013	4	6	4	19.032
MUDSL	2013	4	6	3	19.032
MUDSL	2013	4	6	2	19.008
MUDSL	2013	4	6	1	19.008
MUDSL	2013	4	6	0	19.008
MUDSL	2013	4	5	23	18.985
MUDSL	2013	4	5	22	18.961
MUDSL	2013	4	5	21	18.961
MUDSL	2013	4	5	20	18.937
MUDSL	2013	4	5	19	18.937
MUDSL	2013	4	5	18	18.913
MUDSL	2013	4	5	17	18.913
MUDSL	2013	4	5	16	18.913
MUDSL	2013	4	5	15	18.913
MUDSL	2013	4	5	14	18.937
MUDSL	2013	4	5	13	18.961
MUDSL	2013	4	5	12	18.961
MUDSL	2013	4	5	11	18.985
MUDSL	2013	4	5	10	18.985
MUDSL	2013	4	5	9	19.008
MUDSL	2013	4	5	8	19.008
MUDSL	2013	4	5	7	19.008
MUDSL	2013	4	5	6	19.008
MUDSL	2013	4	5	5	19.008
MUDSL	2013	4	5	4	19.008
MUDSL	2013	4	5	3	19.008
MUDSL	2013	4	5	2	18.985
MUDSL	2013	4	5	1	18.985
MUDSL	2013	4	5	0	18.985
MUDSL	2013	4	4	23	18.961

Site ID	Year	Month	Day	Hour	Temp (C)
MUDSL	2013	4	4	22	18.961
MUDSL	2013	4	4	21	18.937
MUDSL	2013	4	4	20	18.937
MUDSL	2013	4	4	19	18.913
MUDSL	2013	4	4	18	18.913
MUDSL	2013	4	4	17	18.913
MUDSL	2013	4	4	16	18.913
MUDSL	2013	4	4	15	18.937
MUDSL	2013	4	4	14	18.937
MUDSL	2013	4	4	13	18.937
MUDSL	2013	4	4	12	18.937
MUDSL	2013	4	4	11	18.937
MUDSL	2013	4	4	10	18.937
MUDSL	2013	4	4	9	18.937
MUDSL	2013	4	4	8	18.937
MUDSL	2013	4	4	7	18.913
MUDSL	2013	4	4	6	18.913
MUDSL	2013	4	4	5	18.889
MUDSL	2013	4	4	4	18.866
MUDSL	2013	4	4	3	18.866
MUDSL	2013	4	4	2	18.818
MUDSL	2013	4	4	1	18.794
MUDSL	2013	4	4	0	18.771
MUDSL	2013	4	3	23	18.747
MUDSL	2013	4	3	22	18.723
MUDSL	2013	4	3	21	18.699
MUDSL	2013	4	3	20	18.699
MUDSL	2013	4	3	19	18.675
MUDSL	2013	4	3	18	18.675
MUDSL	2013	4	3	17	18.675
MUDSL	2013	4	3	16	18.675
MUDSL	2013	4	3	15	18.699
MUDSL	2013	4	3	14	18.699
MUDSL	2013	4	3	13	18.723
MUDSL	2013	4	3	12	18.747
MUDSL	2013	4	3	11	18.771
MUDSL	2013	4	3	10	18.771
MUDSL	2013	4	3	9	18.794
MUDSL	2013	4	3	8	18.794
MUDSL	2013	4	3	7	18.794
MUDSL	2013	4	3	6	18.794
MUDSL	2013	4	3	5	18.794
MUDSL	2013	4	3	4	18.794
MUDSL	2013	4	3	3	18.794

Site ID	Year	Month	Day	Hour	Temp (C)
MUDSL	2013	4	3	2	18.771
MUDSL	2013	4	3	1	18.771
MUDSL	2013	4	3	0	18.771
MUDSL	2013	4	2	23	18.747
MUDSL	2013	4	2	22	18.723
MUDSL	2013	4	2	21	18.723
MUDSL	2013	4	2	20	18.699
MUDSL	2013	4	2	19	18.699
MUDSL	2013	4	2	18	18.675
MUDSL	2013	4	2	17	18.699
MUDSL	2013	4	2	16	18.699
MUDSL	2013	4	2	15	18.723
MUDSL	2013	4	2	14	18.723
MUDSL	2013	4	2	13	18.747
MUDSL	2013	4	2	12	18.771
MUDSL	2013	4	2	11	18.794
MUDSL	2013	4	2	10	18.818
MUDSL	2013	4	2	9	18.818
MUDSL	2013	4	2	8	18.842
MUDSL	2013	4	2	7	18.866
MUDSL	2013	4	2	6	18.866
MUDSL	2013	4	2	5	18.866
MUDSL	2013	4	2	4	18.866
MUDSL	2013	4	2	3	18.866
MUDSL	2013	4	2	2	18.842
MUDSL	2013	4	2	1	18.842
MUDSL	2013	4	2	0	18.818
MUDSL	2013	4	1	23	18.794
MUDSL	2013	4	1	22	18.794
MUDSL	2013	4	1	21	18.771
MUDSL	2013	4	1	20	18.771
MUDSL	2013	4	1	19	18.771
MUDSL	2013	4	1	18	18.771
MUDSL	2013	4	1	17	18.771
MUDSL	2013	4	1	16	18.771
MUDSL	2013	4	1	15	18.771
MUDSL	2013	4	1	14	18.771
MUDSL	2013	4	1	13	18.794
MUDSL	2013	4	1	12	18.794
MUDSL	2013	4	1	11	18.818
MUDSL	2013	4	1	10	18.818
MUDSL	2013	4	1	9	18.842
MUDSL	2013	4	1	8	18.842
MUDSL	2013	4	1	7	18.842

Site ID	Year	Month	Day	Hour	Temp (C)
MUDSL	2013	4	1	6	18.842
MUDSL	2013	4	1	5	18.842
MUDSL	2013	4	1	4	18.842
MUDSL	2013	4	1	3	18.818
MUDSL	2013	4	1	2	18.818
MUDSL	2013	4	1	1	18.794
MUDSL	2013	4	1	0	18.771
MUDSL	2013	3	31	23	18.747
MUDSL	2013	3	31	22	18.723
MUDSL	2013	3	31	21	18.699
MUDSL	2013	3	31	20	18.675
MUDSL	2013	3	31	19	18.652
MUDSL	2013	3	31	18	18.628
MUDSL	2013	3	31	17	18.628
MUDSL	2013	3	31	16	18.604
MUDSL	2013	3	31	15	18.604
MUDSL	2013	3	31	14	18.604
MUDSL	2013	3	31	13	18.628
MUDSL	2013	3	31	12	18.628
MUDSL	2013	3	31	11	18.628
MUDSL	2013	3	31	10	18.628
MUDSL	2013	3	31	9	18.628
MUDSL	2013	3	31	8	18.628
MUDSL	2013	3	31	7	18.628
MUDSL	2013	3	31	6	18.604
MUDSL	2013	3	31	5	18.604
MUDSL	2013	3	31	4	18.58
MUDSL	2013	3	31	3	18.557
MUDSL	2013	3	31	2	18.533
MUDSL	2013	3	31	1	18.509
MUDSL	2013	3	31	0	18.485
MUDSL	2013	3	30	23	18.438
MUDSL	2013	3	30	22	18.39
MUDSL	2013	3	30	21	18.366
MUDSL	2013	3	30	20	18.343
MUDSL	2013	3	30	19	18.295
MUDSL	2013	3	30	18	18.271
MUDSL	2013	3	30	17	18.247
MUDSL	2013	3	30	16	18.247
MUDSL	2013	3	30	15	18.224
MUDSL	2013	3	30	14	18.224
MUDSL	2013	3	30	13	18.224
MUDSL	2013	3	30	12	18.224
MUDSL	2013	3	30	11	18.2

Site ID	Year	Month	Day	Hour	Temp (C)
MUDSL	2013	3	30	10	18.2
MUDSL	2013	3	30	9	18.2
MUDSL	2013	3	30	8	18.2
MUDSL	2013	3	30	7	18.176
MUDSL	2013	3	30	6	18.152
MUDSL	2013	3	30	5	18.129
MUDSL	2013	3	30	4	18.105
MUDSL	2013	3	30	3	18.081
MUDSL	2013	3	30	2	18.057
MUDSL	2013	3	30	1	18.01
MUDSL	2013	3	30	0	17.986
MUDSL	2013	3	29	23	17.938
MUDSL	2013	3	29	22	17.891
MUDSL	2013	3	29	21	17.867
MUDSL	2013	3	29	20	17.819
MUDSL	2013	3	29	19	17.796
MUDSL	2013	3	29	18	17.772
MUDSL	2013	3	29	17	17.748
MUDSL	2013	3	29	16	17.724
MUDSL	2013	3	29	15	17.724
MUDSL	2013	3	29	14	17.724
MUDSL	2013	3	29	13	17.724
MUDSL	2013	3	29	12	17.748
MUDSL	2013	3	29	11	17.748
MUDSL	2013	3	29	10	17.748
MUDSL	2013	3	29	9	17.748
MUDSL	2013	3	29	8	17.748
MUDSL	2013	3	29	7	17.748
MUDSL	2013	3	29	6	17.748
MUDSL	2013	3	29	5	17.724
MUDSL	2013	3	29	4	17.724
MUDSL	2013	3	29	3	17.701
MUDSL	2013	3	29	2	17.677
MUDSL	2013	3	29	1	17.629
MUDSL	2013	3	29	0	17.605
MUDSL	2013	3	28	23	17.582
MUDSL	2013	3	28	22	17.534
MUDSL	2013	3	28	21	17.51
MUDSL	2013	3	28	20	17.486
MUDSL	2013	3	28	19	17.463
MUDSL	2013	3	28	18	17.439
MUDSL	2013	3	28	17	17.415
MUDSL	2013	3	28	16	17.391
MUDSL	2013	3	28	15	17.391

Site ID	Year	Month	Day	Hour	Temp (C)
MUDSL	2013	3	28	14	17.391
MUDSL	2013	3	28	13	17.391
MUDSL	2013	3	28	12	17.391
MUDSL	2013	3	28	11	17.391
MUDSL	2013	3	28	10	17.391
MUDSL	2013	3	28	9	17.391
MUDSL	2013	3	28	8	17.368
MUDSL	2013	3	28	7	17.368
MUDSL	2013	3	28	6	17.344
MUDSL	2013	3	28	5	17.344
MUDSL	2013	3	28	4	17.296
MUDSL	2013	3	28	3	17.272
MUDSL	2013	3	28	2	17.249
MUDSL	2013	3	28	1	17.225
MUDSL	2013	3	28	0	17.177
MUDSL	2013	3	27	23	17.153
MUDSL	2013	3	27	22	17.106
MUDSL	2013	3	27	21	17.058
MUDSL	2013	3	27	20	17.034
MUDSL	2013	3	27	19	16.987
MUDSL	2013	3	27	18	16.963
MUDSL	2013	3	27	17	16.939
MUDSL	2013	3	27	16	16.939
MUDSL	2013	3	27	15	16.915
MUDSL	2013	3	27	14	16.915
MUDSL	2013	3	27	13	16.915
MUDSL	2013	3	27	12	16.939
MUDSL	2013	3	27	11	16.939
MUDSL	2013	3	27	10	16.939
MUDSL	2013	3	27	9	16.939
MUDSL	2013	3	27	8	16.915
MUDSL	2013	3	27	7	16.915
MUDSL	2013	3	27	6	16.915
MUDSL	2013	3	27	5	16.892
MUDSL	2013	3	27	4	16.868
MUDSL	2013	3	27	3	16.844
MUDSL	2013	3	27	2	16.82
MUDSL	2013	3	27	1	16.796
MUDSL	2013	3	27	0	16.773
MUDSL	2013	3	26	23	16.725
MUDSL	2013	3	26	22	16.677
MUDSL	2013	3	26	21	16.654
MUDSL	2013	3	26	20	16.606
MUDSL	2013	3	26	19	16.582

Site ID	Year	Month	Day	Hour	Temp (C)
MUDSL	2013	3	26	18	16.534
MUDSL	2013	3	26	17	16.511
MUDSL	2013	3	26	16	16.487
MUDSL	2013	3	26	15	16.487
MUDSL	2013	3	26	14	16.487
MUDSL	2013	3	26	13	16.487
MUDSL	2013	3	26	12	16.487
MUDSL	2013	3	26	11	16.487
MUDSL	2013	3	26	10	16.487
MUDSL	2013	3	26	9	16.487
MUDSL	2013	3	26	8	16.487
MUDSL	2013	3	26	7	16.487
MUDSL	2013	3	26	6	16.463
MUDSL	2013	3	26	5	16.439
MUDSL	2013	3	26	4	16.439
MUDSL	2013	3	26	3	16.415
MUDSL	2013	3	26	2	16.392
MUDSL	2013	3	26	1	16.344
MUDSL	2013	3	26	0	16.32
MUDSL	2013	3	25	23	16.272
MUDSL	2013	3	25	22	16.249
MUDSL	2013	3	25	21	16.201
MUDSL	2013	3	25	20	16.153
MUDSL	2013	3	25	19	16.129
MUDSL	2013	3	25	18	16.106
MUDSL	2013	3	25	17	16.082
MUDSL	2013	3	25	16	16.058
MUDSL	2013	3	25	15	16.058
MUDSL	2013	3	25	14	16.034
MUDSL	2013	3	25	13	16.058
MUDSL	2013	3	25	12	16.058
MUDSL	2013	3	25	11	16.034
MUDSL	2013	3	25	10	16.034
MUDSL	2013	3	25	9	16.034
MUDSL	2013	3	25	8	16.034
MUDSL	2013	3	25	7	16.01
MUDSL	2013	3	25	6	16.01
MUDSL	2013	3	25	5	16.01
MUDSL	2013	3	25	4	15.986
MUDSL	2013	3	25	3	15.963
MUDSL	2013	3	25	2	15.939
MUDSL	2013	3	25	1	15.915
MUDSL	2013	3	25	0	15.891
MUDSL	2013	3	24	23	15.867

Site ID	Year	Month	Day	Hour	Temp (C)
MUDSL	2013	3	24	22	15.843
MUDSL	2013	3	24	21	15.819
MUDSL	2013	3	24	20	15.772
MUDSL	2013	3	24	19	15.772
MUDSL	2013	3	24	18	15.748
MUDSL	2013	3	24	17	15.724
MUDSL	2013	3	24	16	15.748
MUDSL	2013	3	24	15	15.748
MUDSL	2013	3	24	14	15.772
MUDSL	2013	3	24	13	15.796
MUDSL	2013	3	24	12	15.819
MUDSL	2013	3	24	11	15.843
MUDSL	2013	3	24	10	15.867
MUDSL	2013	3	24	9	15.891
MUDSL	2013	3	24	8	15.915
MUDSL	2013	3	24	7	15.939
MUDSL	2013	3	24	6	15.963
MUDSL	2013	3	24	5	15.963
MUDSL	2013	3	24	4	15.986
MUDSL	2013	3	24	3	15.986
MUDSL	2013	3	24	2	16.01
MUDSL	2013	3	24	1	16.01
MUDSL	2013	3	24	0	16.01
MUDSL	2013	3	23	23	16.01
MUDSL	2013	3	23	22	16.01
MUDSL	2013	3	23	21	16.034
MUDSL	2013	3	23	20	16.034
MUDSL	2013	3	23	19	16.034
MUDSL	2013	3	23	18	16.058
MUDSL	2013	3	23	17	16.082
MUDSL	2013	3	23	16	16.106
MUDSL	2013	3	23	15	16.153
MUDSL	2013	3	23	14	16.201
MUDSL	2013	3	23	13	16.249
MUDSL	2013	3	23	12	16.296
MUDSL	2013	3	23	11	16.344
MUDSL	2013	3	23	10	16.392
MUDSL	2013	3	23	9	16.439
MUDSL	2013	3	23	8	16.487
MUDSL	2013	3	23	7	16.511
MUDSL	2013	3	23	6	16.558
MUDSL	2013	3	23	5	16.582
MUDSL	2013	3	23	4	16.63
MUDSL	2013	3	23	3	16.654

Site ID	Year	Month	Day	Hour	Temp (C)
MUDSL	2013	3	23	2	16.677
MUDSL	2013	3	23	1	16.701
MUDSL	2013	3	23	0	16.725
MUDSL	2013	3	22	23	16.749
MUDSL	2013	3	22	22	16.773
MUDSL	2013	3	22	21	16.773
MUDSL	2013	3	22	20	16.796
MUDSL	2013	3	22	19	16.82
MUDSL	2013	3	22	18	16.868
MUDSL	2013	3	22	17	16.892
MUDSL	2013	3	22	16	16.939
MUDSL	2013	3	22	15	16.987
MUDSL	2013	3	22	14	17.058
MUDSL	2013	3	22	13	17.106
MUDSL	2013	3	22	12	17.153
MUDSL	2013	3	22	11	17.225
MUDSL	2013	3	22	10	17.272
MUDSL	2013	3	22	9	17.32
MUDSL	2013	3	22	8	17.368
MUDSL	2013	3	22	7	17.391
MUDSL	2013	3	22	6	17.439
MUDSL	2013	3	22	5	17.439
MUDSL	2013	3	22	4	17.463
MUDSL	2013	3	22	3	17.486
MUDSL	2013	3	22	2	17.486
MUDSL	2013	3	22	1	17.486
MUDSL	2013	3	22	0	17.486
MUDSL	2013	3	21	23	17.486
MUDSL	2013	3	21	22	17.486
MUDSL	2013	3	21	21	17.486
MUDSL	2013	3	21	20	17.486
MUDSL	2013	3	21	19	17.486
MUDSL	2013	3	21	18	17.486
MUDSL	2013	3	21	17	17.486
MUDSL	2013	3	21	16	17.486
MUDSL	2013	3	21	15	17.51
MUDSL	2013	3	21	14	17.534
MUDSL	2013	3	21	13	17.534
MUDSL	2013	3	21	12	17.558
MUDSL	2013	3	21	11	17.582
MUDSL	2013	3	21	10	17.605
MUDSL	2013	3	21	9	17.629
MUDSL	2013	3	21	8	17.653
MUDSL	2013	3	21	7	17.653

Site ID	Year	Month	Day	Hour	Temp (C)
MUDSL	2013	3	21	6	17.677
MUDSL	2013	3	21	5	17.677
MUDSL	2013	3	21	4	17.677
MUDSL	2013	3	21	3	17.677
MUDSL	2013	3	21	2	17.677
MUDSL	2013	3	21	1	17.677
MUDSL	2013	3	21	0	17.653
MUDSL	2013	3	20	23	17.629
MUDSL	2013	3	20	22	17.629
MUDSL	2013	3	20	21	17.582
MUDSL	2013	3	20	20	17.582
MUDSL	2013	3	20	19	17.558
MUDSL	2013	3	20	18	17.534
MUDSL	2013	3	20	17	17.534
MUDSL	2013	3	20	16	17.51
MUDSL	2013	3	20	15	17.51
MUDSL	2013	3	20	14	17.51
MUDSL	2013	3	20	13	17.534
MUDSL	2013	3	20	12	17.534
MUDSL	2013	3	20	11	17.534
MUDSL	2013	3	20	10	17.534
MUDSL	2013	3	20	9	17.558
MUDSL	2013	3	20	8	17.558
MUDSL	2013	3	20	7	17.558
MUDSL	2013	3	20	6	17.558
MUDSL	2013	3	20	5	17.558
MUDSL	2013	3	20	4	17.558
MUDSL	2013	3	20	3	17.558
MUDSL	2013	3	20	2	17.534
MUDSL	2013	3	20	1	17.534
MUDSL	2013	3	20	0	17.51
MUDSL	2013	3	19	23	17.486
MUDSL	2013	3	19	22	17.463
MUDSL	2013	3	19	21	17.439
MUDSL	2013	3	19	20	17.415
MUDSL	2013	3	19	19	17.391
MUDSL	2013	3	19	18	17.344
MUDSL	2013	3	19	17	17.344
MUDSL	2013	3	19	16	17.32
MUDSL	2013	3	19	15	17.32
MUDSL	2013	3	19	14	17.32
MUDSL	2013	3	19	13	17.344
MUDSL	2013	3	19	12	17.344
MUDSL	2013	3	19	11	17.368

Site ID	Year	Month	Day	Hour	Temp (C)
MUDSL	2013	3	19	10	17.391
MUDSL	2013	3	19	9	17.415
MUDSL	2013	3	19	8	17.439
MUDSL	2013	3	19	7	17.463
MUDSL	2013	3	19	6	17.463
MUDSL	2013	3	19	5	17.486
MUDSL	2013	3	19	4	17.486
MUDSL	2013	3	19	3	17.51
MUDSL	2013	3	19	2	17.51
MUDSL	2013	3	19	1	17.51
MUDSL	2013	3	19	0	17.51
MUDSL	2013	3	18	23	17.51
MUDSL	2013	3	18	22	17.51
MUDSL	2013	3	18	21	17.486
MUDSL	2013	3	18	20	17.486
MUDSL	2013	3	18	19	17.463
MUDSL	2013	3	18	18	17.463
MUDSL	2013	3	18	17	17.463
MUDSL	2013	3	18	16	17.463
MUDSL	2013	3	18	15	17.463
MUDSL	2013	3	18	14	17.486
MUDSL	2013	3	18	13	17.534
MUDSL	2013	3	18	12	17.558
MUDSL	2013	3	18	11	17.582
MUDSL	2013	3	18	10	17.629
MUDSL	2013	3	18	9	17.653
MUDSL	2013	3	18	8	17.701
MUDSL	2013	3	18	7	17.724
MUDSL	2013	3	18	6	17.748
MUDSL	2013	3	18	5	17.772
MUDSL	2013	3	18	4	17.772
MUDSL	2013	3	18	3	17.796
MUDSL	2013	3	18	2	17.796
MUDSL	2013	3	18	1	17.796
MUDSL	2013	3	18	0	17.796
MUDSL	2013	3	17	23	17.772
MUDSL	2013	3	17	22	17.772
MUDSL	2013	3	17	21	17.748
MUDSL	2013	3	17	20	17.724
MUDSL	2013	3	17	19	17.701
MUDSL	2013	3	17	18	17.677
MUDSL	2013	3	17	17	17.653
MUDSL	2013	3	17	16	17.629
MUDSL	2013	3	17	15	17.629

Site ID	Year	Month	Day	Hour	Temp (C)
MUDSL	2013	3	17	14	17.653
MUDSL	2013	3	17	13	17.677
MUDSL	2013	3	17	12	17.701
MUDSL	2013	3	17	11	17.724
MUDSL	2013	3	17	10	17.772
MUDSL	2013	3	17	9	17.796
MUDSL	2013	3	17	8	17.819
MUDSL	2013	3	17	7	17.843
MUDSL	2013	3	17	6	17.867
MUDSL	2013	3	17	5	17.891
MUDSL	2013	3	17	4	17.915
MUDSL	2013	3	17	3	17.915
MUDSL	2013	3	17	2	17.915
MUDSL	2013	3	17	1	17.915
MUDSL	2013	3	17	0	17.891
MUDSL	2013	3	16	23	17.867
MUDSL	2013	3	16	22	17.843
MUDSL	2013	3	16	21	17.819
MUDSL	2013	3	16	20	17.772
MUDSL	2013	3	16	19	17.748
MUDSL	2013	3	16	18	17.701
MUDSL	2013	3	16	17	17.653
MUDSL	2013	3	16	16	17.629
MUDSL	2013	3	16	15	17.605
MUDSL	2013	3	16	14	17.605
MUDSL	2013	3	16	13	17.629
MUDSL	2013	3	16	12	17.653
MUDSL	2013	3	16	11	17.677
MUDSL	2013	3	16	10	17.724
MUDSL	2013	3	16	9	17.748
MUDSL	2013	3	16	8	17.796
MUDSL	2013	3	16	7	17.843
MUDSL	2013	3	16	6	17.867
MUDSL	2013	3	16	5	17.891
MUDSL	2013	3	16	4	17.915
MUDSL	2013	3	16	3	17.938
MUDSL	2013	3	16	2	17.938
MUDSL	2013	3	16	1	17.962
MUDSL	2013	3	16	0	17.962
MUDSL	2013	3	15	23	17.938
MUDSL	2013	3	15	22	17.915
MUDSL	2013	3	15	21	17.915
MUDSL	2013	3	15	20	17.867
MUDSL	2013	3	15	19	17.843

Site ID	Year	Month	Day	Hour	Temp (C)
MUDSL	2013	3	15	18	17.796
MUDSL	2013	3	15	17	17.748
MUDSL	2013	3	15	16	17.724
MUDSL	2013	3	15	15	17.701
MUDSL	2013	3	15	14	17.677
MUDSL	2013	3	15	13	17.677
MUDSL	2013	3	15	12	17.677
MUDSL	2013	3	15	11	17.701
MUDSL	2013	3	15	10	17.748
MUDSL	2013	3	15	9	17.796
MUDSL	2013	3	15	8	17.819
MUDSL	2013	3	15	7	17.867
MUDSL	2013	3	15	6	17.915
MUDSL	2013	3	15	5	17.938
MUDSL	2013	3	15	4	17.962
MUDSL	2013	3	15	3	17.962
MUDSL	2013	3	15	2	17.986
MUDSL	2013	3	15	1	17.986
MUDSL	2013	3	15	0	17.986
MUDSL	2013	3	14	23	17.962
MUDSL	2013	3	14	22	17.962
MUDSL	2013	3	14	21	17.915
MUDSL	2013	3	14	20	17.867
MUDSL	2013	3	14	19	17.796
MUDSL	2013	3	14	18	17.701
MUDSL	2013	3	14	17	17.605
MUDSL	2013	3	14	16	17.51
MUDSL	2013	3	14	15	17.415
MUDSL	2013	3	14	14	17.32
MUDSL	2013	3	14	13	17.249
MUDSL	2013	3	14	12	17.201
MUDSL	2013	3	14	11	17.177
MUDSL	2013	3	14	10	17.177
MUDSL	2013	3	14	9	17.201
MUDSL	2013	3	14	8	17.249
MUDSL	2013	3	14	7	17.296
MUDSL	2013	3	14	6	17.344
MUDSL	2013	3	14	5	17.391
MUDSL	2013	3	14	4	17.439
MUDSL	2013	3	14	3	17.463
MUDSL	2013	3	14	2	17.486
MUDSL	2013	3	14	1	17.51
MUDSL	2013	3	14	0	17.534
MUDSL	2013	3	13	23	17.534

Site ID	Year	Month	Day	Hour	Temp (C)
MUDSL	2013	3	13	22	17.51
MUDSL	2013	3	13	21	17.463
MUDSL	2013	3	13	20	17.391
MUDSL	2013	3	13	19	17.32
MUDSL	2013	3	13	18	17.201
MUDSL	2013	3	13	17	17.058
MUDSL	2013	3	13	16	16.892
MUDSL	2013	3	13	15	16.725
MUDSL	2013	3	13	14	16.558
MUDSL	2013	3	13	13	16.415
MUDSL	2013	3	13	12	16.296
MUDSL	2013	3	13	11	16.225
MUDSL	2013	3	13	10	16.201
MUDSL	2013	3	13	9	16.249
MUDSL	2013	3	13	8	16.296
MUDSL	2013	3	13	7	16.368
MUDSL	2013	3	13	6	16.415
MUDSL	2013	3	13	5	16.487
MUDSL	2013	3	13	4	16.534
MUDSL	2013	3	13	3	16.582
MUDSL	2013	3	13	2	16.63
MUDSL	2013	3	13	1	16.677
MUDSL	2013	3	13	0	16.701
MUDSL	2013	3	12	23	16.725
MUDSL	2013	3	12	22	16.725
MUDSL	2013	3	12	21	16.701
MUDSL	2013	3	12	20	16.63
MUDSL	2013	3	12	19	16.558
MUDSL	2013	3	12	18	16.439
MUDSL	2013	3	12	17	16.296
MUDSL	2013	3	12	16	16.106
MUDSL	2013	3	12	15	15.891
MUDSL	2013	3	12	14	15.7
MUDSL	2013	3	12	13	15.533
MUDSL	2013	3	12	12	15.39
MUDSL	2013	3	12	11	15.294
MUDSL	2013	3	12	10	15.247
MUDSL	2013	3	12	9	15.247
MUDSL	2013	3	12	8	15.294
MUDSL	2013	3	12	7	15.366
MUDSL	2013	3	12	6	15.438
MUDSL	2013	3	12	5	15.509
MUDSL	2013	3	12	4	15.557
MUDSL	2013	3	12	3	15.629

Site ID	Year	Month	Day	Hour	Temp (C)
MUDSL	2013	3	12	2	15.676
MUDSL	2013	3	12	1	15.724
MUDSL	2013	3	12	0	15.748
MUDSL	2013	3	11	23	15.772
MUDSL	2013	3	11	22	15.796
MUDSL	2013	3	11	21	15.772
MUDSL	2013	3	11	20	15.748
MUDSL	2013	3	11	19	15.7
MUDSL	2013	3	11	18	15.605
MUDSL	2013	3	11	17	15.461
MUDSL	2013	3	11	16	15.294
MUDSL	2013	3	11	15	15.079
MUDSL	2013	3	11	14	14.888
MUDSL	2013	3	11	13	14.697
MUDSL	2013	3	11	12	14.529
MUDSL	2013	3	11	11	14.433
MUDSL	2013	3	11	10	14.385
MUDSL	2013	3	11	9	14.385
MUDSL	2013	3	11	8	14.457
MUDSL	2013	3	11	7	14.529
MUDSL	2013	3	11	6	14.625
MUDSL	2013	3	11	5	14.721
MUDSL	2013	3	11	4	14.792
MUDSL	2013	3	11	3	14.864
MUDSL	2013	3	11	2	14.96
MUDSL	2013	3	11	1	15.031
MUDSL	2013	3	11	0	15.103
MUDSL	2013	3	10	23	15.151
MUDSL	2013	3	10	22	15.175
MUDSL	2013	3	10	21	15.199
MUDSL	2013	3	10	20	15.199
MUDSL	2013	3	10	19	15.175
MUDSL	2013	3	10	18	15.103
MUDSL	2013	3	10	17	14.984
MUDSL	2013	3	10	16	14.816
MUDSL	2013	3	10	15	14.625
MUDSL	2013	3	10	14	14.433
MUDSL	2013	3	10	13	14.266
MUDSL	2013	3	10	12	14.122
MUDSL	2013	3	10	11	14.05
MUDSL	2013	3	10	10	14.026
MUDSL	2013	3	10	9	14.074
MUDSL	2013	3	10	8	14.122
MUDSL	2013	3	10	7	14.218

Site ID	Year	Month	Day	Hour	Temp (C)
MUDSL	2013	3	10	6	14.314
MUDSL	2013	3	10	5	14.409
MUDSL	2013	3	10	4	14.505
MUDSL	2013	3	10	3	14.577
MUDSL	2013	3	10	2	14.673
MUDSL	2013	3	10	1	14.768
MUDSL	2013	3	10	0	14.864
MUDSL	2013	3	9	23	14.96
MUDSL	2013	3	9	22	15.031
MUDSL	2013	3	9	21	15.079
MUDSL	2013	3	9	20	15.127
MUDSL	2013	3	9	19	15.151
MUDSL	2013	3	9	18	15.127
MUDSL	2013	3	9	17	15.055
MUDSL	2013	3	9	16	14.936
MUDSL	2013	3	9	15	14.768
MUDSL	2013	3	9	14	14.601
MUDSL	2013	3	9	13	14.433
MUDSL	2013	3	9	12	14.314
MUDSL	2013	3	9	11	14.218
MUDSL	2013	3	9	10	14.194
MUDSL	2013	3	9	9	14.218
MUDSL	2013	3	9	8	14.29
MUDSL	2013	3	9	7	14.385
MUDSL	2013	3	9	6	14.505
MUDSL	2013	3	9	5	14.601
MUDSL	2013	3	9	4	14.697
MUDSL	2013	3	9	3	14.792
MUDSL	2013	3	9	2	14.864
MUDSL	2013	3	9	1	14.96
MUDSL	2013	3	9	0	15.055
MUDSL	2013	3	8	23	15.151
MUDSL	2013	3	8	22	15.247
MUDSL	2013	3	8	21	15.318
MUDSL	2013	3	8	20	15.366
MUDSL	2013	3	8	19	15.39
MUDSL	2013	3	8	18	15.39
MUDSL	2013	3	8	17	15.342
MUDSL	2013	3	8	16	15.247
MUDSL	2013	3	8	15	15.055
MUDSL	2013	3	8	14	14.84
MUDSL	2013	3	8	13	14.673
MUDSL	2013	3	8	12	14.529
MUDSL	2013	3	8	11	14.457

Site ID	Year	Month	Day	Hour	Temp (C)
MUDSL	2013	3	8	10	14.433
MUDSL	2013	3	8	9	14.457
MUDSL	2013	3	8	8	14.529
MUDSL	2013	3	8	7	14.577
MUDSL	2013	3	8	6	14.649
MUDSL	2013	3	8	5	14.697
MUDSL	2013	3	8	4	14.721
MUDSL	2013	3	8	3	14.768
MUDSL	2013	3	8	2	14.816
MUDSL	2013	3	8	1	14.864
MUDSL	2013	3	8	0	14.936
MUDSL	2013	3	7	23	15.008
MUDSL	2013	3	7	22	15.055
MUDSL	2013	3	7	21	15.127
MUDSL	2013	3	7	20	15.175
MUDSL	2013	3	7	19	15.199
MUDSL	2013	3	7	18	15.199
MUDSL	2013	3	7	17	15.151
MUDSL	2013	3	7	16	15.055
MUDSL	2013	3	7	15	14.864
MUDSL	2013	3	7	14	14.721
MUDSL	2013	3	7	13	14.505
MUDSL	2013	3	7	12	14.337
MUDSL	2013	3	7	11	14.266
MUDSL	2013	3	7	10	14.242
MUDSL	2013	3	7	9	14.266
MUDSL	2013	3	7	8	14.314
MUDSL	2013	3	7	7	14.385
MUDSL	2013	3	7	6	14.457
MUDSL	2013	3	7	5	14.529
MUDSL	2013	3	7	4	14.601
MUDSL	2013	3	7	3	14.673
MUDSL	2013	3	7	2	14.745
MUDSL	2013	3	7	1	14.816
MUDSL	2013	3	7	0	14.912
MUDSL	2013	3	6	23	14.984
MUDSL	2013	3	6	22	15.055
MUDSL	2013	3	6	21	15.151
MUDSL	2013	3	6	20	15.199
MUDSL	2013	3	6	19	15.27
MUDSL	2013	3	6	18	15.318
MUDSL	2013	3	6	17	15.366
MUDSL	2013	3	6	16	15.342
MUDSL	2013	3	6	15	15.27

Site ID	Year	Month	Day	Hour	Temp (C)
MUDSL	2013	3	6	14	15.151
MUDSL	2013	3	6	13	15.055
MUDSL	2013	3	6	12	14.96
MUDSL	2013	3	6	11	14.888
MUDSL	2013	3	6	10	14.864
MUDSL	2013	3	6	9	14.888
MUDSL	2013	3	6	8	14.96
MUDSL	2013	3	6	7	15.055
MUDSL	2013	3	6	6	15.151
MUDSL	2013	3	6	5	15.247
MUDSL	2013	3	6	4	15.342
MUDSL	2013	3	6	3	15.461
MUDSL	2013	3	6	2	15.581
MUDSL	2013	3	6	1	15.7
MUDSL	2013	3	6	0	15.819
MUDSL	2013	3	5	23	15.986
MUDSL	2013	3	5	22	16.153
MUDSL	2013	3	5	21	16.344
MUDSL	2013	3	5	20	16.534
MUDSL	2013	3	5	19	16.749
MUDSL	2013	3	5	18	16.868
MUDSL	2013	3	5	17	16.963
MUDSL	2013	3	5	16	16.915
MUDSL	2013	3	5	15	16.749
MUDSL	2013	3	5	14	16.511
MUDSL	2013	3	5	13	16.201
MUDSL	2013	3	5	12	15.819
MUDSL	2013	3	5	11	15.485
MUDSL	2013	3	5	10	15.247
MUDSL	2013	3	5	9	15.151
MUDSL	2013	3	5	8	15.199
MUDSL	2013	3	5	7	15.294
MUDSL	2013	3	5	6	15.485
MUDSL	2013	3	5	5	15.629
MUDSL	2013	3	5	4	15.772
MUDSL	2013	3	5	3	15.891
MUDSL	2013	3	5	2	16.034
MUDSL	2013	3	5	1	16.177
MUDSL	2013	3	5	0	16.344
MUDSL	2013	3	4	23	16.487
MUDSL	2013	3	4	22	16.654
MUDSL	2013	3	4	21	16.82
MUDSL	2013	3	4	20	16.963
MUDSL	2013	3	4	19	17.106

Site ID	Year	Month	Day	Hour	Temp (C)
MUDSL	2013	3	4	18	17.177
MUDSL	2013	3	4	17	17.201
MUDSL	2013	3	4	16	17.058
MUDSL	2013	3	4	15	16.82
MUDSL	2013	3	4	14	16.487
MUDSL	2013	3	4	13	16.082
MUDSL	2013	3	4	12	15.629
MUDSL	2013	3	4	11	15.27
MUDSL	2013	3	4	10	14.984
MUDSL	2013	3	4	9	14.816
MUDSL	2013	3	4	8	14.816
MUDSL	2013	3	4	7	14.936
MUDSL	2013	3	4	6	15.103
MUDSL	2013	3	4	5	15.247
MUDSL	2013	3	4	4	15.414
MUDSL	2013	3	4	3	15.581
MUDSL	2013	3	4	2	15.748
MUDSL	2013	3	4	1	15.915
MUDSL	2013	3	4	0	16.106
MUDSL	2013	3	3	23	16.272
MUDSL	2013	3	3	22	16.439
MUDSL	2013	3	3	21	16.582
MUDSL	2013	3	3	20	16.725
MUDSL	2013	3	3	19	16.796
MUDSL	2013	3	3	18	16.868
MUDSL	2013	3	3	17	16.915
MUDSL	2013	3	3	16	16.963
MUDSL	2013	3	3	15	16.963
MUDSL	2013	3	3	14	16.844
MUDSL	2013	3	3	13	16.558
MUDSL	2013	3	3	12	16.272
MUDSL	2013	3	3	11	16.153
MUDSL	2013	3	3	10	16.034
MUDSL	2013	3	3	9	16.01
MUDSL	2013	3	3	8	15.986
MUDSL	2013	3	3	7	16.01
MUDSL	2013	3	3	6	16.082
MUDSL	2013	3	3	5	16.129
MUDSL	2013	3	3	4	16.177
MUDSL	2013	3	3	3	16.249
MUDSL	2013	3	3	2	16.32
MUDSL	2013	3	3	1	16.415
MUDSL	2013	3	3	0	16.511
MUDSL	2013	3	2	23	16.606

Site ID	Year	Month	Day	Hour	Temp (C)
MUDSL	2013	3	2	22	16.677
MUDSL	2013	3	2	21	16.725
MUDSL	2013	3	2	20	16.796
MUDSL	2013	3	2	19	16.844
MUDSL	2013	3	2	18	16.892
MUDSL	2013	3	2	17	16.868
MUDSL	2013	3	2	16	16.82
MUDSL	2013	3	2	15	16.654
MUDSL	2013	3	2	14	16.296
MUDSL	2013	3	2	13	15.891
MUDSL	2013	3	2	12	15.438
MUDSL	2013	3	2	11	15.103
MUDSL	2013	3	2	10	14.864
MUDSL	2013	3	2	9	14.649
MUDSL	2013	3	2	8	14.601
MUDSL	2013	3	2	7	14.649
MUDSL	2013	3	2	6	14.768
MUDSL	2013	3	2	5	14.864
MUDSL	2013	3	2	4	14.984
MUDSL	2013	3	2	3	15.103
MUDSL	2013	3	2	2	15.27
MUDSL	2013	3	2	1	15.461
MUDSL	2013	3	2	0	15.629
MUDSL	2013	3	1	23	15.819
MUDSL	2013	3	1	22	15.963
MUDSL	2013	3	1	21	16.129
MUDSL	2013	3	1	20	16.249
MUDSL	2013	3	1	19	16.368
MUDSL	2013	3	1	18	16.463
MUDSL	2013	3	1	17	16.463
MUDSL	2013	3	1	16	16.368
MUDSL	2013	3	1	15	16.106
MUDSL	2013	3	1	14	15.676
MUDSL	2013	3	1	13	15.151
MUDSL	2013	3	1	12	14.553
MUDSL	2013	3	1	11	14.002
MUDSL	2013	3	1	10	13.546
MUDSL	2013	3	1	9	13.257
MUDSL	2013	3	1	8	13.209
MUDSL	2013	3	1	7	13.305
MUDSL	2013	3	1	6	13.425
MUDSL	2013	3	1	5	13.57
MUDSL	2013	3	1	4	13.714
MUDSL	2013	3	1	3	13.882

Site ID	Year	Month	Day	Hour	Temp (C)
MUDSL	2013	3	1	2	14.098
MUDSL	2013	3	1	1	14.337
MUDSL	2013	3	1	0	14.529
MUDSL	2013	2	28	23	14.673
MUDSL	2013	2	28	22	14.792
MUDSL	2013	2	28	21	14.912
MUDSL	2013	2	28	20	15.008
MUDSL	2013	2	28	19	15.103
MUDSL	2013	2	28	18	15.199
MUDSL	2013	2	28	17	15.223
MUDSL	2013	2	28	16	15.103
MUDSL	2013	2	28	15	14.792
MUDSL	2013	2	28	14	14.29
MUDSL	2013	2	28	13	13.714
MUDSL	2013	2	28	12	13.088
MUDSL	2013	2	28	11	12.534
MUDSL	2013	2	28	10	12.05
MUDSL	2013	2	28	9	11.759
MUDSL	2013	2	28	8	11.71
MUDSL	2013	2	28	7	11.832
MUDSL	2013	2	28	6	12.001
MUDSL	2013	2	28	5	12.195
MUDSL	2013	2	28	4	12.364
MUDSL	2013	2	28	3	12.509
MUDSL	2013	2	28	2	12.654
MUDSL	2013	2	28	1	12.823
MUDSL	2013	2	28	0	12.944
MUDSL	2013	2	27	23	13.064
MUDSL	2013	2	27	22	13.209
MUDSL	2013	2	27	21	13.329
MUDSL	2013	2	27	20	13.473
MUDSL	2013	2	27	19	13.594
MUDSL	2013	2	27	18	13.714
MUDSL	2013	2	27	17	13.786
MUDSL	2013	2	27	16	13.714
MUDSL	2013	2	27	15	13.449
MUDSL	2013	2	27	14	12.992
MUDSL	2013	2	27	13	12.413
MUDSL	2013	2	27	12	11.832
MUDSL	2013	2	27	11	11.273
MUDSL	2013	2	27	10	10.883
MUDSL	2013	2	27	9	10.614
MUDSL	2013	2	27	8	10.565
MUDSL	2013	2	27	7	10.712

Site ID	Year	Month	Day	Hour	Temp (C)
MUDSL	2013	2	27	6	10.883
MUDSL	2013	2	27	5	11.078
MUDSL	2013	2	27	4	11.248
MUDSL	2013	2	27	3	11.443
MUDSL	2013	2	27	2	11.589
MUDSL	2013	2	27	1	11.783
MUDSL	2013	2	27	0	11.953
MUDSL	2013	2	26	23	12.122
MUDSL	2013	2	26	22	12.316
MUDSL	2013	2	26	21	12.485
MUDSL	2013	2	26	20	12.654
MUDSL	2013	2	26	19	12.775
MUDSL	2013	2	26	18	12.92
MUDSL	2013	2	26	17	13.064
MUDSL	2013	2	26	16	13.04
MUDSL	2013	2	26	15	12.823
MUDSL	2013	2	26	14	12.461
MUDSL	2013	2	26	13	11.977
MUDSL	2013	2	26	12	11.467
MUDSL	2013	2	26	11	10.956
MUDSL	2013	2	26	10	10.565
MUDSL	2013	2	26	9	10.32
MUDSL	2013	2	26	8	10.369
MUDSL	2013	2	26	7	10.59
MUDSL	2013	2	26	6	10.858
MUDSL	2013	2	26	5	11.102
MUDSL	2013	2	26	4	11.321
MUDSL	2013	2	26	3	11.516
MUDSL	2013	2	26	2	11.686
MUDSL	2013	2	26	1	11.88
MUDSL	2013	2	26	0	12.074
MUDSL	2013	2	25	23	12.292
MUDSL	2013	2	25	22	12.485
MUDSL	2013	2	25	21	12.654
MUDSL	2013	2	25	20	12.799
MUDSL	2013	2	25	19	12.944
MUDSL	2013	2	25	18	13.137
MUDSL	2013	2	25	17	13.305
MUDSL	2013	2	25	16	13.281
MUDSL	2013	2	25	15	13.064
MUDSL	2013	2	25	14	12.678
MUDSL	2013	2	25	13	12.05
MUDSL	2013	2	25	12	11.419
MUDSL	2013	2	25	11	10.834

Site ID	Year	Month	Day	Hour	Temp (C)
MUDSL	2013	2	25	10	10.271
MUDSL	2013	2	25	9	9.879
MUDSL	2013	2	25	8	9.805
MUDSL	2013	2	25	7	9.952
MUDSL	2013	2	25	6	10.149
MUDSL	2013	2	25	5	10.345
MUDSL	2013	2	25	4	10.516
MUDSL	2013	2	25	3	10.712
MUDSL	2013	2	25	2	10.883
MUDSL	2013	2	25	1	11.029
MUDSL	2013	2	25	0	11.2
MUDSL	2013	2	24	23	11.346
MUDSL	2013	2	24	22	11.516
MUDSL	2013	2	24	21	11.71
MUDSL	2013	2	24	20	11.856
MUDSL	2013	2	24	19	12.025
MUDSL	2013	2	24	18	12.171
MUDSL	2013	2	24	17	12.292
MUDSL	2013	2	24	16	12.268
MUDSL	2013	2	24	15	12.001
MUDSL	2013	2	24	14	11.589
MUDSL	2013	2	24	13	11.053
MUDSL	2013	2	24	12	10.443
MUDSL	2013	2	24	11	9.854
MUDSL	2013	2	24	10	9.386
MUDSL	2013	2	24	9	9.163
MUDSL	2013	2	24	8	9.238
MUDSL	2013	2	24	7	9.534
MUDSL	2013	2	24	6	9.854
MUDSL	2013	2	24	5	10.149
MUDSL	2013	2	24	4	10.467
MUDSL	2013	2	24	3	10.785
MUDSL	2013	2	24	2	11.102
MUDSL	2013	2	24	1	11.419
MUDSL	2013	2	24	0	11.686
MUDSL	2013	2	23	23	11.953
MUDSL	2013	2	23	22	12.219
MUDSL	2013	2	23	21	12.485
MUDSL	2013	2	23	20	12.727
MUDSL	2013	2	23	19	12.944
MUDSL	2013	2	23	18	13.185
MUDSL	2013	2	23	17	13.401
MUDSL	2013	2	23	16	13.473
MUDSL	2013	2	23	15	13.353

Site ID	Year	Month	Day	Hour	Temp (C)
MUDSL	2013	2	23	14	13.137
MUDSL	2013	2	23	13	12.823
MUDSL	2013	2	23	12	12.413
MUDSL	2013	2	23	11	11.977
MUDSL	2013	2	23	10	11.637
MUDSL	2013	2	23	9	11.419
MUDSL	2013	2	23	8	11.419
MUDSL	2013	2	23	7	11.589
MUDSL	2013	2	23	6	11.759
MUDSL	2013	2	23	5	11.88
MUDSL	2013	2	23	4	11.953
MUDSL	2013	2	23	3	12.025
MUDSL	2013	2	23	2	12.074
MUDSL	2013	2	23	1	12.122
MUDSL	2013	2	23	0	12.195
MUDSL	2013	2	22	23	12.292
MUDSL	2013	2	22	22	12.413
MUDSL	2013	2	22	21	12.534
MUDSL	2013	2	22	20	12.654
MUDSL	2013	2	22	19	12.775
MUDSL	2013	2	22	18	12.92
MUDSL	2013	2	22	17	12.992
MUDSL	2013	2	22	16	12.896
MUDSL	2013	2	22	15	12.654
MUDSL	2013	2	22	14	12.268
MUDSL	2013	2	22	13	11.759
MUDSL	2013	2	22	12	11.2
MUDSL	2013	2	22	11	10.638
MUDSL	2013	2	22	10	10.247
MUDSL	2013	2	22	9	10.051
MUDSL	2013	2	22	8	10.1
MUDSL	2013	2	22	7	10.247
MUDSL	2013	2	22	6	10.443
MUDSL	2013	2	22	5	10.614
MUDSL	2013	2	22	4	10.81
MUDSL	2013	2	22	3	10.932
MUDSL	2013	2	22	2	11.102
MUDSL	2013	2	22	1	11.248
MUDSL	2013	2	22	0	11.443
MUDSL	2013	2	21	23	11.565
MUDSL	2013	2	21	22	11.734
MUDSL	2013	2	21	21	11.929
MUDSL	2013	2	21	20	12.074
MUDSL	2013	2	21	19	12.243

Site ID	Year	Month	Day	Hour	Temp (C)
MUDSL	2013	2	21	18	12.413
MUDSL	2013	2	21	17	12.558
MUDSL	2013	2	21	16	12.558
MUDSL	2013	2	21	15	12.34
MUDSL	2013	2	21	14	11.977
MUDSL	2013	2	21	13	11.516
MUDSL	2013	2	21	12	11.053
MUDSL	2013	2	21	11	10.541
MUDSL	2013	2	21	10	10.124
MUDSL	2013	2	21	9	9.879
MUDSL	2013	2	21	8	9.903
MUDSL	2013	2	21	7	10.075
MUDSL	2013	2	21	6	10.271
MUDSL	2013	2	21	5	10.467
MUDSL	2013	2	21	4	10.663
MUDSL	2013	2	21	3	10.834
MUDSL	2013	2	21	2	10.98
MUDSL	2013	2	21	1	11.151
MUDSL	2013	2	21	0	11.321
MUDSL	2013	2	20	23	11.492
MUDSL	2013	2	20	22	11.71
MUDSL	2013	2	20	21	11.88
MUDSL	2013	2	20	20	12.074
MUDSL	2013	2	20	19	12.243
MUDSL	2013	2	20	18	12.389
MUDSL	2013	2	20	17	12.485
MUDSL	2013	2	20	16	12.461
MUDSL	2013	2	20	15	12.268
MUDSL	2013	2	20	14	11.929
MUDSL	2013	2	20	13	11.467
MUDSL	2013	2	20	12	10.907
MUDSL	2013	2	20	11	10.418
MUDSL	2013	2	20	10	10.001
MUDSL	2013	2	20	9	9.805
MUDSL	2013	2	20	8	9.854
MUDSL	2013	2	20	7	10.001
MUDSL	2013	2	20	6	10.198
MUDSL	2013	2	20	5	10.369
MUDSL	2013	2	20	4	10.541
MUDSL	2013	2	20	3	10.712
MUDSL	2013	2	20	2	10.883
MUDSL	2013	2	20	1	11.127
MUDSL	2013	2	20	0	11.346
MUDSL	2013	2	19	23	11.613

Site ID	Year	Month	Day	Hour	Temp (C)
MUDSL	2013	2	19	22	11.783
MUDSL	2013	2	19	21	11.904
MUDSL	2013	2	19	20	12.05
MUDSL	2013	2	19	19	12.195
MUDSL	2013	2	19	18	12.316
MUDSL	2013	2	19	17	12.389
MUDSL	2013	2	19	16	12.364
MUDSL	2013	2	19	15	12.461
MUDSL	2013	2	19	14	12.63
MUDSL	2013	2	19	13	12.751
MUDSL	2013	2	19	12	12.606
MUDSL	2013	2	19	11	12.389
MUDSL	2013	2	19	10	12.219
MUDSL	2013	2	19	9	12.195
MUDSL	2013	2	19	8	12.243
MUDSL	2013	2	19	7	12.461
MUDSL	2013	2	19	6	12.678
MUDSL	2013	2	19	5	12.896
MUDSL	2013	2	19	4	13.112
MUDSL	2013	2	19	3	13.281
MUDSL	2013	2	19	2	13.449
MUDSL	2013	2	19	1	13.546
MUDSL	2013	2	19	0	13.666
MUDSL	2013	2	18	23	13.786
MUDSL	2013	2	18	22	13.954
MUDSL	2013	2	18	21	14.098
MUDSL	2013	2	18	20	14.194
MUDSL	2013	2	18	19	14.385
MUDSL	2013	2	18	18	14.673
MUDSL	2013	2	18	17	14.936
MUDSL	2013	2	18	16	14.984
MUDSL	2013	2	18	15	14.936
MUDSL	2013	2	18	14	14.601
MUDSL	2013	2	18	13	14.122
MUDSL	2013	2	18	12	13.546
MUDSL	2013	2	18	11	12.944
MUDSL	2013	2	18	10	12.437
MUDSL	2013	2	18	9	12.171
MUDSL	2013	2	18	8	12.195
MUDSL	2013	2	18	7	12.34
MUDSL	2013	2	18	6	12.582
MUDSL	2013	2	18	5	12.775
MUDSL	2013	2	18	4	12.992
MUDSL	2013	2	18	3	13.233

Site ID	Year	Month	Day	Hour	Temp (C)
MUDSL	2013	2	18	2	13.449
MUDSL	2013	2	18	1	13.666
MUDSL	2013	2	18	0	13.858
MUDSL	2013	2	17	23	14.098
MUDSL	2013	2	17	22	14.314
MUDSL	2013	2	17	21	14.505
MUDSL	2013	2	17	20	14.673
MUDSL	2013	2	17	19	14.864
MUDSL	2013	2	17	18	15.055
MUDSL	2013	2	17	17	15.247
MUDSL	2013	2	17	16	15.27
MUDSL	2013	2	17	15	15.079
MUDSL	2013	2	17	14	14.673
MUDSL	2013	2	17	13	14.122
MUDSL	2013	2	17	12	13.522
MUDSL	2013	2	17	11	12.896
MUDSL	2013	2	17	10	12.437
MUDSL	2013	2	17	9	12.171
MUDSL	2013	2	17	8	12.195
MUDSL	2013	2	17	7	12.364
MUDSL	2013	2	17	6	12.606
MUDSL	2013	2	17	5	12.871
MUDSL	2013	2	17	4	13.088
MUDSL	2013	2	17	3	13.281
MUDSL	2013	2	17	2	13.473
MUDSL	2013	2	17	1	13.666
MUDSL	2013	2	17	0	13.858
MUDSL	2013	2	16	23	14.05
MUDSL	2013	2	16	22	14.218
MUDSL	2013	2	16	21	14.361
MUDSL	2013	2	16	20	14.505
MUDSL	2013	2	16	19	14.649
MUDSL	2013	2	16	18	14.768
MUDSL	2013	2	16	17	14.864
MUDSL	2013	2	16	16	14.84
MUDSL	2013	2	16	15	14.601
MUDSL	2013	2	16	14	14.17
MUDSL	2013	2	16	13	13.666
MUDSL	2013	2	16	12	13.233
MUDSL	2013	2	16	11	12.823
MUDSL	2013	2	16	10	12.461
MUDSL	2013	2	16	9	12.243
MUDSL	2013	2	16	8	12.243
MUDSL	2013	2	16	7	12.364

Site ID	Year	Month	Day	Hour	Temp (C)
MUDSL	2013	2	16	6	12.606
MUDSL	2013	2	16	5	12.775
MUDSL	2013	2	16	4	12.944
MUDSL	2013	2	16	3	13.137
MUDSL	2013	2	16	2	13.305
MUDSL	2013	2	16	1	13.497
MUDSL	2013	2	16	0	13.69
MUDSL	2013	2	15	23	13.906
MUDSL	2013	2	15	22	14.146
MUDSL	2013	2	15	21	14.29
MUDSL	2013	2	15	20	14.481
MUDSL	2013	2	15	19	14.625
MUDSL	2013	2	15	18	14.816
MUDSL	2013	2	15	17	14.936
MUDSL	2013	2	15	16	14.912
MUDSL	2013	2	15	15	14.673
MUDSL	2013	2	15	14	14.218
MUDSL	2013	2	15	13	13.618
MUDSL	2013	2	15	12	12.968
MUDSL	2013	2	15	11	12.316
MUDSL	2013	2	15	10	11.807
MUDSL	2013	2	15	9	11.516
MUDSL	2013	2	15	8	11.54
MUDSL	2013	2	15	7	11.734
MUDSL	2013	2	15	6	11.929
MUDSL	2013	2	15	5	12.122
MUDSL	2013	2	15	4	12.292
MUDSL	2013	2	15	3	12.485
MUDSL	2013	2	15	2	12.678
MUDSL	2013	2	15	1	12.92
MUDSL	2013	2	15	0	13.137
MUDSL	2013	2	14	23	13.353
MUDSL	2013	2	14	22	13.546
MUDSL	2013	2	14	21	13.738
MUDSL	2013	2	14	20	13.858
MUDSL	2013	2	14	19	14.026
MUDSL	2013	2	14	18	14.17
MUDSL	2013	2	14	17	14.29
MUDSL	2013	2	14	16	14.242
MUDSL	2013	2	14	15	14.002
MUDSL	2013	2	14	14	13.594
MUDSL	2013	2	14	13	13.064
MUDSL	2013	2	14	12	12.413
MUDSL	2013	2	14	11	11.759

Site ID	Year	Month	Day	Hour	Temp (C)
MUDSL	2013	2	14	10	11.2
MUDSL	2013	2	14	9	10.907
MUDSL	2013	2	14	8	10.907
MUDSL	2013	2	14	7	11.053
MUDSL	2013	2	14	6	11.248
MUDSL	2013	2	14	5	11.443
MUDSL	2013	2	14	4	11.613
MUDSL	2013	2	14	3	11.807
MUDSL	2013	2	14	2	12.001
MUDSL	2013	2	14	1	12.171
MUDSL	2013	2	14	0	12.34
MUDSL	2013	2	13	23	12.485
MUDSL	2013	2	13	22	12.678
MUDSL	2013	2	13	21	12.847
MUDSL	2013	2	13	20	12.992
MUDSL	2013	2	13	19	13.137
MUDSL	2013	2	13	18	13.305
MUDSL	2013	2	13	17	13.449
MUDSL	2013	2	13	16	13.449
MUDSL	2013	2	13	15	13.257
MUDSL	2013	2	13	14	12.871
MUDSL	2013	2	13	13	12.34
MUDSL	2013	2	13	12	11.71
MUDSL	2013	2	13	11	11.102
MUDSL	2013	2	13	10	10.614
MUDSL	2013	2	13	9	10.345
MUDSL	2013	2	13	8	10.345
MUDSL	2013	2	13	7	10.492
MUDSL	2013	2	13	6	10.687
MUDSL	2013	2	13	5	10.858
MUDSL	2013	2	13	4	11.005
MUDSL	2013	2	13	3	11.151
MUDSL	2013	2	13	2	11.297
MUDSL	2013	2	13	1	11.443
MUDSL	2013	2	13	0	11.589
MUDSL	2013	2	12	23	11.734
MUDSL	2013	2	12	22	11.904
MUDSL	2013	2	12	21	12.074
MUDSL	2013	2	12	20	12.219
MUDSL	2013	2	12	19	12.364
MUDSL	2013	2	12	18	12.534
MUDSL	2013	2	12	17	12.678
MUDSL	2013	2	12	16	12.678
MUDSL	2013	2	12	15	12.461

Site ID	Year	Month	Day	Hour	Temp (C)
MUDSL	2013	2	12	14	12.074
MUDSL	2013	2	12	13	11.54
MUDSL	2013	2	12	12	10.907
MUDSL	2013	2	12	11	10.369
MUDSL	2013	2	12	10	9.879
MUDSL	2013	2	12	9	9.632
MUDSL	2013	2	12	8	9.657
MUDSL	2013	2	12	7	9.829
MUDSL	2013	2	12	6	10.026
MUDSL	2013	2	12	5	10.222
MUDSL	2013	2	12	4	10.369
MUDSL	2013	2	12	3	10.516
MUDSL	2013	2	12	2	10.663
MUDSL	2013	2	12	1	10.834
MUDSL	2013	2	12	0	11.005
MUDSL	2013	2	11	23	11.2
MUDSL	2013	2	11	22	11.394
MUDSL	2013	2	11	21	11.589
MUDSL	2013	2	11	20	11.783
MUDSL	2013	2	11	19	11.929
MUDSL	2013	2	11	18	12.122
MUDSL	2013	2	11	17	12.268
MUDSL	2013	2	11	16	12.316
MUDSL	2013	2	11	15	12.122
MUDSL	2013	2	11	14	11.734
MUDSL	2013	2	11	13	11.224
MUDSL	2013	2	11	12	10.638
MUDSL	2013	2	11	11	10.075
MUDSL	2013	2	11	10	9.558
MUDSL	2013	2	11	9	9.262
MUDSL	2013	2	11	8	9.262
MUDSL	2013	2	11	7	9.435
MUDSL	2013	2	11	6	9.632
MUDSL	2013	2	11	5	9.829
MUDSL	2013	2	11	4	9.977
MUDSL	2013	2	11	3	10.124
MUDSL	2013	2	11	2	10.296
MUDSL	2013	2	11	1	10.467
MUDSL	2013	2	11	0	10.614
MUDSL	2013	2	10	23	10.81
MUDSL	2013	2	10	22	11.005
MUDSL	2013	2	10	21	11.175
MUDSL	2013	2	10	20	11.346
MUDSL	2013	2	10	19	11.492

Site ID	Year	Month	Day	Hour	Temp (C)
MUDSL	2013	2	10	18	11.662
MUDSL	2013	2	10	17	11.807
MUDSL	2013	2	10	16	11.88
MUDSL	2013	2	10	15	11.734
MUDSL	2013	2	10	14	11.419
MUDSL	2013	2	10	13	10.956
MUDSL	2013	2	10	12	10.369
MUDSL	2013	2	10	11	9.78
MUDSL	2013	2	10	10	9.287
MUDSL	2013	2	10	9	9.015
MUDSL	2013	2	10	8	9.064
MUDSL	2013	2	10	7	9.238
MUDSL	2013	2	10	6	9.46
MUDSL	2013	2	10	5	9.657
MUDSL	2013	2	10	4	9.829
MUDSL	2013	2	10	3	9.977
MUDSL	2013	2	10	2	10.149
MUDSL	2013	2	10	1	10.345
MUDSL	2013	2	10	0	10.541
MUDSL	2013	2	9	23	10.761
MUDSL	2013	2	9	22	10.932
MUDSL	2013	2	9	21	11.127
MUDSL	2013	2	9	20	11.321
MUDSL	2013	2	9	19	11.516
MUDSL	2013	2	9	18	11.734
MUDSL	2013	2	9	17	11.929
MUDSL	2013	2	9	16	12.025
MUDSL	2013	2	9	15	11.929
MUDSL	2013	2	9	14	11.637
MUDSL	2013	2	9	13	11.175
MUDSL	2013	2	9	12	10.638
MUDSL	2013	2	9	11	10.149
MUDSL	2013	2	9	10	9.731
MUDSL	2013	2	9	9	9.485
MUDSL	2013	2	9	8	9.485
MUDSL	2013	2	9	7	9.706
MUDSL	2013	2	9	6	9.903
MUDSL	2013	2	9	5	10.075
MUDSL	2013	2	9	4	10.32
MUDSL	2013	2	9	3	10.467
MUDSL	2013	2	9	2	10.638
MUDSL	2013	2	9	1	10.834
MUDSL	2013	2	9	0	11.127
MUDSL	2013	2	8	23	11.37

Site ID	Year	Month	Day	Hour	Temp (C)
MUDSL	2013	2	8	22	11.589
MUDSL	2013	2	8	21	11.807
MUDSL	2013	2	8	20	11.977
MUDSL	2013	2	8	19	12.147
MUDSL	2013	2	8	18	12.413
MUDSL	2013	2	8	17	12.558
MUDSL	2013	2	8	16	12.606
MUDSL	2013	2	8	15	12.534
MUDSL	2013	2	8	14	12.219
MUDSL	2013	2	8	13	11.88
MUDSL	2013	2	8	12	11.346
MUDSL	2013	2	8	11	11.053
MUDSL	2013	2	8	10	10.932
MUDSL	2013	2	8	9	10.932
MUDSL	2013	2	8	8	10.956
MUDSL	2013	2	8	7	11.102
MUDSL	2013	2	8	6	11.248
MUDSL	2013	2	8	5	11.321
MUDSL	2013	2	8	4	11.419
MUDSL	2013	2	8	3	11.467
MUDSL	2013	2	8	2	11.54
MUDSL	2013	2	8	1	11.637
MUDSL	2013	2	8	0	11.783
MUDSL	2013	2	7	23	11.977
MUDSL	2013	2	7	22	12.171
MUDSL	2013	2	7	21	12.364
MUDSL	2013	2	7	20	12.534
MUDSL	2013	2	7	19	12.654
MUDSL	2013	2	7	18	12.799
MUDSL	2013	2	7	17	12.847
MUDSL	2013	2	7	16	12.799
MUDSL	2013	2	7	15	12.847
MUDSL	2013	2	7	14	12.92
MUDSL	2013	2	7	13	12.871
MUDSL	2013	2	7	12	12.509
MUDSL	2013	2	7	11	11.977
MUDSL	2013	2	7	10	11.613
MUDSL	2013	2	7	9	11.419
MUDSL	2013	2	7	8	11.467
MUDSL	2013	2	7	7	11.589
MUDSL	2013	2	7	6	11.686
MUDSL	2013	2	7	5	11.734
MUDSL	2013	2	7	4	11.759
MUDSL	2013	2	7	3	11.783

Site ID	Year	Month	Day	Hour	Temp (C)
MUDSL	2013	2	7	2	11.832
MUDSL	2013	2	7	1	11.929
MUDSL	2013	2	7	0	12.074
MUDSL	2013	2	6	23	12.243
MUDSL	2013	2	6	22	12.437
MUDSL	2013	2	6	21	12.654
MUDSL	2013	2	6	20	12.823
MUDSL	2013	2	6	19	12.992
MUDSL	2013	2	6	18	13.185
MUDSL	2013	2	6	17	13.329
MUDSL	2013	2	6	16	13.329
MUDSL	2013	2	6	15	13.137
MUDSL	2013	2	6	14	12.799
MUDSL	2013	2	6	13	12.292
MUDSL	2013	2	6	12	11.71
MUDSL	2013	2	6	11	11.151
MUDSL	2013	2	6	10	10.761
MUDSL	2013	2	6	9	10.565
MUDSL	2013	2	6	8	10.59
MUDSL	2013	2	6	7	10.761
MUDSL	2013	2	6	6	10.98
MUDSL	2013	2	6	5	11.127
MUDSL	2013	2	6	4	11.297
MUDSL	2013	2	6	3	11.492
MUDSL	2013	2	6	2	11.662
MUDSL	2013	2	6	1	11.832
MUDSL	2013	2	6	0	12.025
MUDSL	2013	2	5	23	12.219
MUDSL	2013	2	5	22	12.413
MUDSL	2013	2	5	21	12.582
MUDSL	2013	2	5	20	12.751
MUDSL	2013	2	5	19	12.871
MUDSL	2013	2	5	18	13.04
MUDSL	2013	2	5	17	13.185
MUDSL	2013	2	5	16	13.209
MUDSL	2013	2	5	15	13.112
MUDSL	2013	2	5	14	13.016
MUDSL	2013	2	5	13	12.654
MUDSL	2013	2	5	12	12.243
MUDSL	2013	2	5	11	11.904
MUDSL	2013	2	5	10	11.783
MUDSL	2013	2	5	9	11.807
MUDSL	2013	2	5	8	11.856
MUDSL	2013	2	5	7	11.929

Site ID	Year	Month	Day	Hour	Temp (C)
MUDSL	2013	2	5	6	12.001
MUDSL	2013	2	5	5	12.098
MUDSL	2013	2	5	4	12.219
MUDSL	2013	2	5	3	12.34
MUDSL	2013	2	5	2	12.485
MUDSL	2013	2	5	1	12.63
MUDSL	2013	2	5	0	12.751
MUDSL	2013	2	4	23	12.847
MUDSL	2013	2	4	22	12.992
MUDSL	2013	2	4	21	13.137
MUDSL	2013	2	4	20	13.281
MUDSL	2013	2	4	19	13.425
MUDSL	2013	2	4	18	13.57
MUDSL	2013	2	4	17	13.714
MUDSL	2013	2	4	16	13.714
MUDSL	2013	2	4	15	13.449
MUDSL	2013	2	4	14	13.088
MUDSL	2013	2	4	13	12.558
MUDSL	2013	2	4	12	11.977
MUDSL	2013	2	4	11	11.394
MUDSL	2013	2	4	10	10.956
MUDSL	2013	2	4	9	10.761
MUDSL	2013	2	4	8	10.81
MUDSL	2013	2	4	7	10.956
MUDSL	2013	2	4	6	11.151
MUDSL	2013	2	4	5	11.321
MUDSL	2013	2	4	4	11.492
MUDSL	2013	2	4	3	11.662
MUDSL	2013	2	4	2	11.832
MUDSL	2013	2	4	1	12.025
MUDSL	2013	2	4	0	12.219
MUDSL	2013	2	3	23	12.413
MUDSL	2013	2	3	22	12.582
MUDSL	2013	2	3	21	12.751
MUDSL	2013	2	3	20	12.896
MUDSL	2013	2	3	19	13.04
MUDSL	2013	2	3	18	13.185
MUDSL	2013	2	3	17	13.329
MUDSL	2013	2	3	16	13.353
MUDSL	2013	2	3	15	13.185
MUDSL	2013	2	3	14	12.799
MUDSL	2013	2	3	13	12.268
MUDSL	2013	2	3	12	11.71
MUDSL	2013	2	3	11	11.273

Site ID	Year	Month	Day	Hour	Temp (C)
MUDSL	2013	2	3	10	11.053
MUDSL	2013	2	3	9	10.907
MUDSL	2013	2	3	8	10.907
MUDSL	2013	2	3	7	11.053
MUDSL	2013	2	3	6	11.224
MUDSL	2013	2	3	5	11.346
MUDSL	2013	2	3	4	11.443
MUDSL	2013	2	3	3	11.54
MUDSL	2013	2	3	2	11.686
MUDSL	2013	2	3	1	11.832
MUDSL	2013	2	3	0	11.953
MUDSL	2013	2	2	23	12.074
MUDSL	2013	2	2	22	12.219
MUDSL	2013	2	2	21	12.34
MUDSL	2013	2	2	20	12.461
MUDSL	2013	2	2	19	12.558
MUDSL	2013	2	2	18	12.654
MUDSL	2013	2	2	17	12.703
MUDSL	2013	2	2	16	12.678
MUDSL	2013	2	2	15	12.582
MUDSL	2013	2	2	14	12.413
MUDSL	2013	2	2	13	12.243
MUDSL	2013	2	2	12	12.025
MUDSL	2013	2	2	11	11.783
MUDSL	2013	2	2	10	11.589
MUDSL	2013	2	2	9	11.492
MUDSL	2013	2	2	8	11.516
MUDSL	2013	2	2	7	11.589
MUDSL	2013	2	2	6	11.686
MUDSL	2013	2	2	5	11.783
MUDSL	2013	2	2	4	11.88
MUDSL	2013	2	2	3	11.953
MUDSL	2013	2	2	2	12.025
MUDSL	2013	2	2	1	12.122
MUDSL	2013	2	2	0	12.219
MUDSL	2013	2	1	23	12.364
MUDSL	2013	2	1	22	12.485
MUDSL	2013	2	1	21	12.606
MUDSL	2013	2	1	20	12.703
MUDSL	2013	2	1	19	12.823
MUDSL	2013	2	1	18	12.968
MUDSL	2013	2	1	17	13.088
MUDSL	2013	2	1	16	13.088
MUDSL	2013	2	1	15	12.92

Site ID	Year	Month	Day	Hour	Temp (C)
MUDSL	2013	2	1	14	12.558
MUDSL	2013	2	1	13	12.025
MUDSL	2013	2	1	12	11.467
MUDSL	2013	2	1	11	10.907
MUDSL	2013	2	1	10	10.492
MUDSL	2013	2	1	9	10.345
MUDSL	2013	2	1	8	10.418
MUDSL	2013	2	1	7	10.565
MUDSL	2013	2	1	6	10.761
MUDSL	2013	2	1	5	10.932
MUDSL	2013	2	1	4	11.102
MUDSL	2013	2	1	3	11.224
MUDSL	2013	2	1	2	11.346
MUDSL	2013	2	1	1	11.467
MUDSL	2013	2	1	0	11.613
MUDSL	2013	1	31	23	11.734
MUDSL	2013	1	31	22	11.904
MUDSL	2013	1	31	21	12.025
MUDSL	2013	1	31	20	12.171
MUDSL	2013	1	31	19	12.292
MUDSL	2013	1	31	18	12.437
MUDSL	2013	1	31	17	12.558
MUDSL	2013	1	31	16	12.582
MUDSL	2013	1	31	15	12.413
MUDSL	2013	1	31	14	12.074
MUDSL	2013	1	31	13	11.589
MUDSL	2013	1	31	12	11.053
MUDSL	2013	1	31	11	10.516
MUDSL	2013	1	31	10	10.173
MUDSL	2013	1	31	9	10.051
MUDSL	2013	1	31	8	10.124
MUDSL	2013	1	31	7	10.271
MUDSL	2013	1	31	6	10.418
MUDSL	2013	1	31	5	10.565
MUDSL	2013	1	31	4	10.687
MUDSL	2013	1	31	3	10.81
MUDSL	2013	1	31	2	10.932
MUDSL	2013	1	31	1	11.078
MUDSL	2013	1	31	0	11.224
MUDSL	2013	1	30	23	11.37
MUDSL	2013	1	30	22	11.516
MUDSL	2013	1	30	21	11.686
MUDSL	2013	1	30	20	11.807
MUDSL	2013	1	30	19	11.953

Site ID	Year	Month	Day	Hour	Temp (C)
MUDSL	2013	1	30	18	12.098
MUDSL	2013	1	30	17	12.219
MUDSL	2013	1	30	16	12.219
MUDSL	2013	1	30	15	12.025
MUDSL	2013	1	30	14	11.662
MUDSL	2013	1	30	13	11.2
MUDSL	2013	1	30	12	10.663
MUDSL	2013	1	30	11	10.149
MUDSL	2013	1	30	10	9.756
MUDSL	2013	1	30	9	9.558
MUDSL	2013	1	30	8	9.632
MUDSL	2013	1	30	7	9.805
MUDSL	2013	1	30	6	9.977
MUDSL	2013	1	30	5	10.124
MUDSL	2013	1	30	4	10.271
MUDSL	2013	1	30	3	10.418
MUDSL	2013	1	30	2	10.541
MUDSL	2013	1	30	1	10.663
MUDSL	2013	1	30	0	10.81
MUDSL	2013	1	29	23	10.932
MUDSL	2013	1	29	22	11.078
MUDSL	2013	1	29	21	11.2
MUDSL	2013	1	29	20	11.321
MUDSL	2013	1	29	19	11.443
MUDSL	2013	1	29	18	11.565
MUDSL	2013	1	29	17	11.686
MUDSL	2013	1	29	16	11.686
MUDSL	2013	1	29	15	11.54
MUDSL	2013	1	29	14	11.273
MUDSL	2013	1	29	13	10.858
MUDSL	2013	1	29	12	10.369
MUDSL	2013	1	29	11	9.952
MUDSL	2013	1	29	10	9.657
MUDSL	2013	1	29	9	9.435
MUDSL	2013	1	29	8	9.46
MUDSL	2013	1	29	7	9.583
MUDSL	2013	1	29	6	9.731
MUDSL	2013	1	29	5	9.879
MUDSL	2013	1	29	4	10.051
MUDSL	2013	1	29	3	10.173
MUDSL	2013	1	29	2	10.32
MUDSL	2013	1	29	1	10.443
MUDSL	2013	1	29	0	10.541
MUDSL	2013	1	28	23	10.687

Site ID	Year	Month	Day	Hour	Temp (C)
MUDSL	2013	1	28	22	10.834
MUDSL	2013	1	28	21	10.956
MUDSL	2013	1	28	20	11.053
MUDSL	2013	1	28	19	11.175
MUDSL	2013	1	28	18	11.321
MUDSL	2013	1	28	17	11.467
MUDSL	2013	1	28	16	11.589
MUDSL	2013	1	28	15	11.54
MUDSL	2013	1	28	14	11.321
MUDSL	2013	1	28	13	10.98
MUDSL	2013	1	28	12	10.516
MUDSL	2013	1	28	11	10.075
MUDSL	2013	1	28	10	9.706
MUDSL	2013	1	28	9	9.509
MUDSL	2013	1	28	8	9.583
MUDSL	2013	1	28	7	9.756
MUDSL	2013	1	28	6	9.977
MUDSL	2013	1	28	5	10.173
MUDSL	2013	1	28	4	10.369
MUDSL	2013	1	28	3	10.565
MUDSL	2013	1	28	2	10.736
MUDSL	2013	1	28	1	10.907
MUDSL	2013	1	28	0	11.053
MUDSL	2013	1	27	23	11.2
MUDSL	2013	1	27	22	11.394
MUDSL	2013	1	27	21	11.565
MUDSL	2013	1	27	20	11.759
MUDSL	2013	1	27	19	11.929
MUDSL	2013	1	27	18	12.122
MUDSL	2013	1	27	17	12.364
MUDSL	2013	1	27	16	12.485
MUDSL	2013	1	27	15	12.461
MUDSL	2013	1	27	14	12.268
MUDSL	2013	1	27	13	11.929
MUDSL	2013	1	27	12	11.492
MUDSL	2013	1	27	11	11.078
MUDSL	2013	1	27	10	10.761
MUDSL	2013	1	27	9	10.638
MUDSL	2013	1	27	8	10.736
MUDSL	2013	1	27	7	10.956
MUDSL	2013	1	27	6	11.151
MUDSL	2013	1	27	5	11.37
MUDSL	2013	1	27	4	11.589
MUDSL	2013	1	27	3	11.832

Site ID	Year	Month	Day	Hour	Temp (C)
MUDSL	2013	1	27	2	12.05
MUDSL	2013	1	27	1	12.268
MUDSL	2013	1	27	0	12.461
MUDSL	2013	1	26	23	12.678
MUDSL	2013	1	26	22	12.896
MUDSL	2013	1	26	21	13.137
MUDSL	2013	1	26	20	13.329
MUDSL	2013	1	26	19	13.522
MUDSL	2013	1	26	18	13.714
MUDSL	2013	1	26	17	13.882
MUDSL	2013	1	26	16	13.93
MUDSL	2013	1	26	15	13.906
MUDSL	2013	1	26	14	13.762
MUDSL	2013	1	26	13	13.497
MUDSL	2013	1	26	12	13.137
MUDSL	2013	1	26	11	12.823
MUDSL	2013	1	26	10	12.582
MUDSL	2013	1	26	9	12.364
MUDSL	2013	1	26	8	12.316
MUDSL	2013	1	26	7	12.34
MUDSL	2013	1	26	6	12.34
MUDSL	2013	1	26	5	12.364
MUDSL	2013	1	26	4	12.364
MUDSL	2013	1	26	3	12.364
MUDSL	2013	1	26	2	12.34
MUDSL	2013	1	26	1	12.316
MUDSL	2013	1	26	0	12.316
MUDSL	2013	1	25	23	12.34
MUDSL	2013	1	25	22	12.316
MUDSL	2013	1	25	21	12.292
MUDSL	2013	1	25	20	12.292
MUDSL	2013	1	25	19	12.268
MUDSL	2013	1	25	18	12.243
MUDSL	2013	1	25	17	12.219
MUDSL	2013	1	25	16	12.195
MUDSL	2013	1	25	15	12.025
MUDSL	2013	1	25	14	11.783
MUDSL	2013	1	25	13	11.637
MUDSL	2013	1	25	12	11.467
MUDSL	2013	1	25	11	11.224
MUDSL	2013	1	25	10	11.053
MUDSL	2013	1	25	9	10.932
MUDSL	2013	1	25	8	10.907
MUDSL	2013	1	25	7	10.932

Site ID	Year	Month	Day	Hour	Temp (C)
MUDSL	2013	1	25	6	10.956
MUDSL	2013	1	25	5	10.956
MUDSL	2013	1	25	4	10.956
MUDSL	2013	1	25	3	11.005
MUDSL	2013	1	25	2	11.005
MUDSL	2013	1	25	1	11.005
MUDSL	2013	1	25	0	11.053
MUDSL	2013	1	24	23	11.053
MUDSL	2013	1	24	22	11.053
MUDSL	2013	1	24	21	11.053
MUDSL	2013	1	24	20	11.078
MUDSL	2013	1	24	19	11.078
MUDSL	2013	1	24	18	11.102
MUDSL	2013	1	24	17	11.102
MUDSL	2013	1	24	16	11.053
MUDSL	2013	1	24	15	10.932
MUDSL	2013	1	24	14	10.81
MUDSL	2013	1	24	13	10.638
MUDSL	2013	1	24	12	10.418
MUDSL	2013	1	24	11	10.271
MUDSL	2013	1	24	10	10.149
MUDSL	2013	1	24	9	10.026
MUDSL	2013	1	24	8	10.001
MUDSL	2013	1	24	7	10.026
MUDSL	2013	1	24	6	10.026
MUDSL	2013	1	24	5	10.051
MUDSL	2013	1	24	4	10.075
MUDSL	2013	1	24	3	10.124
MUDSL	2013	1	24	2	10.124
MUDSL	2013	1	24	1	10.149
MUDSL	2013	1	24	0	10.124
MUDSL	2013	1	23	23	10.124
MUDSL	2013	1	23	22	10.149
MUDSL	2013	1	23	21	10.173
MUDSL	2013	1	23	20	10.198
MUDSL	2013	1	23	19	10.198
MUDSL	2013	1	23	18	10.222
MUDSL	2013	1	23	17	10.222
MUDSL	2013	1	23	16	10.198
MUDSL	2013	1	23	15	10.149
MUDSL	2013	1	23	14	10.124
MUDSL	2013	1	23	13	10.026
MUDSL	2013	1	23	12	9.903
MUDSL	2013	1	23	11	9.78

Site ID	Year	Month	Day	Hour	Temp (C)
MUDSL	2013	1	23	10	9.682
MUDSL	2013	1	23	9	9.657
MUDSL	2013	1	23	8	9.682
MUDSL	2013	1	23	7	9.731
MUDSL	2013	1	23	6	9.78
MUDSL	2013	1	23	5	9.829
MUDSL	2013	1	23	4	9.928
MUDSL	2013	1	23	3	9.977
MUDSL	2013	1	23	2	10.051
MUDSL	2013	1	23	1	10.1
MUDSL	2013	1	23	0	10.124
MUDSL	2013	1	22	23	10.198
MUDSL	2013	1	22	22	10.271
MUDSL	2013	1	22	21	10.32
MUDSL	2013	1	22	20	10.345
MUDSL	2013	1	22	19	10.443
MUDSL	2013	1	22	18	10.516
MUDSL	2013	1	22	17	10.59
MUDSL	2013	1	22	16	10.516
MUDSL	2013	1	22	15	10.418
MUDSL	2013	1	22	14	10.173
MUDSL	2013	1	22	13	9.706
MUDSL	2013	1	22	12	9.238
MUDSL	2013	1	22	11	8.717
MUDSL	2013	1	22	10	8.344
MUDSL	2013	1	22	9	8.195
MUDSL	2013	1	22	8	8.245
MUDSL	2013	1	22	7	8.394
MUDSL	2013	1	22	6	8.543
MUDSL	2013	1	22	5	8.742
MUDSL	2013	1	22	4	8.891
MUDSL	2013	1	22	3	9.015
MUDSL	2013	1	22	2	9.139
MUDSL	2013	1	22	1	9.262
MUDSL	2013	1	22	0	9.386
MUDSL	2013	1	21	23	9.534
MUDSL	2013	1	21	22	9.682
MUDSL	2013	1	21	21	9.829
MUDSL	2013	1	21	20	9.928
MUDSL	2013	1	21	19	10.051
MUDSL	2013	1	21	18	10.173
MUDSL	2013	1	21	17	10.296
MUDSL	2013	1	21	16	10.32
MUDSL	2013	1	21	15	10.149

Site ID	Year	Month	Day	Hour	Temp (C)
MUDSL	2013	1	21	14	9.805
MUDSL	2013	1	21	13	9.336
MUDSL	2013	1	21	12	8.817
MUDSL	2013	1	21	11	8.295
MUDSL	2013	1	21	10	7.92
MUDSL	2013	1	21	9	7.745
MUDSL	2013	1	21	8	7.82
MUDSL	2013	1	21	7	7.97
MUDSL	2013	1	21	6	8.095
MUDSL	2013	1	21	5	8.295
MUDSL	2013	1	21	4	8.419
MUDSL	2013	1	21	3	8.568
MUDSL	2013	1	21	2	8.693
MUDSL	2013	1	21	1	8.866
MUDSL	2013	1	21	0	9.015
MUDSL	2013	1	20	23	9.139
MUDSL	2013	1	20	22	9.287
MUDSL	2013	1	20	21	9.435
MUDSL	2013	1	20	20	9.583
MUDSL	2013	1	20	19	9.731
MUDSL	2013	1	20	18	9.854
MUDSL	2013	1	20	17	9.977
MUDSL	2013	1	20	16	10.026
MUDSL	2013	1	20	15	9.854
MUDSL	2013	1	20	14	9.509
MUDSL	2013	1	20	13	9.04
MUDSL	2013	1	20	12	8.543
MUDSL	2013	1	20	11	7.97
MUDSL	2013	1	20	10	7.619
MUDSL	2013	1	20	9	7.494
MUDSL	2013	1	20	8	7.544
MUDSL	2013	1	20	7	7.695
MUDSL	2013	1	20	6	7.845
MUDSL	2013	1	20	5	8.045
MUDSL	2013	1	20	4	8.195
MUDSL	2013	1	20	3	8.319
MUDSL	2013	1	20	2	8.444
MUDSL	2013	1	20	1	8.543
MUDSL	2013	1	20	0	8.693
MUDSL	2013	1	19	23	8.841
MUDSL	2013	1	19	22	8.99
MUDSL	2013	1	19	21	9.114
MUDSL	2013	1	19	20	9.262
MUDSL	2013	1	19	19	9.386

Site ID	Year	Month	Day	Hour	Temp (C)
MUDSL	2013	1	19	18	9.485
MUDSL	2013	1	19	17	9.583
MUDSL	2013	1	19	16	9.608
MUDSL	2013	1	19	15	9.435
MUDSL	2013	1	19	14	9.064
MUDSL	2013	1	19	13	8.618
MUDSL	2013	1	19	12	8.12
MUDSL	2013	1	19	11	7.695
MUDSL	2013	1	19	10	7.343
MUDSL	2013	1	19	9	7.242
MUDSL	2013	1	19	8	7.293
MUDSL	2013	1	19	7	7.444
MUDSL	2013	1	19	6	7.594
MUDSL	2013	1	19	5	7.72
MUDSL	2013	1	19	4	7.845
MUDSL	2013	1	19	3	7.945
MUDSL	2013	1	19	2	8.07
MUDSL	2013	1	19	1	8.195
MUDSL	2013	1	19	0	8.319
MUDSL	2013	1	18	23	8.444
MUDSL	2013	1	18	22	8.543
MUDSL	2013	1	18	21	8.693
MUDSL	2013	1	18	20	8.792
MUDSL	2013	1	18	19	8.916
MUDSL	2013	1	18	18	9.04
MUDSL	2013	1	18	17	9.089
MUDSL	2013	1	18	16	9.04
MUDSL	2013	1	18	15	8.817
MUDSL	2013	1	18	14	8.494
MUDSL	2013	1	18	13	8.07
MUDSL	2013	1	18	12	7.619
MUDSL	2013	1	18	11	7.242
MUDSL	2013	1	18	10	6.965
MUDSL	2013	1	18	9	6.889
MUDSL	2013	1	18	8	6.94
MUDSL	2013	1	18	7	7.066
MUDSL	2013	1	18	6	7.217
MUDSL	2013	1	18	5	7.343
MUDSL	2013	1	18	4	7.444
MUDSL	2013	1	18	3	7.544
MUDSL	2013	1	18	2	7.645
MUDSL	2013	1	18	1	7.745
MUDSL	2013	1	18	0	7.845
MUDSL	2013	1	17	23	7.945

Site ID	Year	Month	Day	Hour	Temp (C)
MUDSL	2013	1	17	22	8.045
MUDSL	2013	1	17	21	8.17
MUDSL	2013	1	17	20	8.245
MUDSL	2013	1	17	19	8.344
MUDSL	2013	1	17	18	8.419
MUDSL	2013	1	17	17	8.469
MUDSL	2013	1	17	16	8.444
MUDSL	2013	1	17	15	8.22
MUDSL	2013	1	17	14	7.895
MUDSL	2013	1	17	13	7.469
MUDSL	2013	1	17	12	7.041
MUDSL	2013	1	17	11	6.636
MUDSL	2013	1	17	10	6.357
MUDSL	2013	1	17	9	6.281
MUDSL	2013	1	17	8	6.331
MUDSL	2013	1	17	7	6.458
MUDSL	2013	1	17	6	6.585
MUDSL	2013	1	17	5	6.687
MUDSL	2013	1	17	4	6.813
MUDSL	2013	1	17	3	6.914
MUDSL	2013	1	17	2	7.041
MUDSL	2013	1	17	1	7.142
MUDSL	2013	1	17	0	7.242
MUDSL	2013	1	16	23	7.318
MUDSL	2013	1	16	22	7.419
MUDSL	2013	1	16	21	7.519
MUDSL	2013	1	16	20	7.619
MUDSL	2013	1	16	19	7.695
MUDSL	2013	1	16	18	7.795
MUDSL	2013	1	16	17	7.845
MUDSL	2013	1	16	16	7.845
MUDSL	2013	1	16	15	7.645
MUDSL	2013	1	16	14	7.368
MUDSL	2013	1	16	13	6.99
MUDSL	2013	1	16	12	6.535
MUDSL	2013	1	16	11	6.128
MUDSL	2013	1	16	10	5.821
MUDSL	2013	1	16	9	5.719
MUDSL	2013	1	16	8	5.719
MUDSL	2013	1	16	7	5.847
MUDSL	2013	1	16	6	5.924
MUDSL	2013	1	16	5	6.077
MUDSL	2013	1	16	4	6.179
MUDSL	2013	1	16	3	6.23

Site ID	Year	Month	Day	Hour	Temp (C)
MUDSL	2013	1	16	2	6.382
MUDSL	2013	1	16	1	6.484
MUDSL	2013	1	16	0	6.585
MUDSL	2013	1	15	23	6.712
MUDSL	2013	1	15	22	6.788
MUDSL	2013	1	15	21	6.914
MUDSL	2013	1	15	20	7.041
MUDSL	2013	1	15	19	7.116
MUDSL	2013	1	15	18	7.217
MUDSL	2013	1	15	17	7.293
MUDSL	2013	1	15	16	7.293
MUDSL	2013	1	15	15	7.116
MUDSL	2013	1	15	14	6.813
MUDSL	2013	1	15	13	6.458
MUDSL	2013	1	15	12	6.128
MUDSL	2013	1	15	11	5.821
MUDSL	2013	1	15	10	5.565
MUDSL	2013	1	15	9	5.462
MUDSL	2013	1	15	8	5.488
MUDSL	2013	1	15	7	5.616
MUDSL	2013	1	15	6	5.745
MUDSL	2013	1	15	5	5.821
MUDSL	2013	1	15	4	5.924
MUDSL	2013	1	15	3	6.026
MUDSL	2013	1	15	2	6.051
MUDSL	2013	1	15	1	6.204
MUDSL	2013	1	15	0	6.306
MUDSL	2013	1	14	23	6.382
MUDSL	2013	1	14	22	6.484
MUDSL	2013	1	14	21	6.56
MUDSL	2013	1	14	20	6.661
MUDSL	2013	1	14	19	6.763
MUDSL	2013	1	14	18	6.889
MUDSL	2013	1	14	17	6.94
MUDSL	2013	1	14	16	6.965
MUDSL	2013	1	14	15	6.864
MUDSL	2013	1	14	14	6.636
MUDSL	2013	1	14	13	6.281
MUDSL	2013	1	14	12	5.975
MUDSL	2013	1	14	11	5.642
MUDSL	2013	1	14	10	5.411
MUDSL	2013	1	14	9	5.308
MUDSL	2013	1	14	8	5.411
MUDSL	2013	1	14	7	5.514

Site ID	Year	Month	Day	Hour	Temp (C)
MUDSL	2013	1	14	6	5.668
MUDSL	2013	1	14	5	5.796
MUDSL	2013	1	14	4	5.924
MUDSL	2013	1	14	3	6.026
MUDSL	2013	1	14	2	6.153
MUDSL	2013	1	14	1	6.281
MUDSL	2013	1	14	0	6.433
MUDSL	2013	1	13	23	6.585
MUDSL	2013	1	13	22	6.737
MUDSL	2013	1	13	21	6.94
MUDSL	2013	1	13	20	7.041
MUDSL	2013	1	13	19	7.192
MUDSL	2013	1	13	18	7.368
MUDSL	2013	1	13	17	7.519
MUDSL	2013	1	13	16	7.594
MUDSL	2013	1	13	15	7.544
MUDSL	2013	1	13	14	7.343
MUDSL	2013	1	13	13	7.091
MUDSL	2013	1	13	12	6.788
MUDSL	2013	1	13	11	6.484
MUDSL	2013	1	13	10	6.23
MUDSL	2013	1	13	9	6.153
MUDSL	2013	1	13	8	6.204
MUDSL	2013	1	13	7	6.382
MUDSL	2013	1	13	6	6.535
MUDSL	2013	1	13	5	6.636
MUDSL	2013	1	13	4	6.763
MUDSL	2013	1	13	3	6.889
MUDSL	2013	1	13	2	7.041
MUDSL	2013	1	13	1	7.167
MUDSL	2013	1	13	0	7.318
MUDSL	2013	1	12	23	7.469
MUDSL	2013	1	12	22	7.619
MUDSL	2013	1	12	21	7.77
MUDSL	2013	1	12	20	7.92
MUDSL	2013	1	12	19	7.995
MUDSL	2013	1	12	18	8.12
MUDSL	2013	1	12	17	8.245
MUDSL	2013	1	12	16	8.295
MUDSL	2013	1	12	15	8.245
MUDSL	2013	1	12	14	8.045
MUDSL	2013	1	12	13	7.745
MUDSL	2013	1	12	12	7.419
MUDSL	2013	1	12	11	7.066

Site ID	Year	Month	Day	Hour	Temp (C)
MUDSL	2013	1	12	10	6.839
MUDSL	2013	1	12	9	6.712
MUDSL	2013	1	12	8	6.763
MUDSL	2013	1	12	7	6.914
MUDSL	2013	1	12	6	7.041
MUDSL	2013	1	12	5	7.192
MUDSL	2013	1	12	4	7.318
MUDSL	2013	1	12	3	7.444
MUDSL	2013	1	12	2	7.569
MUDSL	2013	1	12	1	7.67
MUDSL	2013	1	12	0	7.795
MUDSL	2013	1	11	23	7.92
MUDSL	2013	1	11	22	8.045
MUDSL	2013	1	11	21	8.17
MUDSL	2013	1	11	20	8.295
MUDSL	2013	1	11	19	8.394
MUDSL	2013	1	11	18	8.543
MUDSL	2013	1	11	17	8.668
MUDSL	2013	1	11	16	8.717
MUDSL	2013	1	11	15	8.643
MUDSL	2013	1	11	14	8.419
MUDSL	2013	1	11	13	8.145
MUDSL	2013	1	11	12	7.795
MUDSL	2013	1	11	11	7.444
MUDSL	2013	1	11	10	7.217
MUDSL	2013	1	11	9	7.142
MUDSL	2013	1	11	8	7.217
MUDSL	2013	1	11	7	7.393
MUDSL	2013	1	11	6	7.544
MUDSL	2013	1	11	5	7.645
MUDSL	2013	1	11	4	7.745
MUDSL	2013	1	11	3	7.895
MUDSL	2013	1	11	2	7.995
MUDSL	2013	1	11	1	8.145
MUDSL	2013	1	11	0	8.295
MUDSL	2013	1	10	23	8.419
MUDSL	2013	1	10	22	8.568
MUDSL	2013	1	10	21	8.693
MUDSL	2013	1	10	20	8.792
MUDSL	2013	1	10	19	8.941
MUDSL	2013	1	10	18	9.089
MUDSL	2013	1	10	17	9.238
MUDSL	2013	1	10	16	9.361
MUDSL	2013	1	10	15	9.361

Site ID	Year	Month	Day	Hour	Temp (C)
MUDSL	2013	1	10	14	9.188
MUDSL	2013	1	10	13	8.891
MUDSL	2013	1	10	12	8.568
MUDSL	2013	1	10	11	8.245
MUDSL	2013	1	10	10	7.995
MUDSL	2013	1	10	9	7.87
MUDSL	2013	1	10	8	7.92
MUDSL	2013	1	10	7	8.045
MUDSL	2013	1	10	6	8.195
MUDSL	2013	1	10	5	8.344
MUDSL	2013	1	10	4	8.444
MUDSL	2013	1	10	3	8.568
MUDSL	2013	1	10	2	8.693
MUDSL	2013	1	10	1	8.841
MUDSL	2013	1	10	0	8.965
MUDSL	2013	1	9	23	9.064
MUDSL	2013	1	9	22	9.139
MUDSL	2013	1	9	21	9.163
MUDSL	2013	1	9	20	9.213
MUDSL	2013	1	9	19	9.238
MUDSL	2013	1	9	18	9.262
MUDSL	2013	1	9	17	9.287
MUDSL	2013	1	9	16	9.312
MUDSL	2013	1	9	15	9.262
MUDSL	2013	1	9	14	9.163
MUDSL	2013	1	9	13	9.015
MUDSL	2013	1	9	12	8.841
MUDSL	2013	1	9	11	8.643
MUDSL	2013	1	9	10	8.519
MUDSL	2013	1	9	9	8.444
MUDSL	2013	1	9	8	8.444
MUDSL	2013	1	9	7	8.494
MUDSL	2013	1	9	6	8.568
MUDSL	2013	1	9	5	8.593
MUDSL	2013	1	9	4	8.668
MUDSL	2013	1	9	3	8.717
MUDSL	2013	1	9	2	8.792
MUDSL	2013	1	9	1	8.866
MUDSL	2013	1	9	0	8.965
MUDSL	2013	1	8	23	9.04
MUDSL	2013	1	8	22	9.139
MUDSL	2013	1	8	21	9.238
MUDSL	2013	1	8	20	9.336
MUDSL	2013	1	8	19	9.41

Site ID	Year	Month	Day	Hour	Temp (C)
MUDSL	2013	1	8	18	9.509
MUDSL	2013	1	8	17	9.608
MUDSL	2013	1	8	16	9.632
MUDSL	2013	1	8	15	9.509
MUDSL	2013	1	8	14	9.262
MUDSL	2013	1	8	13	8.941
MUDSL	2013	1	8	12	8.543
MUDSL	2013	1	8	11	8.22
MUDSL	2013	1	8	10	7.995
MUDSL	2013	1	8	9	7.945
MUDSL	2013	1	8	8	7.945
MUDSL	2013	1	8	7	8.045
MUDSL	2013	1	8	6	8.145
MUDSL	2013	1	8	5	8.245
MUDSL	2013	1	8	4	8.319
MUDSL	2013	1	8	3	8.394
MUDSL	2013	1	8	2	8.469
MUDSL	2013	1	8	1	8.568
MUDSL	2013	1	8	0	8.668
MUDSL	2013	1	7	23	8.742
MUDSL	2013	1	7	22	8.841
MUDSL	2013	1	7	21	8.916
MUDSL	2013	1	7	20	9.04
MUDSL	2013	1	7	19	9.114
MUDSL	2013	1	7	18	9.188
MUDSL	2013	1	7	17	9.262
MUDSL	2013	1	7	16	9.287
MUDSL	2013	1	7	15	9.213
MUDSL	2013	1	7	14	8.965
MUDSL	2013	1	7	13	8.668
MUDSL	2013	1	7	12	8.295
MUDSL	2013	1	7	11	7.995
MUDSL	2013	1	7	10	7.82
MUDSL	2013	1	7	9	7.745
MUDSL	2013	1	7	8	7.745
MUDSL	2013	1	7	7	7.82
MUDSL	2013	1	7	6	7.945
MUDSL	2013	1	7	5	8.07
MUDSL	2013	1	7	4	8.195
MUDSL	2013	1	7	3	8.344
MUDSL	2013	1	7	2	8.469
MUDSL	2013	1	7	1	8.593
MUDSL	2013	1	7	0	8.717
MUDSL	2013	1	6	23	8.817

Site ID	Year	Month	Day	Hour	Temp (C)
MUDSL	2013	1	6	22	8.916
MUDSL	2013	1	6	21	9.015
MUDSL	2013	1	6	20	9.139
MUDSL	2013	1	6	19	9.238
MUDSL	2013	1	6	18	9.336
MUDSL	2013	1	6	17	9.41
MUDSL	2013	1	6	16	9.41
MUDSL	2013	1	6	15	9.386
MUDSL	2013	1	6	14	9.336
MUDSL	2013	1	6	13	9.312
MUDSL	2013	1	6	12	9.213
MUDSL	2013	1	6	11	9.139
MUDSL	2013	1	6	10	9.089
MUDSL	2013	1	6	9	9.04
MUDSL	2013	1	6	8	9.064
MUDSL	2013	1	6	7	9.089
MUDSL	2013	1	6	6	9.089
MUDSL	2013	1	6	5	9.089
MUDSL	2013	1	6	4	9.089
MUDSL	2013	1	6	3	9.064
MUDSL	2013	1	6	2	9.04
MUDSL	2013	1	6	1	9.015
MUDSL	2013	1	6	0	8.99
MUDSL	2013	1	5	23	8.941
MUDSL	2013	1	5	22	8.941
MUDSL	2013	1	5	21	8.941
MUDSL	2013	1	5	20	8.916
MUDSL	2013	1	5	19	8.891
MUDSL	2013	1	5	18	8.891
MUDSL	2013	1	5	17	8.866
MUDSL	2013	1	5	16	8.841
MUDSL	2013	1	5	15	8.792
MUDSL	2013	1	5	14	8.618
MUDSL	2013	1	5	13	8.27
MUDSL	2013	1	5	12	7.97
MUDSL	2013	1	5	11	7.645
MUDSL	2013	1	5	10	7.419
MUDSL	2013	1	5	9	7.368
MUDSL	2013	1	5	8	7.368
MUDSL	2013	1	5	7	7.444
MUDSL	2013	1	5	6	7.569
MUDSL	2013	1	5	5	7.695
MUDSL	2013	1	5	4	7.795
MUDSL	2013	1	5	3	7.845

Site ID	Year	Month	Day	Hour	Temp (C)
MUDSL	2013	1	5	2	7.92
MUDSL	2013	1	5	1	7.995
MUDSL	2013	1	5	0	8.045
MUDSL	2013	1	4	23	8.145
MUDSL	2013	1	4	22	8.22
MUDSL	2013	1	4	21	8.319
MUDSL	2013	1	4	20	8.394
MUDSL	2013	1	4	19	8.494
MUDSL	2013	1	4	18	8.568
MUDSL	2013	1	4	17	8.643
MUDSL	2013	1	4	16	8.643
MUDSL	2013	1	4	15	8.543
MUDSL	2013	1	4	14	8.295
MUDSL	2013	1	4	13	7.92
MUDSL	2013	1	4	12	7.519
MUDSL	2013	1	4	11	7.142
MUDSL	2013	1	4	10	6.914
MUDSL	2013	1	4	9	6.839
MUDSL	2013	1	4	8	6.889
MUDSL	2013	1	4	7	7.015
MUDSL	2013	1	4	6	7.116
MUDSL	2013	1	4	5	7.242
MUDSL	2013	1	4	4	7.343
MUDSL	2013	1	4	3	7.444
MUDSL	2013	1	4	2	7.519
MUDSL	2013	1	4	1	7.619
MUDSL	2013	1	4	0	7.695
MUDSL	2013	1	3	23	7.795
MUDSL	2013	1	3	22	7.87
MUDSL	2013	1	3	21	7.995
MUDSL	2013	1	3	20	8.095
MUDSL	2013	1	3	19	8.195
MUDSL	2013	1	3	18	8.295
MUDSL	2013	1	3	17	8.344
MUDSL	2013	1	3	16	8.394
MUDSL	2013	1	3	15	8.27
MUDSL	2013	1	3	14	8.045
MUDSL	2013	1	3	13	7.67
MUDSL	2013	1	3	12	7.293
MUDSL	2013	1	3	11	6.94
MUDSL	2013	1	3	10	6.661
MUDSL	2013	1	3	9	6.585
MUDSL	2013	1	3	8	6.636
MUDSL	2013	1	3	7	6.737

Site ID	Year	Month	Day	Hour	Temp (C)
MUDSL	2013	1	3	6	6.864
MUDSL	2013	1	3	5	6.99
MUDSL	2013	1	3	4	7.091
MUDSL	2013	1	3	3	7.192
MUDSL	2013	1	3	2	7.268
MUDSL	2013	1	3	1	7.368
MUDSL	2013	1	3	0	7.494
MUDSL	2013	1	2	23	7.594
MUDSL	2013	1	2	22	7.72
MUDSL	2013	1	2	21	7.845
MUDSL	2013	1	2	20	7.995
MUDSL	2013	1	2	19	8.095
MUDSL	2013	1	2	18	8.22
MUDSL	2013	1	2	17	8.295
MUDSL	2013	1	2	16	8.344
MUDSL	2013	1	2	15	8.245
MUDSL	2013	1	2	14	7.995
MUDSL	2013	1	2	13	7.67
MUDSL	2013	1	2	12	7.293
MUDSL	2013	1	2	11	6.94
MUDSL	2013	1	2	10	6.687
MUDSL	2013	1	2	9	6.585
MUDSL	2013	1	2	8	6.661
MUDSL	2013	1	2	7	6.788
MUDSL	2013	1	2	6	6.94
MUDSL	2013	1	2	5	7.066
MUDSL	2013	1	2	4	7.192
MUDSL	2013	1	2	3	7.293
MUDSL	2013	1	2	2	7.419
MUDSL	2013	1	2	1	7.544
MUDSL	2013	1	2	0	7.645
MUDSL	2013	1	1	23	7.77
MUDSL	2013	1	1	22	7.895
MUDSL	2013	1	1	21	8.045
MUDSL	2013	1	1	20	8.145
MUDSL	2013	1	1	19	8.27
MUDSL	2013	1	1	18	8.394
MUDSL	2013	1	1	17	8.519
MUDSL	2013	1	1	16	8.543
MUDSL	2013	1	1	15	8.469
MUDSL	2013	1	1	14	8.27
MUDSL	2013	1	1	13	7.995
MUDSL	2013	1	1	12	7.645
MUDSL	2013	1	1	11	7.343

Site ID	Year	Month	Day	Hour	Temp (C)
MUDSL	2013	1	1	10	7.142
MUDSL	2013	1	1	9	7.091
MUDSL	2013	1	1	8	7.116
MUDSL	2013	1	1	7	7.167
MUDSL	2013	1	1	6	7.242
MUDSL	2013	1	1	5	7.293
MUDSL	2013	1	1	4	7.393
MUDSL	2013	1	1	3	7.494
MUDSL	2013	1	1	2	7.594
MUDSL	2013	1	1	1	7.72
MUDSL	2013	1	1	0	7.845
MUDSL	2012	12	31	23	7.945
MUDSL	2012	12	31	22	8.045
MUDSL	2012	12	31	21	8.12
MUDSL	2012	12	31	20	8.195
MUDSL	2012	12	31	19	8.319
MUDSL	2012	12	31	18	8.444
MUDSL	2012	12	31	17	8.543
MUDSL	2012	12	31	16	8.593
MUDSL	2012	12	31	15	8.543
MUDSL	2012	12	31	14	8.344
MUDSL	2012	12	31	13	8.07
MUDSL	2012	12	31	12	7.745
MUDSL	2012	12	31	11	7.469
MUDSL	2012	12	31	10	7.242
MUDSL	2012	12	31	9	7.167
MUDSL	2012	12	31	8	7.192
MUDSL	2012	12	31	7	7.293
MUDSL	2012	12	31	6	7.393
MUDSL	2012	12	31	5	7.494
MUDSL	2012	12	31	4	7.594
MUDSL	2012	12	31	3	7.695
MUDSL	2012	12	31	2	7.82
MUDSL	2012	12	31	1	7.97
MUDSL	2012	12	31	0	8.095
MUDSL	2012	12	30	23	8.245
MUDSL	2012	12	30	22	8.419
MUDSL	2012	12	30	21	8.543
MUDSL	2012	12	30	20	8.693
MUDSL	2012	12	30	19	8.841
MUDSL	2012	12	30	18	8.965
MUDSL	2012	12	30	17	9.064
MUDSL	2012	12	30	16	9.139
MUDSL	2012	12	30	15	9.064

Site ID	Year	Month	Day	Hour	Temp (C)
MUDSL	2012	12	30	14	8.891
MUDSL	2012	12	30	13	8.593
MUDSL	2012	12	30	12	8.295
MUDSL	2012	12	30	11	7.995
MUDSL	2012	12	30	10	7.795
MUDSL	2012	12	30	9	7.695
MUDSL	2012	12	30	8	7.745
MUDSL	2012	12	30	7	7.82
MUDSL	2012	12	30	6	7.92
MUDSL	2012	12	30	5	8.02
MUDSL	2012	12	30	4	8.095
MUDSL	2012	12	30	3	8.245
MUDSL	2012	12	30	2	8.344
MUDSL	2012	12	30	1	8.469
MUDSL	2012	12	30	0	8.568
MUDSL	2012	12	29	23	8.643
MUDSL	2012	12	29	22	8.742
MUDSL	2012	12	29	21	8.841
MUDSL	2012	12	29	20	8.965
MUDSL	2012	12	29	19	9.04
MUDSL	2012	12	29	18	9.139
MUDSL	2012	12	29	17	9.213
MUDSL	2012	12	29	16	9.213
MUDSL	2012	12	29	15	9.139
MUDSL	2012	12	29	14	9.04
MUDSL	2012	12	29	13	8.891
MUDSL	2012	12	29	12	8.792
MUDSL	2012	12	29	11	8.643
MUDSL	2012	12	29	10	8.543
MUDSL	2012	12	29	9	8.543
MUDSL	2012	12	29	8	8.568
MUDSL	2012	12	29	7	8.618
MUDSL	2012	12	29	6	8.643
MUDSL	2012	12	29	5	8.693
MUDSL	2012	12	29	4	8.742
MUDSL	2012	12	29	3	8.767
MUDSL	2012	12	29	2	8.817
MUDSL	2012	12	29	1	8.841
MUDSL	2012	12	29	0	8.891
MUDSL	2012	12	28	23	8.916
MUDSL	2012	12	28	22	8.941
MUDSL	2012	12	28	21	8.965
MUDSL	2012	12	28	20	8.99
MUDSL	2012	12	28	19	9.015

Site ID	Year	Month	Day	Hour	Temp (C)
MUDSL	2012	12	28	18	9.04
MUDSL	2012	12	28	17	9.064
MUDSL	2012	12	28	16	9.064
MUDSL	2012	12	28	15	9.04
MUDSL	2012	12	28	14	8.99
MUDSL	2012	12	28	13	8.916
MUDSL	2012	12	28	12	8.866
MUDSL	2012	12	28	11	8.767
MUDSL	2012	12	28	10	8.668
MUDSL	2012	12	28	9	8.643
MUDSL	2012	12	28	8	8.717
MUDSL	2012	12	28	7	8.817
MUDSL	2012	12	28	6	8.891
MUDSL	2012	12	28	5	9.015
MUDSL	2012	12	28	4	9.114
MUDSL	2012	12	28	3	9.238
MUDSL	2012	12	28	2	9.361
MUDSL	2012	12	28	1	9.485
MUDSL	2012	12	28	0	9.632
MUDSL	2012	12	27	23	9.78
MUDSL	2012	12	27	22	9.928
MUDSL	2012	12	27	21	10.026
MUDSL	2012	12	27	20	10.173
MUDSL	2012	12	27	19	10.296
MUDSL	2012	12	27	18	10.418
MUDSL	2012	12	27	17	10.565
MUDSL	2012	12	27	16	10.614
MUDSL	2012	12	27	15	10.541
MUDSL	2012	12	27	14	10.369
MUDSL	2012	12	27	13	10.149
MUDSL	2012	12	27	12	9.854
MUDSL	2012	12	27	11	9.583
MUDSL	2012	12	27	10	9.386
MUDSL	2012	12	27	9	9.336
MUDSL	2012	12	27	8	9.361
MUDSL	2012	12	27	7	9.435
MUDSL	2012	12	27	6	9.509
MUDSL	2012	12	27	5	9.558
MUDSL	2012	12	27	4	9.657
MUDSL	2012	12	27	3	9.731
MUDSL	2012	12	27	2	9.78
MUDSL	2012	12	27	1	9.829
MUDSL	2012	12	27	0	9.879
MUDSL	2012	12	26	23	9.977

Site ID	Year	Month	Day	Hour	Temp (C)
MUDSL	2012	12	26	22	10.026
MUDSL	2012	12	26	21	10.1
MUDSL	2012	12	26	20	10.173
MUDSL	2012	12	26	19	10.222
MUDSL	2012	12	26	18	10.271
MUDSL	2012	12	26	17	10.271
MUDSL	2012	12	26	16	10.222
MUDSL	2012	12	26	15	10.1
MUDSL	2012	12	26	14	9.928
MUDSL	2012	12	26	13	9.657
MUDSL	2012	12	26	12	9.336
MUDSL	2012	12	26	11	9.089
MUDSL	2012	12	26	10	8.866
MUDSL	2012	12	26	9	8.767
MUDSL	2012	12	26	8	8.742
MUDSL	2012	12	26	7	8.792
MUDSL	2012	12	26	6	8.841
MUDSL	2012	12	26	5	8.891
MUDSL	2012	12	26	4	8.941
MUDSL	2012	12	26	3	8.965
MUDSL	2012	12	26	2	9.015
MUDSL	2012	12	26	1	9.04
MUDSL	2012	12	26	0	9.064
MUDSL	2012	12	25	23	9.064
MUDSL	2012	12	25	22	9.089
MUDSL	2012	12	25	21	9.139
MUDSL	2012	12	25	20	9.163
MUDSL	2012	12	25	19	9.213
MUDSL	2012	12	25	18	9.262
MUDSL	2012	12	25	17	9.312
MUDSL	2012	12	25	16	9.336
MUDSL	2012	12	25	15	9.336
MUDSL	2012	12	25	14	9.287
MUDSL	2012	12	25	13	9.336
MUDSL	2012	12	25	12	9.312
MUDSL	2012	12	25	11	9.262
MUDSL	2012	12	25	10	9.188
MUDSL	2012	12	25	9	9.163
MUDSL	2012	12	25	8	9.188
MUDSL	2012	12	25	7	9.213
MUDSL	2012	12	25	6	9.238
MUDSL	2012	12	25	5	9.287
MUDSL	2012	12	25	4	9.386
MUDSL	2012	12	25	3	9.46

Site ID	Year	Month	Day	Hour	Temp (C)
MUDSL	2012	12	25	2	9.583
MUDSL	2012	12	25	1	9.682
MUDSL	2012	12	25	0	9.756
MUDSL	2012	12	24	23	9.879
MUDSL	2012	12	24	22	9.977
MUDSL	2012	12	24	21	10.1
MUDSL	2012	12	24	20	10.247
MUDSL	2012	12	24	19	10.418
MUDSL	2012	12	24	18	10.565
MUDSL	2012	12	24	17	10.736
MUDSL	2012	12	24	16	10.834
MUDSL	2012	12	24	15	10.81
MUDSL	2012	12	24	14	10.614
MUDSL	2012	12	24	13	10.32
MUDSL	2012	12	24	12	9.977
MUDSL	2012	12	24	11	9.632
MUDSL	2012	12	24	10	9.361
MUDSL	2012	12	24	9	9.238
MUDSL	2012	12	24	8	9.287
MUDSL	2012	12	24	7	9.41
MUDSL	2012	12	24	6	9.485
MUDSL	2012	12	24	5	9.534
MUDSL	2012	12	24	4	9.583
MUDSL	2012	12	24	3	9.632
MUDSL	2012	12	24	2	9.632
MUDSL	2012	12	24	1	9.632
MUDSL	2012	12	24	0	9.632
MUDSL	2012	12	23	23	9.632
MUDSL	2012	12	23	22	9.583
MUDSL	2012	12	23	21	9.583
MUDSL	2012	12	23	20	9.558
MUDSL	2012	12	23	19	9.558
MUDSL	2012	12	23	18	9.558
MUDSL	2012	12	23	17	9.558
MUDSL	2012	12	23	16	9.558
MUDSL	2012	12	23	15	9.534
MUDSL	2012	12	23	14	9.46
MUDSL	2012	12	23	13	9.336
MUDSL	2012	12	23	12	9.139
MUDSL	2012	12	23	11	9.015
MUDSL	2012	12	23	10	8.841
MUDSL	2012	12	23	9	8.817
MUDSL	2012	12	23	8	8.792
MUDSL	2012	12	23	7	8.817

Site ID	Year	Month	Day	Hour	Temp (C)
MUDSL	2012	12	23	6	8.841
MUDSL	2012	12	23	5	8.866
MUDSL	2012	12	23	4	8.866
MUDSL	2012	12	23	3	8.841
MUDSL	2012	12	23	2	8.841
MUDSL	2012	12	23	1	8.866
MUDSL	2012	12	23	0	8.891
MUDSL	2012	12	22	23	8.941
MUDSL	2012	12	22	22	8.99
MUDSL	2012	12	22	21	9.015
MUDSL	2012	12	22	20	9.089
MUDSL	2012	12	22	19	9.139
MUDSL	2012	12	22	18	9.188
MUDSL	2012	12	22	17	9.188
MUDSL	2012	12	22	16	9.163
MUDSL	2012	12	22	15	9.04
MUDSL	2012	12	22	14	8.792
MUDSL	2012	12	22	13	8.618
MUDSL	2012	12	22	12	8.519
MUDSL	2012	12	22	11	8.444
MUDSL	2012	12	22	10	8.394
MUDSL	2012	12	22	9	8.344
MUDSL	2012	12	22	8	8.319
MUDSL	2012	12	22	7	8.295
MUDSL	2012	12	22	6	8.295
MUDSL	2012	12	22	5	8.295
MUDSL	2012	12	22	4	8.27
MUDSL	2012	12	22	3	8.27
MUDSL	2012	12	22	2	8.245
MUDSL	2012	12	22	1	8.22
MUDSL	2012	12	22	0	8.17
MUDSL	2012	12	21	23	8.145
MUDSL	2012	12	21	22	8.17
MUDSL	2012	12	21	21	8.195
MUDSL	2012	12	21	20	8.195
MUDSL	2012	12	21	19	8.145
MUDSL	2012	12	21	18	8.12
MUDSL	2012	12	21	17	8.07
MUDSL	2012	12	21	16	8.045
MUDSL	2012	12	21	15	7.895
MUDSL	2012	12	21	14	7.645
MUDSL	2012	12	21	13	7.343
MUDSL	2012	12	21	12	7.242
MUDSL	2012	12	21	11	7.116

Site ID	Year	Month	Day	Hour	Temp (C)
MUDSL	2012	12	21	10	6.99
MUDSL	2012	12	21	9	6.94
MUDSL	2012	12	21	8	6.99
MUDSL	2012	12	21	7	7.091
MUDSL	2012	12	21	6	7.192
MUDSL	2012	12	21	5	7.318
MUDSL	2012	12	21	4	7.419
MUDSL	2012	12	21	3	7.544
MUDSL	2012	12	21	2	7.645
MUDSL	2012	12	21	1	7.745
MUDSL	2012	12	21	0	7.845
MUDSL	2012	12	20	23	7.945
MUDSL	2012	12	20	22	8.095
MUDSL	2012	12	20	21	8.195
MUDSL	2012	12	20	20	8.344
MUDSL	2012	12	20	19	8.469
MUDSL	2012	12	20	18	8.568
MUDSL	2012	12	20	17	8.693
MUDSL	2012	12	20	16	8.792
MUDSL	2012	12	20	15	8.742
MUDSL	2012	12	20	14	8.568
MUDSL	2012	12	20	13	8.319
MUDSL	2012	12	20	12	8.841
MUDSL	2012	12	20	11	8.742
MUDSL	2012	12	20	10	8.742
MUDSL	2012	12	20	9	8.792
MUDSL	2012	12	20	8	8.891
MUDSL	2012	12	20	7	8.99
MUDSL	2012	12	20	6	9.114
MUDSL	2012	12	20	5	9.213
MUDSL	2012	12	20	4	9.336
MUDSL	2012	12	20	3	9.435
MUDSL	2012	12	20	2	9.534
MUDSL	2012	12	20	1	9.632
MUDSL	2012	12	20	0	9.731
MUDSL	2012	12	19	23	9.829
MUDSL	2012	12	19	22	9.928
MUDSL	2012	12	19	21	10.001
MUDSL	2012	12	19	20	10.1
MUDSL	2012	12	19	19	10.173
MUDSL	2012	12	19	18	10.222
MUDSL	2012	12	19	17	10.247
MUDSL	2012	12	19	16	10.222
MUDSL	2012	12	19	15	10.124

Site ID	Year	Month	Day	Hour	Temp (C)
MUDSL	2012	12	19	14	10.026
MUDSL	2012	12	19	13	9.879
MUDSL	2012	12	19	12	9.756
MUDSL	2012	12	19	11	9.682
MUDSL	2012	12	19	10	9.682
MUDSL	2012	12	19	9	9.731
MUDSL	2012	12	19	8	9.854
MUDSL	2012	12	19	7	9.952
MUDSL	2012	12	19	6	10.075
MUDSL	2012	12	19	5	10.198
MUDSL	2012	12	19	4	10.32
MUDSL	2012	12	19	3	10.418
MUDSL	2012	12	19	2	10.516
MUDSL	2012	12	19	1	10.663
MUDSL	2012	12	19	0	10.761
MUDSL	2012	12	18	23	10.858
MUDSL	2012	12	18	22	10.98
MUDSL	2012	12	18	21	11.102
MUDSL	2012	12	18	20	11.2
MUDSL	2012	12	18	19	11.273
MUDSL	2012	12	18	18	11.346
MUDSL	2012	12	18	17	11.419
MUDSL	2012	12	18	16	11.419
MUDSL	2012	12	18	15	11.37
MUDSL	2012	12	18	14	11.273
MUDSL	2012	12	18	13	11.151
MUDSL	2012	12	18	12	11.053
MUDSL	2012	12	18	11	11.005
MUDSL	2012	12	18	10	11.005
MUDSL	2012	12	18	9	11.053
MUDSL	2012	12	18	8	11.127
MUDSL	2012	12	18	7	11.2
MUDSL	2012	12	18	6	11.248
MUDSL	2012	12	18	5	11.273
MUDSL	2012	12	18	4	11.297
MUDSL	2012	12	18	3	11.321
MUDSL	2012	12	18	2	11.37
MUDSL	2012	12	18	1	11.419
MUDSL	2012	12	18	0	11.443
MUDSL	2012	12	17	23	11.443
MUDSL	2012	12	17	22	11.419
MUDSL	2012	12	17	21	11.419
MUDSL	2012	12	17	20	11.394
MUDSL	2012	12	17	19	11.37

Site ID	Year	Month	Day	Hour	Temp (C)
MUDSL	2012	12	17	18	11.346
MUDSL	2012	12	17	17	11.297
MUDSL	2012	12	17	16	11.248
MUDSL	2012	12	17	15	11.175
MUDSL	2012	12	17	14	11.078
MUDSL	2012	12	17	13	10.932
MUDSL	2012	12	17	12	10.761
MUDSL	2012	12	17	11	10.638
MUDSL	2012	12	17	10	10.59
MUDSL	2012	12	17	9	10.565
MUDSL	2012	12	17	8	10.541
MUDSL	2012	12	17	7	10.541
MUDSL	2012	12	17	6	10.541
MUDSL	2012	12	17	5	10.541
MUDSL	2012	12	17	4	10.541
MUDSL	2012	12	17	3	10.541
MUDSL	2012	12	17	2	10.516
MUDSL	2012	12	17	1	10.516
MUDSL	2012	12	17	0	10.516
MUDSL	2012	12	16	23	10.492
MUDSL	2012	12	16	22	10.492
MUDSL	2012	12	16	21	10.467
MUDSL	2012	12	16	20	10.467
MUDSL	2012	12	16	19	10.443
MUDSL	2012	12	16	18	10.443
MUDSL	2012	12	16	17	10.418
MUDSL	2012	12	16	16	10.369
MUDSL	2012	12	16	15	10.296
MUDSL	2012	12	16	14	10.173
MUDSL	2012	12	16	13	10.051
MUDSL	2012	12	16	12	9.879
MUDSL	2012	12	16	11	9.756
MUDSL	2012	12	16	10	9.682
MUDSL	2012	12	16	9	9.706
MUDSL	2012	12	16	8	9.756
MUDSL	2012	12	16	7	9.829
MUDSL	2012	12	16	6	9.879
MUDSL	2012	12	16	5	9.928
MUDSL	2012	12	16	4	9.977
MUDSL	2012	12	16	3	10.026
MUDSL	2012	12	16	2	10.026
MUDSL	2012	12	16	1	10.026
MUDSL	2012	12	16	0	10.051
MUDSL	2012	12	15	23	10.075

Site ID	Year	Month	Day	Hour	Temp (C)
MUDSL	2012	12	15	22	10.1
MUDSL	2012	12	15	21	10.124
MUDSL	2012	12	15	20	10.173
MUDSL	2012	12	15	19	10.198
MUDSL	2012	12	15	18	10.222
MUDSL	2012	12	15	17	10.222
MUDSL	2012	12	15	16	10.222
MUDSL	2012	12	15	15	10.222
MUDSL	2012	12	15	14	10.198
MUDSL	2012	12	15	13	10.124
MUDSL	2012	12	15	12	10.051
MUDSL	2012	12	15	11	9.977
MUDSL	2012	12	15	10	9.928
MUDSL	2012	12	15	9	9.952
MUDSL	2012	12	15	8	10.026
MUDSL	2012	12	15	7	10.124
MUDSL	2012	12	15	6	10.222
MUDSL	2012	12	15	5	10.296
MUDSL	2012	12	15	4	10.369
MUDSL	2012	12	15	3	10.443
MUDSL	2012	12	15	2	10.516
MUDSL	2012	12	15	1	10.59
MUDSL	2012	12	15	0	10.663
MUDSL	2012	12	14	23	10.712
MUDSL	2012	12	14	22	10.736
MUDSL	2012	12	14	21	10.761
MUDSL	2012	12	14	20	10.785
MUDSL	2012	12	14	19	10.81
MUDSL	2012	12	14	18	10.81
MUDSL	2012	12	14	17	10.81
MUDSL	2012	12	14	16	10.785
MUDSL	2012	12	14	15	10.712
MUDSL	2012	12	14	14	10.614
MUDSL	2012	12	14	13	10.541
MUDSL	2012	12	14	12	10.467
MUDSL	2012	12	14	11	10.418
MUDSL	2012	12	14	10	10.418
MUDSL	2012	12	14	9	10.443
MUDSL	2012	12	14	8	10.516
MUDSL	2012	12	14	7	10.638
MUDSL	2012	12	14	6	10.736
MUDSL	2012	12	14	5	10.858
MUDSL	2012	12	14	4	10.956
MUDSL	2012	12	14	3	11.078

Site ID	Year	Month	Day	Hour	Temp (C)
MUDSL	2012	12	14	2	11.175
MUDSL	2012	12	14	1	11.273
MUDSL	2012	12	14	0	11.37
MUDSL	2012	12	13	23	11.467
MUDSL	2012	12	13	22	11.565
MUDSL	2012	12	13	21	11.637
MUDSL	2012	12	13	20	11.734
MUDSL	2012	12	13	19	11.807
MUDSL	2012	12	13	18	11.88
MUDSL	2012	12	13	17	11.904
MUDSL	2012	12	13	16	11.88
MUDSL	2012	12	13	15	11.807
MUDSL	2012	12	13	14	11.686
MUDSL	2012	12	13	13	11.565
MUDSL	2012	12	13	12	11.467
MUDSL	2012	12	13	11	11.419
MUDSL	2012	12	13	10	11.394
MUDSL	2012	12	13	9	11.394
MUDSL	2012	12	13	8	11.492
MUDSL	2012	12	13	7	11.589
MUDSL	2012	12	13	6	11.662
MUDSL	2012	12	13	5	11.734
MUDSL	2012	12	13	4	11.807
MUDSL	2012	12	13	3	11.88
MUDSL	2012	12	13	2	11.953
MUDSL	2012	12	13	1	12.025
MUDSL	2012	12	13	0	12.098
MUDSL	2012	12	12	23	12.171
MUDSL	2012	12	12	22	12.195
MUDSL	2012	12	12	21	12.243
MUDSL	2012	12	12	20	12.268
MUDSL	2012	12	12	19	12.292
MUDSL	2012	12	12	18	12.316
MUDSL	2012	12	12	17	12.316
MUDSL	2012	12	12	16	12.268
MUDSL	2012	12	12	15	12.171
MUDSL	2012	12	12	14	12.074
MUDSL	2012	12	12	13	11.977
MUDSL	2012	12	12	12	11.929
MUDSL	2012	12	12	11	11.904
MUDSL	2012	12	12	10	11.88
MUDSL	2012	12	12	9	11.88
MUDSL	2012	12	12	8	11.904
MUDSL	2012	12	12	7	11.904

Site ID	Year	Month	Day	Hour	Temp (C)
MUDSL	2012	12	12	6	11.929
MUDSL	2012	12	12	5	11.929
MUDSL	2012	12	12	4	11.977
MUDSL	2012	12	12	3	12.001
MUDSL	2012	12	12	2	12.025
MUDSL	2012	12	12	1	12.025
MUDSL	2012	12	12	0	12.074
MUDSL	2012	12	11	23	12.122
MUDSL	2012	12	11	22	12.195
MUDSL	2012	12	11	21	12.219
MUDSL	2012	12	11	20	12.243
MUDSL	2012	12	11	19	12.268
MUDSL	2012	12	11	18	12.268
MUDSL	2012	12	11	17	12.243
MUDSL	2012	12	11	16	12.195
MUDSL	2012	12	11	15	12.098
MUDSL	2012	12	11	14	11.977
MUDSL	2012	12	11	13	11.807
MUDSL	2012	12	11	12	11.686
MUDSL	2012	12	11	11	11.637
MUDSL	2012	12	11	10	11.613
MUDSL	2012	12	11	9	11.637
MUDSL	2012	12	11	8	11.686
MUDSL	2012	12	11	7	11.734
MUDSL	2012	12	11	6	11.807
MUDSL	2012	12	11	5	11.88
MUDSL	2012	12	11	4	11.929
MUDSL	2012	12	11	3	11.977
MUDSL	2012	12	11	2	12.025
MUDSL	2012	12	11	1	12.074
MUDSL	2012	12	11	0	12.147
MUDSL	2012	12	10	23	12.219
MUDSL	2012	12	10	22	12.292
MUDSL	2012	12	10	21	12.364
MUDSL	2012	12	10	20	12.461
MUDSL	2012	12	10	19	12.509
MUDSL	2012	12	10	18	12.509
MUDSL	2012	12	10	17	12.509
MUDSL	2012	12	10	16	12.461
MUDSL	2012	12	10	15	12.34
MUDSL	2012	12	10	14	12.171
MUDSL	2012	12	10	13	12.001
MUDSL	2012	12	10	12	11.807
MUDSL	2012	12	10	11	11.686

Site ID	Year	Month	Day	Hour	Temp (C)
MUDSL	2012	12	10	10	11.637
MUDSL	2012	12	10	9	11.637
MUDSL	2012	12	10	8	11.71
MUDSL	2012	12	10	7	11.783
MUDSL	2012	12	10	6	11.88
MUDSL	2012	12	10	5	11.953
MUDSL	2012	12	10	4	12.025
MUDSL	2012	12	10	3	12.098
MUDSL	2012	12	10	2	12.171
MUDSL	2012	12	10	1	12.243
MUDSL	2012	12	10	0	12.316
MUDSL	2012	12	9	23	12.364
MUDSL	2012	12	9	22	12.437
MUDSL	2012	12	9	21	12.509
MUDSL	2012	12	9	20	12.582
MUDSL	2012	12	9	19	12.654
MUDSL	2012	12	9	18	12.703
MUDSL	2012	12	9	17	12.751
MUDSL	2012	12	9	16	12.727
MUDSL	2012	12	9	15	12.654
MUDSL	2012	12	9	14	12.509
MUDSL	2012	12	9	13	12.34
MUDSL	2012	12	9	12	12.147
MUDSL	2012	12	9	11	12.001
MUDSL	2012	12	9	10	11.904
MUDSL	2012	12	9	9	11.904
MUDSL	2012	12	9	8	11.953
MUDSL	2012	12	9	7	12.025
MUDSL	2012	12	9	6	12.122
MUDSL	2012	12	9	5	12.195
MUDSL	2012	12	9	4	12.268
MUDSL	2012	12	9	3	12.364
MUDSL	2012	12	9	2	12.437
MUDSL	2012	12	9	1	12.534
MUDSL	2012	12	9	0	12.606
MUDSL	2012	12	8	23	12.678
MUDSL	2012	12	8	22	12.751
MUDSL	2012	12	8	21	12.847
MUDSL	2012	12	8	20	12.944
MUDSL	2012	12	8	19	13.016
MUDSL	2012	12	8	18	13.064
MUDSL	2012	12	8	17	13.088
MUDSL	2012	12	8	16	13.088
MUDSL	2012	12	8	15	13.088

Site ID	Year	Month	Day	Hour	Temp (C)
MUDSL	2012	12	8	14	13.04
MUDSL	2012	12	8	13	12.968
MUDSL	2012	12	8	12	12.944
MUDSL	2012	12	8	11	12.92
MUDSL	2012	12	8	10	12.944
MUDSL	2012	12	8	9	12.968
MUDSL	2012	12	8	8	13.064
MUDSL	2012	12	8	7	13.161
MUDSL	2012	12	8	6	13.281
MUDSL	2012	12	8	5	13.401
MUDSL	2012	12	8	4	13.522
MUDSL	2012	12	8	3	13.618
MUDSL	2012	12	8	2	13.738
MUDSL	2012	12	8	1	13.858
MUDSL	2012	12	8	0	14.002
MUDSL	2012	12	7	23	14.098
MUDSL	2012	12	7	22	14.218
MUDSL	2012	12	7	21	14.337
MUDSL	2012	12	7	20	14.433
MUDSL	2012	12	7	19	14.529
MUDSL	2012	12	7	18	14.625
MUDSL	2012	12	7	17	14.673
MUDSL	2012	12	7	16	14.673
MUDSL	2012	12	7	15	14.601
MUDSL	2012	12	7	14	14.481
MUDSL	2012	12	7	13	14.337
MUDSL	2012	12	7	12	14.194
MUDSL	2012	12	7	11	14.074
MUDSL	2012	12	7	10	14.002
MUDSL	2012	12	7	9	14.002
MUDSL	2012	12	7	8	14.05
MUDSL	2012	12	7	7	14.146
MUDSL	2012	12	7	6	14.218
MUDSL	2012	12	7	5	14.29
MUDSL	2012	12	7	4	14.337
MUDSL	2012	12	7	3	14.385
MUDSL	2012	12	7	2	14.433
MUDSL	2012	12	7	1	14.481
MUDSL	2012	12	7	0	14.553
MUDSL	2012	12	6	23	14.673
MUDSL	2012	12	6	22	14.745
MUDSL	2012	12	6	21	14.816
MUDSL	2012	12	6	20	14.888
MUDSL	2012	12	6	19	14.936

Site ID	Year	Month	Day	Hour	Temp (C)
MUDSL	2012	12	6	18	14.96
MUDSL	2012	12	6	17	14.984
MUDSL	2012	12	6	16	14.96
MUDSL	2012	12	6	15	14.888
MUDSL	2012	12	6	14	14.768
MUDSL	2012	12	6	13	14.697
MUDSL	2012	12	6	12	14.601
MUDSL	2012	12	6	11	14.481
MUDSL	2012	12	6	10	14.385
MUDSL	2012	12	6	9	14.337
MUDSL	2012	12	6	8	14.337
MUDSL	2012	12	6	7	14.385
MUDSL	2012	12	6	6	14.409
MUDSL	2012	12	6	5	14.433
MUDSL	2012	12	6	4	14.481
MUDSL	2012	12	6	3	14.529
MUDSL	2012	12	6	2	14.577
MUDSL	2012	12	6	1	14.577
MUDSL	2012	12	6	0	14.601
MUDSL	2012	12	5	23	14.601
MUDSL	2012	12	5	22	14.601
MUDSL	2012	12	5	21	14.601
MUDSL	2012	12	5	20	14.601
MUDSL	2012	12	5	19	14.601
MUDSL	2012	12	5	18	14.601
MUDSL	2012	12	5	17	14.577
MUDSL	2012	12	5	16	14.553
MUDSL	2012	12	5	15	14.481
MUDSL	2012	12	5	14	14.409
MUDSL	2012	12	5	13	14.337
MUDSL	2012	12	5	12	14.242
MUDSL	2012	12	5	11	14.194
MUDSL	2012	12	5	10	14.17
MUDSL	2012	12	5	9	14.17
MUDSL	2012	12	5	8	14.17
MUDSL	2012	12	5	7	14.17
MUDSL	2012	12	5	6	14.194
MUDSL	2012	12	5	5	14.194
MUDSL	2012	12	5	4	14.218
MUDSL	2012	12	5	3	14.218
MUDSL	2012	12	5	2	14.242
MUDSL	2012	12	5	1	14.266
MUDSL	2012	12	5	0	14.29
MUDSL	2012	12	4	23	14.314

Site ID	Year	Month	Day	Hour	Temp (C)
MUDSL	2012	12	4	22	14.361
MUDSL	2012	12	4	21	14.385
MUDSL	2012	12	4	20	14.409
MUDSL	2012	12	4	19	14.433
MUDSL	2012	12	4	18	14.433
MUDSL	2012	12	4	17	14.433
MUDSL	2012	12	4	16	14.409
MUDSL	2012	12	4	15	14.337
MUDSL	2012	12	4	14	14.242
MUDSL	2012	12	4	13	14.146
MUDSL	2012	12	4	12	14.026
MUDSL	2012	12	4	11	13.882
MUDSL	2012	12	4	10	13.786
MUDSL	2012	12	4	9	13.762
MUDSL	2012	12	4	8	13.786
MUDSL	2012	12	4	7	13.834
MUDSL	2012	12	4	6	13.906
MUDSL	2012	12	4	5	13.93
MUDSL	2012	12	4	4	14.002
MUDSL	2012	12	4	3	14.074
MUDSL	2012	12	4	2	14.146
MUDSL	2012	12	4	1	14.218
MUDSL	2012	12	4	0	14.29
MUDSL	2012	12	3	23	14.337
MUDSL	2012	12	3	22	14.409
MUDSL	2012	12	3	21	14.481
MUDSL	2012	12	3	20	14.529
MUDSL	2012	12	3	19	14.577
MUDSL	2012	12	3	18	14.625
MUDSL	2012	12	3	17	14.649
MUDSL	2012	12	3	16	14.601
MUDSL	2012	12	3	15	14.481
MUDSL	2012	12	3	14	14.361
MUDSL	2012	12	3	13	14.194
MUDSL	2012	12	3	12	14.002
MUDSL	2012	12	3	11	13.834
MUDSL	2012	12	3	10	13.714
MUDSL	2012	12	3	9	13.714
MUDSL	2012	12	3	8	13.762
MUDSL	2012	12	3	7	13.858
MUDSL	2012	12	3	6	13.954
MUDSL	2012	12	3	5	14.074
MUDSL	2012	12	3	4	14.17
MUDSL	2012	12	3	3	14.29

Site ID	Year	Month	Day	Hour	Temp (C)
MUDSL	2012	12	3	2	14.385
MUDSL	2012	12	3	1	14.481
MUDSL	2012	12	3	0	14.553
MUDSL	2012	12	2	23	14.649
MUDSL	2012	12	2	22	14.721
MUDSL	2012	12	2	21	14.768
MUDSL	2012	12	2	20	14.864
MUDSL	2012	12	2	19	14.888
MUDSL	2012	12	2	18	14.912
MUDSL	2012	12	2	17	14.912
MUDSL	2012	12	2	16	14.888
MUDSL	2012	12	2	15	14.792
MUDSL	2012	12	2	14	14.721
MUDSL	2012	12	2	13	14.673
MUDSL	2012	12	2	12	14.649
MUDSL	2012	12	2	11	14.601
MUDSL	2012	12	2	10	14.577
MUDSL	2012	12	2	9	14.577
MUDSL	2012	12	2	8	14.577
MUDSL	2012	12	2	7	14.601
MUDSL	2012	12	2	6	14.625
MUDSL	2012	12	2	5	14.673
MUDSL	2012	12	2	4	14.673
MUDSL	2012	12	2	3	14.697
MUDSL	2012	12	2	2	14.697
MUDSL	2012	12	2	1	14.697
MUDSL	2012	12	2	0	14.673
MUDSL	2012	12	1	23	14.673
MUDSL	2012	12	1	22	14.673
MUDSL	2012	12	1	21	14.673
MUDSL	2012	12	1	20	14.649
MUDSL	2012	12	1	19	14.625
MUDSL	2012	12	1	18	14.625
MUDSL	2012	12	1	17	14.601
MUDSL	2012	12	1	16	14.577
MUDSL	2012	12	1	15	14.529
MUDSL	2012	12	1	14	14.385
MUDSL	2012	12	1	13	14.218
MUDSL	2012	12	1	12	14.098
MUDSL	2012	12	1	11	14.002
MUDSL	2012	12	1	10	13.906
MUDSL	2012	12	1	9	13.834
MUDSL	2012	12	1	8	13.834
MUDSL	2012	12	1	7	13.834

Site ID	Year	Month	Day	Hour	Temp (C)
MUDSL	2012	12	1	6	13.882
MUDSL	2012	12	1	5	13.906
MUDSL	2012	12	1	4	13.954
MUDSL	2012	12	1	3	14.002
MUDSL	2012	12	1	2	14.05
MUDSL	2012	12	1	1	14.098
MUDSL	2012	12	1	0	14.146
MUDSL	2012	11	30	23	14.218
MUDSL	2012	11	30	22	14.29
MUDSL	2012	11	30	21	14.361
MUDSL	2012	11	30	20	14.385
MUDSL	2012	11	30	19	14.385
MUDSL	2012	11	30	18	14.409
MUDSL	2012	11	30	17	14.385
MUDSL	2012	11	30	16	14.361
MUDSL	2012	11	30	15	14.242
MUDSL	2012	11	30	14	14.146
MUDSL	2012	11	30	13	14.098
MUDSL	2012	11	30	12	14.05
MUDSL	2012	11	30	11	13.978
MUDSL	2012	11	30	10	13.93
MUDSL	2012	11	30	9	13.858
MUDSL	2012	11	30	8	13.834
MUDSL	2012	11	30	7	13.81
MUDSL	2012	11	30	6	13.786
MUDSL	2012	11	30	5	13.762
MUDSL	2012	11	30	4	13.738
MUDSL	2012	11	30	3	13.714
MUDSL	2012	11	30	2	13.666
MUDSL	2012	11	30	1	13.666
MUDSL	2012	11	30	0	13.618
MUDSL	2012	11	29	23	13.57
MUDSL	2012	11	29	22	13.522
MUDSL	2012	11	29	21	13.497
MUDSL	2012	11	29	20	13.449
MUDSL	2012	11	29	19	13.425
MUDSL	2012	11	29	18	13.401
MUDSL	2012	11	29	17	13.353
MUDSL	2012	11	29	16	13.305
MUDSL	2012	11	29	15	13.209
MUDSL	2012	11	29	14	13.112
MUDSL	2012	11	29	13	13.016
MUDSL	2012	11	29	12	12.92
MUDSL	2012	11	29	11	12.847

Site ID	Year	Month	Day	Hour	Temp (C)
MUDSL	2012	11	29	10	12.775
MUDSL	2012	11	29	9	12.727
MUDSL	2012	11	29	8	12.751
MUDSL	2012	11	29	7	12.775
MUDSL	2012	11	29	6	12.823
MUDSL	2012	11	29	5	12.871
MUDSL	2012	11	29	4	12.92
MUDSL	2012	11	29	3	12.968
MUDSL	2012	11	29	2	12.992
MUDSL	2012	11	29	1	13.04
MUDSL	2012	11	29	0	13.112
MUDSL	2012	11	28	23	13.185
MUDSL	2012	11	28	22	13.233
MUDSL	2012	11	28	21	13.281
MUDSL	2012	11	28	20	13.329
MUDSL	2012	11	28	19	13.329
MUDSL	2012	11	28	18	13.329
MUDSL	2012	11	28	17	13.329
MUDSL	2012	11	28	16	13.305
MUDSL	2012	11	28	15	13.233
MUDSL	2012	11	28	14	13.064
MUDSL	2012	11	28	13	12.847
MUDSL	2012	11	28	12	12.654
MUDSL	2012	11	28	11	12.485
MUDSL	2012	11	28	10	12.461
MUDSL	2012	11	28	9	12.461
MUDSL	2012	11	28	8	12.485
MUDSL	2012	11	28	7	12.534
MUDSL	2012	11	28	6	12.558
MUDSL	2012	11	28	5	12.606
MUDSL	2012	11	28	4	12.678
MUDSL	2012	11	28	3	12.799
MUDSL	2012	11	28	2	12.847
MUDSL	2012	11	28	1	12.847
MUDSL	2012	11	28	0	12.896
MUDSL	2012	11	27	23	12.871
MUDSL	2012	11	27	22	12.871
MUDSL	2012	11	27	21	12.92
MUDSL	2012	11	27	20	12.992
MUDSL	2012	11	27	19	13.064
MUDSL	2012	11	27	18	13.137
MUDSL	2012	11	27	17	13.185
MUDSL	2012	11	27	16	13.209
MUDSL	2012	11	27	15	13.137

Site ID	Year	Month	Day	Hour	Temp (C)
MUDSL	2012	11	27	14	12.896
MUDSL	2012	11	27	13	12.63
MUDSL	2012	11	27	12	12.437
MUDSL	2012	11	27	11	12.243
MUDSL	2012	11	27	10	12.05
MUDSL	2012	11	27	9	11.929
MUDSL	2012	11	27	8	11.904
MUDSL	2012	11	27	7	12.025
MUDSL	2012	11	27	6	12.171
MUDSL	2012	11	27	5	12.316
MUDSL	2012	11	27	4	12.413
MUDSL	2012	11	27	3	12.534
MUDSL	2012	11	27	2	12.654
MUDSL	2012	11	27	1	12.751
MUDSL	2012	11	27	0	12.847
MUDSL	2012	11	26	23	12.968
MUDSL	2012	11	26	22	13.088
MUDSL	2012	11	26	21	13.209
MUDSL	2012	11	26	20	13.377
MUDSL	2012	11	26	19	13.497
MUDSL	2012	11	26	18	13.618
MUDSL	2012	11	26	17	13.762
MUDSL	2012	11	26	16	13.81
MUDSL	2012	11	26	15	13.738
MUDSL	2012	11	26	14	13.497
MUDSL	2012	11	26	13	13.137
MUDSL	2012	11	26	12	12.703
MUDSL	2012	11	26	11	12.292
MUDSL	2012	11	26	10	12.001
MUDSL	2012	11	26	9	11.904
MUDSL	2012	11	26	8	11.953
MUDSL	2012	11	26	7	12.074
MUDSL	2012	11	26	6	12.219
MUDSL	2012	11	26	5	12.364
MUDSL	2012	11	26	4	12.485
MUDSL	2012	11	26	3	12.654
MUDSL	2012	11	26	2	12.751
MUDSL	2012	11	26	1	12.847
MUDSL	2012	11	26	0	12.992
MUDSL	2012	11	25	23	13.137
MUDSL	2012	11	25	22	13.281
MUDSL	2012	11	25	21	13.425
MUDSL	2012	11	25	20	13.546
MUDSL	2012	11	25	19	13.714

Site ID	Year	Month	Day	Hour	Temp (C)
MUDSL	2012	11	25	18	13.858
MUDSL	2012	11	25	17	14.002
MUDSL	2012	11	25	16	14.074
MUDSL	2012	11	25	15	14.002
MUDSL	2012	11	25	14	13.786
MUDSL	2012	11	25	13	13.425
MUDSL	2012	11	25	12	13.016
MUDSL	2012	11	25	11	12.606
MUDSL	2012	11	25	10	12.316
MUDSL	2012	11	25	9	12.171
MUDSL	2012	11	25	8	12.219
MUDSL	2012	11	25	7	12.364
MUDSL	2012	11	25	6	12.534
MUDSL	2012	11	25	5	12.703
MUDSL	2012	11	25	4	12.847
MUDSL	2012	11	25	3	12.992
MUDSL	2012	11	25	2	13.137
MUDSL	2012	11	25	1	13.233
MUDSL	2012	11	25	0	13.377
MUDSL	2012	11	24	23	13.497
MUDSL	2012	11	24	22	13.642
MUDSL	2012	11	24	21	13.786
MUDSL	2012	11	24	20	13.906
MUDSL	2012	11	24	19	14.05
MUDSL	2012	11	24	18	14.17
MUDSL	2012	11	24	17	14.29
MUDSL	2012	11	24	16	14.361
MUDSL	2012	11	24	15	14.266
MUDSL	2012	11	24	14	14.002
MUDSL	2012	11	24	13	13.642
MUDSL	2012	11	24	12	13.185
MUDSL	2012	11	24	11	12.775
MUDSL	2012	11	24	10	12.461
MUDSL	2012	11	24	9	12.316
MUDSL	2012	11	24	8	12.316
MUDSL	2012	11	24	7	12.461
MUDSL	2012	11	24	6	12.63
MUDSL	2012	11	24	5	12.775
MUDSL	2012	11	24	4	12.92
MUDSL	2012	11	24	3	13.04
MUDSL	2012	11	24	2	13.161
MUDSL	2012	11	24	1	13.281
MUDSL	2012	11	24	0	13.401
MUDSL	2012	11	23	23	13.522

Site ID	Year	Month	Day	Hour	Temp (C)
MUDSL	2012	11	23	22	13.666
MUDSL	2012	11	23	21	13.786
MUDSL	2012	11	23	20	13.954
MUDSL	2012	11	23	19	14.074
MUDSL	2012	11	23	18	14.218
MUDSL	2012	11	23	17	14.361
MUDSL	2012	11	23	16	14.409
MUDSL	2012	11	23	15	14.337
MUDSL	2012	11	23	14	14.122
MUDSL	2012	11	23	13	13.786
MUDSL	2012	11	23	12	13.329
MUDSL	2012	11	23	11	12.871
MUDSL	2012	11	23	10	12.509
MUDSL	2012	11	23	9	12.34
MUDSL	2012	11	23	8	12.389
MUDSL	2012	11	23	7	12.558
MUDSL	2012	11	23	6	12.703
MUDSL	2012	11	23	5	12.896
MUDSL	2012	11	23	4	13.088
MUDSL	2012	11	23	3	13.281
MUDSL	2012	11	23	2	13.449
MUDSL	2012	11	23	1	13.618
MUDSL	2012	11	23	0	13.762
MUDSL	2012	11	22	23	13.93
MUDSL	2012	11	22	22	14.098
MUDSL	2012	11	22	21	14.29
MUDSL	2012	11	22	20	14.433
MUDSL	2012	11	22	19	14.601
MUDSL	2012	11	22	18	14.768
MUDSL	2012	11	22	17	14.96
MUDSL	2012	11	22	16	15.079
MUDSL	2012	11	22	15	15.055
MUDSL	2012	11	22	14	14.864
MUDSL	2012	11	22	13	14.553
MUDSL	2012	11	22	12	14.17
MUDSL	2012	11	22	11	13.81
MUDSL	2012	11	22	10	13.522
MUDSL	2012	11	22	9	13.401
MUDSL	2012	11	22	8	13.449
MUDSL	2012	11	22	7	13.57
MUDSL	2012	11	22	6	13.714
MUDSL	2012	11	22	5	13.906
MUDSL	2012	11	22	4	14.05
MUDSL	2012	11	22	3	14.242

Site ID	Year	Month	Day	Hour	Temp (C)
MUDSL	2012	11	22	2	14.385
MUDSL	2012	11	22	1	14.529
MUDSL	2012	11	22	0	14.697
MUDSL	2012	11	21	23	14.84
MUDSL	2012	11	21	22	15.031
MUDSL	2012	11	21	21	15.223
MUDSL	2012	11	21	20	15.342
MUDSL	2012	11	21	19	15.438
MUDSL	2012	11	21	18	15.605
MUDSL	2012	11	21	17	15.772
MUDSL	2012	11	21	16	15.891
MUDSL	2012	11	21	15	15.891
MUDSL	2012	11	21	14	15.581
MUDSL	2012	11	21	13	15.247
MUDSL	2012	11	21	12	14.84
MUDSL	2012	11	21	11	14.553
MUDSL	2012	11	21	10	14.337
MUDSL	2012	11	21	9	14.314
MUDSL	2012	11	21	8	14.337
MUDSL	2012	11	21	7	14.385
MUDSL	2012	11	21	6	14.433
MUDSL	2012	11	21	5	14.529
MUDSL	2012	11	21	4	14.601
MUDSL	2012	11	21	3	14.649
MUDSL	2012	11	21	2	14.673
MUDSL	2012	11	21	1	14.673
MUDSL	2012	11	21	0	14.697
MUDSL	2012	11	20	23	14.721
MUDSL	2012	11	20	22	14.792
MUDSL	2012	11	20	21	14.888
MUDSL	2012	11	20	20	15.008
MUDSL	2012	11	20	19	15.127
MUDSL	2012	11	20	18	15.247
MUDSL	2012	11	20	17	15.342
MUDSL	2012	11	20	16	15.366
MUDSL	2012	11	20	15	15.318
MUDSL	2012	11	20	14	15.199
MUDSL	2012	11	20	13	14.864
MUDSL	2012	11	20	12	14.385
MUDSL	2012	11	20	11	13.93
MUDSL	2012	11	20	10	13.594
MUDSL	2012	11	20	9	13.449
MUDSL	2012	11	20	8	13.425
MUDSL	2012	11	20	7	13.546

Site ID	Year	Month	Day	Hour	Temp (C)
MUDSL	2012	11	20	6	13.714
MUDSL	2012	11	20	5	13.834
MUDSL	2012	11	20	4	13.954
MUDSL	2012	11	20	3	14.074
MUDSL	2012	11	20	2	14.17
MUDSL	2012	11	20	1	14.29
MUDSL	2012	11	20	0	14.433
MUDSL	2012	11	19	23	14.529
MUDSL	2012	11	19	22	14.697
MUDSL	2012	11	19	21	14.84
MUDSL	2012	11	19	20	14.984
MUDSL	2012	11	19	19	15.127
MUDSL	2012	11	19	18	15.27
MUDSL	2012	11	19	17	15.414
MUDSL	2012	11	19	16	15.509
MUDSL	2012	11	19	15	15.485
MUDSL	2012	11	19	14	15.318
MUDSL	2012	11	19	13	15.008
MUDSL	2012	11	19	12	14.673
MUDSL	2012	11	19	11	14.29
MUDSL	2012	11	19	10	13.978
MUDSL	2012	11	19	9	13.762
MUDSL	2012	11	19	8	13.762
MUDSL	2012	11	19	7	13.906
MUDSL	2012	11	19	6	14.074
MUDSL	2012	11	19	5	14.194
MUDSL	2012	11	19	4	14.337
MUDSL	2012	11	19	3	14.409
MUDSL	2012	11	19	2	14.481
MUDSL	2012	11	19	1	14.577
MUDSL	2012	11	19	0	14.721
MUDSL	2012	11	18	23	14.84
MUDSL	2012	11	18	22	14.96
MUDSL	2012	11	18	21	15.103
MUDSL	2012	11	18	20	15.27
MUDSL	2012	11	18	19	15.366
MUDSL	2012	11	18	18	15.509
MUDSL	2012	11	18	17	15.676
MUDSL	2012	11	18	16	15.7
MUDSL	2012	11	18	15	15.581
MUDSL	2012	11	18	14	15.485
MUDSL	2012	11	18	13	15.103
MUDSL	2012	11	18	12	14.673
MUDSL	2012	11	18	11	14.242

Site ID	Year	Month	Day	Hour	Temp (C)
MUDSL	2012	11	18	10	13.978
MUDSL	2012	11	18	9	13.906
MUDSL	2012	11	18	8	13.786
MUDSL	2012	11	18	7	13.81
MUDSL	2012	11	18	6	13.882
MUDSL	2012	11	18	5	13.906
MUDSL	2012	11	18	4	13.93
MUDSL	2012	11	18	3	13.954
MUDSL	2012	11	18	2	14.002
MUDSL	2012	11	18	1	14.074
MUDSL	2012	11	18	0	14.17
MUDSL	2012	11	17	23	14.266
MUDSL	2012	11	17	22	14.337
MUDSL	2012	11	17	21	14.409
MUDSL	2012	11	17	20	14.505
MUDSL	2012	11	17	19	14.577
MUDSL	2012	11	17	18	14.697
MUDSL	2012	11	17	17	14.912
MUDSL	2012	11	17	16	15.055
MUDSL	2012	11	17	15	14.96
MUDSL	2012	11	17	14	14.649
MUDSL	2012	11	17	13	14.218
MUDSL	2012	11	17	12	14.05
MUDSL	2012	11	17	11	13.834
MUDSL	2012	11	17	10	13.594
MUDSL	2012	11	17	9	13.473
MUDSL	2012	11	17	8	13.425
MUDSL	2012	11	17	7	13.401
MUDSL	2012	11	17	6	13.425
MUDSL	2012	11	17	5	13.425
MUDSL	2012	11	17	4	13.449
MUDSL	2012	11	17	3	13.449
MUDSL	2012	11	17	2	13.473
MUDSL	2012	11	17	1	13.473
MUDSL	2012	11	17	0	13.473
MUDSL	2012	11	16	23	13.473
MUDSL	2012	11	16	22	13.473
MUDSL	2012	11	16	21	13.522
MUDSL	2012	11	16	20	13.522
MUDSL	2012	11	16	19	13.546
MUDSL	2012	11	16	18	13.594
MUDSL	2012	11	16	17	13.594
MUDSL	2012	11	16	16	13.594
MUDSL	2012	11	16	15	13.546

Site ID	Year	Month	Day	Hour	Temp (C)
MUDSL	2012	11	16	14	13.473
MUDSL	2012	11	16	13	13.233
MUDSL	2012	11	16	12	12.799
MUDSL	2012	11	16	11	12.461
MUDSL	2012	11	16	10	12.34
MUDSL	2012	11	16	9	12.268
MUDSL	2012	11	16	8	12.268
MUDSL	2012	11	16	7	12.268
MUDSL	2012	11	16	6	12.268
MUDSL	2012	11	16	5	12.34
MUDSL	2012	11	16	4	12.413
MUDSL	2012	11	16	3	12.461
MUDSL	2012	11	16	2	12.534
MUDSL	2012	11	16	1	12.558
MUDSL	2012	11	16	0	12.582
MUDSL	2012	11	15	23	12.606
MUDSL	2012	11	15	22	12.678
MUDSL	2012	11	15	21	12.775
MUDSL	2012	11	15	20	12.871
MUDSL	2012	11	15	19	12.992
MUDSL	2012	11	15	18	13.112
MUDSL	2012	11	15	17	13.209
MUDSL	2012	11	15	16	13.257
MUDSL	2012	11	15	15	13.257
MUDSL	2012	11	15	14	13.137
MUDSL	2012	11	15	13	12.751
MUDSL	2012	11	15	12	12.389
MUDSL	2012	11	15	11	11.929
MUDSL	2012	11	15	10	11.637
MUDSL	2012	11	15	9	11.443
MUDSL	2012	11	15	8	11.37
MUDSL	2012	11	15	7	11.443
MUDSL	2012	11	15	6	11.589
MUDSL	2012	11	15	5	11.734
MUDSL	2012	11	15	4	11.88
MUDSL	2012	11	15	3	12.05
MUDSL	2012	11	15	2	12.195
MUDSL	2012	11	15	1	12.364
MUDSL	2012	11	15	0	12.509
MUDSL	2012	11	14	23	12.654
MUDSL	2012	11	14	22	12.799
MUDSL	2012	11	14	21	12.944
MUDSL	2012	11	14	20	13.088
MUDSL	2012	11	14	19	13.233

Site ID	Year	Month	Day	Hour	Temp (C)
MUDSL	2012	11	14	18	13.377
MUDSL	2012	11	14	17	13.522
MUDSL	2012	11	14	16	13.618
MUDSL	2012	11	14	15	13.546
MUDSL	2012	11	14	14	13.257
MUDSL	2012	11	14	13	12.775
MUDSL	2012	11	14	12	12.364
MUDSL	2012	11	14	11	11.88
MUDSL	2012	11	14	10	11.443
MUDSL	2012	11	14	9	11.273
MUDSL	2012	11	14	8	11.2
MUDSL	2012	11	14	7	11.224
MUDSL	2012	11	14	6	11.37
MUDSL	2012	11	14	5	11.54
MUDSL	2012	11	14	4	11.686
MUDSL	2012	11	14	3	11.807
MUDSL	2012	11	14	2	11.929
MUDSL	2012	11	14	1	12.074
MUDSL	2012	11	14	0	12.195
MUDSL	2012	11	13	23	12.316
MUDSL	2012	11	13	22	12.461
MUDSL	2012	11	13	21	12.606
MUDSL	2012	11	13	20	12.775
MUDSL	2012	11	13	19	12.92
MUDSL	2012	11	13	18	13.088
MUDSL	2012	11	13	17	13.257
MUDSL	2012	11	13	16	13.353
MUDSL	2012	11	13	15	13.281
MUDSL	2012	11	13	14	13.04
MUDSL	2012	11	13	13	12.606
MUDSL	2012	11	13	12	12.122
MUDSL	2012	11	13	11	11.54
MUDSL	2012	11	13	10	11.078
MUDSL	2012	11	13	9	10.761
MUDSL	2012	11	13	8	10.663
MUDSL	2012	11	13	7	10.785
MUDSL	2012	11	13	6	10.956
MUDSL	2012	11	13	5	11.151
MUDSL	2012	11	13	4	11.297
MUDSL	2012	11	13	3	11.443
MUDSL	2012	11	13	2	11.613
MUDSL	2012	11	13	1	11.734
MUDSL	2012	11	13	0	11.904
MUDSL	2012	11	12	23	12.074

Site ID	Year	Month	Day	Hour	Temp (C)
MUDSL	2012	11	12	22	12.219
MUDSL	2012	11	12	21	12.413
MUDSL	2012	11	12	20	12.582
MUDSL	2012	11	12	19	12.751
MUDSL	2012	11	12	18	12.92
MUDSL	2012	11	12	17	13.112
MUDSL	2012	11	12	16	13.257
MUDSL	2012	11	12	15	13.257
MUDSL	2012	11	12	14	13.064
MUDSL	2012	11	12	13	12.703
MUDSL	2012	11	12	12	12.219
MUDSL	2012	11	12	11	11.71
MUDSL	2012	11	12	10	11.248
MUDSL	2012	11	12	9	10.956
MUDSL	2012	11	12	8	10.883
MUDSL	2012	11	12	7	11.029
MUDSL	2012	11	12	6	11.248
MUDSL	2012	11	12	5	11.419
MUDSL	2012	11	12	4	11.589
MUDSL	2012	11	12	3	11.734
MUDSL	2012	11	12	2	11.904
MUDSL	2012	11	12	1	12.05
MUDSL	2012	11	12	0	12.195
MUDSL	2012	11	11	23	12.364
MUDSL	2012	11	11	22	12.534
MUDSL	2012	11	11	21	12.751
MUDSL	2012	11	11	20	12.92
MUDSL	2012	11	11	19	13.088
MUDSL	2012	11	11	18	13.281
MUDSL	2012	11	11	17	13.473
MUDSL	2012	11	11	16	13.594
MUDSL	2012	11	11	15	13.57
MUDSL	2012	11	11	14	13.377
MUDSL	2012	11	11	13	13.064
MUDSL	2012	11	11	12	12.606
MUDSL	2012	11	11	11	12.122
MUDSL	2012	11	11	10	11.686
MUDSL	2012	11	11	9	11.419
MUDSL	2012	11	11	8	11.37
MUDSL	2012	11	11	7	11.516
MUDSL	2012	11	11	6	11.734
MUDSL	2012	11	11	5	11.929
MUDSL	2012	11	11	4	12.098
MUDSL	2012	11	11	3	12.268

Site ID	Year	Month	Day	Hour	Temp (C)
MUDSL	2012	11	11	2	12.461
MUDSL	2012	11	11	1	12.654
MUDSL	2012	11	11	0	12.847
MUDSL	2012	11	10	23	13.064
MUDSL	2012	11	10	22	13.329
MUDSL	2012	11	10	21	13.57
MUDSL	2012	11	10	20	13.834
MUDSL	2012	11	10	19	14.074
MUDSL	2012	11	10	18	14.29
MUDSL	2012	11	10	17	14.553
MUDSL	2012	11	10	16	14.673
MUDSL	2012	11	10	15	14.697
MUDSL	2012	11	10	14	14.601
MUDSL	2012	11	10	13	14.29
MUDSL	2012	11	10	12	13.834
MUDSL	2012	11	10	11	13.401
MUDSL	2012	11	10	10	12.992
MUDSL	2012	11	10	9	12.751
MUDSL	2012	11	10	8	12.751
MUDSL	2012	11	10	7	12.92
MUDSL	2012	11	10	6	13.161
MUDSL	2012	11	10	5	13.377
MUDSL	2012	11	10	4	13.618
MUDSL	2012	11	10	3	13.81
MUDSL	2012	11	10	2	13.954
MUDSL	2012	11	10	1	14.074
MUDSL	2012	11	10	0	14.218
MUDSL	2012	11	9	23	14.385
MUDSL	2012	11	9	22	14.601
MUDSL	2012	11	9	21	14.768
MUDSL	2012	11	9	20	14.936
MUDSL	2012	11	9	19	15.103
MUDSL	2012	11	9	18	15.294
MUDSL	2012	11	9	17	15.533
MUDSL	2012	11	9	16	15.724
MUDSL	2012	11	9	15	15.796
MUDSL	2012	11	9	14	15.7
MUDSL	2012	11	9	13	15.533
MUDSL	2012	11	9	12	15.294
MUDSL	2012	11	9	11	14.768
MUDSL	2012	11	9	10	14.505
MUDSL	2012	11	9	9	14.29
MUDSL	2012	11	9	8	14.29
MUDSL	2012	11	9	7	14.481

Site ID	Year	Month	Day	Hour	Temp (C)
MUDSL	2012	11	9	6	14.673
MUDSL	2012	11	9	5	14.84
MUDSL	2012	11	9	4	15.055
MUDSL	2012	11	9	3	15.27
MUDSL	2012	11	9	2	15.509
MUDSL	2012	11	9	1	15.724
MUDSL	2012	11	9	0	15.915
MUDSL	2012	11	8	23	16.153
MUDSL	2012	11	8	22	16.392
MUDSL	2012	11	8	21	16.63
MUDSL	2012	11	8	20	16.892
MUDSL	2012	11	8	19	17.082
MUDSL	2012	11	8	18	17.32
MUDSL	2012	11	8	17	17.582
MUDSL	2012	11	8	16	17.891
MUDSL	2012	11	8	15	18.057
MUDSL	2012	11	8	14	18.033
MUDSL	2012	11	8	13	17.796
MUDSL	2012	11	8	12	17.415
MUDSL	2012	11	8	11	17.058
MUDSL	2012	11	8	10	16.701
MUDSL	2012	11	8	9	16.392
MUDSL	2012	11	8	8	16.368
MUDSL	2012	11	8	7	16.511
MUDSL	2012	11	8	6	16.654
MUDSL	2012	11	8	5	16.844
MUDSL	2012	11	8	4	17.058
MUDSL	2012	11	8	3	17.225
MUDSL	2012	11	8	2	17.415
MUDSL	2012	11	8	1	17.582
MUDSL	2012	11	8	0	17.748
MUDSL	2012	11	7	23	17.915
MUDSL	2012	11	7	22	18.105
MUDSL	2012	11	7	21	18.271
MUDSL	2012	11	7	20	18.438
MUDSL	2012	11	7	19	18.604
MUDSL	2012	11	7	18	18.771
MUDSL	2012	11	7	17	18.961
MUDSL	2012	11	7	16	19.056
MUDSL	2012	11	7	15	19.008
MUDSL	2012	11	7	14	18.794
MUDSL	2012	11	7	13	18.39
MUDSL	2012	11	7	12	17.867
MUDSL	2012	11	7	11	17.344

Site ID	Year	Month	Day	Hour	Temp (C)
MUDSL	2012	11	7	10	16.868
MUDSL	2012	11	7	9	16.582
MUDSL	2012	11	7	8	16.487
MUDSL	2012	11	7	7	16.606
MUDSL	2012	11	7	6	16.82
MUDSL	2012	11	7	5	17.058
MUDSL	2012	11	7	4	17.249
MUDSL	2012	11	7	3	17.415
MUDSL	2012	11	7	2	17.534
MUDSL	2012	11	7	1	17.677
MUDSL	2012	11	7	0	17.796
MUDSL	2012	11	6	23	17.915
MUDSL	2012	11	6	22	18.033
MUDSL	2012	11	6	21	18.2
MUDSL	2012	11	6	20	18.343
MUDSL	2012	11	6	19	18.485
MUDSL	2012	11	6	18	18.652
MUDSL	2012	11	6	17	18.818
MUDSL	2012	11	6	16	18.937
MUDSL	2012	11	6	15	18.889
MUDSL	2012	11	6	14	18.628
MUDSL	2012	11	6	13	18.2
MUDSL	2012	11	6	12	17.724
MUDSL	2012	11	6	11	17.153
MUDSL	2012	11	6	10	16.677
MUDSL	2012	11	6	9	16.368
MUDSL	2012	11	6	8	16.296
MUDSL	2012	11	6	7	16.415
MUDSL	2012	11	6	6	16.63
MUDSL	2012	11	6	5	16.796
MUDSL	2012	11	6	4	16.963
MUDSL	2012	11	6	3	17.106
MUDSL	2012	11	6	2	17.272
MUDSL	2012	11	6	1	17.415
MUDSL	2012	11	6	0	17.558
MUDSL	2012	11	5	23	17.677
MUDSL	2012	11	5	22	17.843
MUDSL	2012	11	5	21	17.986
MUDSL	2012	11	5	20	18.152
MUDSL	2012	11	5	19	18.295
MUDSL	2012	11	5	18	18.461
MUDSL	2012	11	5	17	18.628
MUDSL	2012	11	5	16	18.723
MUDSL	2012	11	5	15	18.675

Site ID	Year	Month	Day	Hour	Temp (C)
MUDSL	2012	11	5	14	18.39
MUDSL	2012	11	5	13	17.986
MUDSL	2012	11	5	12	17.463
MUDSL	2012	11	5	11	16.915
MUDSL	2012	11	5	10	16.439
MUDSL	2012	11	5	9	16.106
MUDSL	2012	11	5	8	16.01
MUDSL	2012	11	5	7	16.129
MUDSL	2012	11	5	6	16.32
MUDSL	2012	11	5	5	16.511
MUDSL	2012	11	5	4	16.701
MUDSL	2012	11	5	3	16.892
MUDSL	2012	11	5	2	17.034
MUDSL	2012	11	5	1	17.177
MUDSL	2012	11	5	0	17.296
MUDSL	2012	11	4	23	17.415
MUDSL	2012	11	4	22	17.558
MUDSL	2012	11	4	21	17.724
MUDSL	2012	11	4	20	17.843
MUDSL	2012	11	4	19	17.986
MUDSL	2012	11	4	18	18.129
MUDSL	2012	11	4	17	18.295
MUDSL	2012	11	4	16	18.366
MUDSL	2012	11	4	15	18.295
MUDSL	2012	11	4	14	18.033
MUDSL	2012	11	4	13	17.629
MUDSL	2012	11	4	12	17.082
MUDSL	2012	11	4	11	16.558
MUDSL	2012	11	4	10	16.082
MUDSL	2012	11	4	9	15.748
MUDSL	2012	11	4	8	15.652
MUDSL	2012	11	4	7	15.772
MUDSL	2012	11	4	6	15.963
MUDSL	2012	11	4	5	16.153
MUDSL	2012	11	4	4	16.344
MUDSL	2012	11	4	3	16.511
MUDSL	2012	11	4	2	16.677
MUDSL	2012	11	4	1	16.82
MUDSL	2012	11	4	0	16.987
MUDSL	2012	11	3	23	17.13
MUDSL	2012	11	3	22	17.296
MUDSL	2012	11	3	21	17.463
MUDSL	2012	11	3	20	17.629
MUDSL	2012	11	3	19	17.796

Site ID	Year	Month	Day	Hour	Temp (C)
MUDSL	2012	11	3	18	17.986
MUDSL	2012	11	3	17	18.176
MUDSL	2012	11	3	16	18.295
MUDSL	2012	11	3	15	18.271
MUDSL	2012	11	3	14	18.033
MUDSL	2012	11	3	13	17.653
MUDSL	2012	11	3	12	17.153
MUDSL	2012	11	3	11	16.654
MUDSL	2012	11	3	10	16.177
MUDSL	2012	11	3	9	15.867
MUDSL	2012	11	3	8	15.796
MUDSL	2012	11	3	7	15.915
MUDSL	2012	11	3	6	16.106
MUDSL	2012	11	3	5	16.344
MUDSL	2012	11	3	4	16.534
MUDSL	2012	11	3	3	16.677
MUDSL	2012	11	3	2	16.82
MUDSL	2012	11	3	1	16.963
MUDSL	2012	11	3	0	17.106
MUDSL	2012	11	2	23	17.272
MUDSL	2012	11	2	22	17.439
MUDSL	2012	11	2	21	17.629
MUDSL	2012	11	2	20	17.796
MUDSL	2012	11	2	19	17.986
MUDSL	2012	11	2	18	18.152
MUDSL	2012	11	2	17	18.319
MUDSL	2012	11	2	16	18.438
MUDSL	2012	11	2	15	18.438
MUDSL	2012	11	2	14	18.224
MUDSL	2012	11	2	13	17.796
MUDSL	2012	11	2	12	17.344
MUDSL	2012	11	2	11	16.796
MUDSL	2012	11	2	10	16.344
MUDSL	2012	11	2	9	16.034
MUDSL	2012	11	2	8	15.939
MUDSL	2012	11	2	7	16.058
MUDSL	2012	11	2	6	16.225
MUDSL	2012	11	2	5	16.415
MUDSL	2012	11	2	4	16.606
MUDSL	2012	11	2	3	16.773
MUDSL	2012	11	2	2	16.939
MUDSL	2012	11	2	1	17.106
MUDSL	2012	11	2	0	17.249
MUDSL	2012	11	1	23	17.391

Site ID	Year	Month	Day	Hour	Temp (C)
MUDSL	2012	11	1	22	17.558
MUDSL	2012	11	1	21	17.724
MUDSL	2012	11	1	20	17.891
MUDSL	2012	11	1	19	18.057
MUDSL	2012	11	1	18	18.2
MUDSL	2012	11	1	17	18.343
MUDSL	2012	11	1	16	18.414
MUDSL	2012	11	1	15	18.39
MUDSL	2012	11	1	14	18.271
MUDSL	2012	11	1	13	18.2
MUDSL	2012	11	1	12	17.986
MUDSL	2012	11	1	11	17.724
MUDSL	2012	11	1	10	17.534
MUDSL	2012	11	1	9	17.439
MUDSL	2012	11	1	8	17.415
MUDSL	2012	11	1	7	17.439
MUDSL	2012	11	1	6	17.534
MUDSL	2012	11	1	5	17.629
MUDSL	2012	11	1	4	17.724
MUDSL	2012	11	1	3	17.843
MUDSL	2012	11	1	2	17.915
MUDSL	2012	11	1	1	17.986
MUDSL	2012	11	1	0	18.057
MUDSL	2012	10	31	23	18.129
MUDSL	2012	10	31	22	18.2
MUDSL	2012	10	31	21	18.271
MUDSL	2012	10	31	20	18.366
MUDSL	2012	10	31	19	18.485
MUDSL	2012	10	31	18	18.604
MUDSL	2012	10	31	17	18.723
MUDSL	2012	10	31	16	18.818
MUDSL	2012	10	31	15	18.866
MUDSL	2012	10	31	14	18.794
MUDSL	2012	10	31	13	18.533
MUDSL	2012	10	31	12	18.247
MUDSL	2012	10	31	11	17.843
MUDSL	2012	10	31	10	17.582
MUDSL	2012	10	31	9	17.463
MUDSL	2012	10	31	8	17.368
MUDSL	2012	10	31	7	17.439
MUDSL	2012	10	31	6	17.605
MUDSL	2012	10	31	5	17.819
MUDSL	2012	10	31	4	18.01
MUDSL	2012	10	31	3	18.176

Site ID	Year	Month	Day	Hour	Temp (C)
MUDSL	2012	10	31	2	18.319
MUDSL	2012	10	31	1	18.461
MUDSL	2012	10	31	0	18.58
MUDSL	2012	10	30	23	18.699
MUDSL	2012	10	30	22	18.842
MUDSL	2012	10	30	21	19.008
MUDSL	2012	10	30	20	19.151
MUDSL	2012	10	30	19	19.318
MUDSL	2012	10	30	18	19.484
MUDSL	2012	10	30	17	19.674
MUDSL	2012	10	30	16	19.77
MUDSL	2012	10	30	15	19.698
MUDSL	2012	10	30	14	19.413
MUDSL	2012	10	30	13	18.937
MUDSL	2012	10	30	12	18.366
MUDSL	2012	10	30	11	17.772
MUDSL	2012	10	30	10	17.249
MUDSL	2012	10	30	9	16.868
MUDSL	2012	10	30	8	16.749
MUDSL	2012	10	30	7	16.868
MUDSL	2012	10	30	6	17.106
MUDSL	2012	10	30	5	17.32
MUDSL	2012	10	30	4	17.534
MUDSL	2012	10	30	3	17.724
MUDSL	2012	10	30	2	17.867
MUDSL	2012	10	30	1	18.033
MUDSL	2012	10	30	0	18.176
MUDSL	2012	10	29	23	18.295
MUDSL	2012	10	29	22	18.438
MUDSL	2012	10	29	21	18.604
MUDSL	2012	10	29	20	18.771
MUDSL	2012	10	29	19	18.937
MUDSL	2012	10	29	18	19.08
MUDSL	2012	10	29	17	19.246
MUDSL	2012	10	29	16	19.341
MUDSL	2012	10	29	15	19.27
MUDSL	2012	10	29	14	18.961
MUDSL	2012	10	29	13	18.461
MUDSL	2012	10	29	12	17.891
MUDSL	2012	10	29	11	17.249
MUDSL	2012	10	29	10	16.701
MUDSL	2012	10	29	9	16.32
MUDSL	2012	10	29	8	16.201
MUDSL	2012	10	29	7	16.296

Site ID	Year	Month	Day	Hour	Temp (C)
MUDSL	2012	10	29	6	16.487
MUDSL	2012	10	29	5	16.701
MUDSL	2012	10	29	4	16.868
MUDSL	2012	10	29	3	17.011
MUDSL	2012	10	29	2	17.13
MUDSL	2012	10	29	1	17.249
MUDSL	2012	10	29	0	17.368
MUDSL	2012	10	28	23	17.486
MUDSL	2012	10	28	22	17.629
MUDSL	2012	10	28	21	17.772
MUDSL	2012	10	28	20	17.915
MUDSL	2012	10	28	19	18.033
MUDSL	2012	10	28	18	18.2
MUDSL	2012	10	28	17	18.366
MUDSL	2012	10	28	16	18.461
MUDSL	2012	10	28	15	18.39
MUDSL	2012	10	28	14	18.105
MUDSL	2012	10	28	13	17.629
MUDSL	2012	10	28	12	17.034
MUDSL	2012	10	28	11	16.439
MUDSL	2012	10	28	10	15.867
MUDSL	2012	10	28	9	15.461
MUDSL	2012	10	28	8	15.342
MUDSL	2012	10	28	7	15.414
MUDSL	2012	10	28	6	15.581
MUDSL	2012	10	28	5	15.772
MUDSL	2012	10	28	4	15.915
MUDSL	2012	10	28	3	16.058
MUDSL	2012	10	28	2	16.201
MUDSL	2012	10	28	1	16.32
MUDSL	2012	10	28	0	16.439
MUDSL	2012	10	27	23	16.558
MUDSL	2012	10	27	22	16.677
MUDSL	2012	10	27	21	16.82
MUDSL	2012	10	27	20	16.963
MUDSL	2012	10	27	19	17.106
MUDSL	2012	10	27	18	17.272
MUDSL	2012	10	27	17	17.439
MUDSL	2012	10	27	16	17.51
MUDSL	2012	10	27	15	17.391
MUDSL	2012	10	27	14	17.058
MUDSL	2012	10	27	13	16.534
MUDSL	2012	10	27	12	15.915
MUDSL	2012	10	27	11	15.294

Site ID	Year	Month	Day	Hour	Temp (C)
MUDSL	2012	10	27	10	14.745
MUDSL	2012	10	27	9	14.337
MUDSL	2012	10	27	8	14.218
MUDSL	2012	10	27	7	14.337
MUDSL	2012	10	27	6	14.529
MUDSL	2012	10	27	5	14.745
MUDSL	2012	10	27	4	14.912
MUDSL	2012	10	27	3	15.055
MUDSL	2012	10	27	2	15.199
MUDSL	2012	10	27	1	15.342
MUDSL	2012	10	27	0	15.485
MUDSL	2012	10	26	23	15.629
MUDSL	2012	10	26	22	15.796
MUDSL	2012	10	26	21	15.963
MUDSL	2012	10	26	20	16.129
MUDSL	2012	10	26	19	16.296
MUDSL	2012	10	26	18	16.463
MUDSL	2012	10	26	17	16.63
MUDSL	2012	10	26	16	16.773
MUDSL	2012	10	26	15	16.725
MUDSL	2012	10	26	14	16.463
MUDSL	2012	10	26	13	16.034
MUDSL	2012	10	26	12	15.509
MUDSL	2012	10	26	11	14.984
MUDSL	2012	10	26	10	14.529
MUDSL	2012	10	26	9	14.242
MUDSL	2012	10	26	8	14.194
MUDSL	2012	10	26	7	14.385
MUDSL	2012	10	26	6	14.625
MUDSL	2012	10	26	5	14.84
MUDSL	2012	10	26	4	15.031
MUDSL	2012	10	26	3	15.247
MUDSL	2012	10	26	2	15.438
MUDSL	2012	10	26	1	15.629
MUDSL	2012	10	26	0	15.843
MUDSL	2012	10	25	23	16.129
MUDSL	2012	10	25	22	16.392
MUDSL	2012	10	25	21	16.654
MUDSL	2012	10	25	20	16.915
MUDSL	2012	10	25	19	17.153
MUDSL	2012	10	25	18	17.463
MUDSL	2012	10	25	17	17.724
MUDSL	2012	10	25	16	17.915
MUDSL	2012	10	25	15	17.891

Site ID	Year	Month	Day	Hour	Temp (C)
MUDSL	2012	10	25	14	17.653
MUDSL	2012	10	25	13	17.201
MUDSL	2012	10	25	12	16.654
MUDSL	2012	10	25	11	16.106
MUDSL	2012	10	25	10	15.7
MUDSL	2012	10	25	9	15.438
MUDSL	2012	10	25	8	15.366
MUDSL	2012	10	25	7	15.414
MUDSL	2012	10	25	6	15.509
MUDSL	2012	10	25	5	15.629
MUDSL	2012	10	25	4	15.724
MUDSL	2012	10	25	3	15.819
MUDSL	2012	10	25	2	15.891
MUDSL	2012	10	25	1	15.963
MUDSL	2012	10	25	0	16.01
MUDSL	2012	10	24	23	16.106
MUDSL	2012	10	24	22	16.201
MUDSL	2012	10	24	21	16.32
MUDSL	2012	10	24	20	16.463
MUDSL	2012	10	24	19	16.654
MUDSL	2012	10	24	18	16.892
MUDSL	2012	10	24	17	17.13
MUDSL	2012	10	24	16	17.153
MUDSL	2012	10	24	15	16.963
MUDSL	2012	10	24	14	16.63
MUDSL	2012	10	24	13	16.296
MUDSL	2012	10	24	12	15.891
MUDSL	2012	10	24	11	15.533
MUDSL	2012	10	24	10	15.318
MUDSL	2012	10	24	9	15.103
MUDSL	2012	10	24	8	15.008
MUDSL	2012	10	24	7	15.055
MUDSL	2012	10	24	6	15.151
MUDSL	2012	10	24	5	15.294
MUDSL	2012	10	24	4	15.461
MUDSL	2012	10	24	3	15.652
MUDSL	2012	10	24	2	15.843
MUDSL	2012	10	24	1	16.01
MUDSL	2012	10	24	0	16.201
MUDSL	2012	10	23	23	16.368
MUDSL	2012	10	23	22	16.558
MUDSL	2012	10	23	21	16.773
MUDSL	2012	10	23	20	17.011
MUDSL	2012	10	23	19	17.201

Site ID	Year	Month	Day	Hour	Temp (C)
MUDSL	2012	10	23	18	17.486
MUDSL	2012	10	23	17	17.677
MUDSL	2012	10	23	16	17.772
MUDSL	2012	10	23	15	17.724
MUDSL	2012	10	23	14	17.772
MUDSL	2012	10	23	13	17.439
MUDSL	2012	10	23	12	17.034
MUDSL	2012	10	23	11	16.749
MUDSL	2012	10	23	10	16.272
MUDSL	2012	10	23	9	16.058
MUDSL	2012	10	23	8	16.01
MUDSL	2012	10	23	7	16.106
MUDSL	2012	10	23	6	16.249
MUDSL	2012	10	23	5	16.368
MUDSL	2012	10	23	4	16.487
MUDSL	2012	10	23	3	16.582
MUDSL	2012	10	23	2	16.677
MUDSL	2012	10	23	1	16.796
MUDSL	2012	10	23	0	16.963
MUDSL	2012	10	22	23	17.153
MUDSL	2012	10	22	22	17.391
MUDSL	2012	10	22	21	17.605
MUDSL	2012	10	22	20	17.843
MUDSL	2012	10	22	19	18.033
MUDSL	2012	10	22	18	18.2
MUDSL	2012	10	22	17	18.366
MUDSL	2012	10	22	16	18.485
MUDSL	2012	10	22	15	18.176
MUDSL	2012	10	22	14	17.962
MUDSL	2012	10	22	13	17.534
MUDSL	2012	10	22	12	17.344
MUDSL	2012	10	22	11	17.391
MUDSL	2012	10	22	10	17.486
MUDSL	2012	10	22	9	17.558
MUDSL	2012	10	22	8	17.653
MUDSL	2012	10	22	7	17.819
MUDSL	2012	10	22	6	17.962
MUDSL	2012	10	22	5	18.129
MUDSL	2012	10	22	4	18.295
MUDSL	2012	10	22	3	18.461
MUDSL	2012	10	22	2	18.604
MUDSL	2012	10	22	1	18.723
MUDSL	2012	10	22	0	18.842
MUDSL	2012	10	21	23	18.937

Site ID	Year	Month	Day	Hour	Temp (C)
MUDSL	2012	10	21	22	19.056
MUDSL	2012	10	21	21	19.222
MUDSL	2012	10	21	20	19.413
MUDSL	2012	10	21	19	19.627
MUDSL	2012	10	21	18	19.841
MUDSL	2012	10	21	17	20.079
MUDSL	2012	10	21	16	20.293
MUDSL	2012	10	21	15	20.412
MUDSL	2012	10	21	14	20.293
MUDSL	2012	10	21	13	19.936
MUDSL	2012	10	21	12	19.484
MUDSL	2012	10	21	11	19.008
MUDSL	2012	10	21	10	18.604
MUDSL	2012	10	21	9	18.366
MUDSL	2012	10	21	8	18.271
MUDSL	2012	10	21	7	18.366
MUDSL	2012	10	21	6	18.652
MUDSL	2012	10	21	5	18.985
MUDSL	2012	10	21	4	19.294
MUDSL	2012	10	21	3	19.555
MUDSL	2012	10	21	2	19.841
MUDSL	2012	10	21	1	20.079
MUDSL	2012	10	21	0	20.293
MUDSL	2012	10	20	23	20.555
MUDSL	2012	10	20	22	20.793
MUDSL	2012	10	20	21	21.032
MUDSL	2012	10	20	20	21.246
MUDSL	2012	10	20	19	21.461
MUDSL	2012	10	20	18	21.676
MUDSL	2012	10	20	17	21.867
MUDSL	2012	10	20	16	21.987
MUDSL	2012	10	20	15	21.939
MUDSL	2012	10	20	14	21.676
MUDSL	2012	10	20	13	21.246
MUDSL	2012	10	20	12	20.77
MUDSL	2012	10	20	11	20.269
MUDSL	2012	10	20	10	19.817
MUDSL	2012	10	20	9	19.484
MUDSL	2012	10	20	8	19.365
MUDSL	2012	10	20	7	19.484
MUDSL	2012	10	20	6	19.674
MUDSL	2012	10	20	5	19.912
MUDSL	2012	10	20	4	20.15
MUDSL	2012	10	20	3	20.365

Site ID	Year	Month	Day	Hour	Temp (C)
MUDSL	2012	10	20	2	20.579
MUDSL	2012	10	20	1	20.77
MUDSL	2012	10	20	0	20.96
MUDSL	2012	10	19	23	21.127
MUDSL	2012	10	19	22	21.294
MUDSL	2012	10	19	21	21.461
MUDSL	2012	10	19	20	21.652
MUDSL	2012	10	19	19	21.819
MUDSL	2012	10	19	18	21.987
MUDSL	2012	10	19	17	22.13
MUDSL	2012	10	19	16	22.202
MUDSL	2012	10	19	15	22.058
MUDSL	2012	10	19	14	21.748
MUDSL	2012	10	19	13	21.27
MUDSL	2012	10	19	12	20.722
MUDSL	2012	10	19	11	20.126
MUDSL	2012	10	19	10	19.722
MUDSL	2012	10	19	9	19.532
MUDSL	2012	10	19	8	19.484
MUDSL	2012	10	19	7	19.508
MUDSL	2012	10	19	6	19.579
MUDSL	2012	10	19	5	19.674
MUDSL	2012	10	19	4	19.793
MUDSL	2012	10	19	3	19.96
MUDSL	2012	10	19	2	20.126
MUDSL	2012	10	19	1	20.269
MUDSL	2012	10	19	0	20.412
MUDSL	2012	10	18	23	20.555
MUDSL	2012	10	18	22	20.698
MUDSL	2012	10	18	21	20.841
MUDSL	2012	10	18	20	20.984
MUDSL	2012	10	18	19	21.151
MUDSL	2012	10	18	18	21.294
MUDSL	2012	10	18	17	21.461
MUDSL	2012	10	18	16	21.509
MUDSL	2012	10	18	15	21.342
MUDSL	2012	10	18	14	20.984
MUDSL	2012	10	18	13	20.484
MUDSL	2012	10	18	12	19.888
MUDSL	2012	10	18	11	19.27
MUDSL	2012	10	18	10	18.723
MUDSL	2012	10	18	9	18.319
MUDSL	2012	10	18	8	18.105
MUDSL	2012	10	18	7	18.176

Site ID	Year	Month	Day	Hour	Temp (C)
MUDSL	2012	10	18	6	18.343
MUDSL	2012	10	18	5	18.58
MUDSL	2012	10	18	4	18.794
MUDSL	2012	10	18	3	19.008
MUDSL	2012	10	18	2	19.246
MUDSL	2012	10	18	1	19.413
MUDSL	2012	10	18	0	19.579
MUDSL	2012	10	17	23	19.722
MUDSL	2012	10	17	22	19.912
MUDSL	2012	10	17	21	20.079
MUDSL	2012	10	17	20	20.269
MUDSL	2012	10	17	19	20.46
MUDSL	2012	10	17	18	20.698
MUDSL	2012	10	17	17	20.889
MUDSL	2012	10	17	16	21.008
MUDSL	2012	10	17	15	20.936
MUDSL	2012	10	17	14	20.65
MUDSL	2012	10	17	13	20.198
MUDSL	2012	10	17	12	19.651
MUDSL	2012	10	17	11	19.103
MUDSL	2012	10	17	10	18.628
MUDSL	2012	10	17	9	18.343
MUDSL	2012	10	17	8	18.295
MUDSL	2012	10	17	7	18.533
MUDSL	2012	10	17	6	18.961
MUDSL	2012	10	17	5	19.413
MUDSL	2012	10	17	4	19.841
MUDSL	2012	10	17	3	20.246
MUDSL	2012	10	17	2	20.603
MUDSL	2012	10	17	1	20.889
MUDSL	2012	10	17	0	21.056
MUDSL	2012	10	16	23	21.175
MUDSL	2012	10	16	22	21.342
MUDSL	2012	10	16	21	21.533
MUDSL	2012	10	16	20	21.748
MUDSL	2012	10	16	19	21.963
MUDSL	2012	10	16	18	22.202
MUDSL	2012	10	16	17	22.369
MUDSL	2012	10	16	16	22.441
MUDSL	2012	10	16	15	22.298
MUDSL	2012	10	16	14	21.939
MUDSL	2012	10	16	13	21.366
MUDSL	2012	10	16	12	20.722
MUDSL	2012	10	16	11	20.031

Site ID	Year	Month	Day	Hour	Temp (C)
MUDSL	2012	10	16	10	19.46
MUDSL	2012	10	16	9	18.985
MUDSL	2012	10	16	8	18.771
MUDSL	2012	10	16	7	18.794
MUDSL	2012	10	16	6	18.985
MUDSL	2012	10	16	5	19.175
MUDSL	2012	10	16	4	19.365
MUDSL	2012	10	16	3	19.532
MUDSL	2012	10	16	2	19.722
MUDSL	2012	10	16	1	19.865
MUDSL	2012	10	16	0	20.031
MUDSL	2012	10	15	23	20.15
MUDSL	2012	10	15	22	20.317
MUDSL	2012	10	15	21	20.484
MUDSL	2012	10	15	20	20.627
MUDSL	2012	10	15	19	20.817
MUDSL	2012	10	15	18	21.008
MUDSL	2012	10	15	17	21.223
MUDSL	2012	10	15	16	21.318
MUDSL	2012	10	15	15	21.199
MUDSL	2012	10	15	14	20.841
MUDSL	2012	10	15	13	20.341
MUDSL	2012	10	15	12	19.77
MUDSL	2012	10	15	11	19.127
MUDSL	2012	10	15	10	18.557
MUDSL	2012	10	15	9	18.105
MUDSL	2012	10	15	8	17.867
MUDSL	2012	10	15	7	17.938
MUDSL	2012	10	15	6	18.129
MUDSL	2012	10	15	5	18.343
MUDSL	2012	10	15	4	18.557
MUDSL	2012	10	15	3	18.771
MUDSL	2012	10	15	2	18.961
MUDSL	2012	10	15	1	19.103
MUDSL	2012	10	15	0	19.246
MUDSL	2012	10	14	23	19.341
MUDSL	2012	10	14	22	19.484
MUDSL	2012	10	14	21	19.674
MUDSL	2012	10	14	20	19.865
MUDSL	2012	10	14	19	20.079
MUDSL	2012	10	14	18	20.293
MUDSL	2012	10	14	17	20.484
MUDSL	2012	10	14	16	20.531
MUDSL	2012	10	14	15	20.388

Site ID	Year	Month	Day	Hour	Temp (C)
MUDSL	2012	10	14	14	19.984
MUDSL	2012	10	14	13	19.46
MUDSL	2012	10	14	12	18.818
MUDSL	2012	10	14	11	18.105
MUDSL	2012	10	14	10	17.486
MUDSL	2012	10	14	9	17.058
MUDSL	2012	10	14	8	16.868
MUDSL	2012	10	14	7	16.939
MUDSL	2012	10	14	6	17.153
MUDSL	2012	10	14	5	17.344
MUDSL	2012	10	14	4	17.558
MUDSL	2012	10	14	3	17.748
MUDSL	2012	10	14	2	17.938
MUDSL	2012	10	14	1	18.105
MUDSL	2012	10	14	0	18.295
MUDSL	2012	10	13	23	18.438
MUDSL	2012	10	13	22	18.604
MUDSL	2012	10	13	21	18.794
MUDSL	2012	10	13	20	18.985
MUDSL	2012	10	13	19	19.175
MUDSL	2012	10	13	18	19.436
MUDSL	2012	10	13	17	19.603
MUDSL	2012	10	13	16	19.674
MUDSL	2012	10	13	15	19.532
MUDSL	2012	10	13	14	19.199
MUDSL	2012	10	13	13	18.675
MUDSL	2012	10	13	12	18.033
MUDSL	2012	10	13	11	17.415
MUDSL	2012	10	13	10	16.82
MUDSL	2012	10	13	9	16.392
MUDSL	2012	10	13	8	16.201
MUDSL	2012	10	13	7	16.272
MUDSL	2012	10	13	6	16.487
MUDSL	2012	10	13	5	16.725
MUDSL	2012	10	13	4	16.939
MUDSL	2012	10	13	3	17.153
MUDSL	2012	10	13	2	17.344
MUDSL	2012	10	13	1	17.51
MUDSL	2012	10	13	0	17.677
MUDSL	2012	10	12	23	17.843
MUDSL	2012	10	12	22	17.962
MUDSL	2012	10	12	21	18.105
MUDSL	2012	10	12	20	18.224
MUDSL	2012	10	12	19	18.319

Site ID	Year	Month	Day	Hour	Temp (C)
MUDSL	2012	10	12	18	18.414
MUDSL	2012	10	12	17	18.509
MUDSL	2012	10	12	16	18.533
MUDSL	2012	10	12	15	18.533
MUDSL	2012	10	12	14	18.533
MUDSL	2012	10	12	13	18.271
MUDSL	2012	10	12	12	18.01
MUDSL	2012	10	12	11	17.629
MUDSL	2012	10	12	10	17.153
MUDSL	2012	10	12	9	16.963
MUDSL	2012	10	12	8	16.915
MUDSL	2012	10	12	7	16.939
MUDSL	2012	10	12	6	17.011
MUDSL	2012	10	12	5	17.082
MUDSL	2012	10	12	4	17.177
MUDSL	2012	10	12	3	17.296
MUDSL	2012	10	12	2	17.391
MUDSL	2012	10	12	1	17.439
MUDSL	2012	10	12	0	17.486
MUDSL	2012	10	11	23	17.558
MUDSL	2012	10	11	22	17.629
MUDSL	2012	10	11	21	17.653
MUDSL	2012	10	11	20	17.653
MUDSL	2012	10	11	19	17.748
MUDSL	2012	10	11	18	18.057
MUDSL	2012	10	11	17	18.295
MUDSL	2012	10	11	16	18.343
MUDSL	2012	10	11	15	18.224
MUDSL	2012	10	11	14	18.105
MUDSL	2012	10	11	13	18.057
MUDSL	2012	10	11	12	18.057
MUDSL	2012	10	11	11	18.105
MUDSL	2012	10	11	10	18.057
MUDSL	2012	10	11	9	17.962
MUDSL	2012	10	11	8	17.867
MUDSL	2012	10	11	7	18.01
MUDSL	2012	10	11	6	18.271
MUDSL	2012	10	11	5	18.557
MUDSL	2012	10	11	4	18.818
MUDSL	2012	10	11	3	19.056
MUDSL	2012	10	11	2	19.294
MUDSL	2012	10	11	1	19.532
MUDSL	2012	10	11	0	19.77
MUDSL	2012	10	10	23	20.031

Site ID	Year	Month	Day	Hour	Temp (C)
MUDSL	2012	10	10	22	20.269
MUDSL	2012	10	10	21	20.46
MUDSL	2012	10	10	20	20.674
MUDSL	2012	10	10	19	20.913
MUDSL	2012	10	10	18	21.27
MUDSL	2012	10	10	17	21.533
MUDSL	2012	10	10	16	21.581
MUDSL	2012	10	10	15	21.437
MUDSL	2012	10	10	14	21.056
MUDSL	2012	10	10	13	20.531
MUDSL	2012	10	10	12	19.888
MUDSL	2012	10	10	11	19.151
MUDSL	2012	10	10	10	18.533
MUDSL	2012	10	10	9	18.176
MUDSL	2012	10	10	8	18.081
MUDSL	2012	10	10	7	18.2
MUDSL	2012	10	10	6	18.438
MUDSL	2012	10	10	5	18.699
MUDSL	2012	10	10	4	18.961
MUDSL	2012	10	10	3	19.246
MUDSL	2012	10	10	2	19.484
MUDSL	2012	10	10	1	19.722
MUDSL	2012	10	10	0	19.936
MUDSL	2012	10	9	23	20.126
MUDSL	2012	10	9	22	20.341
MUDSL	2012	10	9	21	20.579
MUDSL	2012	10	9	20	20.793
MUDSL	2012	10	9	19	21.008
MUDSL	2012	10	9	18	21.27
MUDSL	2012	10	9	17	21.533
MUDSL	2012	10	9	16	21.748
MUDSL	2012	10	9	15	21.676
MUDSL	2012	10	9	14	21.342
MUDSL	2012	10	9	13	20.817
MUDSL	2012	10	9	12	20.15
MUDSL	2012	10	9	11	19.436
MUDSL	2012	10	9	10	18.771
MUDSL	2012	10	9	9	18.247
MUDSL	2012	10	9	8	18.01
MUDSL	2012	10	9	7	18.105
MUDSL	2012	10	9	6	18.39
MUDSL	2012	10	9	5	18.723
MUDSL	2012	10	9	4	19.056
MUDSL	2012	10	9	3	19.365

Site ID	Year	Month	Day	Hour	Temp (C)
MUDSL	2012	10	9	2	19.674
MUDSL	2012	10	9	1	19.912
MUDSL	2012	10	9	0	20.103
MUDSL	2012	10	8	23	20.341
MUDSL	2012	10	8	22	20.603
MUDSL	2012	10	8	21	20.865
MUDSL	2012	10	8	20	21.127
MUDSL	2012	10	8	19	21.366
MUDSL	2012	10	8	18	21.7
MUDSL	2012	10	8	17	22.034
MUDSL	2012	10	8	16	22.25
MUDSL	2012	10	8	15	22.226
MUDSL	2012	10	8	14	21.939
MUDSL	2012	10	8	13	21.413
MUDSL	2012	10	8	12	20.698
MUDSL	2012	10	8	11	19.936
MUDSL	2012	10	8	10	19.199
MUDSL	2012	10	8	9	18.675
MUDSL	2012	10	8	8	18.485
MUDSL	2012	10	8	7	18.58
MUDSL	2012	10	8	6	18.913
MUDSL	2012	10	8	5	19.246
MUDSL	2012	10	8	4	19.532
MUDSL	2012	10	8	3	19.793
MUDSL	2012	10	8	2	20.055
MUDSL	2012	10	8	1	20.317
MUDSL	2012	10	8	0	20.579
MUDSL	2012	10	7	23	20.865
MUDSL	2012	10	7	22	21.127
MUDSL	2012	10	7	21	21.366
MUDSL	2012	10	7	20	21.628
MUDSL	2012	10	7	19	21.867
MUDSL	2012	10	7	18	22.154
MUDSL	2012	10	7	17	22.465
MUDSL	2012	10	7	16	22.705
MUDSL	2012	10	7	15	22.753
MUDSL	2012	10	7	14	22.369
MUDSL	2012	10	7	13	21.748
MUDSL	2012	10	7	12	20.889
MUDSL	2012	10	7	11	19.984
MUDSL	2012	10	7	10	19.151
MUDSL	2012	10	7	9	18.557
MUDSL	2012	10	7	8	18.343
MUDSL	2012	10	7	7	18.438

Site ID	Year	Month	Day	Hour	Temp (C)
MUDSL	2012	10	7	6	18.699
MUDSL	2012	10	7	5	19.008
MUDSL	2012	10	7	4	19.341
MUDSL	2012	10	7	3	19.579
MUDSL	2012	10	7	2	19.865
MUDSL	2012	10	7	1	20.103
MUDSL	2012	10	7	0	20.341
MUDSL	2012	10	6	23	20.627
MUDSL	2012	10	6	22	20.889
MUDSL	2012	10	6	21	21.151
MUDSL	2012	10	6	20	21.413
MUDSL	2012	10	6	19	21.676
MUDSL	2012	10	6	18	21.963
MUDSL	2012	10	6	17	22.226
MUDSL	2012	10	6	16	22.441
MUDSL	2012	10	6	15	22.585
MUDSL	2012	10	6	14	22.154
MUDSL	2012	10	6	13	21.724
MUDSL	2012	10	6	12	21.056
MUDSL	2012	10	6	11	20.15
MUDSL	2012	10	6	10	19.389
MUDSL	2012	10	6	9	18.699
MUDSL	2012	10	6	8	18.39
MUDSL	2012	10	6	7	18.438
MUDSL	2012	10	6	6	18.675
MUDSL	2012	10	6	5	18.937
MUDSL	2012	10	6	4	19.199
MUDSL	2012	10	6	3	19.46
MUDSL	2012	10	6	2	19.674
MUDSL	2012	10	6	1	19.936
MUDSL	2012	10	6	0	20.198
MUDSL	2012	10	5	23	20.436
MUDSL	2012	10	5	22	20.674
MUDSL	2012	10	5	21	20.984
MUDSL	2012	10	5	20	21.294
MUDSL	2012	10	5	19	21.509
MUDSL	2012	10	5	18	21.724
MUDSL	2012	10	5	17	22.058
MUDSL	2012	10	5	16	22.25
MUDSL	2012	10	5	15	22.25
MUDSL	2012	10	5	14	21.963
MUDSL	2012	10	5	13	21.604
MUDSL	2012	10	5	12	21.413
MUDSL	2012	10	5	11	21.008

Site ID	Year	Month	Day	Hour	Temp (C)
MUDSL	2012	10	5	10	20.555
MUDSL	2012	10	5	9	20.055
MUDSL	2012	10	5	8	19.984
MUDSL	2012	10	5	7	20.174
MUDSL	2012	10	5	6	20.484
MUDSL	2012	10	5	5	20.793
MUDSL	2012	10	5	4	21.127
MUDSL	2012	10	5	3	21.413
MUDSL	2012	10	5	2	21.724
MUDSL	2012	10	5	1	22.058
MUDSL	2012	10	5	0	22.369
MUDSL	2012	10	4	23	22.657
MUDSL	2012	10	4	22	22.968
MUDSL	2012	10	4	21	23.304
MUDSL	2012	10	4	20	23.617
MUDSL	2012	10	4	19	23.978
MUDSL	2012	10	4	18	24.46
MUDSL	2012	10	4	17	24.871
MUDSL	2012	10	4	16	25.234
MUDSL	2012	10	4	15	25.258
MUDSL	2012	10	4	14	24.919
MUDSL	2012	10	4	13	24.291
MUDSL	2012	10	4	12	23.4
MUDSL	2012	10	4	11	22.465
MUDSL	2012	10	4	10	21.581
MUDSL	2012	10	4	9	20.984
MUDSL	2012	10	4	8	20.77
MUDSL	2012	10	4	7	20.936
MUDSL	2012	10	4	6	21.27
MUDSL	2012	10	4	5	21.628
MUDSL	2012	10	4	4	22.011
MUDSL	2012	10	4	3	22.393
MUDSL	2012	10	4	2	22.729
MUDSL	2012	10	4	1	23.064
MUDSL	2012	10	4	0	23.448
MUDSL	2012	10	3	23	23.785
MUDSL	2012	10	3	22	24.122
MUDSL	2012	10	3	21	24.436
MUDSL	2012	10	3	20	24.726
MUDSL	2012	10	3	19	25.016
MUDSL	2012	10	3	18	25.38
MUDSL	2012	10	3	17	25.695
MUDSL	2012	10	3	16	25.89
MUDSL	2012	10	3	15	25.841

Site ID	Year	Month	Day	Hour	Temp (C)
MUDSL	2012	10	3	14	25.453
MUDSL	2012	10	3	13	24.798
MUDSL	2012	10	3	12	23.954
MUDSL	2012	10	3	11	22.992
MUDSL	2012	10	3	10	22.154
MUDSL	2012	10	3	9	21.533
MUDSL	2012	10	3	8	21.246
MUDSL	2012	10	3	7	21.366
MUDSL	2012	10	3	6	21.628
MUDSL	2012	10	3	5	22.011
MUDSL	2012	10	3	4	22.393
MUDSL	2012	10	3	3	22.824
MUDSL	2012	10	3	2	23.184
MUDSL	2012	10	3	1	23.521
MUDSL	2012	10	3	0	23.833
MUDSL	2012	10	2	23	24.146
MUDSL	2012	10	2	22	24.412
MUDSL	2012	10	2	21	24.726
MUDSL	2012	10	2	20	25.016
MUDSL	2012	10	2	19	25.404
MUDSL	2012	10	2	18	25.841
MUDSL	2012	10	2	17	26.207
MUDSL	2012	10	2	16	26.402
MUDSL	2012	10	2	15	26.256
MUDSL	2012	10	2	14	25.768
MUDSL	2012	10	2	13	25.04
MUDSL	2012	10	2	12	24.002
MUDSL	2012	10	2	11	22.872
MUDSL	2012	10	2	10	21.867
MUDSL	2012	10	2	9	21.056
MUDSL	2012	10	2	8	20.65
MUDSL	2012	10	2	7	20.674
MUDSL	2012	10	2	6	21.032
MUDSL	2012	10	2	5	21.461
MUDSL	2012	10	2	4	21.867
MUDSL	2012	10	2	3	22.25
MUDSL	2012	10	2	2	22.585
MUDSL	2012	10	2	1	22.944
MUDSL	2012	10	2	0	23.304
MUDSL	2012	10	1	23	23.641
MUDSL	2012	10	1	22	23.954
MUDSL	2012	10	1	21	24.243
MUDSL	2012	10	1	20	24.581
MUDSL	2012	10	1	19	25.016

Site ID	Year	Month	Day	Hour	Temp (C)
MUDSL	2012	10	1	18	25.477
MUDSL	2012	10	1	17	25.866
MUDSL	2012	10	1	16	26.207
MUDSL	2012	10	1	15	26.231
MUDSL	2012	10	1	14	25.841
MUDSL	2012	10	1	13	25.089
MUDSL	2012	10	1	12	24.074
MUDSL	2012	10	1	11	22.944
MUDSL	2012	10	1	10	21.939
MUDSL	2012	10	1	9	21.127
MUDSL	2012	10	1	8	20.674
MUDSL	2012	10	1	7	20.674
MUDSL	2012	10	1	6	20.984
MUDSL	2012	10	1	5	21.366
MUDSL	2012	10	1	4	21.748
MUDSL	2012	10	1	3	22.13
MUDSL	2012	10	1	2	22.513
MUDSL	2012	10	1	1	22.896
MUDSL	2012	10	1	0	23.256