

Site ID	Year	Month	Day	Hour	Temp (C)
MWA	2013	6	11	9	22.274
MWA	2013	6	11	8	22.345
MWA	2013	6	11	7	22.369
MWA	2013	6	11	6	22.441
MWA	2013	6	11	5	22.441
MWA	2013	6	11	4	22.369
MWA	2013	6	11	3	22.274
MWA	2013	6	11	2	22.298
MWA	2013	6	11	1	22.321
MWA	2013	6	11	0	22.321
MWA	2013	6	10	23	22.298
MWA	2013	6	10	22	22.369
MWA	2013	6	10	21	22.321
MWA	2013	6	10	20	22.274
MWA	2013	6	10	19	22.345
MWA	2013	6	10	18	22.345
MWA	2013	6	10	17	22.321
MWA	2013	6	10	16	22.369
MWA	2013	6	10	15	22.441
MWA	2013	6	10	14	22.8
MWA	2013	6	10	13	22.872
MWA	2013	6	10	12	22.872
MWA	2013	6	10	11	22.92
MWA	2013	6	10	10	22.657
MWA	2013	6	10	9	22.609
MWA	2013	6	10	8	22.753
MWA	2013	6	10	7	22.92
MWA	2013	6	10	6	22.753
MWA	2013	6	10	5	22.465
MWA	2013	6	10	4	22.25
MWA	2013	6	10	3	22.226
MWA	2013	6	10	2	22.034
MWA	2013	6	10	1	22.034
MWA	2013	6	10	0	22.154
MWA	2013	6	9	23	22.034
MWA	2013	6	9	22	22.058
MWA	2013	6	9	21	22.154
MWA	2013	6	9	20	22.058
MWA	2013	6	9	19	22.011
MWA	2013	6	9	18	22.082
MWA	2013	6	9	17	22.058
MWA	2013	6	9	16	22.034
MWA	2013	6	9	15	22.034
MWA	2013	6	9	14	22.106

Site ID	Year	Month	Day	Hour	Temp (C)
MWA	2013	6	9	13	22.034
MWA	2013	6	9	12	22.058
MWA	2013	6	9	11	22.034
MWA	2013	6	9	10	21.987
MWA	2013	6	9	9	22.058
MWA	2013	6	9	8	22.011
MWA	2013	6	9	7	22.034
MWA	2013	6	9	6	22.154
MWA	2013	6	9	5	22.106
MWA	2013	6	9	4	22.106
MWA	2013	6	9	3	22.106
MWA	2013	6	9	2	22.106
MWA	2013	6	9	1	22.154
MWA	2013	6	9	0	22.13
MWA	2013	6	8	23	22.082
MWA	2013	6	8	22	22.058
MWA	2013	6	8	21	22.058
MWA	2013	6	8	20	22.106
MWA	2013	6	8	19	22.058
MWA	2013	6	8	18	22.106
MWA	2013	6	8	17	22.058
MWA	2013	6	8	16	22.034
MWA	2013	6	8	15	22.154
MWA	2013	6	8	14	22.058
MWA	2013	6	8	13	22.058
MWA	2013	6	8	12	21.987
MWA	2013	6	8	11	22.011
MWA	2013	6	8	10	21.963
MWA	2013	6	8	9	21.939
MWA	2013	6	8	8	21.939
MWA	2013	6	8	7	21.867
MWA	2013	6	8	6	21.843
MWA	2013	6	8	5	21.795
MWA	2013	6	8	4	21.819
MWA	2013	6	8	3	21.843
MWA	2013	6	8	2	21.867
MWA	2013	6	8	1	21.939
MWA	2013	6	8	0	21.915
MWA	2013	6	7	23	21.867
MWA	2013	6	7	22	21.843
MWA	2013	6	7	21	21.843
MWA	2013	6	7	20	21.867
MWA	2013	6	7	19	21.867
MWA	2013	6	7	18	21.819

Site ID	Year	Month	Day	Hour	Temp (C)
MWA	2013	6	7	17	21.915
MWA	2013	6	7	16	21.867
MWA	2013	6	7	15	21.915
MWA	2013	6	7	14	21.915
MWA	2013	6	7	13	21.819
MWA	2013	6	7	12	21.867
MWA	2013	6	7	11	21.795
MWA	2013	6	7	10	21.795
MWA	2013	6	7	9	21.748
MWA	2013	6	7	8	21.724
MWA	2013	6	7	7	21.724
MWA	2013	6	7	6	21.772
MWA	2013	6	7	5	21.7
MWA	2013	6	7	4	21.724
MWA	2013	6	7	3	21.7
MWA	2013	6	7	2	21.724
MWA	2013	6	7	1	21.772
MWA	2013	6	7	0	21.724
MWA	2013	6	6	23	21.772
MWA	2013	6	6	22	21.676
MWA	2013	6	6	21	21.7
MWA	2013	6	6	20	21.7
MWA	2013	6	6	19	21.7
MWA	2013	6	6	18	21.772
MWA	2013	6	6	17	21.748
MWA	2013	6	6	16	21.748
MWA	2013	6	6	15	21.748
MWA	2013	6	6	14	21.772
MWA	2013	6	6	13	21.7
MWA	2013	6	6	12	21.748
MWA	2013	6	6	11	21.724
MWA	2013	6	6	10	21.724
MWA	2013	6	6	9	21.676
MWA	2013	6	6	8	21.676
MWA	2013	6	6	7	21.604
MWA	2013	6	6	6	21.628
MWA	2013	6	6	5	21.581
MWA	2013	6	6	4	21.604
MWA	2013	6	6	3	21.557
MWA	2013	6	6	2	21.604
MWA	2013	6	6	1	21.604
MWA	2013	6	6	0	21.628
MWA	2013	6	5	23	21.7
MWA	2013	6	5	22	21.652

Site ID	Year	Month	Day	Hour	Temp (C)
MWA	2013	6	5	21	21.676
MWA	2013	6	5	20	21.724
MWA	2013	6	5	19	21.724
MWA	2013	6	5	18	21.748
MWA	2013	6	5	17	21.795
MWA	2013	6	5	16	21.7
MWA	2013	6	5	15	21.772
MWA	2013	6	5	14	21.748
MWA	2013	6	5	13	21.628
MWA	2013	6	5	12	21.342
MWA	2013	6	5	11	21.366
MWA	2013	6	5	10	21.318
MWA	2013	6	5	9	21.318
MWA	2013	6	5	8	21.27
MWA	2013	6	5	7	21.27
MWA	2013	6	5	6	21.246
MWA	2013	6	5	5	21.199
MWA	2013	6	5	4	21.199
MWA	2013	6	5	3	21.199
MWA	2013	6	5	2	21.223
MWA	2013	6	5	1	21.223
MWA	2013	6	5	0	21.223
MWA	2013	6	4	23	21.294
MWA	2013	6	4	22	21.294
MWA	2013	6	4	21	21.342
MWA	2013	6	4	20	21.342
MWA	2013	6	4	19	21.199
MWA	2013	6	4	18	21.246
MWA	2013	6	4	17	21.294
MWA	2013	6	4	16	21.175
MWA	2013	6	4	15	21.151
MWA	2013	6	4	14	21.175
MWA	2013	6	4	13	21.175
MWA	2013	6	4	12	21.223
MWA	2013	6	4	11	21.079
MWA	2013	6	4	10	20.913
MWA	2013	6	4	9	20.841
MWA	2013	6	4	8	20.889
MWA	2013	6	4	7	20.913
MWA	2013	6	4	6	20.841
MWA	2013	6	4	5	20.889
MWA	2013	6	4	4	20.889
MWA	2013	6	4	3	20.865
MWA	2013	6	4	2	20.865

Site ID	Year	Month	Day	Hour	Temp (C)
MWA	2013	6	4	1	20.865
MWA	2013	6	4	0	20.889
MWA	2013	6	3	23	20.865
MWA	2013	6	3	22	20.889
MWA	2013	6	3	21	20.913
MWA	2013	6	3	20	20.889
MWA	2013	6	3	19	20.913
MWA	2013	6	3	18	20.889
MWA	2013	6	3	17	20.889
MWA	2013	6	3	16	20.913
MWA	2013	6	3	15	20.889
MWA	2013	6	3	14	20.889
MWA	2013	6	3	13	20.865
MWA	2013	6	3	12	20.865
MWA	2013	6	3	11	20.817
MWA	2013	6	3	10	20.865
MWA	2013	6	3	9	20.865
MWA	2013	6	3	8	20.865
MWA	2013	6	3	7	20.913
MWA	2013	6	3	6	20.865
MWA	2013	6	3	5	20.889
MWA	2013	6	3	4	20.913
MWA	2013	6	3	3	20.936
MWA	2013	6	3	2	20.96
MWA	2013	6	3	1	20.936
MWA	2013	6	3	0	20.96
MWA	2013	6	2	23	20.865
MWA	2013	6	2	22	20.913
MWA	2013	6	2	21	20.936
MWA	2013	6	2	20	20.793
MWA	2013	6	2	19	20.746
MWA	2013	6	2	18	20.698
MWA	2013	6	2	17	20.698
MWA	2013	6	2	16	20.698
MWA	2013	6	2	15	20.698
MWA	2013	6	2	14	20.698
MWA	2013	6	2	13	20.698
MWA	2013	6	2	12	20.77
MWA	2013	6	2	11	20.746
MWA	2013	6	2	10	20.722
MWA	2013	6	2	9	20.722
MWA	2013	6	2	8	20.722
MWA	2013	6	2	7	20.722
MWA	2013	6	2	6	20.698

Site ID	Year	Month	Day	Hour	Temp (C)
MWA	2013	6	2	5	20.722
MWA	2013	6	2	4	20.722
MWA	2013	6	2	3	20.722
MWA	2013	6	2	2	20.746
MWA	2013	6	2	1	20.793
MWA	2013	6	2	0	20.793
MWA	2013	6	1	23	20.77
MWA	2013	6	1	22	20.793
MWA	2013	6	1	21	20.817
MWA	2013	6	1	20	20.77
MWA	2013	6	1	19	20.722
MWA	2013	6	1	18	20.674
MWA	2013	6	1	17	20.77
MWA	2013	6	1	16	20.698
MWA	2013	6	1	15	20.674
MWA	2013	6	1	14	20.674
MWA	2013	6	1	13	20.722
MWA	2013	6	1	12	20.746
MWA	2013	6	1	11	20.746
MWA	2013	6	1	10	20.746
MWA	2013	6	1	9	20.865
MWA	2013	6	1	8	20.65
MWA	2013	6	1	7	20.746
MWA	2013	6	1	6	20.579
MWA	2013	6	1	5	20.507
MWA	2013	6	1	4	20.531
MWA	2013	6	1	3	20.555
MWA	2013	6	1	2	20.507
MWA	2013	6	1	1	20.507
MWA	2013	6	1	0	20.627
MWA	2013	5	31	23	20.531
MWA	2013	5	31	22	20.555
MWA	2013	5	31	21	20.555
MWA	2013	5	31	20	20.674
MWA	2013	5	31	19	20.555
MWA	2013	5	31	18	20.579
MWA	2013	5	31	17	20.555
MWA	2013	5	31	16	20.531
MWA	2013	5	31	15	20.603
MWA	2013	5	31	14	20.507
MWA	2013	5	31	13	20.531
MWA	2013	5	31	12	20.555
MWA	2013	5	31	11	20.507
MWA	2013	5	31	10	20.555

Site ID	Year	Month	Day	Hour	Temp (C)
MWA	2013	5	31	9	20.674
MWA	2013	5	31	8	20.484
MWA	2013	5	31	7	20.627
MWA	2013	5	31	6	20.507
MWA	2013	5	31	5	20.388
MWA	2013	5	31	4	20.436
MWA	2013	5	31	3	20.412
MWA	2013	5	31	2	20.46
MWA	2013	5	31	1	20.436
MWA	2013	5	31	0	20.412
MWA	2013	5	30	23	20.388
MWA	2013	5	30	22	20.46
MWA	2013	5	30	21	20.484
MWA	2013	5	30	20	20.293
MWA	2013	5	30	19	20.317
MWA	2013	5	30	18	20.46
MWA	2013	5	30	17	20.246
MWA	2013	5	30	16	20.246
MWA	2013	5	30	15	20.198
MWA	2013	5	30	14	20.269
MWA	2013	5	30	13	20.269
MWA	2013	5	30	12	20.246
MWA	2013	5	30	11	20.198
MWA	2013	5	30	10	20.388
MWA	2013	5	30	9	20.246
MWA	2013	5	30	8	20.198
MWA	2013	5	30	7	20.15
MWA	2013	5	30	6	20.222
MWA	2013	5	30	5	20.079
MWA	2013	5	30	4	20.055
MWA	2013	5	30	3	20.126
MWA	2013	5	30	2	20.007
MWA	2013	5	30	1	20.031
MWA	2013	5	30	0	20.15
MWA	2013	5	29	23	20.079
MWA	2013	5	29	22	20.079
MWA	2013	5	29	21	20.126
MWA	2013	5	29	20	20.055
MWA	2013	5	29	19	20.103
MWA	2013	5	29	18	20.126
MWA	2013	5	29	17	20.15
MWA	2013	5	29	16	20.007
MWA	2013	5	29	15	19.865
MWA	2013	5	29	14	19.817

Site ID	Year	Month	Day	Hour	Temp (C)
MWA	2013	5	29	13	19.817
MWA	2013	5	29	12	19.698
MWA	2013	5	29	11	19.698
MWA	2013	5	29	10	19.674
MWA	2013	5	29	9	19.698
MWA	2013	5	29	8	19.674
MWA	2013	5	29	7	19.651
MWA	2013	5	29	6	19.651
MWA	2013	5	29	5	19.674
MWA	2013	5	29	4	19.722
MWA	2013	5	29	3	19.674
MWA	2013	5	29	2	19.674
MWA	2013	5	29	1	19.674
MWA	2013	5	29	0	19.674
MWA	2013	5	28	23	19.674
MWA	2013	5	28	22	19.698
MWA	2013	5	28	21	19.651
MWA	2013	5	28	20	19.651
MWA	2013	5	28	19	19.722
MWA	2013	5	28	18	19.722
MWA	2013	5	28	17	19.651
MWA	2013	5	28	16	19.603
MWA	2013	5	28	15	19.627
MWA	2013	5	28	14	19.651
MWA	2013	5	28	13	19.532
MWA	2013	5	28	12	19.508
MWA	2013	5	28	11	19.484
MWA	2013	5	28	10	19.484
MWA	2013	5	28	9	19.46
MWA	2013	5	28	8	19.46
MWA	2013	5	28	7	19.46
MWA	2013	5	28	6	19.46
MWA	2013	5	28	5	19.508
MWA	2013	5	28	4	19.555
MWA	2013	5	28	3	19.627
MWA	2013	5	28	2	19.651
MWA	2013	5	28	1	19.674
MWA	2013	5	28	0	19.722
MWA	2013	5	27	23	19.77
MWA	2013	5	27	22	19.817
MWA	2013	5	27	21	19.674
MWA	2013	5	27	20	19.579
MWA	2013	5	27	19	19.532
MWA	2013	5	27	18	19.484

Site ID	Year	Month	Day	Hour	Temp (C)
MWA	2013	5	27	17	19.484
MWA	2013	5	27	16	19.508
MWA	2013	5	27	15	19.413
MWA	2013	5	27	14	19.389
MWA	2013	5	27	13	19.341
MWA	2013	5	27	12	19.413
MWA	2013	5	27	11	19.389
MWA	2013	5	27	10	19.341
MWA	2013	5	27	9	19.389
MWA	2013	5	27	8	19.365
MWA	2013	5	27	7	19.365
MWA	2013	5	27	6	19.389
MWA	2013	5	27	5	19.508
MWA	2013	5	27	4	19.532
MWA	2013	5	27	3	19.484
MWA	2013	5	27	2	19.318
MWA	2013	5	27	1	19.294
MWA	2013	5	27	0	19.294
MWA	2013	5	26	23	19.318
MWA	2013	5	26	22	19.294
MWA	2013	5	26	21	19.341
MWA	2013	5	26	20	19.318
MWA	2013	5	26	19	19.294
MWA	2013	5	26	18	19.246
MWA	2013	5	26	17	19.127
MWA	2013	5	26	16	19.127
MWA	2013	5	26	15	18.866
MWA	2013	5	26	14	18.818
MWA	2013	5	26	13	18.866
MWA	2013	5	26	12	18.723
MWA	2013	5	26	11	18.699
MWA	2013	5	26	10	18.723
MWA	2013	5	26	9	18.723
MWA	2013	5	26	8	18.699
MWA	2013	5	26	7	18.652
MWA	2013	5	26	6	18.628
MWA	2013	5	26	5	18.628
MWA	2013	5	26	4	18.652
MWA	2013	5	26	3	18.652
MWA	2013	5	26	2	18.628
MWA	2013	5	26	1	18.628
MWA	2013	5	26	0	18.628
MWA	2013	5	25	23	18.628
MWA	2013	5	25	22	18.628

Site ID	Year	Month	Day	Hour	Temp (C)
MWA	2013	5	25	21	18.628
MWA	2013	5	25	20	18.604
MWA	2013	5	25	19	18.628
MWA	2013	5	25	18	18.652
MWA	2013	5	25	17	18.58
MWA	2013	5	25	16	18.485
MWA	2013	5	25	15	18.438
MWA	2013	5	25	14	18.414
MWA	2013	5	25	13	18.39
MWA	2013	5	25	12	18.39
MWA	2013	5	25	11	18.366
MWA	2013	5	25	10	18.343
MWA	2013	5	25	9	18.414
MWA	2013	5	25	8	18.366
MWA	2013	5	25	7	18.366
MWA	2013	5	25	6	18.39
MWA	2013	5	25	5	18.39
MWA	2013	5	25	4	18.438
MWA	2013	5	25	3	18.414
MWA	2013	5	25	2	18.39
MWA	2013	5	25	1	18.39
MWA	2013	5	25	0	18.39
MWA	2013	5	24	23	18.39
MWA	2013	5	24	22	18.39
MWA	2013	5	24	21	18.366
MWA	2013	5	24	20	18.343
MWA	2013	5	24	19	18.319
MWA	2013	5	24	18	18.343
MWA	2013	5	24	17	18.438
MWA	2013	5	24	16	18.557
MWA	2013	5	24	15	18.771
MWA	2013	5	24	14	18.794
MWA	2013	5	24	13	18.771
MWA	2013	5	24	12	18.747
MWA	2013	5	24	11	18.771
MWA	2013	5	24	10	18.747
MWA	2013	5	24	9	18.675
MWA	2013	5	24	8	18.699
MWA	2013	5	24	7	18.723
MWA	2013	5	24	6	18.58
MWA	2013	5	24	5	18.58
MWA	2013	5	24	4	18.58
MWA	2013	5	24	3	18.557
MWA	2013	5	24	2	18.557

Site ID	Year	Month	Day	Hour	Temp (C)
MWA	2013	5	24	1	18.557
MWA	2013	5	24	0	18.533
MWA	2013	5	23	23	18.533
MWA	2013	5	23	22	18.509
MWA	2013	5	23	21	18.557
MWA	2013	5	23	20	18.533
MWA	2013	5	23	19	18.509
MWA	2013	5	23	18	18.533
MWA	2013	5	23	17	18.533
MWA	2013	5	23	16	18.509
MWA	2013	5	23	15	18.509
MWA	2013	5	23	14	18.533
MWA	2013	5	23	13	18.533
MWA	2013	5	23	12	18.509
MWA	2013	5	23	11	18.485
MWA	2013	5	23	10	18.438
MWA	2013	5	23	9	18.461
MWA	2013	5	23	8	18.438
MWA	2013	5	23	7	18.485
MWA	2013	5	23	6	18.509
MWA	2013	5	23	5	18.533
MWA	2013	5	23	4	18.604
MWA	2013	5	23	3	18.675
MWA	2013	5	23	2	18.747
MWA	2013	5	23	1	18.818
MWA	2013	5	23	0	18.866
MWA	2013	5	22	23	18.913
MWA	2013	5	22	22	18.985
MWA	2013	5	22	21	19.032
MWA	2013	5	22	20	19.151
MWA	2013	5	22	19	19.246
MWA	2013	5	22	18	19.341
MWA	2013	5	22	17	19.484
MWA	2013	5	22	16	19.532
MWA	2013	5	22	15	19.532
MWA	2013	5	22	14	19.46
MWA	2013	5	22	13	19.436
MWA	2013	5	22	12	19.389
MWA	2013	5	22	11	19.413
MWA	2013	5	22	10	19.413
MWA	2013	5	22	9	19.436
MWA	2013	5	22	8	19.579
MWA	2013	5	22	7	20.198
MWA	2013	5	22	6	20.436

Site ID	Year	Month	Day	Hour	Temp (C)
MWA	2013	5	22	5	20.627
MWA	2013	5	22	4	20.889
MWA	2013	5	22	3	20.936
MWA	2013	5	22	2	21.056
MWA	2013	5	22	1	21.056
MWA	2013	5	22	0	20.579
MWA	2013	5	21	23	20.627
MWA	2013	5	21	22	20.77
MWA	2013	5	21	21	20.507
MWA	2013	5	21	20	20.603
MWA	2013	5	21	19	20.46
MWA	2013	5	21	18	20.46
MWA	2013	5	21	17	20.436
MWA	2013	5	21	16	20.46
MWA	2013	5	21	15	20.436
MWA	2013	5	21	14	20.388
MWA	2013	5	21	13	20.365
MWA	2013	5	21	12	20.412
MWA	2013	5	21	11	20.341
MWA	2013	5	21	10	20.388
MWA	2013	5	21	9	20.436
MWA	2013	5	21	8	20.341
MWA	2013	5	21	7	20.341
MWA	2013	5	21	6	20.341
MWA	2013	5	21	5	20.365
MWA	2013	5	21	4	20.341
MWA	2013	5	21	3	20.341
MWA	2013	5	21	2	20.341
MWA	2013	5	21	1	20.365
MWA	2013	5	21	0	20.365
MWA	2013	5	20	23	20.365
MWA	2013	5	20	22	20.365
MWA	2013	5	20	21	20.388
MWA	2013	5	20	20	20.365
MWA	2013	5	20	19	20.388
MWA	2013	5	20	18	20.412
MWA	2013	5	20	17	20.388
MWA	2013	5	20	16	20.365
MWA	2013	5	20	15	20.365
MWA	2013	5	20	14	20.388
MWA	2013	5	20	13	20.388
MWA	2013	5	20	12	20.317
MWA	2013	5	20	11	20.246
MWA	2013	5	20	10	20.222

Site ID	Year	Month	Day	Hour	Temp (C)
MWA	2013	5	20	9	20.15
MWA	2013	5	20	8	20.15
MWA	2013	5	20	7	20.198
MWA	2013	5	20	6	20.174
MWA	2013	5	20	5	20.317
MWA	2013	5	20	4	20.317
MWA	2013	5	20	3	20.388
MWA	2013	5	20	2	20.46
MWA	2013	5	20	1	20.484
MWA	2013	5	20	0	20.627
MWA	2013	5	19	23	20.603
MWA	2013	5	19	22	20.579
MWA	2013	5	19	21	20.531
MWA	2013	5	19	20	20.507
MWA	2013	5	19	19	20.627
MWA	2013	5	19	18	20.555
MWA	2013	5	19	17	20.555
MWA	2013	5	19	16	20.531
MWA	2013	5	19	15	20.484
MWA	2013	5	19	14	20.484
MWA	2013	5	19	13	20.603
MWA	2013	5	19	12	20.484
MWA	2013	5	19	11	20.46
MWA	2013	5	19	10	20.365
MWA	2013	5	19	9	20.293
MWA	2013	5	19	8	20.198
MWA	2013	5	19	7	20.15
MWA	2013	5	19	6	20.222
MWA	2013	5	19	5	20.198
MWA	2013	5	19	4	20.198
MWA	2013	5	19	3	20.198
MWA	2013	5	19	2	20.222
MWA	2013	5	19	1	20.388
MWA	2013	5	19	0	20.222
MWA	2013	5	18	23	20.198
MWA	2013	5	18	22	20.198
MWA	2013	5	18	21	20.222
MWA	2013	5	18	20	20.246
MWA	2013	5	18	19	20.246
MWA	2013	5	18	18	20.246
MWA	2013	5	18	17	20.174
MWA	2013	5	18	16	20.222
MWA	2013	5	18	15	20.15
MWA	2013	5	18	14	20.15

Site ID	Year	Month	Day	Hour	Temp (C)
MWA	2013	5	18	13	20.126
MWA	2013	5	18	12	20.103
MWA	2013	5	18	11	20.103
MWA	2013	5	18	10	20.079
MWA	2013	5	18	9	20.15
MWA	2013	5	18	8	20.079
MWA	2013	5	18	7	20.103
MWA	2013	5	18	6	20.15
MWA	2013	5	18	5	20.198
MWA	2013	5	18	4	20.293
MWA	2013	5	18	3	20.365
MWA	2013	5	18	2	20.46
MWA	2013	5	18	1	20.531
MWA	2013	5	18	0	20.65
MWA	2013	5	17	23	20.507
MWA	2013	5	17	22	20.555
MWA	2013	5	17	21	20.507
MWA	2013	5	17	20	20.46
MWA	2013	5	17	19	20.436
MWA	2013	5	17	18	20.436
MWA	2013	5	17	17	20.436
MWA	2013	5	17	16	20.365
MWA	2013	5	17	15	20.388
MWA	2013	5	17	14	20.317
MWA	2013	5	17	13	20.293
MWA	2013	5	17	12	20.246
MWA	2013	5	17	11	20.222
MWA	2013	5	17	10	20.198
MWA	2013	5	17	9	20.222
MWA	2013	5	17	8	20.222
MWA	2013	5	17	7	20.269
MWA	2013	5	17	6	20.388
MWA	2013	5	17	5	20.507
MWA	2013	5	17	4	20.555
MWA	2013	5	17	3	20.674
MWA	2013	5	17	2	20.817
MWA	2013	5	17	1	20.889
MWA	2013	5	17	0	20.96
MWA	2013	5	16	23	21.079
MWA	2013	5	16	22	21.199
MWA	2013	5	16	21	21.342
MWA	2013	5	16	20	21.342
MWA	2013	5	16	19	21.246
MWA	2013	5	16	18	21.318

Site ID	Year	Month	Day	Hour	Temp (C)
MWA	2013	5	16	17	21.294
MWA	2013	5	16	16	21.318
MWA	2013	5	16	15	21.366
MWA	2013	5	16	14	21.366
MWA	2013	5	16	13	21.366
MWA	2013	5	16	12	21.366
MWA	2013	5	16	11	21.366
MWA	2013	5	16	10	21.366
MWA	2013	5	16	9	21.437
MWA	2013	5	16	8	21.604
MWA	2013	5	16	7	21.676
MWA	2013	5	16	6	21.485
MWA	2013	5	16	5	21.27
MWA	2013	5	16	4	21.413
MWA	2013	5	16	3	21.175
MWA	2013	5	16	2	21.079
MWA	2013	5	16	1	21.103
MWA	2013	5	16	0	21.27
MWA	2013	5	15	23	20.936
MWA	2013	5	15	22	20.913
MWA	2013	5	15	21	21.008
MWA	2013	5	15	20	20.913
MWA	2013	5	15	19	20.841
MWA	2013	5	15	18	20.889
MWA	2013	5	15	17	20.817
MWA	2013	5	15	16	20.793
MWA	2013	5	15	15	20.889
MWA	2013	5	15	14	20.984
MWA	2013	5	15	13	20.841
MWA	2013	5	15	12	20.984
MWA	2013	5	15	11	20.77
MWA	2013	5	15	10	20.817
MWA	2013	5	15	9	20.793
MWA	2013	5	15	8	20.698
MWA	2013	5	15	7	20.746
MWA	2013	5	15	6	20.698
MWA	2013	5	15	5	20.65
MWA	2013	5	15	4	20.65
MWA	2013	5	15	3	20.65
MWA	2013	5	15	2	20.65
MWA	2013	5	15	1	20.674
MWA	2013	5	15	0	20.674
MWA	2013	5	14	23	20.627
MWA	2013	5	14	22	20.65

Site ID	Year	Month	Day	Hour	Temp (C)
MWA	2013	5	14	21	20.627
MWA	2013	5	14	20	20.722
MWA	2013	5	14	19	20.603
MWA	2013	5	14	18	20.674
MWA	2013	5	14	17	20.627
MWA	2013	5	14	16	20.722
MWA	2013	5	14	15	20.841
MWA	2013	5	14	14	20.913
MWA	2013	5	14	13	20.555
MWA	2013	5	14	12	20.603
MWA	2013	5	14	11	20.507
MWA	2013	5	14	10	20.579
MWA	2013	5	14	9	20.579
MWA	2013	5	14	8	20.484
MWA	2013	5	14	7	20.555
MWA	2013	5	14	6	20.555
MWA	2013	5	14	5	20.484
MWA	2013	5	14	4	20.46
MWA	2013	5	14	3	20.555
MWA	2013	5	14	2	20.484
MWA	2013	5	14	1	20.46
MWA	2013	5	14	0	20.603
MWA	2013	5	13	23	20.579
MWA	2013	5	13	22	20.579
MWA	2013	5	13	21	20.579
MWA	2013	5	13	20	20.579
MWA	2013	5	13	19	20.555
MWA	2013	5	13	18	20.531
MWA	2013	5	13	17	20.674
MWA	2013	5	13	16	20.627
MWA	2013	5	13	15	20.65
MWA	2013	5	13	14	20.603
MWA	2013	5	13	13	20.627
MWA	2013	5	13	12	20.793
MWA	2013	5	13	11	20.722
MWA	2013	5	13	10	20.698
MWA	2013	5	13	9	20.722
MWA	2013	5	13	8	20.627
MWA	2013	5	13	7	20.579
MWA	2013	5	13	6	20.579
MWA	2013	5	13	5	20.674
MWA	2013	5	13	4	20.65
MWA	2013	5	13	3	20.674
MWA	2013	5	13	2	20.722

Site ID	Year	Month	Day	Hour	Temp (C)
MWA	2013	5	13	1	20.746
MWA	2013	5	13	0	20.698
MWA	2013	5	12	23	20.698
MWA	2013	5	12	22	20.65
MWA	2013	5	12	21	20.65
MWA	2013	5	12	20	20.65
MWA	2013	5	12	19	20.65
MWA	2013	5	12	18	20.579
MWA	2013	5	12	17	20.436
MWA	2013	5	12	16	20.46
MWA	2013	5	12	15	20.436
MWA	2013	5	12	14	20.388
MWA	2013	5	12	13	20.317
MWA	2013	5	12	12	20.365
MWA	2013	5	12	11	20.293
MWA	2013	5	12	10	20.317
MWA	2013	5	12	9	20.412
MWA	2013	5	12	8	20.341
MWA	2013	5	12	7	20.317
MWA	2013	5	12	6	20.317
MWA	2013	5	12	5	20.269
MWA	2013	5	12	4	20.317
MWA	2013	5	12	3	20.246
MWA	2013	5	12	2	20.246
MWA	2013	5	12	1	20.317
MWA	2013	5	12	0	20.293
MWA	2013	5	11	23	20.269
MWA	2013	5	11	22	20.293
MWA	2013	5	11	21	20.293
MWA	2013	5	11	20	20.293
MWA	2013	5	11	19	20.269
MWA	2013	5	11	18	20.341
MWA	2013	5	11	17	20.317
MWA	2013	5	11	16	20.388
MWA	2013	5	11	15	20.317
MWA	2013	5	11	14	20.341
MWA	2013	5	11	13	20.341
MWA	2013	5	11	12	20.365
MWA	2013	5	11	11	20.412
MWA	2013	5	11	10	20.341
MWA	2013	5	11	9	20.293
MWA	2013	5	11	8	20.293
MWA	2013	5	11	7	20.198
MWA	2013	5	11	6	20.174

Site ID	Year	Month	Day	Hour	Temp (C)
MWA	2013	5	11	5	20.174
MWA	2013	5	11	4	20.103
MWA	2013	5	11	3	20.198
MWA	2013	5	11	2	20.174
MWA	2013	5	11	1	20.15
MWA	2013	5	11	0	20.174
MWA	2013	5	10	23	20.198
MWA	2013	5	10	22	20.198
MWA	2013	5	10	21	20.222
MWA	2013	5	10	20	20.246
MWA	2013	5	10	19	20.222
MWA	2013	5	10	18	20.222
MWA	2013	5	10	17	20.246
MWA	2013	5	10	16	20.269
MWA	2013	5	10	15	20.246
MWA	2013	5	10	14	20.246
MWA	2013	5	10	13	20.174
MWA	2013	5	10	12	20.15
MWA	2013	5	10	11	20.174
MWA	2013	5	10	10	20.174
MWA	2013	5	10	9	20.246
MWA	2013	5	10	8	20.174
MWA	2013	5	10	7	20.126
MWA	2013	5	10	6	20.055
MWA	2013	5	10	5	20.103
MWA	2013	5	10	4	20.031
MWA	2013	5	10	3	20.174
MWA	2013	5	10	2	20.126
MWA	2013	5	10	1	20.055
MWA	2013	5	10	0	20.126
MWA	2013	5	9	23	20.174
MWA	2013	5	9	22	20.031
MWA	2013	5	9	21	20.079
MWA	2013	5	9	20	20.15
MWA	2013	5	9	19	20.007
MWA	2013	5	9	18	20.15
MWA	2013	5	9	17	20.079
MWA	2013	5	9	16	20.079
MWA	2013	5	9	15	19.96
MWA	2013	5	9	14	20.007
MWA	2013	5	9	13	19.912
MWA	2013	5	9	12	19.912
MWA	2013	5	9	11	19.841
MWA	2013	5	9	10	19.888

Site ID	Year	Month	Day	Hour	Temp (C)
MWA	2013	5	9	9	19.865
MWA	2013	5	9	8	19.936
MWA	2013	5	9	7	19.865
MWA	2013	5	9	6	19.841
MWA	2013	5	9	5	19.865
MWA	2013	5	9	4	19.865
MWA	2013	5	9	3	19.865
MWA	2013	5	9	2	19.936
MWA	2013	5	9	1	19.888
MWA	2013	5	9	0	19.912
MWA	2013	5	8	23	19.865
MWA	2013	5	8	22	19.936
MWA	2013	5	8	21	19.865
MWA	2013	5	8	20	19.841
MWA	2013	5	8	19	19.817
MWA	2013	5	8	18	19.817
MWA	2013	5	8	17	19.841
MWA	2013	5	8	16	19.865
MWA	2013	5	8	15	19.865
MWA	2013	5	8	14	19.865
MWA	2013	5	8	13	19.865
MWA	2013	5	8	12	19.912
MWA	2013	5	8	11	19.912
MWA	2013	5	8	10	19.936
MWA	2013	5	8	9	19.912
MWA	2013	5	8	8	19.936
MWA	2013	5	8	7	19.888
MWA	2013	5	8	6	19.912
MWA	2013	5	8	5	19.888
MWA	2013	5	8	4	19.912
MWA	2013	5	8	3	19.841
MWA	2013	5	8	2	19.841
MWA	2013	5	8	1	19.817
MWA	2013	5	8	0	19.841
MWA	2013	5	7	23	19.817
MWA	2013	5	7	22	19.841
MWA	2013	5	7	21	19.817
MWA	2013	5	7	20	19.817
MWA	2013	5	7	19	20.031
MWA	2013	5	7	18	20.007
MWA	2013	5	7	17	19.984
MWA	2013	5	7	16	19.96
MWA	2013	5	7	15	19.984
MWA	2013	5	7	14	19.984

Site ID	Year	Month	Day	Hour	Temp (C)
MWA	2013	5	7	13	19.984
MWA	2013	5	7	12	19.96
MWA	2013	5	7	11	20.031
MWA	2013	5	7	10	20.007
MWA	2013	5	7	9	20.007
MWA	2013	5	7	8	20.007
MWA	2013	5	7	7	20.031
MWA	2013	5	7	6	20.079
MWA	2013	5	7	5	20.15
MWA	2013	5	7	4	20.174
MWA	2013	5	7	3	20.198
MWA	2013	5	7	2	19.865
MWA	2013	5	7	1	19.912
MWA	2013	5	7	0	20.007
MWA	2013	5	6	23	19.888
MWA	2013	5	6	22	19.841
MWA	2013	5	6	21	19.865
MWA	2013	5	6	20	19.865
MWA	2013	5	6	19	19.865
MWA	2013	5	6	18	19.841
MWA	2013	5	6	17	19.888
MWA	2013	5	6	16	19.865
MWA	2013	5	6	15	20.055
MWA	2013	5	6	14	19.96
MWA	2013	5	6	13	19.841
MWA	2013	5	6	12	20.103
MWA	2013	5	6	11	20.031
MWA	2013	5	6	10	20.079
MWA	2013	5	6	9	20.341
MWA	2013	5	6	8	20.293
MWA	2013	5	6	7	20.341
MWA	2013	5	6	6	20.388
MWA	2013	5	6	5	20.388
MWA	2013	5	6	4	20.031
MWA	2013	5	6	3	20.031
MWA	2013	5	6	2	20.055
MWA	2013	5	6	1	19.96
MWA	2013	5	6	0	20.007
MWA	2013	5	5	23	20.222
MWA	2013	5	5	22	20.103
MWA	2013	5	5	21	19.96
MWA	2013	5	5	20	20.007
MWA	2013	5	5	19	20.031
MWA	2013	5	5	18	19.96

Site ID	Year	Month	Day	Hour	Temp (C)
MWA	2013	5	5	17	19.888
MWA	2013	5	5	16	20.007
MWA	2013	5	5	15	20.031
MWA	2013	5	5	14	19.912
MWA	2013	5	5	13	19.817
MWA	2013	5	5	12	19.841
MWA	2013	5	5	11	19.841
MWA	2013	5	5	10	19.793
MWA	2013	5	5	9	19.793
MWA	2013	5	5	8	19.77
MWA	2013	5	5	7	19.746
MWA	2013	5	5	6	19.77
MWA	2013	5	5	5	19.793
MWA	2013	5	5	4	19.793
MWA	2013	5	5	3	19.793
MWA	2013	5	5	2	19.793
MWA	2013	5	5	1	19.77
MWA	2013	5	5	0	19.841
MWA	2013	5	4	23	19.722
MWA	2013	5	4	22	19.722
MWA	2013	5	4	21	19.793
MWA	2013	5	4	20	19.722
MWA	2013	5	4	19	19.722
MWA	2013	5	4	18	19.698
MWA	2013	5	4	17	19.698
MWA	2013	5	4	16	19.698
MWA	2013	5	4	15	19.722
MWA	2013	5	4	14	19.722
MWA	2013	5	4	13	19.793
MWA	2013	5	4	12	19.793
MWA	2013	5	4	11	19.77
MWA	2013	5	4	10	19.817
MWA	2013	5	4	9	19.793
MWA	2013	5	4	8	19.793
MWA	2013	5	4	7	19.793
MWA	2013	5	4	6	19.841
MWA	2013	5	4	5	19.793
MWA	2013	5	4	4	19.936
MWA	2013	5	4	3	19.865
MWA	2013	5	4	2	19.841
MWA	2013	5	4	1	19.912
MWA	2013	5	4	0	19.888
MWA	2013	5	3	23	19.888
MWA	2013	5	3	22	19.888

Site ID	Year	Month	Day	Hour	Temp (C)
MWA	2013	5	3	21	19.936
MWA	2013	5	3	20	19.936
MWA	2013	5	3	19	19.888
MWA	2013	5	3	18	19.936
MWA	2013	5	3	17	19.96
MWA	2013	5	3	16	19.865
MWA	2013	5	3	15	19.746
MWA	2013	5	3	14	19.698
MWA	2013	5	3	13	19.746
MWA	2013	5	3	12	19.722
MWA	2013	5	3	11	19.746
MWA	2013	5	3	10	19.746
MWA	2013	5	3	9	19.722
MWA	2013	5	3	8	19.722
MWA	2013	5	3	7	19.722
MWA	2013	5	3	6	19.722
MWA	2013	5	3	5	19.722
MWA	2013	5	3	4	19.793
MWA	2013	5	3	3	19.77
MWA	2013	5	3	2	19.865
MWA	2013	5	3	1	19.865
MWA	2013	5	3	0	19.912
MWA	2013	5	2	23	19.912
MWA	2013	5	2	22	19.888
MWA	2013	5	2	21	19.96
MWA	2013	5	2	20	19.936
MWA	2013	5	2	19	19.984
MWA	2013	5	2	18	20.007
MWA	2013	5	2	17	20.055
MWA	2013	5	2	16	19.96
MWA	2013	5	2	15	20.007
MWA	2013	5	2	14	20.031
MWA	2013	5	2	13	20.103
MWA	2013	5	2	12	20.174
MWA	2013	5	2	11	19.984
MWA	2013	5	2	10	20.103
MWA	2013	5	2	9	19.984
MWA	2013	5	2	8	20.055
MWA	2013	5	2	7	19.984
MWA	2013	5	2	6	20.031
MWA	2013	5	2	5	20.079
MWA	2013	5	2	4	19.96
MWA	2013	5	2	3	20.126
MWA	2013	5	2	2	19.936

Site ID	Year	Month	Day	Hour	Temp (C)
MWA	2013	5	2	1	19.936
MWA	2013	5	2	0	19.865
MWA	2013	5	1	23	19.888
MWA	2013	5	1	22	19.912
MWA	2013	5	1	21	19.865
MWA	2013	5	1	20	19.888
MWA	2013	5	1	19	19.841
MWA	2013	5	1	18	19.865
MWA	2013	5	1	17	19.841
MWA	2013	5	1	16	19.841
MWA	2013	5	1	15	19.865
MWA	2013	5	1	14	19.865
MWA	2013	5	1	13	19.841
MWA	2013	5	1	12	19.865
MWA	2013	5	1	11	19.865
MWA	2013	5	1	10	19.865
MWA	2013	5	1	9	19.817
MWA	2013	5	1	8	19.817
MWA	2013	5	1	7	19.865
MWA	2013	5	1	6	20.031
MWA	2013	5	1	5	20.103
MWA	2013	5	1	4	20.174
MWA	2013	5	1	3	20.317
MWA	2013	5	1	2	20.412
MWA	2013	5	1	1	20.603
MWA	2013	5	1	0	20.746
MWA	2013	4	30	23	20.817
MWA	2013	4	30	22	20.96
MWA	2013	4	30	21	21.199
MWA	2013	4	30	20	21.27
MWA	2013	4	30	19	21.318
MWA	2013	4	30	18	21.509
MWA	2013	4	30	17	21.533
MWA	2013	4	30	16	21.581
MWA	2013	4	30	15	21.819
MWA	2013	4	30	14	21.819
MWA	2013	4	30	13	21.724
MWA	2013	4	30	12	21.39
MWA	2013	4	30	11	21.318
MWA	2013	4	30	10	20.913
MWA	2013	4	30	9	20.984
MWA	2013	4	30	8	19.77
MWA	2013	4	30	7	19.436
MWA	2013	4	30	6	19.484

Site ID	Year	Month	Day	Hour	Temp (C)
MWA	2013	4	30	5	19.436
MWA	2013	4	30	4	19.46
MWA	2013	4	30	3	19.46
MWA	2013	4	30	2	19.532
MWA	2013	4	30	1	19.603
MWA	2013	4	30	0	19.627
MWA	2013	4	29	23	19.627
MWA	2013	4	29	22	19.651
MWA	2013	4	29	21	19.603
MWA	2013	4	29	20	19.698
MWA	2013	4	29	19	19.698
MWA	2013	4	29	18	19.698
MWA	2013	4	29	17	19.77
MWA	2013	4	29	16	19.603
MWA	2013	4	29	15	19.413
MWA	2013	4	29	14	19.413
MWA	2013	4	29	13	19.413
MWA	2013	4	29	12	19.413
MWA	2013	4	29	11	19.389
MWA	2013	4	29	10	19.603
MWA	2013	4	29	9	19.579
MWA	2013	4	29	8	19.389
MWA	2013	4	29	7	19.222
MWA	2013	4	29	6	19.294
MWA	2013	4	29	5	19.151
MWA	2013	4	29	4	19.199
MWA	2013	4	29	3	19.199
MWA	2013	4	29	2	19.199
MWA	2013	4	29	1	19.365
MWA	2013	4	29	0	19.246
MWA	2013	4	28	23	19.27
MWA	2013	4	28	22	19.341
MWA	2013	4	28	21	19.389
MWA	2013	4	28	20	19.436
MWA	2013	4	28	19	19.413
MWA	2013	4	28	18	19.199
MWA	2013	4	28	17	19.318
MWA	2013	4	28	16	19.127
MWA	2013	4	28	15	19.222
MWA	2013	4	28	14	19.151
MWA	2013	4	28	13	19.056
MWA	2013	4	28	12	19.151
MWA	2013	4	28	11	19.389
MWA	2013	4	28	10	19.365

Site ID	Year	Month	Day	Hour	Temp (C)
MWA	2013	4	28	9	19.341
MWA	2013	4	28	8	19.318
MWA	2013	4	28	7	19.151
MWA	2013	4	28	6	18.985
MWA	2013	4	28	5	18.937
MWA	2013	4	28	4	19.008
MWA	2013	4	28	3	19.103
MWA	2013	4	28	2	19.032
MWA	2013	4	28	1	19.08
MWA	2013	4	28	0	19.127
MWA	2013	4	27	23	19.222
MWA	2013	4	27	22	19.103
MWA	2013	4	27	21	19.246
MWA	2013	4	27	20	19.246
MWA	2013	4	27	19	19.199
MWA	2013	4	27	18	19.222
MWA	2013	4	27	17	19.175
MWA	2013	4	27	16	18.985
MWA	2013	4	27	15	18.866
MWA	2013	4	27	14	18.937
MWA	2013	4	27	13	18.889
MWA	2013	4	27	12	18.913
MWA	2013	4	27	11	18.889
MWA	2013	4	27	10	18.937
MWA	2013	4	27	9	18.985
MWA	2013	4	27	8	19.008
MWA	2013	4	27	7	18.985
MWA	2013	4	27	6	18.818
MWA	2013	4	27	5	18.818
MWA	2013	4	27	4	18.866
MWA	2013	4	27	3	19.056
MWA	2013	4	27	2	18.961
MWA	2013	4	27	1	18.937
MWA	2013	4	27	0	18.866
MWA	2013	4	26	23	18.961
MWA	2013	4	26	22	19.008
MWA	2013	4	26	21	18.961
MWA	2013	4	26	20	19.08
MWA	2013	4	26	19	19.032
MWA	2013	4	26	18	18.961
MWA	2013	4	26	17	19.032
MWA	2013	4	26	16	18.961
MWA	2013	4	26	15	19.032
MWA	2013	4	26	14	19.175

Site ID	Year	Month	Day	Hour	Temp (C)
MWA	2013	4	26	13	19.056
MWA	2013	4	26	12	19.175
MWA	2013	4	26	11	19.151
MWA	2013	4	26	10	18.842
MWA	2013	4	26	9	18.604
MWA	2013	4	26	8	19.151
MWA	2013	4	26	7	18.628
MWA	2013	4	26	6	18.319
MWA	2013	4	26	5	18.414
MWA	2013	4	26	4	18.485
MWA	2013	4	26	3	18.628
MWA	2013	4	26	2	18.414
MWA	2013	4	26	1	18.438
MWA	2013	4	26	0	18.747
MWA	2013	4	25	23	18.604
MWA	2013	4	25	22	18.699
MWA	2013	4	25	21	18.866
MWA	2013	4	25	20	18.414
MWA	2013	4	25	19	18.319
MWA	2013	4	25	18	18.747
MWA	2013	4	25	17	18.485
MWA	2013	4	25	16	18.557
MWA	2013	4	25	15	18.461
MWA	2013	4	25	14	18.509
MWA	2013	4	25	13	18.438
MWA	2013	4	25	12	18.343
MWA	2013	4	25	11	18.461
MWA	2013	4	25	10	18.176
MWA	2013	4	25	9	18.414
MWA	2013	4	25	8	18.176
MWA	2013	4	25	7	17.724
MWA	2013	4	25	6	17.724
MWA	2013	4	25	5	17.748
MWA	2013	4	25	4	17.724
MWA	2013	4	25	3	17.582
MWA	2013	4	25	2	17.629
MWA	2013	4	25	1	17.938
MWA	2013	4	25	0	17.439
MWA	2013	4	24	23	17.486
MWA	2013	4	24	22	17.439
MWA	2013	4	24	21	17.51
MWA	2013	4	24	20	17.51
MWA	2013	4	24	19	17.51
MWA	2013	4	24	18	17.558

Site ID	Year	Month	Day	Hour	Temp (C)
MWA	2013	4	24	17	17.463
MWA	2013	4	24	16	17.391
MWA	2013	4	24	15	17.391
MWA	2013	4	24	14	17.368
MWA	2013	4	24	13	17.391
MWA	2013	4	24	12	17.32
MWA	2013	4	24	11	17.296
MWA	2013	4	24	10	17.249
MWA	2013	4	24	9	17.13
MWA	2013	4	24	8	17.082
MWA	2013	4	24	7	16.892
MWA	2013	4	24	6	16.868
MWA	2013	4	24	5	16.82
MWA	2013	4	24	4	16.963
MWA	2013	4	24	3	16.796
MWA	2013	4	24	2	16.796
MWA	2013	4	24	1	16.892
MWA	2013	4	24	0	16.868
MWA	2013	4	23	23	16.725
MWA	2013	4	23	22	16.701
MWA	2013	4	23	21	16.82
MWA	2013	4	23	20	16.725
MWA	2013	4	23	19	16.773
MWA	2013	4	23	18	16.725
MWA	2013	4	23	17	16.701
MWA	2013	4	23	16	16.725
MWA	2013	4	23	15	16.725
MWA	2013	4	23	14	16.701
MWA	2013	4	23	13	16.606
MWA	2013	4	23	12	16.558
MWA	2013	4	23	11	16.534
MWA	2013	4	23	10	16.701
MWA	2013	4	23	9	16.463
MWA	2013	4	23	8	16.32
MWA	2013	4	23	7	16.296
MWA	2013	4	23	6	16.225
MWA	2013	4	23	5	16.463
MWA	2013	4	23	4	16.344
MWA	2013	4	23	3	16.249
MWA	2013	4	23	2	16.225
MWA	2013	4	23	1	16.201
MWA	2013	4	23	0	16.201
MWA	2013	4	22	23	16.177
MWA	2013	4	22	22	16.153

Site ID	Year	Month	Day	Hour	Temp (C)
MWA	2013	4	22	21	16.153
MWA	2013	4	22	20	16.129
MWA	2013	4	22	19	16.272
MWA	2013	4	22	18	16.296
MWA	2013	4	22	17	16.177
MWA	2013	4	22	16	16.01
MWA	2013	4	22	15	16.129
MWA	2013	4	22	14	16.01
MWA	2013	4	22	13	15.963
MWA	2013	4	22	12	16.082
MWA	2013	4	22	11	15.986
MWA	2013	4	22	10	15.986
MWA	2013	4	22	9	15.963
MWA	2013	4	22	8	15.796
MWA	2013	4	22	7	15.867
MWA	2013	4	22	6	15.772
MWA	2013	4	22	5	15.772
MWA	2013	4	22	4	15.676
MWA	2013	4	22	3	15.676
MWA	2013	4	22	2	15.676
MWA	2013	4	22	1	15.724
MWA	2013	4	22	0	15.7
MWA	2013	4	21	23	15.676
MWA	2013	4	21	22	15.7
MWA	2013	4	21	21	15.605
MWA	2013	4	21	20	15.605
MWA	2013	4	21	19	15.605
MWA	2013	4	21	18	15.676
MWA	2013	4	21	17	15.557
MWA	2013	4	21	16	15.533
MWA	2013	4	21	15	15.438
MWA	2013	4	21	14	15.438
MWA	2013	4	21	13	15.39
MWA	2013	4	21	12	15.39
MWA	2013	4	21	11	15.438
MWA	2013	4	21	10	15.366
MWA	2013	4	21	9	15.342
MWA	2013	4	21	8	15.318
MWA	2013	4	21	7	15.318
MWA	2013	4	21	6	15.294
MWA	2013	4	21	5	15.27
MWA	2013	4	21	4	15.27
MWA	2013	4	21	3	15.27
MWA	2013	4	21	2	15.27

Site ID	Year	Month	Day	Hour	Temp (C)
MWA	2013	4	21	1	15.247
MWA	2013	4	21	0	15.27
MWA	2013	4	20	23	15.27
MWA	2013	4	20	22	15.27
MWA	2013	4	20	21	15.247
MWA	2013	4	20	20	15.223
MWA	2013	4	20	19	15.223
MWA	2013	4	20	18	15.247
MWA	2013	4	20	17	15.27
MWA	2013	4	20	16	15.199
MWA	2013	4	20	15	15.175
MWA	2013	4	20	14	15.199
MWA	2013	4	20	13	15.199
MWA	2013	4	20	12	15.27
MWA	2013	4	20	11	15.151
MWA	2013	4	20	10	15.223
MWA	2013	4	20	9	15.103
MWA	2013	4	20	8	15.127
MWA	2013	4	20	7	15.127
MWA	2013	4	20	6	15.079
MWA	2013	4	20	5	15.103
MWA	2013	4	20	4	15.079
MWA	2013	4	20	3	15.079
MWA	2013	4	20	2	15.079
MWA	2013	4	20	1	15.055
MWA	2013	4	20	0	15.055
MWA	2013	4	19	23	15.055
MWA	2013	4	19	22	15.055
MWA	2013	4	19	21	15.055
MWA	2013	4	19	20	15.055
MWA	2013	4	19	19	15.055
MWA	2013	4	19	18	15.031
MWA	2013	4	19	17	15.031
MWA	2013	4	19	16	15.031
MWA	2013	4	19	15	15.031
MWA	2013	4	19	14	15.008
MWA	2013	4	19	13	15.008
MWA	2013	4	19	12	15.031
MWA	2013	4	19	11	15.031
MWA	2013	4	19	10	15.008
MWA	2013	4	19	9	14.984
MWA	2013	4	19	8	14.984
MWA	2013	4	19	7	14.96
MWA	2013	4	19	6	14.96

Site ID	Year	Month	Day	Hour	Temp (C)
MWA	2013	4	19	5	14.96
MWA	2013	4	19	4	14.96
MWA	2013	4	19	3	14.96
MWA	2013	4	19	2	14.96
MWA	2013	4	19	1	14.96
MWA	2013	4	19	0	14.96
MWA	2013	4	18	23	14.96
MWA	2013	4	18	22	14.96
MWA	2013	4	18	21	14.96
MWA	2013	4	18	20	14.96
MWA	2013	4	18	19	14.96
MWA	2013	4	18	18	14.936
MWA	2013	4	18	17	14.912
MWA	2013	4	18	16	14.792
MWA	2013	4	18	15	14.816
MWA	2013	4	18	14	14.768
MWA	2013	4	18	13	14.768
MWA	2013	4	18	12	14.768
MWA	2013	4	18	11	14.792
MWA	2013	4	18	10	14.768
MWA	2013	4	18	9	14.84
MWA	2013	4	18	8	14.912
MWA	2013	4	18	7	14.984
MWA	2013	4	18	6	15.031
MWA	2013	4	18	5	15.103
MWA	2013	4	18	4	15.151
MWA	2013	4	18	3	15.175
MWA	2013	4	18	2	15.175
MWA	2013	4	18	1	15.151
MWA	2013	4	18	0	15.199
MWA	2013	4	17	23	15.27
MWA	2013	4	17	22	15.294
MWA	2013	4	17	21	15.366
MWA	2013	4	17	20	15.318
MWA	2013	4	17	19	15.461
MWA	2013	4	17	18	15.509
MWA	2013	4	17	17	15.509
MWA	2013	4	17	16	15.461
MWA	2013	4	17	15	15.342
MWA	2013	4	17	14	15.318
MWA	2013	4	17	13	15.247
MWA	2013	4	17	12	15.079
MWA	2013	4	17	11	15.008
MWA	2013	4	17	10	15.008

Site ID	Year	Month	Day	Hour	Temp (C)
MWA	2013	4	17	9	14.96
MWA	2013	4	17	8	15.031
MWA	2013	4	17	7	15.079
MWA	2013	4	17	6	15.199
MWA	2013	4	17	5	15.318
MWA	2013	4	17	4	15.605
MWA	2013	4	17	3	15.652
MWA	2013	4	17	2	15.748
MWA	2013	4	17	1	15.748
MWA	2013	4	17	0	15.915
MWA	2013	4	16	23	15.915
MWA	2013	4	16	22	16.177
MWA	2013	4	16	21	16.487
MWA	2013	4	16	20	16.796
MWA	2013	4	16	19	16.63
MWA	2013	4	16	18	16.725
MWA	2013	4	16	17	16.773
MWA	2013	4	16	16	16.773
MWA	2013	4	16	15	16.796
MWA	2013	4	16	14	16.749
MWA	2013	4	16	13	16.725
MWA	2013	4	16	12	16.654
MWA	2013	4	16	11	16.677
MWA	2013	4	16	10	16.582
MWA	2013	4	16	9	16.582
MWA	2013	4	16	8	16.701
MWA	2013	4	16	7	16.963
MWA	2013	4	16	6	17.153
MWA	2013	4	16	5	17.249
MWA	2013	4	16	4	17.415
MWA	2013	4	16	3	17.558
MWA	2013	4	16	2	17.629
MWA	2013	4	16	1	17.772
MWA	2013	4	16	0	17.938
MWA	2013	4	15	23	18.01
MWA	2013	4	15	22	18.033
MWA	2013	4	15	21	18.129
MWA	2013	4	15	20	18.343
MWA	2013	4	15	19	18.485
MWA	2013	4	15	18	18.438
MWA	2013	4	15	17	18.033
MWA	2013	4	15	16	17.819
MWA	2013	4	15	15	17.819
MWA	2013	4	15	14	17.843

Site ID	Year	Month	Day	Hour	Temp (C)
MWA	2013	4	15	13	17.819
MWA	2013	4	15	12	17.819
MWA	2013	4	15	11	17.867
MWA	2013	4	15	10	17.891
MWA	2013	4	15	9	17.843
MWA	2013	4	15	8	17.843
MWA	2013	4	15	7	17.843
MWA	2013	4	15	6	17.891
MWA	2013	4	15	5	17.653
MWA	2013	4	15	4	17.724
MWA	2013	4	15	3	17.629
MWA	2013	4	15	2	17.582
MWA	2013	4	15	1	17.772
MWA	2013	4	15	0	17.629
MWA	2013	4	14	23	17.272
MWA	2013	4	14	22	17.32
MWA	2013	4	14	21	17.463
MWA	2013	4	14	20	17.225
MWA	2013	4	14	19	17.13
MWA	2013	4	14	18	17.13
MWA	2013	4	14	17	17.011
MWA	2013	4	14	16	17.011
MWA	2013	4	14	15	16.939
MWA	2013	4	14	14	16.939
MWA	2013	4	14	13	16.939
MWA	2013	4	14	12	16.963
MWA	2013	4	14	11	16.963
MWA	2013	4	14	10	16.868
MWA	2013	4	14	9	16.773
MWA	2013	4	14	8	16.701
MWA	2013	4	14	7	16.725
MWA	2013	4	14	6	16.749
MWA	2013	4	14	5	16.725
MWA	2013	4	14	4	16.796
MWA	2013	4	14	3	16.796
MWA	2013	4	14	2	16.82
MWA	2013	4	14	1	16.82
MWA	2013	4	14	0	16.796
MWA	2013	4	13	23	16.868
MWA	2013	4	13	22	16.796
MWA	2013	4	13	21	16.796
MWA	2013	4	13	20	16.773
MWA	2013	4	13	19	16.796
MWA	2013	4	13	18	16.796

Site ID	Year	Month	Day	Hour	Temp (C)
MWA	2013	4	13	17	16.701
MWA	2013	4	13	16	16.558
MWA	2013	4	13	15	16.392
MWA	2013	4	13	14	16.463
MWA	2013	4	13	13	16.344
MWA	2013	4	13	12	16.368
MWA	2013	4	13	11	16.32
MWA	2013	4	13	10	16.272
MWA	2013	4	13	9	16.201
MWA	2013	4	13	8	16.177
MWA	2013	4	13	7	16.129
MWA	2013	4	13	6	16.106
MWA	2013	4	13	5	16.082
MWA	2013	4	13	4	16.082
MWA	2013	4	13	3	16.082
MWA	2013	4	13	2	16.082
MWA	2013	4	13	1	16.082
MWA	2013	4	13	0	16.153
MWA	2013	4	12	23	16.129
MWA	2013	4	12	22	16.201
MWA	2013	4	12	21	16.058
MWA	2013	4	12	20	16.058
MWA	2013	4	12	19	16.034
MWA	2013	4	12	18	16.01
MWA	2013	4	12	17	16.01
MWA	2013	4	12	16	16.01
MWA	2013	4	12	15	16.01
MWA	2013	4	12	14	16.034
MWA	2013	4	12	13	15.939
MWA	2013	4	12	12	15.939
MWA	2013	4	12	11	15.963
MWA	2013	4	12	10	15.891
MWA	2013	4	12	9	15.891
MWA	2013	4	12	8	15.867
MWA	2013	4	12	7	15.867
MWA	2013	4	12	6	15.796
MWA	2013	4	12	5	15.819
MWA	2013	4	12	4	15.819
MWA	2013	4	12	3	15.796
MWA	2013	4	12	2	15.819
MWA	2013	4	12	1	15.796
MWA	2013	4	12	0	15.796
MWA	2013	4	11	23	15.843
MWA	2013	4	11	22	15.772

Site ID	Year	Month	Day	Hour	Temp (C)
MWA	2013	4	11	21	15.772
MWA	2013	4	11	20	15.772
MWA	2013	4	11	19	15.748
MWA	2013	4	11	18	15.796
MWA	2013	4	11	17	15.819
MWA	2013	4	11	16	16.177
MWA	2013	4	11	15	15.772
MWA	2013	4	11	14	15.557
MWA	2013	4	11	13	15.438
MWA	2013	4	11	12	15.39
MWA	2013	4	11	11	15.39
MWA	2013	4	11	10	15.366
MWA	2013	4	11	9	15.39
MWA	2013	4	11	8	15.366
MWA	2013	4	11	7	15.318
MWA	2013	4	11	6	15.318
MWA	2013	4	11	5	15.318
MWA	2013	4	11	4	15.366
MWA	2013	4	11	3	15.366
MWA	2013	4	11	2	15.342
MWA	2013	4	11	1	15.342
MWA	2013	4	11	0	15.342
MWA	2013	4	10	23	15.342
MWA	2013	4	10	22	15.366
MWA	2013	4	10	21	15.342
MWA	2013	4	10	20	15.342
MWA	2013	4	10	19	15.318
MWA	2013	4	10	18	15.294
MWA	2013	4	10	17	15.318
MWA	2013	4	10	16	15.223
MWA	2013	4	10	15	15.223
MWA	2013	4	10	14	15.223
MWA	2013	4	10	13	15.199
MWA	2013	4	10	12	15.199
MWA	2013	4	10	11	15.199
MWA	2013	4	10	10	15.247
MWA	2013	4	10	9	15.175
MWA	2013	4	10	8	15.151
MWA	2013	4	10	7	15.199
MWA	2013	4	10	6	15.223
MWA	2013	4	10	5	15.27
MWA	2013	4	10	4	15.318
MWA	2013	4	10	3	15.461
MWA	2013	4	10	2	15.533

Site ID	Year	Month	Day	Hour	Temp (C)
MWA	2013	4	10	1	15.581
MWA	2013	4	10	0	15.652
MWA	2013	4	9	23	15.676
MWA	2013	4	9	22	15.724
MWA	2013	4	9	21	15.772
MWA	2013	4	9	20	15.819
MWA	2013	4	9	19	15.843
MWA	2013	4	9	18	15.843
MWA	2013	4	9	17	15.939
MWA	2013	4	9	16	15.915
MWA	2013	4	9	15	15.748
MWA	2013	4	9	14	15.676
MWA	2013	4	9	13	15.438
MWA	2013	4	9	12	15.318
MWA	2013	4	9	11	15.103
MWA	2013	4	9	10	15.079
MWA	2013	4	9	9	15.031
MWA	2013	4	9	8	15.031
MWA	2013	4	9	7	14.96
MWA	2013	4	9	6	14.96
MWA	2013	4	9	5	15.103
MWA	2013	4	9	4	15.342
MWA	2013	4	9	3	15.819
MWA	2013	4	9	2	15.939
MWA	2013	4	9	1	16.034
MWA	2013	4	9	0	16.32
MWA	2013	4	8	23	16.725
MWA	2013	4	8	22	16.773
MWA	2013	4	8	21	16.892
MWA	2013	4	8	20	16.939
MWA	2013	4	8	19	17.225
MWA	2013	4	8	18	17.225
MWA	2013	4	8	17	17.201
MWA	2013	4	8	16	17.249
MWA	2013	4	8	15	17.177
MWA	2013	4	8	14	17.177
MWA	2013	4	8	13	17.225
MWA	2013	4	8	12	17.32
MWA	2013	4	8	11	17.391
MWA	2013	4	8	10	17.439
MWA	2013	4	8	9	17.677
MWA	2013	4	8	8	17.772
MWA	2013	4	8	7	18.081
MWA	2013	4	8	6	18.152

Site ID	Year	Month	Day	Hour	Temp (C)
MWA	2013	4	8	5	18.295
MWA	2013	4	8	4	18.557
MWA	2013	4	8	3	18.723
MWA	2013	4	8	2	18.58
MWA	2013	4	8	1	18.604
MWA	2013	4	8	0	18.675
MWA	2013	4	7	23	18.58
MWA	2013	4	7	22	18.58
MWA	2013	4	7	21	18.58
MWA	2013	4	7	20	18.604
MWA	2013	4	7	19	18.58
MWA	2013	4	7	18	18.58
MWA	2013	4	7	17	18.58
MWA	2013	4	7	16	18.58
MWA	2013	4	7	15	18.652
MWA	2013	4	7	14	18.533
MWA	2013	4	7	13	18.485
MWA	2013	4	7	12	18.485
MWA	2013	4	7	11	18.533
MWA	2013	4	7	10	18.461
MWA	2013	4	7	9	18.461
MWA	2013	4	7	8	18.39
MWA	2013	4	7	7	18.485
MWA	2013	4	7	6	18.2
MWA	2013	4	7	5	18.247
MWA	2013	4	7	4	18.247
MWA	2013	4	7	3	18.224
MWA	2013	4	7	2	18.295
MWA	2013	4	7	1	18.247
MWA	2013	4	7	0	18.271
MWA	2013	4	6	23	18.247
MWA	2013	4	6	22	18.271
MWA	2013	4	6	21	18.247
MWA	2013	4	6	20	18.271
MWA	2013	4	6	19	18.438
MWA	2013	4	6	18	18.39
MWA	2013	4	6	17	18.247
MWA	2013	4	6	16	18.271
MWA	2013	4	6	15	18.438
MWA	2013	4	6	14	18.485
MWA	2013	4	6	13	18.152
MWA	2013	4	6	12	18.152
MWA	2013	4	6	11	18.105
MWA	2013	4	6	10	18.033

Site ID	Year	Month	Day	Hour	Temp (C)
MWA	2013	4	6	9	18.01
MWA	2013	4	6	8	17.938
MWA	2013	4	6	7	17.915
MWA	2013	4	6	6	17.915
MWA	2013	4	6	5	17.867
MWA	2013	4	6	4	17.962
MWA	2013	4	6	3	17.938
MWA	2013	4	6	2	17.891
MWA	2013	4	6	1	17.915
MWA	2013	4	6	0	17.962
MWA	2013	4	5	23	17.962
MWA	2013	4	5	22	17.986
MWA	2013	4	5	21	17.962
MWA	2013	4	5	20	17.938
MWA	2013	4	5	19	17.938
MWA	2013	4	5	18	17.962
MWA	2013	4	5	17	18.105
MWA	2013	4	5	16	18.01
MWA	2013	4	5	15	18.057
MWA	2013	4	5	14	17.891
MWA	2013	4	5	13	17.986
MWA	2013	4	5	12	18.105
MWA	2013	4	5	11	17.938
MWA	2013	4	5	10	17.891
MWA	2013	4	5	9	17.772
MWA	2013	4	5	8	17.724
MWA	2013	4	5	7	17.724
MWA	2013	4	5	6	17.677
MWA	2013	4	5	5	17.701
MWA	2013	4	5	4	17.724
MWA	2013	4	5	3	17.772
MWA	2013	4	5	2	17.748
MWA	2013	4	5	1	17.701
MWA	2013	4	5	0	17.772
MWA	2013	4	4	23	17.724
MWA	2013	4	4	22	17.701
MWA	2013	4	4	21	17.748
MWA	2013	4	4	20	17.819
MWA	2013	4	4	19	17.772
MWA	2013	4	4	18	17.772
MWA	2013	4	4	17	17.819
MWA	2013	4	4	16	17.796
MWA	2013	4	4	15	17.819
MWA	2013	4	4	14	17.867

Site ID	Year	Month	Day	Hour	Temp (C)
MWA	2013	4	4	13	17.819
MWA	2013	4	4	12	17.677
MWA	2013	4	4	11	17.629
MWA	2013	4	4	10	17.819
MWA	2013	4	4	9	17.558
MWA	2013	4	4	8	17.605
MWA	2013	4	4	7	17.439
MWA	2013	4	4	6	17.463
MWA	2013	4	4	5	17.439
MWA	2013	4	4	4	17.415
MWA	2013	4	4	3	17.51
MWA	2013	4	4	2	17.486
MWA	2013	4	4	1	17.463
MWA	2013	4	4	0	17.486
MWA	2013	4	3	23	17.439
MWA	2013	4	3	22	17.558
MWA	2013	4	3	21	17.51
MWA	2013	4	3	20	17.51
MWA	2013	4	3	19	17.486
MWA	2013	4	3	18	17.629
MWA	2013	4	3	17	17.677
MWA	2013	4	3	16	17.724
MWA	2013	4	3	15	17.748
MWA	2013	4	3	14	17.724
MWA	2013	4	3	13	17.629
MWA	2013	4	3	12	17.724
MWA	2013	4	3	11	17.724
MWA	2013	4	3	10	17.605
MWA	2013	4	3	9	17.724
MWA	2013	4	3	8	17.249
MWA	2013	4	3	7	17.225
MWA	2013	4	3	6	17.106
MWA	2013	4	3	5	17.153
MWA	2013	4	3	4	17.13
MWA	2013	4	3	3	17.13
MWA	2013	4	3	2	17.13
MWA	2013	4	3	1	17.177
MWA	2013	4	3	0	17.153
MWA	2013	4	2	23	17.177
MWA	2013	4	2	22	17.177
MWA	2013	4	2	21	17.225
MWA	2013	4	2	20	17.272
MWA	2013	4	2	19	17.13
MWA	2013	4	2	18	17.272

Site ID	Year	Month	Day	Hour	Temp (C)
MWA	2013	4	2	17	17.177
MWA	2013	4	2	16	17.13
MWA	2013	4	2	15	17.201
MWA	2013	4	2	14	17.082
MWA	2013	4	2	13	17.058
MWA	2013	4	2	12	17.106
MWA	2013	4	2	11	16.963
MWA	2013	4	2	10	16.987
MWA	2013	4	2	9	16.939
MWA	2013	4	2	8	16.892
MWA	2013	4	2	7	16.868
MWA	2013	4	2	6	16.868
MWA	2013	4	2	5	16.868
MWA	2013	4	2	4	16.868
MWA	2013	4	2	3	16.868
MWA	2013	4	2	2	16.892
MWA	2013	4	2	1	16.892
MWA	2013	4	2	0	16.892
MWA	2013	4	1	23	16.915
MWA	2013	4	1	22	16.987
MWA	2013	4	1	21	16.915
MWA	2013	4	1	20	16.939
MWA	2013	4	1	19	16.915
MWA	2013	4	1	18	16.939
MWA	2013	4	1	17	16.939
MWA	2013	4	1	16	16.939
MWA	2013	4	1	15	16.915
MWA	2013	4	1	14	16.939
MWA	2013	4	1	13	16.963
MWA	2013	4	1	12	17.034
MWA	2013	4	1	11	17.011
MWA	2013	4	1	10	16.939
MWA	2013	4	1	9	16.892
MWA	2013	4	1	8	16.82
MWA	2013	4	1	7	16.773
MWA	2013	4	1	6	16.796
MWA	2013	4	1	5	16.796
MWA	2013	4	1	4	16.796
MWA	2013	4	1	3	16.844
MWA	2013	4	1	2	16.773
MWA	2013	4	1	1	16.844
MWA	2013	4	1	0	16.773
MWA	2013	3	31	23	16.844
MWA	2013	3	31	22	16.82

Site ID	Year	Month	Day	Hour	Temp (C)
MWA	2013	3	31	21	16.82
MWA	2013	3	31	20	16.892
MWA	2013	3	31	19	16.82
MWA	2013	3	31	18	16.796
MWA	2013	3	31	17	16.82
MWA	2013	3	31	16	16.796
MWA	2013	3	31	15	16.796
MWA	2013	3	31	14	16.82
MWA	2013	3	31	13	16.868
MWA	2013	3	31	12	16.725
MWA	2013	3	31	11	16.773
MWA	2013	3	31	10	16.773
MWA	2013	3	31	9	16.749
MWA	2013	3	31	8	16.773
MWA	2013	3	31	7	16.725
MWA	2013	3	31	6	16.701
MWA	2013	3	31	5	16.725
MWA	2013	3	31	4	16.749
MWA	2013	3	31	3	16.773
MWA	2013	3	31	2	16.773
MWA	2013	3	31	1	16.796
MWA	2013	3	31	0	16.749
MWA	2013	3	30	23	16.844
MWA	2013	3	30	22	16.654
MWA	2013	3	30	21	16.558
MWA	2013	3	30	20	16.582
MWA	2013	3	30	19	16.654
MWA	2013	3	30	18	16.582
MWA	2013	3	30	17	16.677
MWA	2013	3	30	16	16.511
MWA	2013	3	30	15	16.487
MWA	2013	3	30	14	16.487
MWA	2013	3	30	13	16.368
MWA	2013	3	30	12	16.392
MWA	2013	3	30	11	16.392
MWA	2013	3	30	10	16.439
MWA	2013	3	30	9	16.439
MWA	2013	3	30	8	16.487
MWA	2013	3	30	7	16.344
MWA	2013	3	30	6	16.344
MWA	2013	3	30	5	16.32
MWA	2013	3	30	4	16.296
MWA	2013	3	30	3	16.392
MWA	2013	3	30	2	16.368

Site ID	Year	Month	Day	Hour	Temp (C)
MWA	2013	3	30	1	16.392
MWA	2013	3	30	0	16.344
MWA	2013	3	29	23	16.415
MWA	2013	3	29	22	16.392
MWA	2013	3	29	21	16.344
MWA	2013	3	29	20	16.392
MWA	2013	3	29	19	16.368
MWA	2013	3	29	18	16.344
MWA	2013	3	29	17	16.392
MWA	2013	3	29	16	16.439
MWA	2013	3	29	15	16.368
MWA	2013	3	29	14	16.463
MWA	2013	3	29	13	16.344
MWA	2013	3	29	12	16.272
MWA	2013	3	29	11	16.415
MWA	2013	3	29	10	16.463
MWA	2013	3	29	9	16.63
MWA	2013	3	29	8	16.415
MWA	2013	3	29	7	16.272
MWA	2013	3	29	6	16.201
MWA	2013	3	29	5	16.296
MWA	2013	3	29	4	16.225
MWA	2013	3	29	3	16.177
MWA	2013	3	29	2	16.153
MWA	2013	3	29	1	16.177
MWA	2013	3	29	0	16.225
MWA	2013	3	28	23	15.963
MWA	2013	3	28	22	15.939
MWA	2013	3	28	21	16.034
MWA	2013	3	28	20	16.129
MWA	2013	3	28	19	16.201
MWA	2013	3	28	18	16.034
MWA	2013	3	28	17	16.058
MWA	2013	3	28	16	16.177
MWA	2013	3	28	15	16.01
MWA	2013	3	28	14	15.963
MWA	2013	3	28	13	15.963
MWA	2013	3	28	12	15.963
MWA	2013	3	28	11	15.963
MWA	2013	3	28	10	15.986
MWA	2013	3	28	9	15.963
MWA	2013	3	28	8	15.748
MWA	2013	3	28	7	15.748
MWA	2013	3	28	6	15.7

Site ID	Year	Month	Day	Hour	Temp (C)
MWA	2013	3	28	5	15.676
MWA	2013	3	28	4	15.676
MWA	2013	3	28	3	15.724
MWA	2013	3	28	2	15.724
MWA	2013	3	28	1	15.629
MWA	2013	3	28	0	15.652
MWA	2013	3	27	23	15.652
MWA	2013	3	27	22	15.7
MWA	2013	3	27	21	15.7
MWA	2013	3	27	20	15.748
MWA	2013	3	27	19	15.724
MWA	2013	3	27	18	15.724
MWA	2013	3	27	17	15.652
MWA	2013	3	27	16	15.748
MWA	2013	3	27	15	15.724
MWA	2013	3	27	14	15.891
MWA	2013	3	27	13	15.676
MWA	2013	3	27	12	15.7
MWA	2013	3	27	11	15.724
MWA	2013	3	27	10	15.772
MWA	2013	3	27	9	15.605
MWA	2013	3	27	8	15.7
MWA	2013	3	27	7	15.581
MWA	2013	3	27	6	15.485
MWA	2013	3	27	5	15.438
MWA	2013	3	27	4	15.438
MWA	2013	3	27	3	15.39
MWA	2013	3	27	2	15.414
MWA	2013	3	27	1	15.39
MWA	2013	3	27	0	15.39
MWA	2013	3	26	23	15.438
MWA	2013	3	26	22	15.39
MWA	2013	3	26	21	15.39
MWA	2013	3	26	20	15.366
MWA	2013	3	26	19	15.39
MWA	2013	3	26	18	15.414
MWA	2013	3	26	17	15.39
MWA	2013	3	26	16	15.39
MWA	2013	3	26	15	15.366
MWA	2013	3	26	14	15.39
MWA	2013	3	26	13	15.438
MWA	2013	3	26	12	15.366
MWA	2013	3	26	11	15.39
MWA	2013	3	26	10	15.438

Site ID	Year	Month	Day	Hour	Temp (C)
MWA	2013	3	26	9	15.366
MWA	2013	3	26	8	15.342
MWA	2013	3	26	7	15.366
MWA	2013	3	26	6	15.318
MWA	2013	3	26	5	15.294
MWA	2013	3	26	4	15.27
MWA	2013	3	26	3	15.247
MWA	2013	3	26	2	15.247
MWA	2013	3	26	1	15.247
MWA	2013	3	26	0	15.247
MWA	2013	3	25	23	15.175
MWA	2013	3	25	22	15.199
MWA	2013	3	25	21	15.079
MWA	2013	3	25	20	15.055
MWA	2013	3	25	19	15.055
MWA	2013	3	25	18	15.079
MWA	2013	3	25	17	15.103
MWA	2013	3	25	16	15.103
MWA	2013	3	25	15	15.342
MWA	2013	3	25	14	15.39
MWA	2013	3	25	13	15.366
MWA	2013	3	25	12	15.414
MWA	2013	3	25	11	15.318
MWA	2013	3	25	10	15.27
MWA	2013	3	25	9	15.294
MWA	2013	3	25	8	15.318
MWA	2013	3	25	7	15.27
MWA	2013	3	25	6	15.247
MWA	2013	3	25	5	15.175
MWA	2013	3	25	4	15.127
MWA	2013	3	25	3	15.079
MWA	2013	3	25	2	15.055
MWA	2013	3	25	1	15.103
MWA	2013	3	25	0	15.151
MWA	2013	3	24	23	15.175
MWA	2013	3	24	22	15.151
MWA	2013	3	24	21	15.175
MWA	2013	3	24	20	15.175
MWA	2013	3	24	19	15.223
MWA	2013	3	24	18	15.175
MWA	2013	3	24	17	15.103
MWA	2013	3	24	16	15.103
MWA	2013	3	24	15	15.079
MWA	2013	3	24	14	15.031

Site ID	Year	Month	Day	Hour	Temp (C)
MWA	2013	3	24	13	15.031
MWA	2013	3	24	12	15.055
MWA	2013	3	24	11	15.103
MWA	2013	3	24	10	15.151
MWA	2013	3	24	9	15.223
MWA	2013	3	24	8	15.294
MWA	2013	3	24	7	15.366
MWA	2013	3	24	6	15.39
MWA	2013	3	24	5	15.438
MWA	2013	3	24	4	15.461
MWA	2013	3	24	3	15.485
MWA	2013	3	24	2	15.533
MWA	2013	3	24	1	15.557
MWA	2013	3	24	0	15.557
MWA	2013	3	23	23	15.533
MWA	2013	3	23	22	15.533
MWA	2013	3	23	21	15.533
MWA	2013	3	23	20	15.557
MWA	2013	3	23	19	15.581
MWA	2013	3	23	18	15.652
MWA	2013	3	23	17	15.557
MWA	2013	3	23	16	15.533
MWA	2013	3	23	15	15.414
MWA	2013	3	23	14	15.461
MWA	2013	3	23	13	15.724
MWA	2013	3	23	12	15.676
MWA	2013	3	23	11	15.485
MWA	2013	3	23	10	15.318
MWA	2013	3	23	9	15.223
MWA	2013	3	23	8	15.461
MWA	2013	3	23	7	15.485
MWA	2013	3	23	6	15.581
MWA	2013	3	23	5	15.652
MWA	2013	3	23	4	15.7
MWA	2013	3	23	3	15.7
MWA	2013	3	23	2	15.819
MWA	2013	3	23	1	15.915
MWA	2013	3	23	0	16.034
MWA	2013	3	22	23	16.129
MWA	2013	3	22	22	16.225
MWA	2013	3	22	21	16.63
MWA	2013	3	22	20	16.749
MWA	2013	3	22	19	16.796
MWA	2013	3	22	18	16.654

Site ID	Year	Month	Day	Hour	Temp (C)
MWA	2013	3	22	17	16.725
MWA	2013	3	22	16	16.844
MWA	2013	3	22	15	16.82
MWA	2013	3	22	14	16.701
MWA	2013	3	22	13	16.582
MWA	2013	3	22	12	16.487
MWA	2013	3	22	11	16.32
MWA	2013	3	22	10	16.082
MWA	2013	3	22	9	16.272
MWA	2013	3	22	8	16.606
MWA	2013	3	22	7	16.654
MWA	2013	3	22	6	16.677
MWA	2013	3	22	5	16.725
MWA	2013	3	22	4	16.82
MWA	2013	3	22	3	17.082
MWA	2013	3	22	2	17.32
MWA	2013	3	22	1	17.486
MWA	2013	3	22	0	17.51
MWA	2013	3	21	23	17.534
MWA	2013	3	21	22	17.701
MWA	2013	3	21	21	17.772
MWA	2013	3	21	20	17.843
MWA	2013	3	21	19	17.867
MWA	2013	3	21	18	17.891
MWA	2013	3	21	17	17.962
MWA	2013	3	21	16	17.891
MWA	2013	3	21	15	17.867
MWA	2013	3	21	14	17.724
MWA	2013	3	21	13	17.558
MWA	2013	3	21	12	17.391
MWA	2013	3	21	11	17.344
MWA	2013	3	21	10	17.249
MWA	2013	3	21	9	17.344
MWA	2013	3	21	8	17.415
MWA	2013	3	21	7	17.534
MWA	2013	3	21	6	17.558
MWA	2013	3	21	5	17.653
MWA	2013	3	21	4	17.582
MWA	2013	3	21	3	17.486
MWA	2013	3	21	2	17.486
MWA	2013	3	21	1	17.249
MWA	2013	3	21	0	17.225
MWA	2013	3	20	23	17.201
MWA	2013	3	20	22	17.201

Site ID	Year	Month	Day	Hour	Temp (C)
MWA	2013	3	20	21	17.201
MWA	2013	3	20	20	17.153
MWA	2013	3	20	19	17.177
MWA	2013	3	20	18	17.177
MWA	2013	3	20	17	17.296
MWA	2013	3	20	16	17.249
MWA	2013	3	20	15	17.13
MWA	2013	3	20	14	17.201
MWA	2013	3	20	13	17.13
MWA	2013	3	20	12	17.32
MWA	2013	3	20	11	17.249
MWA	2013	3	20	10	16.987
MWA	2013	3	20	9	17.011
MWA	2013	3	20	8	17.011
MWA	2013	3	20	7	17.058
MWA	2013	3	20	6	16.915
MWA	2013	3	20	5	16.915
MWA	2013	3	20	4	16.915
MWA	2013	3	20	3	16.915
MWA	2013	3	20	2	16.915
MWA	2013	3	20	1	16.915
MWA	2013	3	20	0	16.915
MWA	2013	3	19	23	16.963
MWA	2013	3	19	22	17.415
MWA	2013	3	19	21	16.749
MWA	2013	3	19	20	16.701
MWA	2013	3	19	19	16.677
MWA	2013	3	19	18	16.677
MWA	2013	3	19	17	16.677
MWA	2013	3	19	16	16.63
MWA	2013	3	19	15	16.701
MWA	2013	3	19	14	16.701
MWA	2013	3	19	13	16.701
MWA	2013	3	19	12	16.582
MWA	2013	3	19	11	16.773
MWA	2013	3	19	10	16.701
MWA	2013	3	19	9	16.654
MWA	2013	3	19	8	16.63
MWA	2013	3	19	7	16.654
MWA	2013	3	19	6	16.558
MWA	2013	3	19	5	16.582
MWA	2013	3	19	4	16.534
MWA	2013	3	19	3	16.606
MWA	2013	3	19	2	16.606

Site ID	Year	Month	Day	Hour	Temp (C)
MWA	2013	3	19	1	16.606
MWA	2013	3	19	0	16.63
MWA	2013	3	18	23	16.63
MWA	2013	3	18	22	16.63
MWA	2013	3	18	21	16.63
MWA	2013	3	18	20	16.677
MWA	2013	3	18	19	16.677
MWA	2013	3	18	18	16.677
MWA	2013	3	18	17	16.677
MWA	2013	3	18	16	16.725
MWA	2013	3	18	15	16.773
MWA	2013	3	18	14	16.82
MWA	2013	3	18	13	16.82
MWA	2013	3	18	12	16.773
MWA	2013	3	18	11	16.773
MWA	2013	3	18	10	16.773
MWA	2013	3	18	9	16.892
MWA	2013	3	18	8	16.987
MWA	2013	3	18	7	17.011
MWA	2013	3	18	6	16.796
MWA	2013	3	18	5	16.868
MWA	2013	3	18	4	16.939
MWA	2013	3	18	3	16.915
MWA	2013	3	18	2	16.915
MWA	2013	3	18	1	16.915
MWA	2013	3	18	0	16.963
MWA	2013	3	17	23	16.987
MWA	2013	3	17	22	17.058
MWA	2013	3	17	21	17.034
MWA	2013	3	17	20	17.011
MWA	2013	3	17	19	17.011
MWA	2013	3	17	18	17.058
MWA	2013	3	17	17	17.153
MWA	2013	3	17	16	17.249
MWA	2013	3	17	15	17.082
MWA	2013	3	17	14	17.201
MWA	2013	3	17	13	17.344
MWA	2013	3	17	12	17.201
MWA	2013	3	17	11	16.963
MWA	2013	3	17	10	16.749
MWA	2013	3	17	9	15.629
MWA	2013	3	17	8	15.652
MWA	2013	3	17	7	15.414
MWA	2013	3	17	6	15.414

Site ID	Year	Month	Day	Hour	Temp (C)
MWA	2013	3	17	5	15.247
MWA	2013	3	17	4	15.199
MWA	2013	3	17	3	15.175
MWA	2013	3	17	2	15.151
MWA	2013	3	17	1	15.247
MWA	2013	3	17	0	15.151
MWA	2013	3	16	23	15.127
MWA	2013	3	16	22	15.127
MWA	2013	3	16	21	15.103
MWA	2013	3	16	20	15.008
MWA	2013	3	16	19	15.103
MWA	2013	3	16	18	15.843
MWA	2013	3	16	17	15.581
MWA	2013	3	16	16	15.223
MWA	2013	3	16	15	15.055
MWA	2013	3	16	14	14.816
MWA	2013	3	16	13	15.031
MWA	2013	3	16	12	14.888
MWA	2013	3	16	11	14.553
MWA	2013	3	16	10	14.505
MWA	2013	3	16	9	14.457
MWA	2013	3	16	8	14.385
MWA	2013	3	16	7	14.337
MWA	2013	3	16	6	14.29
MWA	2013	3	16	5	14.29
MWA	2013	3	16	4	14.314
MWA	2013	3	16	3	14.314
MWA	2013	3	16	2	14.29
MWA	2013	3	16	1	14.29
MWA	2013	3	16	0	14.29
MWA	2013	3	15	23	14.29
MWA	2013	3	15	22	14.29
MWA	2013	3	15	21	14.266
MWA	2013	3	15	20	14.242
MWA	2013	3	15	19	14.29
MWA	2013	3	15	18	14.29
MWA	2013	3	15	17	14.29
MWA	2013	3	15	16	14.242
MWA	2013	3	15	15	14.218
MWA	2013	3	15	14	14.242
MWA	2013	3	15	13	14.194
MWA	2013	3	15	12	14.242
MWA	2013	3	15	11	14.242
MWA	2013	3	15	10	14.218

Site ID	Year	Month	Day	Hour	Temp (C)
MWA	2013	3	15	9	14.218
MWA	2013	3	15	8	14.242
MWA	2013	3	15	7	14.266
MWA	2013	3	15	6	14.242
MWA	2013	3	15	5	14.266
MWA	2013	3	15	4	14.29
MWA	2013	3	15	3	14.266
MWA	2013	3	15	2	14.29
MWA	2013	3	15	1	14.266
MWA	2013	3	15	0	14.314
MWA	2013	3	14	23	14.314
MWA	2013	3	14	22	14.314
MWA	2013	3	14	21	14.314
MWA	2013	3	14	20	14.337
MWA	2013	3	14	19	14.337
MWA	2013	3	14	18	14.361
MWA	2013	3	14	17	14.361
MWA	2013	3	14	16	14.385
MWA	2013	3	14	15	14.481
MWA	2013	3	14	14	14.457
MWA	2013	3	14	13	14.529
MWA	2013	3	14	12	16.606
MWA	2013	3	14	11	14.481
MWA	2013	3	14	10	14.457
MWA	2013	3	14	9	14.457
MWA	2013	3	14	8	14.481
MWA	2013	3	14	7	14.457
MWA	2013	3	14	6	14.433
MWA	2013	3	14	5	14.433
MWA	2013	3	14	4	14.433
MWA	2013	3	14	3	14.433
MWA	2013	3	14	2	14.433
MWA	2013	3	14	1	14.433
MWA	2013	3	14	0	14.433
MWA	2013	3	13	23	14.433
MWA	2013	3	13	22	14.457
MWA	2013	3	13	21	14.433
MWA	2013	3	13	20	14.433
MWA	2013	3	13	19	14.433
MWA	2013	3	13	18	14.457
MWA	2013	3	13	17	14.433
MWA	2013	3	13	16	14.409
MWA	2013	3	13	15	14.409
MWA	2013	3	13	14	14.385

Site ID	Year	Month	Day	Hour	Temp (C)
MWA	2013	3	13	13	14.409
MWA	2013	3	13	12	14.385
MWA	2013	3	13	11	14.385
MWA	2013	3	13	10	14.361
MWA	2013	3	13	9	14.337
MWA	2013	3	13	8	14.361
MWA	2013	3	13	7	14.29
MWA	2013	3	13	6	14.314
MWA	2013	3	13	5	14.29
MWA	2013	3	13	4	14.242
MWA	2013	3	13	3	14.242
MWA	2013	3	13	2	14.242
MWA	2013	3	13	1	14.218
MWA	2013	3	13	0	14.218
MWA	2013	3	12	23	14.266
MWA	2013	3	12	22	14.242
MWA	2013	3	12	21	14.242
MWA	2013	3	12	20	14.242
MWA	2013	3	12	19	14.242
MWA	2013	3	12	18	14.266
MWA	2013	3	12	17	14.29
MWA	2013	3	12	16	14.266
MWA	2013	3	12	15	14.29
MWA	2013	3	12	14	14.266
MWA	2013	3	12	13	14.266
MWA	2013	3	12	12	14.242
MWA	2013	3	12	11	14.194
MWA	2013	3	12	10	14.218
MWA	2013	3	12	9	14.194
MWA	2013	3	12	8	14.194
MWA	2013	3	12	7	14.194
MWA	2013	3	12	6	14.194
MWA	2013	3	12	5	14.17
MWA	2013	3	12	4	14.146
MWA	2013	3	12	3	14.146
MWA	2013	3	12	2	14.146
MWA	2013	3	12	1	14.146
MWA	2013	3	12	0	14.146
MWA	2013	3	11	23	14.146
MWA	2013	3	11	22	14.146
MWA	2013	3	11	21	14.146
MWA	2013	3	11	20	14.146
MWA	2013	3	11	19	14.17
MWA	2013	3	11	18	14.194

Site ID	Year	Month	Day	Hour	Temp (C)
MWA	2013	3	11	17	14.194
MWA	2013	3	11	16	14.194
MWA	2013	3	11	15	14.194
MWA	2013	3	11	14	14.194
MWA	2013	3	11	13	14.218
MWA	2013	3	11	12	14.218
MWA	2013	3	11	11	14.242
MWA	2013	3	11	10	14.242
MWA	2013	3	11	9	14.218
MWA	2013	3	11	8	14.218
MWA	2013	3	11	7	14.194
MWA	2013	3	11	6	14.194
MWA	2013	3	11	5	14.194
MWA	2013	3	11	4	14.194
MWA	2013	3	11	3	14.194
MWA	2013	3	11	2	14.194
MWA	2013	3	11	1	14.194
MWA	2013	3	11	0	14.194
MWA	2013	3	10	23	14.242
MWA	2013	3	10	22	14.194
MWA	2013	3	10	21	14.29
MWA	2013	3	10	20	14.242
MWA	2013	3	10	19	14.242
MWA	2013	3	10	18	14.314
MWA	2013	3	10	17	14.385
MWA	2013	3	10	16	14.433
MWA	2013	3	10	15	14.361
MWA	2013	3	10	14	14.505
MWA	2013	3	10	13	14.337
MWA	2013	3	10	12	14.385
MWA	2013	3	10	11	14.266
MWA	2013	3	10	10	14.242
MWA	2013	3	10	9	14.242
MWA	2013	3	10	8	14.17
MWA	2013	3	10	7	14.337
MWA	2013	3	10	6	14.433
MWA	2013	3	10	5	14.505
MWA	2013	3	10	4	14.505
MWA	2013	3	10	3	14.409
MWA	2013	3	10	2	14.409
MWA	2013	3	10	1	14.457
MWA	2013	3	10	0	14.385
MWA	2013	3	9	23	14.385
MWA	2013	3	9	22	14.385

Site ID	Year	Month	Day	Hour	Temp (C)
MWA	2013	3	9	21	14.385
MWA	2013	3	9	20	14.409
MWA	2013	3	9	19	14.433
MWA	2013	3	9	18	14.385
MWA	2013	3	9	17	14.361
MWA	2013	3	9	16	14.433
MWA	2013	3	9	15	14.529
MWA	2013	3	9	14	14.481
MWA	2013	3	9	13	14.457
MWA	2013	3	9	12	14.481
MWA	2013	3	9	11	14.314
MWA	2013	3	9	10	14.337
MWA	2013	3	9	9	14.385
MWA	2013	3	9	8	14.433
MWA	2013	3	9	7	14.409
MWA	2013	3	9	6	14.481
MWA	2013	3	9	5	14.529
MWA	2013	3	9	4	14.529
MWA	2013	3	9	3	14.529
MWA	2013	3	9	2	14.529
MWA	2013	3	9	1	14.529
MWA	2013	3	9	0	14.529
MWA	2013	3	8	23	14.505
MWA	2013	3	8	22	14.625
MWA	2013	3	8	21	14.505
MWA	2013	3	8	20	14.505
MWA	2013	3	8	19	14.529
MWA	2013	3	8	18	14.505
MWA	2013	3	8	17	14.505
MWA	2013	3	8	16	14.505
MWA	2013	3	8	15	14.505
MWA	2013	3	8	14	14.505
MWA	2013	3	8	13	14.505
MWA	2013	3	8	12	14.529
MWA	2013	3	8	11	14.457
MWA	2013	3	8	10	14.433
MWA	2013	3	8	9	14.385
MWA	2013	3	8	8	14.457
MWA	2013	3	8	7	14.337
MWA	2013	3	8	6	14.337
MWA	2013	3	8	5	14.314
MWA	2013	3	8	4	14.361
MWA	2013	3	8	3	14.337
MWA	2013	3	8	2	14.314

Site ID	Year	Month	Day	Hour	Temp (C)
MWA	2013	3	8	1	14.337
MWA	2013	3	8	0	14.314
MWA	2013	3	7	23	14.337
MWA	2013	3	7	22	14.361
MWA	2013	3	7	21	14.314
MWA	2013	3	7	20	14.337
MWA	2013	3	7	19	14.361
MWA	2013	3	7	18	14.409
MWA	2013	3	7	17	14.409
MWA	2013	3	7	16	14.433
MWA	2013	3	7	15	14.505
MWA	2013	3	7	14	14.625
MWA	2013	3	7	13	14.625
MWA	2013	3	7	12	14.721
MWA	2013	3	7	11	14.768
MWA	2013	3	7	10	14.673
MWA	2013	3	7	9	14.673
MWA	2013	3	7	8	14.721
MWA	2013	3	7	7	14.625
MWA	2013	3	7	6	14.553
MWA	2013	3	7	5	14.625
MWA	2013	3	7	4	14.577
MWA	2013	3	7	3	14.481
MWA	2013	3	7	2	14.529
MWA	2013	3	7	1	14.529
MWA	2013	3	7	0	14.553
MWA	2013	3	6	23	14.529
MWA	2013	3	6	22	14.529
MWA	2013	3	6	21	14.505
MWA	2013	3	6	20	14.601
MWA	2013	3	6	19	14.529
MWA	2013	3	6	18	14.505
MWA	2013	3	6	17	14.649
MWA	2013	3	6	16	14.816
MWA	2013	3	6	15	14.864
MWA	2013	3	6	14	14.96
MWA	2013	3	6	13	14.936
MWA	2013	3	6	12	14.84
MWA	2013	3	6	11	14.721
MWA	2013	3	6	10	14.505
MWA	2013	3	6	9	14.385
MWA	2013	3	6	8	14.242
MWA	2013	3	6	7	13.57
MWA	2013	3	6	6	14.05

Site ID	Year	Month	Day	Hour	Temp (C)
MWA	2013	3	6	5	12.847
MWA	2013	3	6	4	12.751
MWA	2013	3	6	3	12.727
MWA	2013	3	6	2	12.678
MWA	2013	3	6	1	12.823
MWA	2013	3	6	0	12.703
MWA	2013	3	5	23	12.654
MWA	2013	3	5	22	12.63
MWA	2013	3	5	21	12.63
MWA	2013	3	5	20	12.751
MWA	2013	3	5	19	12.63
MWA	2013	3	5	18	12.968
MWA	2013	3	5	17	12.558
MWA	2013	3	5	16	12.534
MWA	2013	3	5	15	12.485
MWA	2013	3	5	14	12.389
MWA	2013	3	5	13	12.364
MWA	2013	3	5	12	12.316
MWA	2013	3	5	11	12.34
MWA	2013	3	5	10	12.316
MWA	2013	3	5	9	12.292
MWA	2013	3	5	8	12.292
MWA	2013	3	5	7	12.243
MWA	2013	3	5	6	12.219
MWA	2013	3	5	5	12.219
MWA	2013	3	5	4	12.219
MWA	2013	3	5	3	12.171
MWA	2013	3	5	2	12.219
MWA	2013	3	5	1	12.195
MWA	2013	3	5	0	12.195
MWA	2013	3	4	23	12.243
MWA	2013	3	4	22	12.195
MWA	2013	3	4	21	12.219
MWA	2013	3	4	20	12.195
MWA	2013	3	4	19	12.316
MWA	2013	3	4	18	12.219
MWA	2013	3	4	17	12.195
MWA	2013	3	4	16	12.171
MWA	2013	3	4	15	12.147
MWA	2013	3	4	14	12.122
MWA	2013	3	4	13	12.122
MWA	2013	3	4	12	12.098
MWA	2013	3	4	11	12.098
MWA	2013	3	4	10	12.098

Site ID	Year	Month	Day	Hour	Temp (C)
MWA	2013	3	4	9	12.098
MWA	2013	3	4	8	12.074
MWA	2013	3	4	7	12.05
MWA	2013	3	4	6	12.05
MWA	2013	3	4	5	12.025
MWA	2013	3	4	4	12.025
MWA	2013	3	4	3	12.05
MWA	2013	3	4	2	12.05
MWA	2013	3	4	1	12.05
MWA	2013	3	4	0	12.05
MWA	2013	3	3	23	12.025
MWA	2013	3	3	22	12.025
MWA	2013	3	3	21	12.001
MWA	2013	3	3	20	12.001
MWA	2013	3	3	19	12.025
MWA	2013	3	3	18	12.05
MWA	2013	3	3	17	11.977
MWA	2013	3	3	16	12.001
MWA	2013	3	3	15	11.88
MWA	2013	3	3	14	11.88
MWA	2013	3	3	13	11.904
MWA	2013	3	3	12	11.977
MWA	2013	3	3	11	11.929
MWA	2013	3	3	10	11.929
MWA	2013	3	3	9	11.904
MWA	2013	3	3	8	11.88
MWA	2013	3	3	7	11.856
MWA	2013	3	3	6	11.904
MWA	2013	3	3	5	11.88
MWA	2013	3	3	4	11.88
MWA	2013	3	3	3	11.904
MWA	2013	3	3	2	11.904
MWA	2013	3	3	1	11.904
MWA	2013	3	3	0	11.904
MWA	2013	3	2	23	11.88
MWA	2013	3	2	22	11.856
MWA	2013	3	2	21	11.856
MWA	2013	3	2	20	11.856
MWA	2013	3	2	19	11.856
MWA	2013	3	2	18	11.88
MWA	2013	3	2	17	11.807
MWA	2013	3	2	16	11.759
MWA	2013	3	2	15	11.977
MWA	2013	3	2	14	11.88

Site ID	Year	Month	Day	Hour	Temp (C)
MWA	2013	3	2	13	11.856
MWA	2013	3	2	12	11.832
MWA	2013	3	2	11	11.783
MWA	2013	3	2	10	11.783
MWA	2013	3	2	9	11.734
MWA	2013	3	2	8	11.71
MWA	2013	3	2	7	11.71
MWA	2013	3	2	6	11.686
MWA	2013	3	2	5	11.686
MWA	2013	3	2	4	11.686
MWA	2013	3	2	3	11.662
MWA	2013	3	2	2	11.662
MWA	2013	3	2	1	11.662
MWA	2013	3	2	0	11.662
MWA	2013	3	1	23	11.662
MWA	2013	3	1	22	11.662
MWA	2013	3	1	21	11.662
MWA	2013	3	1	20	11.662
MWA	2013	3	1	19	11.637
MWA	2013	3	1	18	11.589
MWA	2013	3	1	17	11.589
MWA	2013	3	1	16	11.613
MWA	2013	3	1	15	11.589
MWA	2013	3	1	14	11.589
MWA	2013	3	1	13	11.589
MWA	2013	3	1	12	11.783
MWA	2013	3	1	11	11.662
MWA	2013	3	1	10	11.589
MWA	2013	3	1	9	11.589
MWA	2013	3	1	8	11.589
MWA	2013	3	1	7	11.589
MWA	2013	3	1	6	11.589
MWA	2013	3	1	5	11.565
MWA	2013	3	1	4	11.589
MWA	2013	3	1	3	11.589
MWA	2013	3	1	2	11.613
MWA	2013	3	1	1	11.613
MWA	2013	3	1	0	11.613
MWA	2013	2	28	23	11.637
MWA	2013	2	28	22	11.637
MWA	2013	2	28	21	11.637
MWA	2013	2	28	20	11.686
MWA	2013	2	28	19	11.71
MWA	2013	2	28	18	11.686

Site ID	Year	Month	Day	Hour	Temp (C)
MWA	2013	2	28	17	11.662
MWA	2013	2	28	16	11.637
MWA	2013	2	28	15	11.71
MWA	2013	2	28	14	11.759
MWA	2013	2	28	13	11.783
MWA	2013	2	28	12	11.783
MWA	2013	2	28	11	11.783
MWA	2013	2	28	10	11.832
MWA	2013	2	28	9	12.074
MWA	2013	2	28	8	12.025
MWA	2013	2	28	7	12.001
MWA	2013	2	28	6	12.001
MWA	2013	2	28	5	12.025
MWA	2013	2	28	4	12.001
MWA	2013	2	28	3	12.001
MWA	2013	2	28	2	12.025
MWA	2013	2	28	1	12.025
MWA	2013	2	28	0	12.025
MWA	2013	2	27	23	12.025
MWA	2013	2	27	22	12.001
MWA	2013	2	27	21	12.025
MWA	2013	2	27	20	12.025
MWA	2013	2	27	19	12.001
MWA	2013	2	27	18	11.88
MWA	2013	2	27	17	11.856
MWA	2013	2	27	16	11.904
MWA	2013	2	27	15	12.05
MWA	2013	2	27	14	12.074
MWA	2013	2	27	13	12.074
MWA	2013	2	27	12	12.074
MWA	2013	2	27	11	12.05
MWA	2013	2	27	10	12.025
MWA	2013	2	27	9	11.977
MWA	2013	2	27	8	11.88
MWA	2013	2	27	7	11.662
MWA	2013	2	27	6	11.637
MWA	2013	2	27	5	11.613
MWA	2013	2	27	4	11.613
MWA	2013	2	27	3	11.613
MWA	2013	2	27	2	11.589
MWA	2013	2	27	1	11.589
MWA	2013	2	27	0	11.589
MWA	2013	2	26	23	11.565
MWA	2013	2	26	22	11.565

Site ID	Year	Month	Day	Hour	Temp (C)
MWA	2013	2	26	21	11.589
MWA	2013	2	26	20	11.589
MWA	2013	2	26	19	11.929
MWA	2013	2	26	18	12.074
MWA	2013	2	26	17	12.364
MWA	2013	2	26	16	12.195
MWA	2013	2	26	15	12.122
MWA	2013	2	26	14	11.977
MWA	2013	2	26	13	11.88
MWA	2013	2	26	12	11.71
MWA	2013	2	26	11	11.686
MWA	2013	2	26	10	11.807
MWA	2013	2	26	9	11.759
MWA	2013	2	26	8	11.516
MWA	2013	2	26	7	11.394
MWA	2013	2	26	6	11.394
MWA	2013	2	26	5	11.394
MWA	2013	2	26	4	11.467
MWA	2013	2	26	3	11.516
MWA	2013	2	26	2	11.516
MWA	2013	2	26	1	11.492
MWA	2013	2	26	0	11.492
MWA	2013	2	25	23	11.492
MWA	2013	2	25	22	11.443
MWA	2013	2	25	21	11.443
MWA	2013	2	25	20	11.467
MWA	2013	2	25	19	11.54
MWA	2013	2	25	18	11.443
MWA	2013	2	25	17	11.394
MWA	2013	2	25	16	11.54
MWA	2013	2	25	15	11.613
MWA	2013	2	25	14	11.589
MWA	2013	2	25	13	11.54
MWA	2013	2	25	12	11.613
MWA	2013	2	25	11	11.467
MWA	2013	2	25	10	11.565
MWA	2013	2	25	9	11.662
MWA	2013	2	25	8	11.662
MWA	2013	2	25	7	11.662
MWA	2013	2	25	6	11.686
MWA	2013	2	25	5	11.637
MWA	2013	2	25	4	11.686
MWA	2013	2	25	3	11.613
MWA	2013	2	25	2	11.516

Site ID	Year	Month	Day	Hour	Temp (C)
MWA	2013	2	25	1	11.492
MWA	2013	2	25	0	11.394
MWA	2013	2	24	23	11.394
MWA	2013	2	24	22	11.419
MWA	2013	2	24	21	11.394
MWA	2013	2	24	20	11.37
MWA	2013	2	24	19	11.346
MWA	2013	2	24	18	11.346
MWA	2013	2	24	17	11.394
MWA	2013	2	24	16	11.516
MWA	2013	2	24	15	11.492
MWA	2013	2	24	14	11.37
MWA	2013	2	24	13	11.394
MWA	2013	2	24	12	11.394
MWA	2013	2	24	11	11.37
MWA	2013	2	24	10	11.37
MWA	2013	2	24	9	11.321
MWA	2013	2	24	8	11.394
MWA	2013	2	24	7	11.394
MWA	2013	2	24	6	11.565
MWA	2013	2	24	5	11.71
MWA	2013	2	24	4	11.807
MWA	2013	2	24	3	11.832
MWA	2013	2	24	2	11.807
MWA	2013	2	24	1	11.929
MWA	2013	2	24	0	12.001
MWA	2013	2	23	23	12.098
MWA	2013	2	23	22	12.195
MWA	2013	2	23	21	12.171
MWA	2013	2	23	20	12.268
MWA	2013	2	23	19	12.364
MWA	2013	2	23	18	12.437
MWA	2013	2	23	17	12.606
MWA	2013	2	23	16	12.485
MWA	2013	2	23	15	12.485
MWA	2013	2	23	14	12.364
MWA	2013	2	23	13	11.832
MWA	2013	2	23	12	11.807
MWA	2013	2	23	11	11.443
MWA	2013	2	23	10	11.419
MWA	2013	2	23	9	11.467
MWA	2013	2	23	8	11.419
MWA	2013	2	23	7	11.394
MWA	2013	2	23	6	11.394

Site ID	Year	Month	Day	Hour	Temp (C)
MWA	2013	2	23	5	11.394
MWA	2013	2	23	4	11.419
MWA	2013	2	23	3	11.443
MWA	2013	2	23	2	11.419
MWA	2013	2	23	1	11.419
MWA	2013	2	23	0	11.419
MWA	2013	2	22	23	11.419
MWA	2013	2	22	22	11.419
MWA	2013	2	22	21	11.419
MWA	2013	2	22	20	11.419
MWA	2013	2	22	19	11.443
MWA	2013	2	22	18	11.443
MWA	2013	2	22	17	11.419
MWA	2013	2	22	16	11.394
MWA	2013	2	22	15	11.394
MWA	2013	2	22	14	11.394
MWA	2013	2	22	13	11.419
MWA	2013	2	22	12	11.492
MWA	2013	2	22	11	11.443
MWA	2013	2	22	10	11.443
MWA	2013	2	22	9	11.467
MWA	2013	2	22	8	11.492
MWA	2013	2	22	7	11.54
MWA	2013	2	22	6	11.565
MWA	2013	2	22	5	11.589
MWA	2013	2	22	4	11.662
MWA	2013	2	22	3	11.686
MWA	2013	2	22	2	11.637
MWA	2013	2	22	1	11.662
MWA	2013	2	22	0	11.637
MWA	2013	2	21	23	11.637
MWA	2013	2	21	22	11.637
MWA	2013	2	21	21	11.686
MWA	2013	2	21	20	11.637
MWA	2013	2	21	19	11.637
MWA	2013	2	21	18	11.637
MWA	2013	2	21	17	11.662
MWA	2013	2	21	16	11.686
MWA	2013	2	21	15	11.613
MWA	2013	2	21	14	11.516
MWA	2013	2	21	13	11.394
MWA	2013	2	21	12	11.394
MWA	2013	2	21	11	11.346
MWA	2013	2	21	10	11.346

Site ID	Year	Month	Day	Hour	Temp (C)
MWA	2013	2	21	9	11.394
MWA	2013	2	21	8	11.443
MWA	2013	2	21	7	11.467
MWA	2013	2	21	6	11.54
MWA	2013	2	21	5	11.54
MWA	2013	2	21	4	11.54
MWA	2013	2	21	3	11.516
MWA	2013	2	21	2	11.516
MWA	2013	2	21	1	11.54
MWA	2013	2	21	0	11.54
MWA	2013	2	20	23	11.54
MWA	2013	2	20	22	11.686
MWA	2013	2	20	21	11.88
MWA	2013	2	20	20	11.832
MWA	2013	2	20	19	11.856
MWA	2013	2	20	18	11.832
MWA	2013	2	20	17	11.832
MWA	2013	2	20	16	11.856
MWA	2013	2	20	15	11.832
MWA	2013	2	20	14	11.807
MWA	2013	2	20	13	11.734
MWA	2013	2	20	12	11.832
MWA	2013	2	20	11	11.807
MWA	2013	2	20	10	11.832
MWA	2013	2	20	9	11.832
MWA	2013	2	20	8	11.856
MWA	2013	2	20	7	11.856
MWA	2013	2	20	6	11.856
MWA	2013	2	20	5	11.977
MWA	2013	2	20	4	12.001
MWA	2013	2	20	3	12.171
MWA	2013	2	20	2	12.171
MWA	2013	2	20	1	12.316
MWA	2013	2	20	0	12.389
MWA	2013	2	19	23	12.461
MWA	2013	2	19	22	12.509
MWA	2013	2	19	21	12.509
MWA	2013	2	19	20	12.582
MWA	2013	2	19	19	12.606
MWA	2013	2	19	18	12.751
MWA	2013	2	19	17	12.799
MWA	2013	2	19	16	12.703
MWA	2013	2	19	15	12.34
MWA	2013	2	19	14	12.461

Site ID	Year	Month	Day	Hour	Temp (C)
MWA	2013	2	19	13	12.292
MWA	2013	2	19	12	11.929
MWA	2013	2	19	11	11.783
MWA	2013	2	19	10	11.759
MWA	2013	2	19	9	11.467
MWA	2013	2	19	8	11.248
MWA	2013	2	19	7	11.127
MWA	2013	2	19	6	11.102
MWA	2013	2	19	5	11.151
MWA	2013	2	19	4	11.078
MWA	2013	2	19	3	11.029
MWA	2013	2	19	2	11.029
MWA	2013	2	19	1	11.346
MWA	2013	2	19	0	11.005
MWA	2013	2	18	23	10.98
MWA	2013	2	18	22	11.151
MWA	2013	2	18	21	10.834
MWA	2013	2	18	20	10.736
MWA	2013	2	18	19	10.736
MWA	2013	2	18	18	10.932
MWA	2013	2	18	17	10.834
MWA	2013	2	18	16	10.956
MWA	2013	2	18	15	10.932
MWA	2013	2	18	14	10.907
MWA	2013	2	18	13	10.858
MWA	2013	2	18	12	10.638
MWA	2013	2	18	11	10.663
MWA	2013	2	18	10	10.736
MWA	2013	2	18	9	10.761
MWA	2013	2	18	8	10.687
MWA	2013	2	18	7	10.638
MWA	2013	2	18	6	10.614
MWA	2013	2	18	5	10.614
MWA	2013	2	18	4	10.614
MWA	2013	2	18	3	10.614
MWA	2013	2	18	2	10.614
MWA	2013	2	18	1	10.59
MWA	2013	2	18	0	10.614
MWA	2013	2	17	23	10.614
MWA	2013	2	17	22	10.59
MWA	2013	2	17	21	10.614
MWA	2013	2	17	20	10.614
MWA	2013	2	17	19	10.614
MWA	2013	2	17	18	10.614

Site ID	Year	Month	Day	Hour	Temp (C)
MWA	2013	2	17	17	10.687
MWA	2013	2	17	16	10.663
MWA	2013	2	17	15	10.59
MWA	2013	2	17	14	10.638
MWA	2013	2	17	13	10.565
MWA	2013	2	17	12	10.614
MWA	2013	2	17	11	10.565
MWA	2013	2	17	10	10.541
MWA	2013	2	17	9	10.541
MWA	2013	2	17	8	10.59
MWA	2013	2	17	7	10.541
MWA	2013	2	17	6	10.541
MWA	2013	2	17	5	10.541
MWA	2013	2	17	4	10.541
MWA	2013	2	17	3	10.541
MWA	2013	2	17	2	10.541
MWA	2013	2	17	1	10.541
MWA	2013	2	17	0	10.516
MWA	2013	2	16	23	10.541
MWA	2013	2	16	22	10.516
MWA	2013	2	16	21	10.516
MWA	2013	2	16	20	10.565
MWA	2013	2	16	19	10.565
MWA	2013	2	16	18	10.59
MWA	2013	2	16	17	10.565
MWA	2013	2	16	16	10.883
MWA	2013	2	16	15	10.614
MWA	2013	2	16	14	10.541
MWA	2013	2	16	13	10.663
MWA	2013	2	16	12	10.614
MWA	2013	2	16	11	10.687
MWA	2013	2	16	10	10.663
MWA	2013	2	16	9	10.736
MWA	2013	2	16	8	10.663
MWA	2013	2	16	7	10.59
MWA	2013	2	16	6	10.516
MWA	2013	2	16	5	10.516
MWA	2013	2	16	4	10.492
MWA	2013	2	16	3	10.516
MWA	2013	2	16	2	10.492
MWA	2013	2	16	1	10.492
MWA	2013	2	16	0	10.492
MWA	2013	2	15	23	10.492
MWA	2013	2	15	22	10.492

Site ID	Year	Month	Day	Hour	Temp (C)
MWA	2013	2	15	21	10.467
MWA	2013	2	15	20	10.467
MWA	2013	2	15	19	10.467
MWA	2013	2	15	18	10.467
MWA	2013	2	15	17	10.81
MWA	2013	2	15	16	10.858
MWA	2013	2	15	15	10.956
MWA	2013	2	15	14	10.712
MWA	2013	2	15	13	10.638
MWA	2013	2	15	12	10.663
MWA	2013	2	15	11	10.81
MWA	2013	2	15	10	10.785
MWA	2013	2	15	9	10.443
MWA	2013	2	15	8	10.418
MWA	2013	2	15	7	10.32
MWA	2013	2	15	6	10.345
MWA	2013	2	15	5	10.32
MWA	2013	2	15	4	10.32
MWA	2013	2	15	3	10.32
MWA	2013	2	15	2	10.345
MWA	2013	2	15	1	10.345
MWA	2013	2	15	0	10.32
MWA	2013	2	14	23	10.32
MWA	2013	2	14	22	10.32
MWA	2013	2	14	21	10.345
MWA	2013	2	14	20	10.369
MWA	2013	2	14	19	10.394
MWA	2013	2	14	18	10.443
MWA	2013	2	14	17	10.467
MWA	2013	2	14	16	10.418
MWA	2013	2	14	15	10.541
MWA	2013	2	14	14	10.565
MWA	2013	2	14	13	10.565
MWA	2013	2	14	12	10.443
MWA	2013	2	14	11	10.541
MWA	2013	2	14	10	10.516
MWA	2013	2	14	9	10.565
MWA	2013	2	14	8	10.492
MWA	2013	2	14	7	10.247
MWA	2013	2	14	6	10.247
MWA	2013	2	14	5	10.222
MWA	2013	2	14	4	10.222
MWA	2013	2	14	3	10.222
MWA	2013	2	14	2	10.222

Site ID	Year	Month	Day	Hour	Temp (C)
MWA	2013	2	14	1	10.222
MWA	2013	2	14	0	10.222
MWA	2013	2	13	23	10.222
MWA	2013	2	13	22	10.271
MWA	2013	2	13	21	10.247
MWA	2013	2	13	20	10.247
MWA	2013	2	13	19	10.394
MWA	2013	2	13	18	10.418
MWA	2013	2	13	17	10.467
MWA	2013	2	13	16	10.59
MWA	2013	2	13	15	10.492
MWA	2013	2	13	14	10.394
MWA	2013	2	13	13	10.345
MWA	2013	2	13	12	10.198
MWA	2013	2	13	11	10.418
MWA	2013	2	13	10	10.32
MWA	2013	2	13	9	10.296
MWA	2013	2	13	8	10.173
MWA	2013	2	13	7	10.124
MWA	2013	2	13	6	10.1
MWA	2013	2	13	5	10.1
MWA	2013	2	13	4	10.1
MWA	2013	2	13	3	10.075
MWA	2013	2	13	2	10.075
MWA	2013	2	13	1	10.075
MWA	2013	2	13	0	10.075
MWA	2013	2	12	23	10.075
MWA	2013	2	12	22	10.075
MWA	2013	2	12	21	10.1
MWA	2013	2	12	20	10.1
MWA	2013	2	12	19	10.1
MWA	2013	2	12	18	10.1
MWA	2013	2	12	17	10.1
MWA	2013	2	12	16	10.075
MWA	2013	2	12	15	10.075
MWA	2013	2	12	14	10.075
MWA	2013	2	12	13	10.051
MWA	2013	2	12	12	10.075
MWA	2013	2	12	11	10.124
MWA	2013	2	12	10	10.345
MWA	2013	2	12	9	10.369
MWA	2013	2	12	8	10.394
MWA	2013	2	12	7	10.1
MWA	2013	2	12	6	10.075

Site ID	Year	Month	Day	Hour	Temp (C)
MWA	2013	2	12	5	10.051
MWA	2013	2	12	4	10.051
MWA	2013	2	12	3	10.026
MWA	2013	2	12	2	10.026
MWA	2013	2	12	1	10.026
MWA	2013	2	12	0	10.026
MWA	2013	2	11	23	10.051
MWA	2013	2	11	22	10.051
MWA	2013	2	11	21	10.051
MWA	2013	2	11	20	10.075
MWA	2013	2	11	19	10.075
MWA	2013	2	11	18	10.1
MWA	2013	2	11	17	10.075
MWA	2013	2	11	16	10.124
MWA	2013	2	11	15	10.124
MWA	2013	2	11	14	10.345
MWA	2013	2	11	13	10.075
MWA	2013	2	11	12	10.149
MWA	2013	2	11	11	10.418
MWA	2013	2	11	10	10.345
MWA	2013	2	11	9	10.247
MWA	2013	2	11	8	10.149
MWA	2013	2	11	7	10.1
MWA	2013	2	11	6	10.075
MWA	2013	2	11	5	10.075
MWA	2013	2	11	4	10.075
MWA	2013	2	11	3	10.1
MWA	2013	2	11	2	10.1
MWA	2013	2	11	1	10.1
MWA	2013	2	11	0	10.075
MWA	2013	2	10	23	10.1
MWA	2013	2	10	22	10.124
MWA	2013	2	10	21	10.198
MWA	2013	2	10	20	10.173
MWA	2013	2	10	19	10.222
MWA	2013	2	10	18	10.394
MWA	2013	2	10	17	10.345
MWA	2013	2	10	16	10.296
MWA	2013	2	10	15	10.345
MWA	2013	2	10	14	10.443
MWA	2013	2	10	13	10.418
MWA	2013	2	10	12	10.32
MWA	2013	2	10	11	10.369
MWA	2013	2	10	10	10.394

Site ID	Year	Month	Day	Hour	Temp (C)
MWA	2013	2	10	9	10.369
MWA	2013	2	10	8	10.369
MWA	2013	2	10	7	10.443
MWA	2013	2	10	6	10.516
MWA	2013	2	10	5	10.565
MWA	2013	2	10	4	10.492
MWA	2013	2	10	3	10.492
MWA	2013	2	10	2	10.467
MWA	2013	2	10	1	10.443
MWA	2013	2	10	0	10.443
MWA	2013	2	9	23	10.443
MWA	2013	2	9	22	10.418
MWA	2013	2	9	21	10.467
MWA	2013	2	9	20	10.712
MWA	2013	2	9	19	10.712
MWA	2013	2	9	18	11.005
MWA	2013	2	9	17	11.053
MWA	2013	2	9	16	10.98
MWA	2013	2	9	15	10.785
MWA	2013	2	9	14	10.687
MWA	2013	2	9	13	10.345
MWA	2013	2	9	12	10.443
MWA	2013	2	9	11	10.638
MWA	2013	2	9	10	10.614
MWA	2013	2	9	9	10.565
MWA	2013	2	9	8	10.59
MWA	2013	2	9	7	10.59
MWA	2013	2	9	6	10.687
MWA	2013	2	9	5	10.761
MWA	2013	2	9	4	10.81
MWA	2013	2	9	3	10.834
MWA	2013	2	9	2	10.907
MWA	2013	2	9	1	10.932
MWA	2013	2	9	0	11.005
MWA	2013	2	8	23	11.029
MWA	2013	2	8	22	11.078
MWA	2013	2	8	21	11.102
MWA	2013	2	8	20	11.102
MWA	2013	2	8	19	11.151
MWA	2013	2	8	18	11.2
MWA	2013	2	8	17	11.2
MWA	2013	2	8	16	11.102
MWA	2013	2	8	15	10.956
MWA	2013	2	8	14	10.907

Site ID	Year	Month	Day	Hour	Temp (C)
MWA	2013	2	8	13	11.127
MWA	2013	2	8	12	11.102
MWA	2013	2	8	11	11.078
MWA	2013	2	8	10	11.053
MWA	2013	2	8	9	11.029
MWA	2013	2	8	8	10.907
MWA	2013	2	8	7	10.761
MWA	2013	2	8	6	10.736
MWA	2013	2	8	5	10.712
MWA	2013	2	8	4	10.736
MWA	2013	2	8	3	10.712
MWA	2013	2	8	2	10.736
MWA	2013	2	8	1	10.687
MWA	2013	2	8	0	10.687
MWA	2013	2	7	23	10.687
MWA	2013	2	7	22	10.736
MWA	2013	2	7	21	10.712
MWA	2013	2	7	20	10.687
MWA	2013	2	7	19	10.712
MWA	2013	2	7	18	10.785
MWA	2013	2	7	17	10.736
MWA	2013	2	7	16	10.81
MWA	2013	2	7	15	10.785
MWA	2013	2	7	14	10.785
MWA	2013	2	7	13	10.785
MWA	2013	2	7	12	10.736
MWA	2013	2	7	11	10.712
MWA	2013	2	7	10	10.712
MWA	2013	2	7	9	10.687
MWA	2013	2	7	8	10.614
MWA	2013	2	7	7	10.614
MWA	2013	2	7	6	10.638
MWA	2013	2	7	5	10.663
MWA	2013	2	7	4	10.736
MWA	2013	2	7	3	10.736
MWA	2013	2	7	2	10.736
MWA	2013	2	7	1	10.761
MWA	2013	2	7	0	10.858
MWA	2013	2	6	23	10.907
MWA	2013	2	6	22	10.956
MWA	2013	2	6	21	11.078
MWA	2013	2	6	20	11.2
MWA	2013	2	6	19	11.151
MWA	2013	2	6	18	11.2

Site ID	Year	Month	Day	Hour	Temp (C)
MWA	2013	2	6	17	11.273
MWA	2013	2	6	16	11.2
MWA	2013	2	6	15	11.248
MWA	2013	2	6	14	11.078
MWA	2013	2	6	13	10.932
MWA	2013	2	6	12	10.956
MWA	2013	2	6	11	10.907
MWA	2013	2	6	10	10.883
MWA	2013	2	6	9	10.956
MWA	2013	2	6	8	10.956
MWA	2013	2	6	7	10.956
MWA	2013	2	6	6	11.005
MWA	2013	2	6	5	11.029
MWA	2013	2	6	4	11.053
MWA	2013	2	6	3	11.127
MWA	2013	2	6	2	11.175
MWA	2013	2	6	1	11.224
MWA	2013	2	6	0	11.248
MWA	2013	2	5	23	11.224
MWA	2013	2	5	22	11.151
MWA	2013	2	5	21	11.151
MWA	2013	2	5	20	11.224
MWA	2013	2	5	19	11.029
MWA	2013	2	5	18	11.005
MWA	2013	2	5	17	11.053
MWA	2013	2	5	16	11.346
MWA	2013	2	5	15	11.297
MWA	2013	2	5	14	10.98
MWA	2013	2	5	13	10.932
MWA	2013	2	5	12	10.956
MWA	2013	2	5	11	10.932
MWA	2013	2	5	10	10.932
MWA	2013	2	5	9	10.907
MWA	2013	2	5	8	10.883
MWA	2013	2	5	7	10.858
MWA	2013	2	5	6	10.858
MWA	2013	2	5	5	10.858
MWA	2013	2	5	4	10.858
MWA	2013	2	5	3	10.858
MWA	2013	2	5	2	10.907
MWA	2013	2	5	1	10.883
MWA	2013	2	5	0	10.858
MWA	2013	2	4	23	10.883
MWA	2013	2	4	22	10.858

Site ID	Year	Month	Day	Hour	Temp (C)
MWA	2013	2	4	21	10.858
MWA	2013	2	4	20	10.883
MWA	2013	2	4	19	10.858
MWA	2013	2	4	18	10.858
MWA	2013	2	4	17	10.907
MWA	2013	2	4	16	10.932
MWA	2013	2	4	15	10.907
MWA	2013	2	4	14	10.98
MWA	2013	2	4	13	10.858
MWA	2013	2	4	12	11.102
MWA	2013	2	4	11	10.98
MWA	2013	2	4	10	10.736
MWA	2013	2	4	9	10.32
MWA	2013	2	4	8	10.296
MWA	2013	2	4	7	10.222
MWA	2013	2	4	6	10.222
MWA	2013	2	4	5	10.222
MWA	2013	2	4	4	10.222
MWA	2013	2	4	3	10.222
MWA	2013	2	4	2	10.198
MWA	2013	2	4	1	10.271
MWA	2013	2	4	0	10.271
MWA	2013	2	3	23	10.247
MWA	2013	2	3	22	10.198
MWA	2013	2	3	21	10.222
MWA	2013	2	3	20	10.32
MWA	2013	2	3	19	10.296
MWA	2013	2	3	18	10.32
MWA	2013	2	3	17	10.712
MWA	2013	2	3	16	10.712
MWA	2013	2	3	15	10.907
MWA	2013	2	3	14	10.712
MWA	2013	2	3	13	10.59
MWA	2013	2	3	12	10.541
MWA	2013	2	3	11	10.369
MWA	2013	2	3	10	10.443
MWA	2013	2	3	9	10.173
MWA	2013	2	3	8	9.977
MWA	2013	2	3	7	9.952
MWA	2013	2	3	6	9.928
MWA	2013	2	3	5	9.928
MWA	2013	2	3	4	9.928
MWA	2013	2	3	3	9.903
MWA	2013	2	3	2	9.879

Site ID	Year	Month	Day	Hour	Temp (C)
MWA	2013	2	3	1	9.879
MWA	2013	2	3	0	9.879
MWA	2013	2	2	23	9.903
MWA	2013	2	2	22	9.903
MWA	2013	2	2	21	9.879
MWA	2013	2	2	20	9.879
MWA	2013	2	2	19	9.903
MWA	2013	2	2	18	9.977
MWA	2013	2	2	17	9.977
MWA	2013	2	2	16	10.001
MWA	2013	2	2	15	9.928
MWA	2013	2	2	14	10.051
MWA	2013	2	2	13	9.952
MWA	2013	2	2	12	9.879
MWA	2013	2	2	11	9.879
MWA	2013	2	2	10	9.854
MWA	2013	2	2	9	9.879
MWA	2013	2	2	8	9.829
MWA	2013	2	2	7	9.706
MWA	2013	2	2	6	9.756
MWA	2013	2	2	5	9.632
MWA	2013	2	2	4	9.632
MWA	2013	2	2	3	9.632
MWA	2013	2	2	2	9.632
MWA	2013	2	2	1	9.608
MWA	2013	2	2	0	9.558
MWA	2013	2	1	23	9.583
MWA	2013	2	1	22	9.583
MWA	2013	2	1	21	9.534
MWA	2013	2	1	20	9.509
MWA	2013	2	1	19	9.485
MWA	2013	2	1	18	9.46
MWA	2013	2	1	17	9.435
MWA	2013	2	1	16	9.41
MWA	2013	2	1	15	9.435
MWA	2013	2	1	14	9.435
MWA	2013	2	1	13	9.435
MWA	2013	2	1	12	9.386
MWA	2013	2	1	11	9.41
MWA	2013	2	1	10	9.41
MWA	2013	2	1	9	9.46
MWA	2013	2	1	8	9.336
MWA	2013	2	1	7	9.312
MWA	2013	2	1	6	9.312

Site ID	Year	Month	Day	Hour	Temp (C)
MWA	2013	2	1	5	9.312
MWA	2013	2	1	4	9.287
MWA	2013	2	1	3	9.287
MWA	2013	2	1	2	9.287
MWA	2013	2	1	1	9.287
MWA	2013	2	1	0	9.287
MWA	2013	1	31	23	9.287
MWA	2013	1	31	22	9.287
MWA	2013	1	31	21	9.287
MWA	2013	1	31	20	9.287
MWA	2013	1	31	19	9.287
MWA	2013	1	31	18	9.287
MWA	2013	1	31	17	9.361
MWA	2013	1	31	16	9.46
MWA	2013	1	31	15	9.46
MWA	2013	1	31	14	9.361
MWA	2013	1	31	13	9.534
MWA	2013	1	31	12	9.534
MWA	2013	1	31	11	9.583
MWA	2013	1	31	10	9.46
MWA	2013	1	31	9	9.361
MWA	2013	1	31	8	9.312
MWA	2013	1	31	7	9.262
MWA	2013	1	31	6	9.238
MWA	2013	1	31	5	9.238
MWA	2013	1	31	4	9.238
MWA	2013	1	31	3	9.262
MWA	2013	1	31	2	9.262
MWA	2013	1	31	1	9.238
MWA	2013	1	31	0	9.262
MWA	2013	1	30	23	9.287
MWA	2013	1	30	22	9.287
MWA	2013	1	30	21	9.312
MWA	2013	1	30	20	9.336
MWA	2013	1	30	19	9.361
MWA	2013	1	30	18	9.361
MWA	2013	1	30	17	9.386
MWA	2013	1	30	16	9.386
MWA	2013	1	30	15	9.435
MWA	2013	1	30	14	9.509
MWA	2013	1	30	13	9.534
MWA	2013	1	30	12	9.534
MWA	2013	1	30	11	9.583
MWA	2013	1	30	10	9.558

Site ID	Year	Month	Day	Hour	Temp (C)
MWA	2013	1	30	9	9.583
MWA	2013	1	30	8	9.583
MWA	2013	1	30	7	9.583
MWA	2013	1	30	6	9.632
MWA	2013	1	30	5	9.657
MWA	2013	1	30	4	9.682
MWA	2013	1	30	3	9.706
MWA	2013	1	30	2	9.558
MWA	2013	1	30	1	9.534
MWA	2013	1	30	0	9.534
MWA	2013	1	29	23	9.534
MWA	2013	1	29	22	9.534
MWA	2013	1	29	21	9.534
MWA	2013	1	29	20	9.731
MWA	2013	1	29	19	9.706
MWA	2013	1	29	18	9.509
MWA	2013	1	29	17	9.485
MWA	2013	1	29	16	9.534
MWA	2013	1	29	15	9.903
MWA	2013	1	29	14	9.731
MWA	2013	1	29	13	9.583
MWA	2013	1	29	12	9.534
MWA	2013	1	29	11	9.485
MWA	2013	1	29	10	9.485
MWA	2013	1	29	9	9.46
MWA	2013	1	29	8	9.435
MWA	2013	1	29	7	9.46
MWA	2013	1	29	6	9.534
MWA	2013	1	29	5	9.583
MWA	2013	1	29	4	9.632
MWA	2013	1	29	3	9.657
MWA	2013	1	29	2	9.706
MWA	2013	1	29	1	9.756
MWA	2013	1	29	0	9.805
MWA	2013	1	28	23	9.829
MWA	2013	1	28	22	9.928
MWA	2013	1	28	21	10.051
MWA	2013	1	28	20	10.026
MWA	2013	1	28	19	10.026
MWA	2013	1	28	18	10.026
MWA	2013	1	28	17	9.854
MWA	2013	1	28	16	10.1
MWA	2013	1	28	15	10.051
MWA	2013	1	28	14	10.026

Site ID	Year	Month	Day	Hour	Temp (C)
MWA	2013	1	28	13	9.928
MWA	2013	1	28	12	9.829
MWA	2013	1	28	11	9.805
MWA	2013	1	28	10	9.731
MWA	2013	1	28	9	9.706
MWA	2013	1	28	8	9.78
MWA	2013	1	28	7	9.78
MWA	2013	1	28	6	9.78
MWA	2013	1	28	5	9.829
MWA	2013	1	28	4	9.903
MWA	2013	1	28	3	9.928
MWA	2013	1	28	2	9.952
MWA	2013	1	28	1	10.026
MWA	2013	1	28	0	10.1
MWA	2013	1	27	23	10.124
MWA	2013	1	27	22	10.1
MWA	2013	1	27	21	10.198
MWA	2013	1	27	20	10.247
MWA	2013	1	27	19	10.222
MWA	2013	1	27	18	10.247
MWA	2013	1	27	17	10.345
MWA	2013	1	27	16	10.222
MWA	2013	1	27	15	10.026
MWA	2013	1	27	14	10.026
MWA	2013	1	27	13	9.829
MWA	2013	1	27	12	9.78
MWA	2013	1	27	11	9.608
MWA	2013	1	27	10	9.558
MWA	2013	1	27	9	9.238
MWA	2013	1	27	8	9.361
MWA	2013	1	27	7	9.04
MWA	2013	1	27	6	9.163
MWA	2013	1	27	5	8.941
MWA	2013	1	27	4	8.941
MWA	2013	1	27	3	8.941
MWA	2013	1	27	2	8.866
MWA	2013	1	27	1	8.668
MWA	2013	1	27	0	8.618
MWA	2013	1	26	23	8.618
MWA	2013	1	26	22	8.618
MWA	2013	1	26	21	8.543
MWA	2013	1	26	20	8.593
MWA	2013	1	26	19	8.568
MWA	2013	1	26	18	8.519

Site ID	Year	Month	Day	Hour	Temp (C)
MWA	2013	1	26	17	8.519
MWA	2013	1	26	16	8.494
MWA	2013	1	26	15	8.494
MWA	2013	1	26	14	8.494
MWA	2013	1	26	13	8.494
MWA	2013	1	26	12	8.469
MWA	2013	1	26	11	8.469
MWA	2013	1	26	10	8.444
MWA	2013	1	26	9	8.419
MWA	2013	1	26	8	8.394
MWA	2013	1	26	7	8.394
MWA	2013	1	26	6	8.369
MWA	2013	1	26	5	8.369
MWA	2013	1	26	4	8.369
MWA	2013	1	26	3	8.369
MWA	2013	1	26	2	8.369
MWA	2013	1	26	1	8.394
MWA	2013	1	26	0	8.344
MWA	2013	1	25	23	8.319
MWA	2013	1	25	22	8.319
MWA	2013	1	25	21	8.319
MWA	2013	1	25	20	8.319
MWA	2013	1	25	19	8.319
MWA	2013	1	25	18	8.319
MWA	2013	1	25	17	8.319
MWA	2013	1	25	16	8.295
MWA	2013	1	25	15	8.27
MWA	2013	1	25	14	8.27
MWA	2013	1	25	13	8.22
MWA	2013	1	25	12	8.245
MWA	2013	1	25	11	8.195
MWA	2013	1	25	10	8.195
MWA	2013	1	25	9	8.145
MWA	2013	1	25	8	8.145
MWA	2013	1	25	7	8.145
MWA	2013	1	25	6	8.12
MWA	2013	1	25	5	8.12
MWA	2013	1	25	4	8.095
MWA	2013	1	25	3	8.095
MWA	2013	1	25	2	8.095
MWA	2013	1	25	1	8.095
MWA	2013	1	25	0	8.095
MWA	2013	1	24	23	8.095
MWA	2013	1	24	22	8.319

Site ID	Year	Month	Day	Hour	Temp (C)
MWA	2013	1	24	21	8.344
MWA	2013	1	24	20	8.369
MWA	2013	1	24	19	8.344
MWA	2013	1	24	18	8.344
MWA	2013	1	24	17	8.344
MWA	2013	1	24	16	8.319
MWA	2013	1	24	15	8.295
MWA	2013	1	24	14	8.245
MWA	2013	1	24	13	8.295
MWA	2013	1	24	12	8.245
MWA	2013	1	24	11	8.195
MWA	2013	1	24	10	8.045
MWA	2013	1	24	9	7.795
MWA	2013	1	24	8	7.72
MWA	2013	1	24	7	7.72
MWA	2013	1	24	6	7.695
MWA	2013	1	24	5	7.72
MWA	2013	1	24	4	7.594
MWA	2013	1	24	3	7.594
MWA	2013	1	24	2	7.594
MWA	2013	1	24	1	7.569
MWA	2013	1	24	0	7.594
MWA	2013	1	23	23	7.594
MWA	2013	1	23	22	7.544
MWA	2013	1	23	21	7.544
MWA	2013	1	23	20	7.544
MWA	2013	1	23	19	7.544
MWA	2013	1	23	18	7.494
MWA	2013	1	23	17	7.519
MWA	2013	1	23	16	7.494
MWA	2013	1	23	15	7.494
MWA	2013	1	23	14	7.494
MWA	2013	1	23	13	7.82
MWA	2013	1	23	12	7.695
MWA	2013	1	23	11	7.645
MWA	2013	1	23	10	7.494
MWA	2013	1	23	9	7.444
MWA	2013	1	23	8	7.444
MWA	2013	1	23	7	7.444
MWA	2013	1	23	6	7.444
MWA	2013	1	23	5	7.444
MWA	2013	1	23	4	7.419
MWA	2013	1	23	3	7.419
MWA	2013	1	23	2	7.419

Site ID	Year	Month	Day	Hour	Temp (C)
MWA	2013	1	23	1	7.393
MWA	2013	1	23	0	7.393
MWA	2013	1	22	23	7.393
MWA	2013	1	22	22	7.393
MWA	2013	1	22	21	7.393
MWA	2013	1	22	20	7.393
MWA	2013	1	22	19	7.393
MWA	2013	1	22	18	7.393
MWA	2013	1	22	17	7.419
MWA	2013	1	22	16	7.444
MWA	2013	1	22	15	7.569
MWA	2013	1	22	14	8.693
MWA	2013	1	22	13	8.369
MWA	2013	1	22	12	7.895
MWA	2013	1	22	11	7.945
MWA	2013	1	22	10	7.995
MWA	2013	1	22	9	7.87
MWA	2013	1	22	8	7.494
MWA	2013	1	22	7	7.645
MWA	2013	1	22	6	7.544
MWA	2013	1	22	5	7.469
MWA	2013	1	22	4	7.544
MWA	2013	1	22	3	7.695
MWA	2013	1	22	2	7.645
MWA	2013	1	22	1	7.645
MWA	2013	1	22	0	7.519
MWA	2013	1	21	23	7.544
MWA	2013	1	21	22	7.569
MWA	2013	1	21	21	7.544
MWA	2013	1	21	20	7.544
MWA	2013	1	21	19	7.519
MWA	2013	1	21	18	7.845
MWA	2013	1	21	17	7.72
MWA	2013	1	21	16	7.72
MWA	2013	1	21	15	7.87
MWA	2013	1	21	14	8.543
MWA	2013	1	21	13	8.095
MWA	2013	1	21	12	7.795
MWA	2013	1	21	11	7.895
MWA	2013	1	21	10	7.444
MWA	2013	1	21	9	7.895
MWA	2013	1	21	8	7.67
MWA	2013	1	21	7	7.469
MWA	2013	1	21	6	7.444

Site ID	Year	Month	Day	Hour	Temp (C)
MWA	2013	1	21	5	7.494
MWA	2013	1	21	4	7.544
MWA	2013	1	21	3	7.544
MWA	2013	1	21	2	7.544
MWA	2013	1	21	1	7.444
MWA	2013	1	21	0	7.419
MWA	2013	1	20	23	7.544
MWA	2013	1	20	22	7.519
MWA	2013	1	20	21	7.494
MWA	2013	1	20	20	7.544
MWA	2013	1	20	19	7.72
MWA	2013	1	20	18	7.469
MWA	2013	1	20	17	7.619
MWA	2013	1	20	16	7.82
MWA	2013	1	20	15	7.569
MWA	2013	1	20	14	7.695
MWA	2013	1	20	13	7.695
MWA	2013	1	20	12	7.87
MWA	2013	1	20	11	7.845
MWA	2013	1	20	10	7.895
MWA	2013	1	20	9	7.92
MWA	2013	1	20	8	7.343
MWA	2013	1	20	7	7.444
MWA	2013	1	20	6	7.419
MWA	2013	1	20	5	7.419
MWA	2013	1	20	4	7.419
MWA	2013	1	20	3	7.494
MWA	2013	1	20	2	7.469
MWA	2013	1	20	1	7.494
MWA	2013	1	20	0	7.419
MWA	2013	1	19	23	7.343
MWA	2013	1	19	22	7.419
MWA	2013	1	19	21	7.469
MWA	2013	1	19	20	7.444
MWA	2013	1	19	19	7.444
MWA	2013	1	19	18	7.77
MWA	2013	1	19	17	7.895
MWA	2013	1	19	16	8.195
MWA	2013	1	19	15	8.245
MWA	2013	1	19	14	8.045
MWA	2013	1	19	13	7.645
MWA	2013	1	19	12	7.519
MWA	2013	1	19	11	7.444
MWA	2013	1	19	10	7.419

Site ID	Year	Month	Day	Hour	Temp (C)
MWA	2013	1	19	9	7.469
MWA	2013	1	19	8	7.444
MWA	2013	1	19	7	7.569
MWA	2013	1	19	6	7.645
MWA	2013	1	19	5	7.343
MWA	2013	1	19	4	7.745
MWA	2013	1	19	3	7.619
MWA	2013	1	19	2	7.343
MWA	2013	1	19	1	7.192
MWA	2013	1	19	0	7.343
MWA	2013	1	18	23	7.293
MWA	2013	1	18	22	7.444
MWA	2013	1	18	21	7.594
MWA	2013	1	18	20	7.645
MWA	2013	1	18	19	7.419
MWA	2013	1	18	18	8.045
MWA	2013	1	18	17	7.945
MWA	2013	1	18	16	8.12
MWA	2013	1	18	15	8.344
MWA	2013	1	18	14	7.97
MWA	2013	1	18	13	7.393
MWA	2013	1	18	12	7.142
MWA	2013	1	18	11	6.914
MWA	2013	1	18	10	6.99
MWA	2013	1	18	9	6.99
MWA	2013	1	18	8	6.965
MWA	2013	1	18	7	6.914
MWA	2013	1	18	6	6.889
MWA	2013	1	18	5	6.839
MWA	2013	1	18	4	6.763
MWA	2013	1	18	3	6.763
MWA	2013	1	18	2	6.839
MWA	2013	1	18	1	6.788
MWA	2013	1	18	0	6.889
MWA	2013	1	17	23	6.864
MWA	2013	1	17	22	6.839
MWA	2013	1	17	21	6.788
MWA	2013	1	17	20	6.788
MWA	2013	1	17	19	6.763
MWA	2013	1	17	18	6.813
MWA	2013	1	17	17	7.167
MWA	2013	1	17	16	7.015
MWA	2013	1	17	15	7.192
MWA	2013	1	17	14	6.839

Site ID	Year	Month	Day	Hour	Temp (C)
MWA	2013	1	17	13	6.712
MWA	2013	1	17	12	6.585
MWA	2013	1	17	11	6.509
MWA	2013	1	17	10	6.484
MWA	2013	1	17	9	6.484
MWA	2013	1	17	8	6.56
MWA	2013	1	17	7	6.56
MWA	2013	1	17	6	6.611
MWA	2013	1	17	5	6.611
MWA	2013	1	17	4	6.585
MWA	2013	1	17	3	6.535
MWA	2013	1	17	2	6.484
MWA	2013	1	17	1	6.535
MWA	2013	1	17	0	6.484
MWA	2013	1	16	23	6.458
MWA	2013	1	16	22	6.408
MWA	2013	1	16	21	6.382
MWA	2013	1	16	20	6.357
MWA	2013	1	16	19	6.535
MWA	2013	1	16	18	6.56
MWA	2013	1	16	17	6.484
MWA	2013	1	16	16	6.306
MWA	2013	1	16	15	6.864
MWA	2013	1	16	14	6.687
MWA	2013	1	16	13	6.484
MWA	2013	1	16	12	6.281
MWA	2013	1	16	11	6.179
MWA	2013	1	16	10	6.153
MWA	2013	1	16	9	6.153
MWA	2013	1	16	8	6.153
MWA	2013	1	16	7	6.179
MWA	2013	1	16	6	6.23
MWA	2013	1	16	5	6.281
MWA	2013	1	16	4	6.255
MWA	2013	1	16	3	6.255
MWA	2013	1	16	2	6.281
MWA	2013	1	16	1	6.306
MWA	2013	1	16	0	6.281
MWA	2013	1	15	23	6.306
MWA	2013	1	15	22	6.331
MWA	2013	1	15	21	6.281
MWA	2013	1	15	20	6.357
MWA	2013	1	15	19	6.331
MWA	2013	1	15	18	6.661

Site ID	Year	Month	Day	Hour	Temp (C)
MWA	2013	1	15	17	6.763
MWA	2013	1	15	16	7.192
MWA	2013	1	15	15	6.484
MWA	2013	1	15	14	6.433
MWA	2013	1	15	13	6.255
MWA	2013	1	15	12	6.281
MWA	2013	1	15	11	6.331
MWA	2013	1	15	10	6.331
MWA	2013	1	15	9	6.331
MWA	2013	1	15	8	6.433
MWA	2013	1	15	7	6.484
MWA	2013	1	15	6	6.535
MWA	2013	1	15	5	6.56
MWA	2013	1	15	4	6.56
MWA	2013	1	15	3	6.611
MWA	2013	1	15	2	6.661
MWA	2013	1	15	1	6.687
MWA	2013	1	15	0	6.737
MWA	2013	1	14	23	6.763
MWA	2013	1	14	22	6.788
MWA	2013	1	14	21	6.839
MWA	2013	1	14	20	6.889
MWA	2013	1	14	19	6.914
MWA	2013	1	14	18	6.94
MWA	2013	1	14	17	6.914
MWA	2013	1	14	16	6.94
MWA	2013	1	14	15	6.864
MWA	2013	1	14	14	6.788
MWA	2013	1	14	13	6.661
MWA	2013	1	14	12	6.636
MWA	2013	1	14	11	6.636
MWA	2013	1	14	10	6.636
MWA	2013	1	14	9	6.687
MWA	2013	1	14	8	6.737
MWA	2013	1	14	7	6.788
MWA	2013	1	14	6	6.889
MWA	2013	1	14	5	6.94
MWA	2013	1	14	4	7.041
MWA	2013	1	14	3	7.066
MWA	2013	1	14	2	7.116
MWA	2013	1	14	1	7.217
MWA	2013	1	14	0	7.242
MWA	2013	1	13	23	7.268
MWA	2013	1	13	22	7.293

Site ID	Year	Month	Day	Hour	Temp (C)
MWA	2013	1	13	21	7.343
MWA	2013	1	13	20	7.368
MWA	2013	1	13	19	7.393
MWA	2013	1	13	18	7.419
MWA	2013	1	13	17	7.444
MWA	2013	1	13	16	7.469
MWA	2013	1	13	15	7.393
MWA	2013	1	13	14	7.293
MWA	2013	1	13	13	7.217
MWA	2013	1	13	12	7.192
MWA	2013	1	13	11	7.192
MWA	2013	1	13	10	7.192
MWA	2013	1	13	9	7.242
MWA	2013	1	13	8	7.318
MWA	2013	1	13	7	7.368
MWA	2013	1	13	6	7.393
MWA	2013	1	13	5	7.444
MWA	2013	1	13	4	7.494
MWA	2013	1	13	3	7.569
MWA	2013	1	13	2	7.594
MWA	2013	1	13	1	7.619
MWA	2013	1	13	0	7.645
MWA	2013	1	12	23	7.695
MWA	2013	1	12	22	7.745
MWA	2013	1	12	21	7.795
MWA	2013	1	12	20	7.795
MWA	2013	1	12	19	7.82
MWA	2013	1	12	18	7.845
MWA	2013	1	12	17	7.845
MWA	2013	1	12	16	7.845
MWA	2013	1	12	15	7.795
MWA	2013	1	12	14	7.67
MWA	2013	1	12	13	7.594
MWA	2013	1	12	12	7.544
MWA	2013	1	12	11	7.519
MWA	2013	1	12	10	7.544
MWA	2013	1	12	9	7.645
MWA	2013	1	12	8	7.645
MWA	2013	1	12	7	7.745
MWA	2013	1	12	6	7.745
MWA	2013	1	12	5	7.77
MWA	2013	1	12	4	7.87
MWA	2013	1	12	3	7.92
MWA	2013	1	12	2	7.97

Site ID	Year	Month	Day	Hour	Temp (C)
MWA	2013	1	12	1	8.045
MWA	2013	1	12	0	8.095
MWA	2013	1	11	23	8.145
MWA	2013	1	11	22	8.145
MWA	2013	1	11	21	8.22
MWA	2013	1	11	20	8.245
MWA	2013	1	11	19	8.295
MWA	2013	1	11	18	8.295
MWA	2013	1	11	17	8.295
MWA	2013	1	11	16	8.295
MWA	2013	1	11	15	8.245
MWA	2013	1	11	14	8.295
MWA	2013	1	11	13	8.195
MWA	2013	1	11	12	7.97
MWA	2013	1	11	11	7.87
MWA	2013	1	11	10	7.845
MWA	2013	1	11	9	7.87
MWA	2013	1	11	8	7.895
MWA	2013	1	11	7	7.945
MWA	2013	1	11	6	7.995
MWA	2013	1	11	5	7.995
MWA	2013	1	11	4	8.045
MWA	2013	1	11	3	8.095
MWA	2013	1	11	2	8.17
MWA	2013	1	11	1	8.245
MWA	2013	1	11	0	8.319
MWA	2013	1	10	23	8.394
MWA	2013	1	10	22	8.444
MWA	2013	1	10	21	8.469
MWA	2013	1	10	20	8.494
MWA	2013	1	10	19	8.543
MWA	2013	1	10	18	8.543
MWA	2013	1	10	17	8.519
MWA	2013	1	10	16	8.469
MWA	2013	1	10	15	8.419
MWA	2013	1	10	14	8.369
MWA	2013	1	10	13	8.319
MWA	2013	1	10	12	8.295
MWA	2013	1	10	11	8.195
MWA	2013	1	10	10	8.245
MWA	2013	1	10	9	8.295
MWA	2013	1	10	8	8.245
MWA	2013	1	10	7	8.22
MWA	2013	1	10	6	8.27

Site ID	Year	Month	Day	Hour	Temp (C)
MWA	2013	1	10	5	8.27
MWA	2013	1	10	4	8.319
MWA	2013	1	10	3	8.319
MWA	2013	1	10	2	8.27
MWA	2013	1	10	1	8.295
MWA	2013	1	10	0	8.543
MWA	2013	1	9	23	8.519
MWA	2013	1	9	22	8.618
MWA	2013	1	9	21	8.045
MWA	2013	1	9	20	8.12
MWA	2013	1	9	19	8.22
MWA	2013	1	9	18	8.195
MWA	2013	1	9	17	8.245
MWA	2013	1	9	16	8.245
MWA	2013	1	9	15	8.195
MWA	2013	1	9	14	8.07
MWA	2013	1	9	13	7.97
MWA	2013	1	9	12	7.92
MWA	2013	1	9	11	7.895
MWA	2013	1	9	10	7.945
MWA	2013	1	9	9	7.92
MWA	2013	1	9	8	7.895
MWA	2013	1	9	7	7.945
MWA	2013	1	9	6	7.945
MWA	2013	1	9	5	7.995
MWA	2013	1	9	4	8.045
MWA	2013	1	9	3	8.02
MWA	2013	1	9	2	7.995
MWA	2013	1	9	1	7.945
MWA	2013	1	9	0	7.97
MWA	2013	1	8	23	7.945
MWA	2013	1	8	22	7.92
MWA	2013	1	8	21	7.945
MWA	2013	1	8	20	7.92
MWA	2013	1	8	19	7.945
MWA	2013	1	8	18	8.045
MWA	2013	1	8	17	8.27
MWA	2013	1	8	16	8.095
MWA	2013	1	8	15	8.27
MWA	2013	1	8	14	8.419
MWA	2013	1	8	13	8.27
MWA	2013	1	8	12	7.97
MWA	2013	1	8	11	7.82
MWA	2013	1	8	10	7.77

Site ID	Year	Month	Day	Hour	Temp (C)
MWA	2013	1	8	9	7.745
MWA	2013	1	8	8	7.645
MWA	2013	1	8	7	7.67
MWA	2013	1	8	6	7.72
MWA	2013	1	8	5	7.745
MWA	2013	1	8	4	7.77
MWA	2013	1	8	3	7.745
MWA	2013	1	8	2	7.745
MWA	2013	1	8	1	7.745
MWA	2013	1	8	0	7.795
MWA	2013	1	7	23	7.795
MWA	2013	1	7	22	7.795
MWA	2013	1	7	21	7.82
MWA	2013	1	7	20	7.895
MWA	2013	1	7	19	8.045
MWA	2013	1	7	18	8.245
MWA	2013	1	7	17	8.444
MWA	2013	1	7	16	8.195
MWA	2013	1	7	15	7.895
MWA	2013	1	7	14	8.095
MWA	2013	1	7	13	7.845
MWA	2013	1	7	12	7.845
MWA	2013	1	7	11	7.845
MWA	2013	1	7	10	7.82
MWA	2013	1	7	9	7.82
MWA	2013	1	7	8	7.82
MWA	2013	1	7	7	7.795
MWA	2013	1	7	6	7.795
MWA	2013	1	7	5	7.795
MWA	2013	1	7	4	7.845
MWA	2013	1	7	3	7.82
MWA	2013	1	7	2	7.845
MWA	2013	1	7	1	7.845
MWA	2013	1	7	0	7.895
MWA	2013	1	6	23	7.895
MWA	2013	1	6	22	7.895
MWA	2013	1	6	21	7.92
MWA	2013	1	6	20	7.92
MWA	2013	1	6	19	7.945
MWA	2013	1	6	18	7.92
MWA	2013	1	6	17	7.845
MWA	2013	1	6	16	7.945
MWA	2013	1	6	15	7.945
MWA	2013	1	6	14	7.77

Site ID	Year	Month	Day	Hour	Temp (C)
MWA	2013	1	6	13	7.895
MWA	2013	1	6	12	7.82
MWA	2013	1	6	11	7.77
MWA	2013	1	6	10	7.745
MWA	2013	1	6	9	7.569
MWA	2013	1	6	8	7.594
MWA	2013	1	6	7	7.619
MWA	2013	1	6	6	7.695
MWA	2013	1	6	5	7.67
MWA	2013	1	6	4	7.67
MWA	2013	1	6	3	7.67
MWA	2013	1	6	2	7.695
MWA	2013	1	6	1	7.569
MWA	2013	1	6	0	7.444
MWA	2013	1	5	23	7.67
MWA	2013	1	5	22	7.469
MWA	2013	1	5	21	7.419
MWA	2013	1	5	20	7.444
MWA	2013	1	5	19	7.494
MWA	2013	1	5	18	7.419
MWA	2013	1	5	17	7.444
MWA	2013	1	5	16	7.67
MWA	2013	1	5	15	7.695
MWA	2013	1	5	14	7.544
MWA	2013	1	5	13	7.444
MWA	2013	1	5	12	7.393
MWA	2013	1	5	11	7.343
MWA	2013	1	5	10	7.318
MWA	2013	1	5	9	7.318
MWA	2013	1	5	8	7.318
MWA	2013	1	5	7	7.343
MWA	2013	1	5	6	7.343
MWA	2013	1	5	5	7.343
MWA	2013	1	5	4	7.368
MWA	2013	1	5	3	7.343
MWA	2013	1	5	2	7.318
MWA	2013	1	5	1	7.293
MWA	2013	1	5	0	7.343
MWA	2013	1	4	23	7.293
MWA	2013	1	4	22	7.318
MWA	2013	1	4	21	7.293
MWA	2013	1	4	20	7.368
MWA	2013	1	4	19	7.343
MWA	2013	1	4	18	7.393

Site ID	Year	Month	Day	Hour	Temp (C)
MWA	2013	1	4	17	7.619
MWA	2013	1	4	16	7.494
MWA	2013	1	4	15	7.544
MWA	2013	1	4	14	7.695
MWA	2013	1	4	13	7.87
MWA	2013	1	4	12	7.494
MWA	2013	1	4	11	7.419
MWA	2013	1	4	10	7.419
MWA	2013	1	4	9	7.419
MWA	2013	1	4	8	7.444
MWA	2013	1	4	7	7.444
MWA	2013	1	4	6	7.469
MWA	2013	1	4	5	7.494
MWA	2013	1	4	4	7.469
MWA	2013	1	4	3	7.469
MWA	2013	1	4	2	7.368
MWA	2013	1	4	1	7.242
MWA	2013	1	4	0	7.242
MWA	2013	1	3	23	7.242
MWA	2013	1	3	22	7.293
MWA	2013	1	3	21	7.318
MWA	2013	1	3	20	7.368
MWA	2013	1	3	19	7.393
MWA	2013	1	3	18	7.444
MWA	2013	1	3	17	7.795
MWA	2013	1	3	16	7.494
MWA	2013	1	3	15	7.569
MWA	2013	1	3	14	7.77
MWA	2013	1	3	13	7.569
MWA	2013	1	3	12	7.494
MWA	2013	1	3	11	7.444
MWA	2013	1	3	10	7.444
MWA	2013	1	3	9	7.519
MWA	2013	1	3	8	7.519
MWA	2013	1	3	7	7.594
MWA	2013	1	3	6	7.594
MWA	2013	1	3	5	7.67
MWA	2013	1	3	4	7.619
MWA	2013	1	3	3	7.72
MWA	2013	1	3	2	7.67
MWA	2013	1	3	1	7.745
MWA	2013	1	3	0	7.745
MWA	2013	1	2	23	7.695
MWA	2013	1	2	22	7.645

Site ID	Year	Month	Day	Hour	Temp (C)
MWA	2013	1	2	21	7.695
MWA	2013	1	2	20	7.594
MWA	2013	1	2	19	7.619
MWA	2013	1	2	18	7.72
MWA	2013	1	2	17	7.745
MWA	2013	1	2	16	7.619
MWA	2013	1	2	15	8.27
MWA	2013	1	2	14	7.745
MWA	2013	1	2	13	7.67
MWA	2013	1	2	12	7.393
MWA	2013	1	2	11	7.393
MWA	2013	1	2	10	7.419
MWA	2013	1	2	9	7.419
MWA	2013	1	2	8	7.469
MWA	2013	1	2	7	7.544
MWA	2013	1	2	6	7.594
MWA	2013	1	2	5	7.645
MWA	2013	1	2	4	7.695
MWA	2013	1	2	3	7.72
MWA	2013	1	2	2	7.82
MWA	2013	1	2	1	7.845
MWA	2013	1	2	0	7.87
MWA	2013	1	1	23	7.895
MWA	2013	1	1	22	7.92
MWA	2013	1	1	21	7.995
MWA	2013	1	1	20	8.045
MWA	2013	1	1	19	8.07
MWA	2013	1	1	18	8.12
MWA	2013	1	1	17	8.145
MWA	2013	1	1	16	7.995
MWA	2013	1	1	15	8.045
MWA	2013	1	1	14	7.92
MWA	2013	1	1	13	7.82
MWA	2013	1	1	12	7.77
MWA	2013	1	1	11	7.77
MWA	2013	1	1	10	7.77
MWA	2013	1	1	9	7.77
MWA	2013	1	1	8	7.845
MWA	2013	1	1	7	7.845
MWA	2013	1	1	6	7.895
MWA	2013	1	1	5	7.92
MWA	2013	1	1	4	7.995
MWA	2013	1	1	3	8.07
MWA	2013	1	1	2	8.12

Site ID	Year	Month	Day	Hour	Temp (C)
MWA	2013	1	1	1	8.12
MWA	2013	1	1	0	8.17
MWA	2012	12	31	23	8.22
MWA	2012	12	31	22	8.245
MWA	2012	12	31	21	8.27
MWA	2012	12	31	20	8.319
MWA	2012	12	31	19	8.369
MWA	2012	12	31	18	8.394
MWA	2012	12	31	17	8.419
MWA	2012	12	31	16	8.394
MWA	2012	12	31	15	8.245
MWA	2012	12	31	14	8.22
MWA	2012	12	31	13	8.07
MWA	2012	12	31	12	8.045
MWA	2012	12	31	11	7.97
MWA	2012	12	31	10	7.995
MWA	2012	12	31	9	8.045
MWA	2012	12	31	8	8.07
MWA	2012	12	31	7	8.095
MWA	2012	12	31	6	8.12
MWA	2012	12	31	5	8.195
MWA	2012	12	31	4	8.27
MWA	2012	12	31	3	8.344
MWA	2012	12	31	2	8.344
MWA	2012	12	31	1	8.394
MWA	2012	12	31	0	8.469
MWA	2012	12	30	23	8.494
MWA	2012	12	30	22	8.543
MWA	2012	12	30	21	8.643
MWA	2012	12	30	20	8.668
MWA	2012	12	30	19	8.742
MWA	2012	12	30	18	8.717
MWA	2012	12	30	17	8.618
MWA	2012	12	30	16	8.618
MWA	2012	12	30	15	8.543
MWA	2012	12	30	14	8.444
MWA	2012	12	30	13	8.419
MWA	2012	12	30	12	8.319
MWA	2012	12	30	11	8.319
MWA	2012	12	30	10	8.344
MWA	2012	12	30	9	8.394
MWA	2012	12	30	8	8.444
MWA	2012	12	30	7	8.494
MWA	2012	12	30	6	8.543

Site ID	Year	Month	Day	Hour	Temp (C)
MWA	2012	12	30	5	8.593
MWA	2012	12	30	4	8.643
MWA	2012	12	30	3	8.668
MWA	2012	12	30	2	8.717
MWA	2012	12	30	1	8.742
MWA	2012	12	30	0	8.767
MWA	2012	12	29	23	8.767
MWA	2012	12	29	22	8.792
MWA	2012	12	29	21	8.767
MWA	2012	12	29	20	8.817
MWA	2012	12	29	19	8.841
MWA	2012	12	29	18	8.841
MWA	2012	12	29	17	8.841
MWA	2012	12	29	16	8.841
MWA	2012	12	29	15	8.792
MWA	2012	12	29	14	8.767
MWA	2012	12	29	13	8.767
MWA	2012	12	29	12	8.742
MWA	2012	12	29	11	8.742
MWA	2012	12	29	10	8.742
MWA	2012	12	29	9	8.742
MWA	2012	12	29	8	8.742
MWA	2012	12	29	7	8.767
MWA	2012	12	29	6	8.792
MWA	2012	12	29	5	8.792
MWA	2012	12	29	4	8.841
MWA	2012	12	29	3	8.841
MWA	2012	12	29	2	8.841
MWA	2012	12	29	1	8.841
MWA	2012	12	29	0	8.866
MWA	2012	12	28	23	8.891
MWA	2012	12	28	22	8.866
MWA	2012	12	28	21	8.891
MWA	2012	12	28	20	8.916
MWA	2012	12	28	19	8.891
MWA	2012	12	28	18	8.891
MWA	2012	12	28	17	8.99
MWA	2012	12	28	16	8.965
MWA	2012	12	28	15	9.114
MWA	2012	12	28	14	8.941
MWA	2012	12	28	13	8.891
MWA	2012	12	28	12	8.891
MWA	2012	12	28	11	8.891
MWA	2012	12	28	10	8.841

Site ID	Year	Month	Day	Hour	Temp (C)
MWA	2012	12	28	9	8.866
MWA	2012	12	28	8	8.891
MWA	2012	12	28	7	8.891
MWA	2012	12	28	6	8.916
MWA	2012	12	28	5	8.99
MWA	2012	12	28	4	9.015
MWA	2012	12	28	3	9.04
MWA	2012	12	28	2	9.114
MWA	2012	12	28	1	9.139
MWA	2012	12	28	0	9.213
MWA	2012	12	27	23	9.238
MWA	2012	12	27	22	9.262
MWA	2012	12	27	21	9.287
MWA	2012	12	27	20	9.312
MWA	2012	12	27	19	9.386
MWA	2012	12	27	18	9.361
MWA	2012	12	27	17	9.336
MWA	2012	12	27	16	9.41
MWA	2012	12	27	15	9.336
MWA	2012	12	27	14	9.238
MWA	2012	12	27	13	9.114
MWA	2012	12	27	12	9.04
MWA	2012	12	27	11	8.99
MWA	2012	12	27	10	8.965
MWA	2012	12	27	9	8.99
MWA	2012	12	27	8	9.015
MWA	2012	12	27	7	9.04
MWA	2012	12	27	6	9.064
MWA	2012	12	27	5	9.04
MWA	2012	12	27	4	9.04
MWA	2012	12	27	3	9.188
MWA	2012	12	27	2	9.238
MWA	2012	12	27	1	9.262
MWA	2012	12	27	0	9.188
MWA	2012	12	26	23	9.015
MWA	2012	12	26	22	8.99
MWA	2012	12	26	21	8.965
MWA	2012	12	26	20	9.114
MWA	2012	12	26	19	8.941
MWA	2012	12	26	18	8.891
MWA	2012	12	26	17	8.866
MWA	2012	12	26	16	8.891
MWA	2012	12	26	15	8.891
MWA	2012	12	26	14	8.891

Site ID	Year	Month	Day	Hour	Temp (C)
MWA	2012	12	26	13	8.891
MWA	2012	12	26	12	8.891
MWA	2012	12	26	11	8.866
MWA	2012	12	26	10	8.866
MWA	2012	12	26	9	8.891
MWA	2012	12	26	8	8.916
MWA	2012	12	26	7	8.965
MWA	2012	12	26	6	8.965
MWA	2012	12	26	5	8.99
MWA	2012	12	26	4	8.99
MWA	2012	12	26	3	8.99
MWA	2012	12	26	2	9.04
MWA	2012	12	26	1	9.015
MWA	2012	12	26	0	8.99
MWA	2012	12	25	23	9.064
MWA	2012	12	25	22	9.015
MWA	2012	12	25	21	8.99
MWA	2012	12	25	20	8.99
MWA	2012	12	25	19	9.064
MWA	2012	12	25	18	9.089
MWA	2012	12	25	17	9.114
MWA	2012	12	25	16	9.04
MWA	2012	12	25	15	9.04
MWA	2012	12	25	14	9.089
MWA	2012	12	25	13	9.064
MWA	2012	12	25	12	9.04
MWA	2012	12	25	11	8.99
MWA	2012	12	25	10	9.015
MWA	2012	12	25	9	8.99
MWA	2012	12	25	8	8.99
MWA	2012	12	25	7	9.015
MWA	2012	12	25	6	9.04
MWA	2012	12	25	5	9.04
MWA	2012	12	25	4	9.064
MWA	2012	12	25	3	9.089
MWA	2012	12	25	2	9.089
MWA	2012	12	25	1	9.064
MWA	2012	12	25	0	9.089
MWA	2012	12	24	23	9.089
MWA	2012	12	24	22	9.139
MWA	2012	12	24	21	9.163
MWA	2012	12	24	20	9.213
MWA	2012	12	24	19	9.262
MWA	2012	12	24	18	9.262

Site ID	Year	Month	Day	Hour	Temp (C)
MWA	2012	12	24	17	9.262
MWA	2012	12	24	16	9.238
MWA	2012	12	24	15	9.114
MWA	2012	12	24	14	8.817
MWA	2012	12	24	13	8.916
MWA	2012	12	24	12	8.792
MWA	2012	12	24	11	8.717
MWA	2012	12	24	10	8.693
MWA	2012	12	24	9	8.693
MWA	2012	12	24	8	8.717
MWA	2012	12	24	7	8.742
MWA	2012	12	24	6	8.767
MWA	2012	12	24	5	8.767
MWA	2012	12	24	4	8.792
MWA	2012	12	24	3	8.792
MWA	2012	12	24	2	8.817
MWA	2012	12	24	1	8.841
MWA	2012	12	24	0	8.817
MWA	2012	12	23	23	8.792
MWA	2012	12	23	22	8.792
MWA	2012	12	23	21	8.841
MWA	2012	12	23	20	8.841
MWA	2012	12	23	19	8.841
MWA	2012	12	23	18	8.841
MWA	2012	12	23	17	8.817
MWA	2012	12	23	16	8.817
MWA	2012	12	23	15	8.792
MWA	2012	12	23	14	8.717
MWA	2012	12	23	13	8.693
MWA	2012	12	23	12	8.668
MWA	2012	12	23	11	8.643
MWA	2012	12	23	10	8.643
MWA	2012	12	23	9	8.643
MWA	2012	12	23	8	8.593
MWA	2012	12	23	7	8.643
MWA	2012	12	23	6	8.643
MWA	2012	12	23	5	8.693
MWA	2012	12	23	4	8.693
MWA	2012	12	23	3	8.693
MWA	2012	12	23	2	8.668
MWA	2012	12	23	1	8.693
MWA	2012	12	23	0	8.717
MWA	2012	12	22	23	8.717
MWA	2012	12	22	22	8.767

Site ID	Year	Month	Day	Hour	Temp (C)
MWA	2012	12	22	21	8.742
MWA	2012	12	22	20	8.693
MWA	2012	12	22	19	8.792
MWA	2012	12	22	18	8.841
MWA	2012	12	22	17	8.841
MWA	2012	12	22	16	8.693
MWA	2012	12	22	15	8.643
MWA	2012	12	22	14	8.693
MWA	2012	12	22	13	8.792
MWA	2012	12	22	12	8.668
MWA	2012	12	22	11	8.693
MWA	2012	12	22	10	8.693
MWA	2012	12	22	9	8.693
MWA	2012	12	22	8	8.717
MWA	2012	12	22	7	8.742
MWA	2012	12	22	6	8.767
MWA	2012	12	22	5	8.767
MWA	2012	12	22	4	8.792
MWA	2012	12	22	3	8.817
MWA	2012	12	22	2	8.841
MWA	2012	12	22	1	8.841
MWA	2012	12	22	0	8.866
MWA	2012	12	21	23	8.866
MWA	2012	12	21	22	8.866
MWA	2012	12	21	21	8.841
MWA	2012	12	21	20	8.817
MWA	2012	12	21	19	8.841
MWA	2012	12	21	18	8.866
MWA	2012	12	21	17	8.891
MWA	2012	12	21	16	8.866
MWA	2012	12	21	15	8.841
MWA	2012	12	21	14	8.841
MWA	2012	12	21	13	8.742
MWA	2012	12	21	12	8.742
MWA	2012	12	21	11	8.742
MWA	2012	12	21	10	8.742
MWA	2012	12	21	9	8.742
MWA	2012	12	21	8	8.841
MWA	2012	12	21	7	8.916
MWA	2012	12	21	6	8.941
MWA	2012	12	21	5	8.99
MWA	2012	12	21	4	9.064
MWA	2012	12	21	3	9.139
MWA	2012	12	21	2	9.139

Site ID	Year	Month	Day	Hour	Temp (C)
MWA	2012	12	21	1	9.188
MWA	2012	12	21	0	9.213
MWA	2012	12	20	23	9.238
MWA	2012	12	20	22	9.262
MWA	2012	12	20	21	9.287
MWA	2012	12	20	20	9.336
MWA	2012	12	20	19	9.361
MWA	2012	12	20	18	9.361
MWA	2012	12	20	17	9.262
MWA	2012	12	20	16	9.386
MWA	2012	12	20	15	9.558
MWA	2012	12	20	14	9.188
MWA	2012	12	20	13	9.238
MWA	2012	12	20	12	9.238
MWA	2012	12	20	11	9.238
MWA	2012	12	20	10	9.238
MWA	2012	12	20	9	9.262
MWA	2012	12	20	8	9.336
MWA	2012	12	20	7	9.41
MWA	2012	12	20	6	9.485
MWA	2012	12	20	5	9.534
MWA	2012	12	20	4	9.632
MWA	2012	12	20	3	9.682
MWA	2012	12	20	2	9.682
MWA	2012	12	20	1	9.731
MWA	2012	12	20	0	9.78
MWA	2012	12	19	23	9.805
MWA	2012	12	19	22	9.829
MWA	2012	12	19	21	9.903
MWA	2012	12	19	20	10.001
MWA	2012	12	19	19	10.075
MWA	2012	12	19	18	10.1
MWA	2012	12	19	17	9.829
MWA	2012	12	19	16	9.977
MWA	2012	12	19	15	9.731
MWA	2012	12	19	14	9.657
MWA	2012	12	19	13	9.706
MWA	2012	12	19	12	9.706
MWA	2012	12	19	11	9.756
MWA	2012	12	19	10	9.805
MWA	2012	12	19	9	9.805
MWA	2012	12	19	8	9.854
MWA	2012	12	19	7	9.854
MWA	2012	12	19	6	9.977

Site ID	Year	Month	Day	Hour	Temp (C)
MWA	2012	12	19	5	10.026
MWA	2012	12	19	4	10.124
MWA	2012	12	19	3	10.222
MWA	2012	12	19	2	10.247
MWA	2012	12	19	1	10.345
MWA	2012	12	19	0	10.418
MWA	2012	12	18	23	10.467
MWA	2012	12	18	22	10.516
MWA	2012	12	18	21	10.516
MWA	2012	12	18	20	10.59
MWA	2012	12	18	19	10.663
MWA	2012	12	18	18	10.687
MWA	2012	12	18	17	10.81
MWA	2012	12	18	16	10.834
MWA	2012	12	18	15	10.834
MWA	2012	12	18	14	10.736
MWA	2012	12	18	13	10.736
MWA	2012	12	18	12	10.687
MWA	2012	12	18	11	10.663
MWA	2012	12	18	10	10.638
MWA	2012	12	18	9	10.687
MWA	2012	12	18	8	10.663
MWA	2012	12	18	7	10.687
MWA	2012	12	18	6	10.736
MWA	2012	12	18	5	10.761
MWA	2012	12	18	4	10.761
MWA	2012	12	18	3	10.785
MWA	2012	12	18	2	10.785
MWA	2012	12	18	1	10.761
MWA	2012	12	18	0	10.785
MWA	2012	12	17	23	10.785
MWA	2012	12	17	22	10.785
MWA	2012	12	17	21	10.712
MWA	2012	12	17	20	10.858
MWA	2012	12	17	19	10.858
MWA	2012	12	17	18	10.858
MWA	2012	12	17	17	10.785
MWA	2012	12	17	16	10.712
MWA	2012	12	17	15	10.638
MWA	2012	12	17	14	10.761
MWA	2012	12	17	13	10.638
MWA	2012	12	17	12	10.443
MWA	2012	12	17	11	10.394
MWA	2012	12	17	10	10.32

Site ID	Year	Month	Day	Hour	Temp (C)
MWA	2012	12	17	9	10.32
MWA	2012	12	17	8	10.296
MWA	2012	12	17	7	10.345
MWA	2012	12	17	6	10.418
MWA	2012	12	17	5	10.418
MWA	2012	12	17	4	10.418
MWA	2012	12	17	3	10.443
MWA	2012	12	17	2	10.443
MWA	2012	12	17	1	10.467
MWA	2012	12	17	0	10.296
MWA	2012	12	16	23	10.247
MWA	2012	12	16	22	10.369
MWA	2012	12	16	21	10.247
MWA	2012	12	16	20	10.247
MWA	2012	12	16	19	10.296
MWA	2012	12	16	18	10.369
MWA	2012	12	16	17	10.32
MWA	2012	12	16	16	10.296
MWA	2012	12	16	15	10.222
MWA	2012	12	16	14	10.222
MWA	2012	12	16	13	10.149
MWA	2012	12	16	12	10.173
MWA	2012	12	16	11	10.051
MWA	2012	12	16	10	10.075
MWA	2012	12	16	9	10.124
MWA	2012	12	16	8	10.149
MWA	2012	12	16	7	10.198
MWA	2012	12	16	6	10.222
MWA	2012	12	16	5	10.32
MWA	2012	12	16	4	10.369
MWA	2012	12	16	3	10.394
MWA	2012	12	16	2	10.467
MWA	2012	12	16	1	10.516
MWA	2012	12	16	0	10.516
MWA	2012	12	15	23	10.516
MWA	2012	12	15	22	10.541
MWA	2012	12	15	21	10.614
MWA	2012	12	15	20	10.541
MWA	2012	12	15	19	10.541
MWA	2012	12	15	18	10.614
MWA	2012	12	15	17	10.638
MWA	2012	12	15	16	10.638
MWA	2012	12	15	15	10.614
MWA	2012	12	15	14	10.712

Site ID	Year	Month	Day	Hour	Temp (C)
MWA	2012	12	15	13	10.541
MWA	2012	12	15	12	10.492
MWA	2012	12	15	11	10.492
MWA	2012	12	15	10	10.516
MWA	2012	12	15	9	10.565
MWA	2012	12	15	8	10.614
MWA	2012	12	15	7	10.687
MWA	2012	12	15	6	10.736
MWA	2012	12	15	5	10.761
MWA	2012	12	15	4	10.81
MWA	2012	12	15	3	10.81
MWA	2012	12	15	2	10.761
MWA	2012	12	15	1	10.736
MWA	2012	12	15	0	10.834
MWA	2012	12	14	23	10.858
MWA	2012	12	14	22	10.907
MWA	2012	12	14	21	10.785
MWA	2012	12	14	20	10.81
MWA	2012	12	14	19	10.932
MWA	2012	12	14	18	11.078
MWA	2012	12	14	17	11.053
MWA	2012	12	14	16	11.005
MWA	2012	12	14	15	10.98
MWA	2012	12	14	14	11.078
MWA	2012	12	14	13	11.078
MWA	2012	12	14	12	11.102
MWA	2012	12	14	11	11.102
MWA	2012	12	14	10	11.127
MWA	2012	12	14	9	11.2
MWA	2012	12	14	8	11.248
MWA	2012	12	14	7	11.273
MWA	2012	12	14	6	11.297
MWA	2012	12	14	5	11.419
MWA	2012	12	14	4	11.467
MWA	2012	12	14	3	11.516
MWA	2012	12	14	2	11.589
MWA	2012	12	14	1	11.662
MWA	2012	12	14	0	11.686
MWA	2012	12	13	23	11.734
MWA	2012	12	13	22	11.759
MWA	2012	12	13	21	11.783
MWA	2012	12	13	20	11.832
MWA	2012	12	13	19	11.88
MWA	2012	12	13	18	11.977

Site ID	Year	Month	Day	Hour	Temp (C)
MWA	2012	12	13	17	11.977
MWA	2012	12	13	16	11.977
MWA	2012	12	13	15	11.929
MWA	2012	12	13	14	11.904
MWA	2012	12	13	13	11.904
MWA	2012	12	13	12	11.904
MWA	2012	12	13	11	11.904
MWA	2012	12	13	10	11.88
MWA	2012	12	13	9	11.953
MWA	2012	12	13	8	11.977
MWA	2012	12	13	7	12.025
MWA	2012	12	13	6	12.074
MWA	2012	12	13	5	12.098
MWA	2012	12	13	4	12.098
MWA	2012	12	13	3	12.147
MWA	2012	12	13	2	12.171
MWA	2012	12	13	1	12.171
MWA	2012	12	13	0	12.219
MWA	2012	12	12	23	12.268
MWA	2012	12	12	22	12.292
MWA	2012	12	12	21	12.292
MWA	2012	12	12	20	12.316
MWA	2012	12	12	19	12.364
MWA	2012	12	12	18	12.413
MWA	2012	12	12	17	12.34
MWA	2012	12	12	16	12.316
MWA	2012	12	12	15	12.316
MWA	2012	12	12	14	12.316
MWA	2012	12	12	13	12.316
MWA	2012	12	12	12	12.34
MWA	2012	12	12	11	12.34
MWA	2012	12	12	10	12.364
MWA	2012	12	12	9	12.389
MWA	2012	12	12	8	12.413
MWA	2012	12	12	7	12.461
MWA	2012	12	12	6	12.461
MWA	2012	12	12	5	12.461
MWA	2012	12	12	4	12.485
MWA	2012	12	12	3	12.534
MWA	2012	12	12	2	12.558
MWA	2012	12	12	1	12.534
MWA	2012	12	12	0	12.558
MWA	2012	12	11	23	12.582
MWA	2012	12	11	22	12.582

Site ID	Year	Month	Day	Hour	Temp (C)
MWA	2012	12	11	21	12.558
MWA	2012	12	11	20	12.558
MWA	2012	12	11	19	12.678
MWA	2012	12	11	18	12.823
MWA	2012	12	11	17	12.727
MWA	2012	12	11	16	12.727
MWA	2012	12	11	15	12.703
MWA	2012	12	11	14	12.727
MWA	2012	12	11	13	12.654
MWA	2012	12	11	12	12.654
MWA	2012	12	11	11	12.654
MWA	2012	12	11	10	12.678
MWA	2012	12	11	9	12.727
MWA	2012	12	11	8	12.823
MWA	2012	12	11	7	12.847
MWA	2012	12	11	6	12.896
MWA	2012	12	11	5	12.944
MWA	2012	12	11	4	12.968
MWA	2012	12	11	3	12.968
MWA	2012	12	11	2	12.896
MWA	2012	12	11	1	12.847
MWA	2012	12	11	0	12.847
MWA	2012	12	10	23	12.871
MWA	2012	12	10	22	12.847
MWA	2012	12	10	21	12.871
MWA	2012	12	10	20	12.944
MWA	2012	12	10	19	12.944
MWA	2012	12	10	18	12.944
MWA	2012	12	10	17	12.992
MWA	2012	12	10	16	13.016
MWA	2012	12	10	15	13.04
MWA	2012	12	10	14	13.016
MWA	2012	12	10	13	13.016
MWA	2012	12	10	12	13.04
MWA	2012	12	10	11	13.016
MWA	2012	12	10	10	13.016
MWA	2012	12	10	9	13.064
MWA	2012	12	10	8	13.088
MWA	2012	12	10	7	13.137
MWA	2012	12	10	6	13.209
MWA	2012	12	10	5	13.233
MWA	2012	12	10	4	13.281
MWA	2012	12	10	3	13.353
MWA	2012	12	10	2	13.401

Site ID	Year	Month	Day	Hour	Temp (C)
MWA	2012	12	10	1	13.473
MWA	2012	12	10	0	13.497
MWA	2012	12	9	23	13.546
MWA	2012	12	9	22	13.618
MWA	2012	12	9	21	13.666
MWA	2012	12	9	20	13.69
MWA	2012	12	9	19	13.738
MWA	2012	12	9	18	13.834
MWA	2012	12	9	17	13.834
MWA	2012	12	9	16	13.81
MWA	2012	12	9	15	13.594
MWA	2012	12	9	14	13.738
MWA	2012	12	9	13	13.57
MWA	2012	12	9	12	13.425
MWA	2012	12	9	11	13.425
MWA	2012	12	9	10	13.473
MWA	2012	12	9	9	13.522
MWA	2012	12	9	8	13.546
MWA	2012	12	9	7	13.57
MWA	2012	12	9	6	13.618
MWA	2012	12	9	5	13.618
MWA	2012	12	9	4	13.666
MWA	2012	12	9	3	13.714
MWA	2012	12	9	2	13.738
MWA	2012	12	9	1	13.762
MWA	2012	12	9	0	13.81
MWA	2012	12	8	23	13.834
MWA	2012	12	8	22	13.858
MWA	2012	12	8	21	13.906
MWA	2012	12	8	20	13.906
MWA	2012	12	8	19	13.954
MWA	2012	12	8	18	13.978
MWA	2012	12	8	17	14.002
MWA	2012	12	8	16	13.978
MWA	2012	12	8	15	14.002
MWA	2012	12	8	14	13.93
MWA	2012	12	8	13	13.882
MWA	2012	12	8	12	13.906
MWA	2012	12	8	11	13.834
MWA	2012	12	8	10	13.858
MWA	2012	12	8	9	13.882
MWA	2012	12	8	8	13.93
MWA	2012	12	8	7	13.978
MWA	2012	12	8	6	14.026

Site ID	Year	Month	Day	Hour	Temp (C)
MWA	2012	12	8	5	14.05
MWA	2012	12	8	4	14.074
MWA	2012	12	8	3	14.122
MWA	2012	12	8	2	14.194
MWA	2012	12	8	1	14.242
MWA	2012	12	8	0	14.266
MWA	2012	12	7	23	14.314
MWA	2012	12	7	22	14.361
MWA	2012	12	7	21	14.433
MWA	2012	12	7	20	14.457
MWA	2012	12	7	19	14.481
MWA	2012	12	7	18	14.505
MWA	2012	12	7	17	14.481
MWA	2012	12	7	16	14.505
MWA	2012	12	7	15	14.409
MWA	2012	12	7	14	14.385
MWA	2012	12	7	13	14.194
MWA	2012	12	7	12	14.218
MWA	2012	12	7	11	14.146
MWA	2012	12	7	10	14.098
MWA	2012	12	7	9	14.122
MWA	2012	12	7	8	14.122
MWA	2012	12	7	7	14.146
MWA	2012	12	7	6	14.146
MWA	2012	12	7	5	14.146
MWA	2012	12	7	4	14.17
MWA	2012	12	7	3	14.194
MWA	2012	12	7	2	14.194
MWA	2012	12	7	1	14.194
MWA	2012	12	7	0	14.218
MWA	2012	12	6	23	14.218
MWA	2012	12	6	22	14.218
MWA	2012	12	6	21	14.218
MWA	2012	12	6	20	14.242
MWA	2012	12	6	19	14.242
MWA	2012	12	6	18	14.29
MWA	2012	12	6	17	14.266
MWA	2012	12	6	16	14.266
MWA	2012	12	6	15	14.266
MWA	2012	12	6	14	14.194
MWA	2012	12	6	13	14.194
MWA	2012	12	6	12	14.026
MWA	2012	12	6	11	14.002
MWA	2012	12	6	10	13.954

Site ID	Year	Month	Day	Hour	Temp (C)
MWA	2012	12	6	9	13.954
MWA	2012	12	6	8	13.978
MWA	2012	12	6	7	13.978
MWA	2012	12	6	6	14.002
MWA	2012	12	6	5	14.002
MWA	2012	12	6	4	14.026
MWA	2012	12	6	3	14.05
MWA	2012	12	6	2	14.026
MWA	2012	12	6	1	14.026
MWA	2012	12	6	0	14.002
MWA	2012	12	5	23	14.05
MWA	2012	12	5	22	14.026
MWA	2012	12	5	21	13.93
MWA	2012	12	5	20	13.882
MWA	2012	12	5	19	13.906
MWA	2012	12	5	18	13.882
MWA	2012	12	5	17	13.93
MWA	2012	12	5	16	13.93
MWA	2012	12	5	15	14.194
MWA	2012	12	5	14	13.954
MWA	2012	12	5	13	13.906
MWA	2012	12	5	12	13.906
MWA	2012	12	5	11	13.882
MWA	2012	12	5	10	13.882
MWA	2012	12	5	9	13.906
MWA	2012	12	5	8	13.906
MWA	2012	12	5	7	13.93
MWA	2012	12	5	6	13.93
MWA	2012	12	5	5	13.954
MWA	2012	12	5	4	13.954
MWA	2012	12	5	3	14.002
MWA	2012	12	5	2	14.002
MWA	2012	12	5	1	14.026
MWA	2012	12	5	0	14.05
MWA	2012	12	4	23	14.05
MWA	2012	12	4	22	14.074
MWA	2012	12	4	21	14.074
MWA	2012	12	4	20	14.074
MWA	2012	12	4	19	14.074
MWA	2012	12	4	18	14.05
MWA	2012	12	4	17	14.05
MWA	2012	12	4	16	14.026
MWA	2012	12	4	15	14.098
MWA	2012	12	4	14	14.05

Site ID	Year	Month	Day	Hour	Temp (C)
MWA	2012	12	4	13	13.906
MWA	2012	12	4	12	13.906
MWA	2012	12	4	11	13.834
MWA	2012	12	4	10	13.906
MWA	2012	12	4	9	13.882
MWA	2012	12	4	8	13.954
MWA	2012	12	4	7	14.002
MWA	2012	12	4	6	14.026
MWA	2012	12	4	5	13.93
MWA	2012	12	4	4	13.858
MWA	2012	12	4	3	13.882
MWA	2012	12	4	2	13.93
MWA	2012	12	4	1	14.002
MWA	2012	12	4	0	13.93
MWA	2012	12	3	23	14.026
MWA	2012	12	3	22	13.882
MWA	2012	12	3	21	13.858
MWA	2012	12	3	20	13.906
MWA	2012	12	3	19	13.954
MWA	2012	12	3	18	14.002
MWA	2012	12	3	17	13.978
MWA	2012	12	3	16	14.002
MWA	2012	12	3	15	13.93
MWA	2012	12	3	14	13.906
MWA	2012	12	3	13	13.858
MWA	2012	12	3	12	13.858
MWA	2012	12	3	11	13.858
MWA	2012	12	3	10	13.882
MWA	2012	12	3	9	13.906
MWA	2012	12	3	8	13.906
MWA	2012	12	3	7	13.93
MWA	2012	12	3	6	13.978
MWA	2012	12	3	5	14.002
MWA	2012	12	3	4	14.026
MWA	2012	12	3	3	14.05
MWA	2012	12	3	2	14.05
MWA	2012	12	3	1	14.098
MWA	2012	12	3	0	14.098
MWA	2012	12	2	23	14.098
MWA	2012	12	2	22	14.098
MWA	2012	12	2	21	14.122
MWA	2012	12	2	20	14.122
MWA	2012	12	2	19	14.146
MWA	2012	12	2	18	14.194

Site ID	Year	Month	Day	Hour	Temp (C)
MWA	2012	12	2	17	14.194
MWA	2012	12	2	16	14.122
MWA	2012	12	2	15	14.074
MWA	2012	12	2	14	13.978
MWA	2012	12	2	13	13.954
MWA	2012	12	2	12	13.906
MWA	2012	12	2	11	13.882
MWA	2012	12	2	10	13.834
MWA	2012	12	2	9	13.81
MWA	2012	12	2	8	13.786
MWA	2012	12	2	7	13.786
MWA	2012	12	2	6	13.81
MWA	2012	12	2	5	13.834
MWA	2012	12	2	4	13.858
MWA	2012	12	2	3	13.882
MWA	2012	12	2	2	13.858
MWA	2012	12	2	1	13.882
MWA	2012	12	2	0	13.906
MWA	2012	12	1	23	13.906
MWA	2012	12	1	22	13.906
MWA	2012	12	1	21	13.882
MWA	2012	12	1	20	13.906
MWA	2012	12	1	19	13.906
MWA	2012	12	1	18	13.882
MWA	2012	12	1	17	13.882
MWA	2012	12	1	16	13.81
MWA	2012	12	1	15	13.834
MWA	2012	12	1	14	13.69
MWA	2012	12	1	13	13.57
MWA	2012	12	1	12	13.546
MWA	2012	12	1	11	13.522
MWA	2012	12	1	10	13.473
MWA	2012	12	1	9	13.473
MWA	2012	12	1	8	13.522
MWA	2012	12	1	7	13.497
MWA	2012	12	1	6	13.522
MWA	2012	12	1	5	13.522
MWA	2012	12	1	4	13.522
MWA	2012	12	1	3	13.522
MWA	2012	12	1	2	13.546
MWA	2012	12	1	1	13.57
MWA	2012	12	1	0	13.57
MWA	2012	11	30	23	13.594
MWA	2012	11	30	22	13.594

Site ID	Year	Month	Day	Hour	Temp (C)
MWA	2012	11	30	21	13.618
MWA	2012	11	30	20	13.618
MWA	2012	11	30	19	13.618
MWA	2012	11	30	18	13.618
MWA	2012	11	30	17	13.618
MWA	2012	11	30	16	13.618
MWA	2012	11	30	15	13.57
MWA	2012	11	30	14	13.618
MWA	2012	11	30	13	13.594
MWA	2012	11	30	12	13.497
MWA	2012	11	30	11	13.473
MWA	2012	11	30	10	13.425
MWA	2012	11	30	9	13.449
MWA	2012	11	30	8	13.425
MWA	2012	11	30	7	13.425
MWA	2012	11	30	6	13.425
MWA	2012	11	30	5	13.425
MWA	2012	11	30	4	13.425
MWA	2012	11	30	3	13.425
MWA	2012	11	30	2	13.425
MWA	2012	11	30	1	13.425
MWA	2012	11	30	0	13.425
MWA	2012	11	29	23	13.401
MWA	2012	11	29	22	13.401
MWA	2012	11	29	21	13.401
MWA	2012	11	29	20	13.401
MWA	2012	11	29	19	13.377
MWA	2012	11	29	18	13.353
MWA	2012	11	29	17	13.353
MWA	2012	11	29	16	13.329
MWA	2012	11	29	15	13.329
MWA	2012	11	29	14	13.377
MWA	2012	11	29	13	13.329
MWA	2012	11	29	12	13.185
MWA	2012	11	29	11	13.137
MWA	2012	11	29	10	13.088
MWA	2012	11	29	9	13.088
MWA	2012	11	29	8	13.112
MWA	2012	11	29	7	13.088
MWA	2012	11	29	6	13.088
MWA	2012	11	29	5	13.137
MWA	2012	11	29	4	13.137
MWA	2012	11	29	3	13.161
MWA	2012	11	29	2	13.161

Site ID	Year	Month	Day	Hour	Temp (C)
MWA	2012	11	29	1	13.185
MWA	2012	11	29	0	13.185
MWA	2012	11	28	23	13.209
MWA	2012	11	28	22	13.209
MWA	2012	11	28	21	13.257
MWA	2012	11	28	20	13.281
MWA	2012	11	28	19	13.305
MWA	2012	11	28	18	13.329
MWA	2012	11	28	17	13.353
MWA	2012	11	28	16	13.377
MWA	2012	11	28	15	13.257
MWA	2012	11	28	14	13.281
MWA	2012	11	28	13	13.161
MWA	2012	11	28	12	13.112
MWA	2012	11	28	11	13.112
MWA	2012	11	28	10	13.088
MWA	2012	11	28	9	13.088
MWA	2012	11	28	8	13.185
MWA	2012	11	28	7	13.233
MWA	2012	11	28	6	13.257
MWA	2012	11	28	5	13.185
MWA	2012	11	28	4	13.329
MWA	2012	11	28	3	13.425
MWA	2012	11	28	2	13.353
MWA	2012	11	28	1	13.329
MWA	2012	11	28	0	13.257
MWA	2012	11	27	23	13.233
MWA	2012	11	27	22	13.233
MWA	2012	11	27	21	13.233
MWA	2012	11	27	20	13.233
MWA	2012	11	27	19	13.233
MWA	2012	11	27	18	13.257
MWA	2012	11	27	17	13.281
MWA	2012	11	27	16	13.281
MWA	2012	11	27	15	13.233
MWA	2012	11	27	14	13.233
MWA	2012	11	27	13	13.281
MWA	2012	11	27	12	13.233
MWA	2012	11	27	11	13.209
MWA	2012	11	27	10	13.233
MWA	2012	11	27	9	13.233
MWA	2012	11	27	8	13.305
MWA	2012	11	27	7	13.353
MWA	2012	11	27	6	13.401

Site ID	Year	Month	Day	Hour	Temp (C)
MWA	2012	11	27	5	13.449
MWA	2012	11	27	4	13.425
MWA	2012	11	27	3	13.449
MWA	2012	11	27	2	13.425
MWA	2012	11	27	1	13.522
MWA	2012	11	27	0	13.401
MWA	2012	11	26	23	13.377
MWA	2012	11	26	22	13.377
MWA	2012	11	26	21	13.401
MWA	2012	11	26	20	13.377
MWA	2012	11	26	19	13.449
MWA	2012	11	26	18	13.473
MWA	2012	11	26	17	13.449
MWA	2012	11	26	16	13.546
MWA	2012	11	26	15	13.546
MWA	2012	11	26	14	13.618
MWA	2012	11	26	13	13.618
MWA	2012	11	26	12	13.57
MWA	2012	11	26	11	13.57
MWA	2012	11	26	10	13.57
MWA	2012	11	26	9	13.618
MWA	2012	11	26	8	13.666
MWA	2012	11	26	7	13.738
MWA	2012	11	26	6	13.762
MWA	2012	11	26	5	13.81
MWA	2012	11	26	4	13.882
MWA	2012	11	26	3	13.954
MWA	2012	11	26	2	14.002
MWA	2012	11	26	1	14.05
MWA	2012	11	26	0	14.074
MWA	2012	11	25	23	13.786
MWA	2012	11	25	22	13.786
MWA	2012	11	25	21	14.17
MWA	2012	11	25	20	13.858
MWA	2012	11	25	19	13.906
MWA	2012	11	25	18	13.786
MWA	2012	11	25	17	13.762
MWA	2012	11	25	16	13.738
MWA	2012	11	25	15	13.714
MWA	2012	11	25	14	13.714
MWA	2012	11	25	13	13.738
MWA	2012	11	25	12	13.786
MWA	2012	11	25	11	13.786
MWA	2012	11	25	10	13.762

Site ID	Year	Month	Day	Hour	Temp (C)
MWA	2012	11	25	9	13.786
MWA	2012	11	25	8	13.834
MWA	2012	11	25	7	13.906
MWA	2012	11	25	6	13.906
MWA	2012	11	25	5	13.978
MWA	2012	11	25	4	14.026
MWA	2012	11	25	3	14.146
MWA	2012	11	25	2	13.978
MWA	2012	11	25	1	14.026
MWA	2012	11	25	0	13.81
MWA	2012	11	24	23	13.81
MWA	2012	11	24	22	13.81
MWA	2012	11	24	21	13.834
MWA	2012	11	24	20	13.858
MWA	2012	11	24	19	13.882
MWA	2012	11	24	18	13.858
MWA	2012	11	24	17	13.81
MWA	2012	11	24	16	13.786
MWA	2012	11	24	15	13.81
MWA	2012	11	24	14	13.786
MWA	2012	11	24	13	13.786
MWA	2012	11	24	12	13.81
MWA	2012	11	24	11	13.81
MWA	2012	11	24	10	13.81
MWA	2012	11	24	9	13.834
MWA	2012	11	24	8	13.858
MWA	2012	11	24	7	13.858
MWA	2012	11	24	6	14.002
MWA	2012	11	24	5	13.858
MWA	2012	11	24	4	13.858
MWA	2012	11	24	3	13.834
MWA	2012	11	24	2	13.882
MWA	2012	11	24	1	13.858
MWA	2012	11	24	0	13.858
MWA	2012	11	23	23	13.858
MWA	2012	11	23	22	13.834
MWA	2012	11	23	21	13.858
MWA	2012	11	23	20	13.858
MWA	2012	11	23	19	13.882
MWA	2012	11	23	18	13.858
MWA	2012	11	23	17	13.858
MWA	2012	11	23	16	13.858
MWA	2012	11	23	15	13.858
MWA	2012	11	23	14	13.858

Site ID	Year	Month	Day	Hour	Temp (C)
MWA	2012	11	23	13	13.858
MWA	2012	11	23	12	13.882
MWA	2012	11	23	11	13.858
MWA	2012	11	23	10	13.858
MWA	2012	11	23	9	13.882
MWA	2012	11	23	8	13.93
MWA	2012	11	23	7	13.954
MWA	2012	11	23	6	14.026
MWA	2012	11	23	5	14.074
MWA	2012	11	23	4	14.122
MWA	2012	11	23	3	14.146
MWA	2012	11	23	2	14.194
MWA	2012	11	23	1	14.242
MWA	2012	11	23	0	14.314
MWA	2012	11	22	23	14.337
MWA	2012	11	22	22	14.385
MWA	2012	11	22	21	14.433
MWA	2012	11	22	20	14.505
MWA	2012	11	22	19	14.457
MWA	2012	11	22	18	14.481
MWA	2012	11	22	17	14.577
MWA	2012	11	22	16	14.625
MWA	2012	11	22	15	14.481
MWA	2012	11	22	14	14.385
MWA	2012	11	22	13	14.146
MWA	2012	11	22	12	14.17
MWA	2012	11	22	11	14.122
MWA	2012	11	22	10	14.05
MWA	2012	11	22	9	14.05
MWA	2012	11	22	8	14.074
MWA	2012	11	22	7	14.146
MWA	2012	11	22	6	14.146
MWA	2012	11	22	5	14.194
MWA	2012	11	22	4	14.218
MWA	2012	11	22	3	14.242
MWA	2012	11	22	2	14.314
MWA	2012	11	22	1	14.337
MWA	2012	11	22	0	14.314
MWA	2012	11	21	23	14.385
MWA	2012	11	21	22	14.409
MWA	2012	11	21	21	14.29
MWA	2012	11	21	20	14.481
MWA	2012	11	21	19	14.433
MWA	2012	11	21	18	14.505

Site ID	Year	Month	Day	Hour	Temp (C)
MWA	2012	11	21	17	14.433
MWA	2012	11	21	16	14.385
MWA	2012	11	21	15	14.17
MWA	2012	11	21	14	14.146
MWA	2012	11	21	13	14.05
MWA	2012	11	21	12	14.026
MWA	2012	11	21	11	14.074
MWA	2012	11	21	10	14.002
MWA	2012	11	21	9	14.002
MWA	2012	11	21	8	14.026
MWA	2012	11	21	7	14.05
MWA	2012	11	21	6	14.122
MWA	2012	11	21	5	14.146
MWA	2012	11	21	4	14.194
MWA	2012	11	21	3	14.266
MWA	2012	11	21	2	14.29
MWA	2012	11	21	1	14.29
MWA	2012	11	21	0	14.242
MWA	2012	11	20	23	14.05
MWA	2012	11	20	22	14.026
MWA	2012	11	20	21	14.002
MWA	2012	11	20	20	14.002
MWA	2012	11	20	19	14.122
MWA	2012	11	20	18	14.122
MWA	2012	11	20	17	14.194
MWA	2012	11	20	16	13.978
MWA	2012	11	20	15	14.098
MWA	2012	11	20	14	13.978
MWA	2012	11	20	13	14.146
MWA	2012	11	20	12	13.93
MWA	2012	11	20	11	13.858
MWA	2012	11	20	10	13.81
MWA	2012	11	20	9	13.81
MWA	2012	11	20	8	13.834
MWA	2012	11	20	7	13.882
MWA	2012	11	20	6	13.906
MWA	2012	11	20	5	13.954
MWA	2012	11	20	4	14.002
MWA	2012	11	20	3	14.002
MWA	2012	11	20	2	14.026
MWA	2012	11	20	1	14.026
MWA	2012	11	20	0	13.978
MWA	2012	11	19	23	13.978
MWA	2012	11	19	22	13.978

Site ID	Year	Month	Day	Hour	Temp (C)
MWA	2012	11	19	21	14.002
MWA	2012	11	19	20	14.002
MWA	2012	11	19	19	14.002
MWA	2012	11	19	18	14.002
MWA	2012	11	19	17	14.05
MWA	2012	11	19	16	14.05
MWA	2012	11	19	15	14.074
MWA	2012	11	19	14	14.074
MWA	2012	11	19	13	14.026
MWA	2012	11	19	12	14.002
MWA	2012	11	19	11	13.93
MWA	2012	11	19	10	14.026
MWA	2012	11	19	9	14.05
MWA	2012	11	19	8	14.05
MWA	2012	11	19	7	14.194
MWA	2012	11	19	6	14.218
MWA	2012	11	19	5	14.218
MWA	2012	11	19	4	14.266
MWA	2012	11	19	3	14.337
MWA	2012	11	19	2	14.29
MWA	2012	11	19	1	13.93
MWA	2012	11	19	0	14.337
MWA	2012	11	18	23	14.098
MWA	2012	11	18	22	14.601
MWA	2012	11	18	21	14.266
MWA	2012	11	18	20	14.05
MWA	2012	11	18	19	13.81
MWA	2012	11	18	18	13.81
MWA	2012	11	18	17	13.81
MWA	2012	11	18	16	13.834
MWA	2012	11	18	15	13.81
MWA	2012	11	18	14	13.858
MWA	2012	11	18	13	13.81
MWA	2012	11	18	12	13.81
MWA	2012	11	18	11	13.81
MWA	2012	11	18	10	13.786
MWA	2012	11	18	9	13.762
MWA	2012	11	18	8	13.762
MWA	2012	11	18	7	13.786
MWA	2012	11	18	6	13.786
MWA	2012	11	18	5	13.81
MWA	2012	11	18	4	13.81
MWA	2012	11	18	3	13.834
MWA	2012	11	18	2	13.834

Site ID	Year	Month	Day	Hour	Temp (C)
MWA	2012	11	18	1	13.858
MWA	2012	11	18	0	13.858
MWA	2012	11	17	23	13.882
MWA	2012	11	17	22	13.882
MWA	2012	11	17	21	13.906
MWA	2012	11	17	20	13.882
MWA	2012	11	17	19	13.93
MWA	2012	11	17	18	13.93
MWA	2012	11	17	17	13.834
MWA	2012	11	17	16	13.762
MWA	2012	11	17	15	13.738
MWA	2012	11	17	14	13.594
MWA	2012	11	17	13	13.473
MWA	2012	11	17	12	13.473
MWA	2012	11	17	11	13.377
MWA	2012	11	17	10	13.281
MWA	2012	11	17	9	13.233
MWA	2012	11	17	8	13.257
MWA	2012	11	17	7	13.233
MWA	2012	11	17	6	13.281
MWA	2012	11	17	5	13.329
MWA	2012	11	17	4	13.353
MWA	2012	11	17	3	13.329
MWA	2012	11	17	2	13.377
MWA	2012	11	17	1	13.353
MWA	2012	11	17	0	13.353
MWA	2012	11	16	23	13.377
MWA	2012	11	16	22	13.377
MWA	2012	11	16	21	13.425
MWA	2012	11	16	20	13.401
MWA	2012	11	16	19	13.449
MWA	2012	11	16	18	13.281
MWA	2012	11	16	17	13.497
MWA	2012	11	16	16	13.618
MWA	2012	11	16	15	13.57
MWA	2012	11	16	14	13.305
MWA	2012	11	16	13	13.088
MWA	2012	11	16	12	13.088
MWA	2012	11	16	11	13.088
MWA	2012	11	16	10	13.088
MWA	2012	11	16	9	13.088
MWA	2012	11	16	8	13.112
MWA	2012	11	16	7	13.137
MWA	2012	11	16	6	13.137

Site ID	Year	Month	Day	Hour	Temp (C)
MWA	2012	11	16	5	13.161
MWA	2012	11	16	4	13.137
MWA	2012	11	16	3	13.137
MWA	2012	11	16	2	13.185
MWA	2012	11	16	1	13.161
MWA	2012	11	16	0	13.257
MWA	2012	11	15	23	13.209
MWA	2012	11	15	22	13.112
MWA	2012	11	15	21	13.161
MWA	2012	11	15	20	13.329
MWA	2012	11	15	19	13.088
MWA	2012	11	15	18	13.04
MWA	2012	11	15	17	13.088
MWA	2012	11	15	16	13.112
MWA	2012	11	15	15	13.112
MWA	2012	11	15	14	13.088
MWA	2012	11	15	13	13.088
MWA	2012	11	15	12	13.04
MWA	2012	11	15	11	13.04
MWA	2012	11	15	10	12.992
MWA	2012	11	15	9	13.016
MWA	2012	11	15	8	13.064
MWA	2012	11	15	7	13.137
MWA	2012	11	15	6	13.161
MWA	2012	11	15	5	13.161
MWA	2012	11	15	4	13.185
MWA	2012	11	15	3	13.161
MWA	2012	11	15	2	13.185
MWA	2012	11	15	1	13.112
MWA	2012	11	15	0	13.112
MWA	2012	11	14	23	13.161
MWA	2012	11	14	22	13.137
MWA	2012	11	14	21	13.112
MWA	2012	11	14	20	13.112
MWA	2012	11	14	19	13.161
MWA	2012	11	14	18	13.185
MWA	2012	11	14	17	13.209
MWA	2012	11	14	16	13.233
MWA	2012	11	14	15	13.257
MWA	2012	11	14	14	13.281
MWA	2012	11	14	13	13.185
MWA	2012	11	14	12	13.233
MWA	2012	11	14	11	13.233
MWA	2012	11	14	10	13.281

Site ID	Year	Month	Day	Hour	Temp (C)
MWA	2012	11	14	9	13.329
MWA	2012	11	14	8	13.353
MWA	2012	11	14	7	13.425
MWA	2012	11	14	6	13.401
MWA	2012	11	14	5	13.329
MWA	2012	11	14	4	13.329
MWA	2012	11	14	3	13.473
MWA	2012	11	14	2	13.401
MWA	2012	11	14	1	13.522
MWA	2012	11	14	0	13.353
MWA	2012	11	13	23	13.329
MWA	2012	11	13	22	13.281
MWA	2012	11	13	21	13.281
MWA	2012	11	13	20	13.305
MWA	2012	11	13	19	13.353
MWA	2012	11	13	18	13.329
MWA	2012	11	13	17	13.329
MWA	2012	11	13	16	13.377
MWA	2012	11	13	15	13.425
MWA	2012	11	13	14	13.473
MWA	2012	11	13	13	13.449
MWA	2012	11	13	12	13.473
MWA	2012	11	13	11	13.473
MWA	2012	11	13	10	13.473
MWA	2012	11	13	9	13.473
MWA	2012	11	13	8	13.57
MWA	2012	11	13	7	13.69
MWA	2012	11	13	6	13.714
MWA	2012	11	13	5	13.786
MWA	2012	11	13	4	13.81
MWA	2012	11	13	3	13.858
MWA	2012	11	13	2	13.882
MWA	2012	11	13	1	13.93
MWA	2012	11	13	0	14.002
MWA	2012	11	12	23	13.978
MWA	2012	11	12	22	14.098
MWA	2012	11	12	21	14.146
MWA	2012	11	12	20	14.242
MWA	2012	11	12	19	14.29
MWA	2012	11	12	18	14.074
MWA	2012	11	12	17	14.314
MWA	2012	11	12	16	14.433
MWA	2012	11	12	15	13.978
MWA	2012	11	12	14	14.026

Site ID	Year	Month	Day	Hour	Temp (C)
MWA	2012	11	12	13	14.05
MWA	2012	11	12	12	14.074
MWA	2012	11	12	11	13.906
MWA	2012	11	12	10	13.906
MWA	2012	11	12	9	13.954
MWA	2012	11	12	8	14.002
MWA	2012	11	12	7	14.05
MWA	2012	11	12	6	14.146
MWA	2012	11	12	5	14.218
MWA	2012	11	12	4	14.218
MWA	2012	11	12	3	14.314
MWA	2012	11	12	2	14.433
MWA	2012	11	12	1	14.481
MWA	2012	11	12	0	14.553
MWA	2012	11	11	23	14.625
MWA	2012	11	11	22	14.673
MWA	2012	11	11	21	14.792
MWA	2012	11	11	20	14.864
MWA	2012	11	11	19	14.864
MWA	2012	11	11	18	14.721
MWA	2012	11	11	17	14.577
MWA	2012	11	11	16	14.529
MWA	2012	11	11	15	14.505
MWA	2012	11	11	14	14.529
MWA	2012	11	11	13	14.625
MWA	2012	11	11	12	14.529
MWA	2012	11	11	11	14.601
MWA	2012	11	11	10	14.625
MWA	2012	11	11	9	14.673
MWA	2012	11	11	8	14.768
MWA	2012	11	11	7	14.816
MWA	2012	11	11	6	14.888
MWA	2012	11	11	5	14.984
MWA	2012	11	11	4	15.055
MWA	2012	11	11	3	15.103
MWA	2012	11	11	2	15.199
MWA	2012	11	11	1	15.27
MWA	2012	11	11	0	15.366
MWA	2012	11	10	23	15.366
MWA	2012	11	10	22	15.414
MWA	2012	11	10	21	15.461
MWA	2012	11	10	20	15.533
MWA	2012	11	10	19	15.557
MWA	2012	11	10	18	15.533

Site ID	Year	Month	Day	Hour	Temp (C)
MWA	2012	11	10	17	15.748
MWA	2012	11	10	16	15.819
MWA	2012	11	10	15	15.485
MWA	2012	11	10	14	15.414
MWA	2012	11	10	13	15.318
MWA	2012	11	10	12	15.461
MWA	2012	11	10	11	15.461
MWA	2012	11	10	10	15.509
MWA	2012	11	10	9	15.509
MWA	2012	11	10	8	15.581
MWA	2012	11	10	7	15.629
MWA	2012	11	10	6	15.724
MWA	2012	11	10	5	15.772
MWA	2012	11	10	4	15.843
MWA	2012	11	10	3	15.915
MWA	2012	11	10	2	15.963
MWA	2012	11	10	1	16.01
MWA	2012	11	10	0	16.082
MWA	2012	11	9	23	16.106
MWA	2012	11	9	22	16.177
MWA	2012	11	9	21	16.225
MWA	2012	11	9	20	16.249
MWA	2012	11	9	19	16.32
MWA	2012	11	9	18	16.344
MWA	2012	11	9	17	16.32
MWA	2012	11	9	16	16.392
MWA	2012	11	9	15	16.463
MWA	2012	11	9	14	16.201
MWA	2012	11	9	13	16.177
MWA	2012	11	9	12	16.106
MWA	2012	11	9	11	16.177
MWA	2012	11	9	10	16.201
MWA	2012	11	9	9	16.225
MWA	2012	11	9	8	16.249
MWA	2012	11	9	7	16.296
MWA	2012	11	9	6	16.368
MWA	2012	11	9	5	16.463
MWA	2012	11	9	4	16.534
MWA	2012	11	9	3	16.63
MWA	2012	11	9	2	16.725
MWA	2012	11	9	1	16.796
MWA	2012	11	9	0	16.915
MWA	2012	11	8	23	16.939
MWA	2012	11	8	22	16.892

Site ID	Year	Month	Day	Hour	Temp (C)
MWA	2012	11	8	21	17.034
MWA	2012	11	8	20	17.153
MWA	2012	11	8	19	17.177
MWA	2012	11	8	18	17.249
MWA	2012	11	8	17	17.272
MWA	2012	11	8	16	17.296
MWA	2012	11	8	15	17.296
MWA	2012	11	8	14	17.272
MWA	2012	11	8	13	17.249
MWA	2012	11	8	12	17.201
MWA	2012	11	8	11	17.177
MWA	2012	11	8	10	17.249
MWA	2012	11	8	9	17.32
MWA	2012	11	8	8	17.13
MWA	2012	11	8	7	16.915
MWA	2012	11	8	6	17.058
MWA	2012	11	8	5	17.344
MWA	2012	11	8	4	17.391
MWA	2012	11	8	3	17.249
MWA	2012	11	8	2	17.177
MWA	2012	11	8	1	16.987
MWA	2012	11	8	0	17.106
MWA	2012	11	7	23	17.225
MWA	2012	11	7	22	17.13
MWA	2012	11	7	21	17.13
MWA	2012	11	7	20	17.106
MWA	2012	11	7	19	17.177
MWA	2012	11	7	18	17.272
MWA	2012	11	7	17	17.153
MWA	2012	11	7	16	17.153
MWA	2012	11	7	15	17.272
MWA	2012	11	7	14	17.13
MWA	2012	11	7	13	16.987
MWA	2012	11	7	12	16.987
MWA	2012	11	7	11	17.058
MWA	2012	11	7	10	17.106
MWA	2012	11	7	9	17.034
MWA	2012	11	7	8	17.011
MWA	2012	11	7	7	16.987
MWA	2012	11	7	6	16.987
MWA	2012	11	7	5	16.963
MWA	2012	11	7	4	16.963
MWA	2012	11	7	3	16.963
MWA	2012	11	7	2	16.963

Site ID	Year	Month	Day	Hour	Temp (C)
MWA	2012	11	7	1	16.963
MWA	2012	11	7	0	16.915
MWA	2012	11	6	23	16.963
MWA	2012	11	6	22	16.892
MWA	2012	11	6	21	16.915
MWA	2012	11	6	20	16.939
MWA	2012	11	6	19	16.915
MWA	2012	11	6	18	16.82
MWA	2012	11	6	17	16.844
MWA	2012	11	6	16	16.868
MWA	2012	11	6	15	16.915
MWA	2012	11	6	14	16.915
MWA	2012	11	6	13	16.915
MWA	2012	11	6	12	16.963
MWA	2012	11	6	11	16.915
MWA	2012	11	6	10	16.915
MWA	2012	11	6	9	16.892
MWA	2012	11	6	8	16.868
MWA	2012	11	6	7	16.892
MWA	2012	11	6	6	16.868
MWA	2012	11	6	5	16.915
MWA	2012	11	6	4	16.868
MWA	2012	11	6	3	16.892
MWA	2012	11	6	2	16.987
MWA	2012	11	6	1	16.963
MWA	2012	11	6	0	16.987
MWA	2012	11	5	23	16.963
MWA	2012	11	5	22	16.868
MWA	2012	11	5	21	16.892
MWA	2012	11	5	20	16.868
MWA	2012	11	5	19	16.796
MWA	2012	11	5	18	16.725
MWA	2012	11	5	17	16.725
MWA	2012	11	5	16	16.725
MWA	2012	11	5	15	16.796
MWA	2012	11	5	14	16.844
MWA	2012	11	5	13	16.773
MWA	2012	11	5	12	16.773
MWA	2012	11	5	11	16.725
MWA	2012	11	5	10	16.773
MWA	2012	11	5	9	16.749
MWA	2012	11	5	8	16.701
MWA	2012	11	5	7	16.749
MWA	2012	11	5	6	16.749

Site ID	Year	Month	Day	Hour	Temp (C)
MWA	2012	11	5	5	16.725
MWA	2012	11	5	4	16.749
MWA	2012	11	5	3	16.773
MWA	2012	11	5	2	16.749
MWA	2012	11	5	1	16.749
MWA	2012	11	5	0	16.749
MWA	2012	11	4	23	16.773
MWA	2012	11	4	22	16.82
MWA	2012	11	4	21	16.82
MWA	2012	11	4	20	16.796
MWA	2012	11	4	19	16.82
MWA	2012	11	4	18	16.82
MWA	2012	11	4	17	16.725
MWA	2012	11	4	16	16.773
MWA	2012	11	4	15	16.773
MWA	2012	11	4	14	16.749
MWA	2012	11	4	13	16.725
MWA	2012	11	4	12	16.725
MWA	2012	11	4	11	16.773
MWA	2012	11	4	10	16.868
MWA	2012	11	4	9	16.844
MWA	2012	11	4	8	16.82
MWA	2012	11	4	7	16.963
MWA	2012	11	4	6	16.915
MWA	2012	11	4	5	16.773
MWA	2012	11	4	4	16.939
MWA	2012	11	4	3	16.915
MWA	2012	11	4	2	16.915
MWA	2012	11	4	1	16.844
MWA	2012	11	4	0	16.892
MWA	2012	11	3	23	16.987
MWA	2012	11	3	22	16.749
MWA	2012	11	3	21	16.654
MWA	2012	11	3	20	16.677
MWA	2012	11	3	19	16.796
MWA	2012	11	3	18	17.13
MWA	2012	11	3	17	16.749
MWA	2012	11	3	16	17.225
MWA	2012	11	3	15	16.868
MWA	2012	11	3	14	16.701
MWA	2012	11	3	13	16.725
MWA	2012	11	3	12	16.749
MWA	2012	11	3	11	16.749
MWA	2012	11	3	10	16.725

Site ID	Year	Month	Day	Hour	Temp (C)
MWA	2012	11	3	9	16.725
MWA	2012	11	3	8	16.749
MWA	2012	11	3	7	16.796
MWA	2012	11	3	6	16.844
MWA	2012	11	3	5	16.892
MWA	2012	11	3	4	16.939
MWA	2012	11	3	3	16.963
MWA	2012	11	3	2	17.034
MWA	2012	11	3	1	17.082
MWA	2012	11	3	0	17.153
MWA	2012	11	2	23	16.915
MWA	2012	11	2	22	16.987
MWA	2012	11	2	21	17.249
MWA	2012	11	2	20	17.272
MWA	2012	11	2	19	17.225
MWA	2012	11	2	18	17.177
MWA	2012	11	2	17	17.344
MWA	2012	11	2	16	17.368
MWA	2012	11	2	15	17.153
MWA	2012	11	2	14	17.296
MWA	2012	11	2	13	16.987
MWA	2012	11	2	12	16.868
MWA	2012	11	2	11	16.749
MWA	2012	11	2	10	16.725
MWA	2012	11	2	9	16.749
MWA	2012	11	2	8	16.773
MWA	2012	11	2	7	16.844
MWA	2012	11	2	6	16.915
MWA	2012	11	2	5	16.963
MWA	2012	11	2	4	16.987
MWA	2012	11	2	3	17.034
MWA	2012	11	2	2	17.082
MWA	2012	11	2	1	17.106
MWA	2012	11	2	0	17.153
MWA	2012	11	1	23	17.201
MWA	2012	11	1	22	17.225
MWA	2012	11	1	21	17.296
MWA	2012	11	1	20	17.272
MWA	2012	11	1	19	17.344
MWA	2012	11	1	18	17.391
MWA	2012	11	1	17	17.463
MWA	2012	11	1	16	17.439
MWA	2012	11	1	15	17.439
MWA	2012	11	1	14	17.439

Site ID	Year	Month	Day	Hour	Temp (C)
MWA	2012	11	1	13	17.391
MWA	2012	11	1	12	17.344
MWA	2012	11	1	11	17.344
MWA	2012	11	1	10	17.344
MWA	2012	11	1	9	17.391
MWA	2012	11	1	8	17.391
MWA	2012	11	1	7	17.439
MWA	2012	11	1	6	17.486
MWA	2012	11	1	5	17.558
MWA	2012	11	1	4	17.534
MWA	2012	11	1	3	17.629
MWA	2012	11	1	2	17.701
MWA	2012	11	1	1	17.701
MWA	2012	11	1	0	17.439
MWA	2012	10	31	23	17.748
MWA	2012	10	31	22	17.819
MWA	2012	10	31	21	17.724
MWA	2012	10	31	20	17.915
MWA	2012	10	31	19	17.938
MWA	2012	10	31	18	17.653
MWA	2012	10	31	17	17.867
MWA	2012	10	31	16	17.463
MWA	2012	10	31	15	16.915
MWA	2012	10	31	14	16.582
MWA	2012	10	31	13	17.558
MWA	2012	10	31	12	16.773
MWA	2012	10	31	11	17.177
MWA	2012	10	31	10	17.106
MWA	2012	10	31	9	17.51
MWA	2012	10	31	8	17.011
MWA	2012	10	31	7	16.654
MWA	2012	10	31	6	16.606
MWA	2012	10	31	5	16.677
MWA	2012	10	31	4	16.511
MWA	2012	10	31	3	16.654
MWA	2012	10	31	2	16.796
MWA	2012	10	31	1	16.796
MWA	2012	10	31	0	16.915
MWA	2012	10	30	23	16.796
MWA	2012	10	30	22	16.534
MWA	2012	10	30	21	16.701
MWA	2012	10	30	20	16.606
MWA	2012	10	30	19	16.701
MWA	2012	10	30	18	16.439

Site ID	Year	Month	Day	Hour	Temp (C)
MWA	2012	10	30	17	16.487
MWA	2012	10	30	16	16.725
MWA	2012	10	30	15	16.582
MWA	2012	10	30	14	16.915
MWA	2012	10	30	13	16.773
MWA	2012	10	30	12	16.654
MWA	2012	10	30	11	16.606
MWA	2012	10	30	10	16.534
MWA	2012	10	30	9	16.368
MWA	2012	10	30	8	16.344
MWA	2012	10	30	7	16.392
MWA	2012	10	30	6	16.439
MWA	2012	10	30	5	16.487
MWA	2012	10	30	4	16.368
MWA	2012	10	30	3	16.392
MWA	2012	10	30	2	16.63
MWA	2012	10	30	1	16.654
MWA	2012	10	30	0	16.439
MWA	2012	10	29	23	16.701
MWA	2012	10	29	22	16.63
MWA	2012	10	29	21	16.463
MWA	2012	10	29	20	16.487
MWA	2012	10	29	19	16.439
MWA	2012	10	29	18	16.392
MWA	2012	10	29	17	16.296
MWA	2012	10	29	16	16.32
MWA	2012	10	29	15	16.296
MWA	2012	10	29	14	16.344
MWA	2012	10	29	13	16.296
MWA	2012	10	29	12	16.344
MWA	2012	10	29	11	16.296
MWA	2012	10	29	10	16.296
MWA	2012	10	29	9	16.415
MWA	2012	10	29	8	16.272
MWA	2012	10	29	7	16.225
MWA	2012	10	29	6	16.272
MWA	2012	10	29	5	16.344
MWA	2012	10	29	4	16.344
MWA	2012	10	29	3	16.344
MWA	2012	10	29	2	16.487
MWA	2012	10	29	1	16.439
MWA	2012	10	29	0	16.368
MWA	2012	10	28	23	16.32
MWA	2012	10	28	22	16.344

Site ID	Year	Month	Day	Hour	Temp (C)
MWA	2012	10	28	21	16.32
MWA	2012	10	28	20	16.368
MWA	2012	10	28	19	16.272
MWA	2012	10	28	18	16.201
MWA	2012	10	28	17	16.153
MWA	2012	10	28	16	16.177
MWA	2012	10	28	15	16.153
MWA	2012	10	28	14	16.225
MWA	2012	10	28	13	16.249
MWA	2012	10	28	12	16.296
MWA	2012	10	28	11	16.296
MWA	2012	10	28	10	16.272
MWA	2012	10	28	9	16.249
MWA	2012	10	28	8	16.249
MWA	2012	10	28	7	16.201
MWA	2012	10	28	6	16.201
MWA	2012	10	28	5	16.177
MWA	2012	10	28	4	16.177
MWA	2012	10	28	3	16.201
MWA	2012	10	28	2	16.296
MWA	2012	10	28	1	16.32
MWA	2012	10	28	0	16.272
MWA	2012	10	27	23	16.32
MWA	2012	10	27	22	16.32
MWA	2012	10	27	21	16.201
MWA	2012	10	27	20	16.272
MWA	2012	10	27	19	16.201
MWA	2012	10	27	18	16.249
MWA	2012	10	27	17	16.177
MWA	2012	10	27	16	16.177
MWA	2012	10	27	15	16.153
MWA	2012	10	27	14	16.153
MWA	2012	10	27	13	16.153
MWA	2012	10	27	12	16.153
MWA	2012	10	27	11	16.177
MWA	2012	10	27	10	16.201
MWA	2012	10	27	9	16.177
MWA	2012	10	27	8	16.201
MWA	2012	10	27	7	16.249
MWA	2012	10	27	6	16.296
MWA	2012	10	27	5	16.344
MWA	2012	10	27	4	16.415
MWA	2012	10	27	3	16.415
MWA	2012	10	27	2	16.463

Site ID	Year	Month	Day	Hour	Temp (C)
MWA	2012	10	27	1	16.487
MWA	2012	10	27	0	16.558
MWA	2012	10	26	23	16.606
MWA	2012	10	26	22	16.63
MWA	2012	10	26	21	16.654
MWA	2012	10	26	20	16.725
MWA	2012	10	26	19	16.796
MWA	2012	10	26	18	16.82
MWA	2012	10	26	17	16.796
MWA	2012	10	26	16	16.915
MWA	2012	10	26	15	16.868
MWA	2012	10	26	14	16.725
MWA	2012	10	26	13	16.511
MWA	2012	10	26	12	16.415
MWA	2012	10	26	11	16.392
MWA	2012	10	26	10	16.344
MWA	2012	10	26	9	16.368
MWA	2012	10	26	8	16.463
MWA	2012	10	26	7	16.511
MWA	2012	10	26	6	16.582
MWA	2012	10	26	5	16.63
MWA	2012	10	26	4	16.654
MWA	2012	10	26	3	16.749
MWA	2012	10	26	2	16.868
MWA	2012	10	26	1	16.892
MWA	2012	10	26	0	17.011
MWA	2012	10	25	23	17.082
MWA	2012	10	25	22	17.13
MWA	2012	10	25	21	17.201
MWA	2012	10	25	20	17.296
MWA	2012	10	25	19	17.296
MWA	2012	10	25	18	17.344
MWA	2012	10	25	17	17.391
MWA	2012	10	25	16	17.415
MWA	2012	10	25	15	17.272
MWA	2012	10	25	14	17.344
MWA	2012	10	25	13	17.225
MWA	2012	10	25	12	17.106
MWA	2012	10	25	11	16.963
MWA	2012	10	25	10	16.915
MWA	2012	10	25	9	16.939
MWA	2012	10	25	8	16.963
MWA	2012	10	25	7	17.058
MWA	2012	10	25	6	17.106

Site ID	Year	Month	Day	Hour	Temp (C)
MWA	2012	10	25	5	17.13
MWA	2012	10	25	4	17.177
MWA	2012	10	25	3	17.249
MWA	2012	10	25	2	17.296
MWA	2012	10	25	1	17.296
MWA	2012	10	25	0	17.344
MWA	2012	10	24	23	17.391
MWA	2012	10	24	22	17.463
MWA	2012	10	24	21	17.201
MWA	2012	10	24	20	17.415
MWA	2012	10	24	19	17.272
MWA	2012	10	24	18	17.249
MWA	2012	10	24	17	17.249
MWA	2012	10	24	16	17.177
MWA	2012	10	24	15	17.106
MWA	2012	10	24	14	17.13
MWA	2012	10	24	13	17.153
MWA	2012	10	24	12	17.177
MWA	2012	10	24	11	17.272
MWA	2012	10	24	10	17.344
MWA	2012	10	24	9	17.344
MWA	2012	10	24	8	17.415
MWA	2012	10	24	7	17.486
MWA	2012	10	24	6	17.558
MWA	2012	10	24	5	17.605
MWA	2012	10	24	4	17.653
MWA	2012	10	24	3	17.701
MWA	2012	10	24	2	17.772
MWA	2012	10	24	1	17.867
MWA	2012	10	24	0	17.962
MWA	2012	10	23	23	17.915
MWA	2012	10	23	22	17.962
MWA	2012	10	23	21	18.01
MWA	2012	10	23	20	17.962
MWA	2012	10	23	19	18.033
MWA	2012	10	23	18	18.057
MWA	2012	10	23	17	17.986
MWA	2012	10	23	16	17.819
MWA	2012	10	23	15	17.724
MWA	2012	10	23	14	17.653
MWA	2012	10	23	13	17.677
MWA	2012	10	23	12	17.748
MWA	2012	10	23	11	17.796
MWA	2012	10	23	10	17.843

Site ID	Year	Month	Day	Hour	Temp (C)
MWA	2012	10	23	9	17.867
MWA	2012	10	23	8	17.891
MWA	2012	10	23	7	17.962
MWA	2012	10	23	6	18.081
MWA	2012	10	23	5	18.152
MWA	2012	10	23	4	18.224
MWA	2012	10	23	3	18.319
MWA	2012	10	23	2	18.414
MWA	2012	10	23	1	18.485
MWA	2012	10	23	0	18.557
MWA	2012	10	22	23	18.652
MWA	2012	10	22	22	18.675
MWA	2012	10	22	21	18.771
MWA	2012	10	22	20	18.913
MWA	2012	10	22	19	18.961
MWA	2012	10	22	18	18.985
MWA	2012	10	22	17	18.985
MWA	2012	10	22	16	19.246
MWA	2012	10	22	15	19.222
MWA	2012	10	22	14	19.341
MWA	2012	10	22	13	19.318
MWA	2012	10	22	12	19.341
MWA	2012	10	22	11	19.365
MWA	2012	10	22	10	19.436
MWA	2012	10	22	9	19.508
MWA	2012	10	22	8	19.532
MWA	2012	10	22	7	19.579
MWA	2012	10	22	6	19.627
MWA	2012	10	22	5	19.674
MWA	2012	10	22	4	19.746
MWA	2012	10	22	3	19.865
MWA	2012	10	22	2	19.96
MWA	2012	10	22	1	20.031
MWA	2012	10	22	0	20.079
MWA	2012	10	21	23	20.15
MWA	2012	10	21	22	20.174
MWA	2012	10	21	21	20.198
MWA	2012	10	21	20	20.341
MWA	2012	10	21	19	20.293
MWA	2012	10	21	18	20.436
MWA	2012	10	21	17	20.579
MWA	2012	10	21	16	20.484
MWA	2012	10	21	15	20.198
MWA	2012	10	21	14	19.936

Site ID	Year	Month	Day	Hour	Temp (C)
MWA	2012	10	21	13	19.96
MWA	2012	10	21	12	19.841
MWA	2012	10	21	11	19.936
MWA	2012	10	21	10	19.96
MWA	2012	10	21	9	20.007
MWA	2012	10	21	8	20.103
MWA	2012	10	21	7	20.198
MWA	2012	10	21	6	20.365
MWA	2012	10	21	5	20.484
MWA	2012	10	21	4	20.627
MWA	2012	10	21	3	20.746
MWA	2012	10	21	2	20.793
MWA	2012	10	21	1	20.984
MWA	2012	10	21	0	21.056
MWA	2012	10	20	23	21.032
MWA	2012	10	20	22	21.223
MWA	2012	10	20	21	21.223
MWA	2012	10	20	20	21.294
MWA	2012	10	20	19	20.984
MWA	2012	10	20	18	21.413
MWA	2012	10	20	17	21.318
MWA	2012	10	20	16	21.413
MWA	2012	10	20	15	21.27
MWA	2012	10	20	14	20.579
MWA	2012	10	20	13	20.555
MWA	2012	10	20	12	20.865
MWA	2012	10	20	11	20.627
MWA	2012	10	20	10	20.436
MWA	2012	10	20	9	20.46
MWA	2012	10	20	8	20.341
MWA	2012	10	20	7	20.388
MWA	2012	10	20	6	20.341
MWA	2012	10	20	5	20.388
MWA	2012	10	20	4	20.222
MWA	2012	10	20	3	20.269
MWA	2012	10	20	2	20.388
MWA	2012	10	20	1	20.388
MWA	2012	10	20	0	20.555
MWA	2012	10	19	23	20.388
MWA	2012	10	19	22	20.674
MWA	2012	10	19	21	20.603
MWA	2012	10	19	20	20.722
MWA	2012	10	19	19	20.77
MWA	2012	10	19	18	20.817

Site ID	Year	Month	Day	Hour	Temp (C)
MWA	2012	10	19	17	21.151
MWA	2012	10	19	16	21.151
MWA	2012	10	19	15	20.913
MWA	2012	10	19	14	20.65
MWA	2012	10	19	13	20.579
MWA	2012	10	19	12	20.484
MWA	2012	10	19	11	20.055
MWA	2012	10	19	10	20.15
MWA	2012	10	19	9	20.103
MWA	2012	10	19	8	20.15
MWA	2012	10	19	7	20.293
MWA	2012	10	19	6	20.436
MWA	2012	10	19	5	20.555
MWA	2012	10	19	4	20.746
MWA	2012	10	19	3	20.865
MWA	2012	10	19	2	20.627
MWA	2012	10	19	1	20.984
MWA	2012	10	19	0	20.865
MWA	2012	10	18	23	19.722
MWA	2012	10	18	22	19.746
MWA	2012	10	18	21	19.722
MWA	2012	10	18	20	19.746
MWA	2012	10	18	19	19.77
MWA	2012	10	18	18	19.722
MWA	2012	10	18	17	19.746
MWA	2012	10	18	16	19.746
MWA	2012	10	18	15	19.793
MWA	2012	10	18	14	19.912
MWA	2012	10	18	13	19.817
MWA	2012	10	18	12	19.841
MWA	2012	10	18	11	19.841
MWA	2012	10	18	10	19.912
MWA	2012	10	18	9	19.888
MWA	2012	10	18	8	19.912
MWA	2012	10	18	7	19.984
MWA	2012	10	18	6	20.055
MWA	2012	10	18	5	20.103
MWA	2012	10	18	4	20.222
MWA	2012	10	18	3	20.317
MWA	2012	10	18	2	20.365
MWA	2012	10	18	1	20.341
MWA	2012	10	18	0	20.365
MWA	2012	10	17	23	20.222
MWA	2012	10	17	22	20.293

Site ID	Year	Month	Day	Hour	Temp (C)
MWA	2012	10	17	21	20.126
MWA	2012	10	17	20	20.246
MWA	2012	10	17	19	20.126
MWA	2012	10	17	18	20.079
MWA	2012	10	17	17	20.055
MWA	2012	10	17	16	20.555
MWA	2012	10	17	15	20.579
MWA	2012	10	17	14	20.222
MWA	2012	10	17	13	20.15
MWA	2012	10	17	12	20.103
MWA	2012	10	17	11	20.174
MWA	2012	10	17	10	20.031
MWA	2012	10	17	9	20.246
MWA	2012	10	17	8	20.103
MWA	2012	10	17	7	20.484
MWA	2012	10	17	6	20.603
MWA	2012	10	17	5	19.555
MWA	2012	10	17	4	19.365
MWA	2012	10	17	3	19.294
MWA	2012	10	17	2	19.627
MWA	2012	10	17	1	19.77
MWA	2012	10	17	0	19.841
MWA	2012	10	16	23	19.674
MWA	2012	10	16	22	19.555
MWA	2012	10	16	21	19.413
MWA	2012	10	16	20	20.722
MWA	2012	10	16	19	20.126
MWA	2012	10	16	18	20.103
MWA	2012	10	16	17	20.841
MWA	2012	10	16	16	20.746
MWA	2012	10	16	15	19.674
MWA	2012	10	16	14	19.341
MWA	2012	10	16	13	19.365
MWA	2012	10	16	12	19.127
MWA	2012	10	16	11	19.532
MWA	2012	10	16	10	19.651
MWA	2012	10	16	9	19.389
MWA	2012	10	16	8	19.151
MWA	2012	10	16	7	19.579
MWA	2012	10	16	6	19.793
MWA	2012	10	16	5	19.413
MWA	2012	10	16	4	19.341
MWA	2012	10	16	3	19.722
MWA	2012	10	16	2	19.508

Site ID	Year	Month	Day	Hour	Temp (C)
MWA	2012	10	16	1	19.817
MWA	2012	10	16	0	19.603
MWA	2012	10	15	23	19.389
MWA	2012	10	15	22	19.912
MWA	2012	10	15	21	19.984
MWA	2012	10	15	20	19.199
MWA	2012	10	15	19	19.555
MWA	2012	10	15	18	19.318
MWA	2012	10	15	17	19.199
MWA	2012	10	15	16	19.199
MWA	2012	10	15	15	19.413
MWA	2012	10	15	14	19.508
MWA	2012	10	15	13	19.413
MWA	2012	10	15	12	19.27
MWA	2012	10	15	11	19.246
MWA	2012	10	15	10	18.985
MWA	2012	10	15	9	18.866
MWA	2012	10	15	8	19.08
MWA	2012	10	15	7	18.842
MWA	2012	10	15	6	19.008
MWA	2012	10	15	5	19.246
MWA	2012	10	15	4	18.985
MWA	2012	10	15	3	18.961
MWA	2012	10	15	2	19.365
MWA	2012	10	15	1	19.008
MWA	2012	10	15	0	19.222
MWA	2012	10	14	23	18.889
MWA	2012	10	14	22	18.723
MWA	2012	10	14	21	18.723
MWA	2012	10	14	20	18.747
MWA	2012	10	14	19	18.747
MWA	2012	10	14	18	18.675
MWA	2012	10	14	17	18.628
MWA	2012	10	14	16	18.628
MWA	2012	10	14	15	18.675
MWA	2012	10	14	14	18.794
MWA	2012	10	14	13	18.771
MWA	2012	10	14	12	18.794
MWA	2012	10	14	11	18.842
MWA	2012	10	14	10	18.842
MWA	2012	10	14	9	18.818
MWA	2012	10	14	8	18.866
MWA	2012	10	14	7	18.913
MWA	2012	10	14	6	18.961

Site ID	Year	Month	Day	Hour	Temp (C)
MWA	2012	10	14	5	19.008
MWA	2012	10	14	4	19.08
MWA	2012	10	14	3	19.127
MWA	2012	10	14	2	19.127
MWA	2012	10	14	1	19.103
MWA	2012	10	14	0	19.056
MWA	2012	10	13	23	19.175
MWA	2012	10	13	22	19.436
MWA	2012	10	13	21	19.508
MWA	2012	10	13	20	19.46
MWA	2012	10	13	19	19.603
MWA	2012	10	13	18	19.746
MWA	2012	10	13	17	19.722
MWA	2012	10	13	16	19.508
MWA	2012	10	13	15	19.436
MWA	2012	10	13	14	19.294
MWA	2012	10	13	13	19.08
MWA	2012	10	13	12	19.008
MWA	2012	10	13	11	18.771
MWA	2012	10	13	10	18.699
MWA	2012	10	13	9	18.771
MWA	2012	10	13	8	18.818
MWA	2012	10	13	7	18.866
MWA	2012	10	13	6	18.913
MWA	2012	10	13	5	19.008
MWA	2012	10	13	4	19.056
MWA	2012	10	13	3	19.127
MWA	2012	10	13	2	19.175
MWA	2012	10	13	1	19.222
MWA	2012	10	13	0	19.318
MWA	2012	10	12	23	19.389
MWA	2012	10	12	22	19.056
MWA	2012	10	12	21	18.985
MWA	2012	10	12	20	19.008
MWA	2012	10	12	19	19.008
MWA	2012	10	12	18	19.008
MWA	2012	10	12	17	19.08
MWA	2012	10	12	16	19.056
MWA	2012	10	12	15	19.103
MWA	2012	10	12	14	19.151
MWA	2012	10	12	13	19.175
MWA	2012	10	12	12	19.199
MWA	2012	10	12	11	19.222
MWA	2012	10	12	10	19.222

Site ID	Year	Month	Day	Hour	Temp (C)
MWA	2012	10	12	9	19.246
MWA	2012	10	12	8	19.246
MWA	2012	10	12	7	19.246
MWA	2012	10	12	6	19.27
MWA	2012	10	12	5	19.318
MWA	2012	10	12	4	19.365
MWA	2012	10	12	3	19.508
MWA	2012	10	12	2	19.532
MWA	2012	10	12	1	19.651
MWA	2012	10	12	0	19.651
MWA	2012	10	11	23	19.722
MWA	2012	10	11	22	19.77
MWA	2012	10	11	21	19.912
MWA	2012	10	11	20	20.007
MWA	2012	10	11	19	20.126
MWA	2012	10	11	18	20.126
MWA	2012	10	11	17	19.96
MWA	2012	10	11	16	19.793
MWA	2012	10	11	15	20.079
MWA	2012	10	11	14	19.865
MWA	2012	10	11	13	19.817
MWA	2012	10	11	12	19.722
MWA	2012	10	11	11	19.698
MWA	2012	10	11	10	19.722
MWA	2012	10	11	9	19.722
MWA	2012	10	11	8	19.77
MWA	2012	10	11	7	19.888
MWA	2012	10	11	6	19.888
MWA	2012	10	11	5	20.055
MWA	2012	10	11	4	19.936
MWA	2012	10	11	3	20.007
MWA	2012	10	11	2	20.055
MWA	2012	10	11	1	19.984
MWA	2012	10	11	0	20.222
MWA	2012	10	10	23	20.007
MWA	2012	10	10	22	19.77
MWA	2012	10	10	21	19.793
MWA	2012	10	10	20	19.793
MWA	2012	10	10	19	19.865
MWA	2012	10	10	18	19.865
MWA	2012	10	10	17	19.888
MWA	2012	10	10	16	20.031
MWA	2012	10	10	15	20.222
MWA	2012	10	10	14	20.103

Site ID	Year	Month	Day	Hour	Temp (C)
MWA	2012	10	10	13	20.007
MWA	2012	10	10	12	19.96
MWA	2012	10	10	11	20.055
MWA	2012	10	10	10	19.96
MWA	2012	10	10	9	19.96
MWA	2012	10	10	8	20.007
MWA	2012	10	10	7	20.031
MWA	2012	10	10	6	20.079
MWA	2012	10	10	5	20.126
MWA	2012	10	10	4	20.246
MWA	2012	10	10	3	20.365
MWA	2012	10	10	2	20.46
MWA	2012	10	10	1	20.531
MWA	2012	10	10	0	20.436
MWA	2012	10	9	23	20.555
MWA	2012	10	9	22	20.579
MWA	2012	10	9	21	20.531
MWA	2012	10	9	20	20.341
MWA	2012	10	9	19	20.293
MWA	2012	10	9	18	20.317
MWA	2012	10	9	17	20.365
MWA	2012	10	9	16	20.412
MWA	2012	10	9	15	20.15
MWA	2012	10	9	14	20.103
MWA	2012	10	9	13	20.293
MWA	2012	10	9	12	20.246
MWA	2012	10	9	11	20.15
MWA	2012	10	9	10	20.103
MWA	2012	10	9	9	20.079
MWA	2012	10	9	8	20.126
MWA	2012	10	9	7	20.174
MWA	2012	10	9	6	20.246
MWA	2012	10	9	5	20.341
MWA	2012	10	9	4	20.388
MWA	2012	10	9	3	20.484
MWA	2012	10	9	2	20.531
MWA	2012	10	9	1	20.603
MWA	2012	10	9	0	20.65
MWA	2012	10	8	23	20.698
MWA	2012	10	8	22	20.746
MWA	2012	10	8	21	20.817
MWA	2012	10	8	20	20.913
MWA	2012	10	8	19	20.936
MWA	2012	10	8	18	20.913

Site ID	Year	Month	Day	Hour	Temp (C)
MWA	2012	10	8	17	21.079
MWA	2012	10	8	16	21.151
MWA	2012	10	8	15	21.032
MWA	2012	10	8	14	20.913
MWA	2012	10	8	13	20.746
MWA	2012	10	8	12	20.603
MWA	2012	10	8	11	20.484
MWA	2012	10	8	10	20.436
MWA	2012	10	8	9	20.436
MWA	2012	10	8	8	20.484
MWA	2012	10	8	7	20.531
MWA	2012	10	8	6	20.603
MWA	2012	10	8	5	20.674
MWA	2012	10	8	4	20.77
MWA	2012	10	8	3	20.889
MWA	2012	10	8	2	21.008
MWA	2012	10	8	1	21.103
MWA	2012	10	8	0	21.199
MWA	2012	10	7	23	21.342
MWA	2012	10	7	22	21.079
MWA	2012	10	7	21	20.889
MWA	2012	10	7	20	20.913
MWA	2012	10	7	19	20.984
MWA	2012	10	7	18	20.96
MWA	2012	10	7	17	20.96
MWA	2012	10	7	16	20.936
MWA	2012	10	7	15	20.865
MWA	2012	10	7	14	20.841
MWA	2012	10	7	13	20.722
MWA	2012	10	7	12	20.77
MWA	2012	10	7	11	20.77
MWA	2012	10	7	10	20.793
MWA	2012	10	7	9	20.77
MWA	2012	10	7	8	20.817
MWA	2012	10	7	7	20.889
MWA	2012	10	7	6	20.96
MWA	2012	10	7	5	21.056
MWA	2012	10	7	4	21.151
MWA	2012	10	7	3	21.246
MWA	2012	10	7	2	21.366
MWA	2012	10	7	1	21.461
MWA	2012	10	7	0	21.509
MWA	2012	10	6	23	21.581
MWA	2012	10	6	22	21.676

Site ID	Year	Month	Day	Hour	Temp (C)
MWA	2012	10	6	21	21.676
MWA	2012	10	6	20	21.748
MWA	2012	10	6	19	21.461
MWA	2012	10	6	18	21.772
MWA	2012	10	6	17	21.891
MWA	2012	10	6	16	21.724
MWA	2012	10	6	15	21.819
MWA	2012	10	6	14	21.628
MWA	2012	10	6	13	21.294
MWA	2012	10	6	12	21.223
MWA	2012	10	6	11	21.103
MWA	2012	10	6	10	21.008
MWA	2012	10	6	9	21.032
MWA	2012	10	6	8	21.127
MWA	2012	10	6	7	21.199
MWA	2012	10	6	6	21.27
MWA	2012	10	6	5	21.366
MWA	2012	10	6	4	21.413
MWA	2012	10	6	3	21.509
MWA	2012	10	6	2	21.604
MWA	2012	10	6	1	21.7
MWA	2012	10	6	0	21.772
MWA	2012	10	5	23	21.867
MWA	2012	10	5	22	21.963
MWA	2012	10	5	21	22.082
MWA	2012	10	5	20	22.226
MWA	2012	10	5	19	22.25
MWA	2012	10	5	18	22.321
MWA	2012	10	5	17	22.417
MWA	2012	10	5	16	22.345
MWA	2012	10	5	15	22.058
MWA	2012	10	5	14	22.106
MWA	2012	10	5	13	22.106
MWA	2012	10	5	12	21.843
MWA	2012	10	5	11	21.867
MWA	2012	10	5	10	21.915
MWA	2012	10	5	9	21.963
MWA	2012	10	5	8	22.011
MWA	2012	10	5	7	22.13
MWA	2012	10	5	6	22.226
MWA	2012	10	5	5	22.321
MWA	2012	10	5	4	22.393
MWA	2012	10	5	3	22.489
MWA	2012	10	5	2	22.609

Site ID	Year	Month	Day	Hour	Temp (C)
MWA	2012	10	5	1	22.705
MWA	2012	10	5	0	22.896
MWA	2012	10	4	23	22.992
MWA	2012	10	4	22	23.112
MWA	2012	10	4	21	23.256
MWA	2012	10	4	20	23.376
MWA	2012	10	4	19	23.208
MWA	2012	10	4	18	23.545
MWA	2012	10	4	17	23.448
MWA	2012	10	4	16	23.521
MWA	2012	10	4	15	23.16
MWA	2012	10	4	14	22.776
MWA	2012	10	4	13	23.112
MWA	2012	10	4	12	22.8
MWA	2012	10	4	11	22.8
MWA	2012	10	4	10	22.776
MWA	2012	10	4	9	22.681
MWA	2012	10	4	8	22.896
MWA	2012	10	4	7	23.016
MWA	2012	10	4	6	23.016
MWA	2012	10	4	5	22.992
MWA	2012	10	4	4	23.232
MWA	2012	10	4	3	23.521
MWA	2012	10	4	2	23.641
MWA	2012	10	4	1	24.026
MWA	2012	10	4	0	23.857
MWA	2012	10	3	23	23.713
MWA	2012	10	3	22	23.641
MWA	2012	10	3	21	23.232
MWA	2012	10	3	20	23.545
MWA	2012	10	3	19	22.872
MWA	2012	10	3	18	22.753
MWA	2012	10	3	17	22.609
MWA	2012	10	3	16	22.681
MWA	2012	10	3	15	22.657
MWA	2012	10	3	14	22.633
MWA	2012	10	3	13	22.585
MWA	2012	10	3	12	22.585
MWA	2012	10	3	11	22.633
MWA	2012	10	3	10	22.705
MWA	2012	10	3	9	22.729
MWA	2012	10	3	8	22.705
MWA	2012	10	3	7	22.705
MWA	2012	10	3	6	22.776

Site ID	Year	Month	Day	Hour	Temp (C)
MWA	2012	10	3	5	22.776
MWA	2012	10	3	4	22.705
MWA	2012	10	3	3	22.776
MWA	2012	10	3	2	22.729
MWA	2012	10	3	1	22.705
MWA	2012	10	3	0	22.705
MWA	2012	10	2	23	22.92
MWA	2012	10	2	22	22.776
MWA	2012	10	2	21	23.088
MWA	2012	10	2	20	22.776
MWA	2012	10	2	19	22.705
MWA	2012	10	2	18	22.824
MWA	2012	10	2	17	22.776
MWA	2012	10	2	16	22.705
MWA	2012	10	2	15	22.776
MWA	2012	10	2	14	22.609
MWA	2012	10	2	13	22.633
MWA	2012	10	2	12	22.705
MWA	2012	10	2	11	22.753
MWA	2012	10	2	10	22.609
MWA	2012	10	2	9	22.729
MWA	2012	10	2	8	22.753
MWA	2012	10	2	7	22.753
MWA	2012	10	2	6	22.944
MWA	2012	10	2	5	23.016
MWA	2012	10	2	4	22.92
MWA	2012	10	2	3	23.088
MWA	2012	10	2	2	23.112
MWA	2012	10	2	1	23.16
MWA	2012	10	2	0	23.064
MWA	2012	10	1	23	22.848
MWA	2012	10	1	22	22.92
MWA	2012	10	1	21	22.92
MWA	2012	10	1	20	22.753
MWA	2012	10	1	19	22.92
MWA	2012	10	1	18	22.776
MWA	2012	10	1	17	22.848
MWA	2012	10	1	16	22.8
MWA	2012	10	1	15	22.681
MWA	2012	10	1	14	22.681
MWA	2012	10	1	13	22.705
MWA	2012	10	1	12	22.657
MWA	2012	10	1	11	22.681
MWA	2012	10	1	10	22.609

Site ID	Year	Month	Day	Hour	Temp (C)
MWA	2012	10	1	9	22.561
MWA	2012	10	1	8	22.681
MWA	2012	10	1	7	22.705
MWA	2012	10	1	6	22.896
MWA	2012	10	1	5	23.04
MWA	2012	10	1	4	22.968
MWA	2012	10	1	3	23.088
MWA	2012	10	1	2	23.28
MWA	2012	10	1	1	23.304
MWA	2012	10	1	0	23.304