

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-DS2	2013	6	10	12	20.936
SJRGPF-DS2	2013	6	10	11	20.889
SJRGPF-DS2	2013	6	10	10	20.865
SJRGPF-DS2	2013	6	10	9	20.913
SJRGPF-DS2	2013	6	10	8	20.936
SJRGPF-DS2	2013	6	10	7	21.032
SJRGPF-DS2	2013	6	10	6	21.175
SJRGPF-DS2	2013	6	10	5	21.39
SJRGPF-DS2	2013	6	10	4	21.461
SJRGPF-DS2	2013	6	10	3	21.581
SJRGPF-DS2	2013	6	10	2	21.581
SJRGPF-DS2	2013	6	10	1	21.366
SJRGPF-DS2	2013	6	10	0	21.199
SJRGPF-DS2	2013	6	9	23	21.294
SJRGPF-DS2	2013	6	9	22	21.246
SJRGPF-DS2	2013	6	9	21	21.223
SJRGPF-DS2	2013	6	9	20	21.223
SJRGPF-DS2	2013	6	9	19	21.223
SJRGPF-DS2	2013	6	9	18	21.199
SJRGPF-DS2	2013	6	9	17	21.27
SJRGPF-DS2	2013	6	9	16	21.27
SJRGPF-DS2	2013	6	9	15	21.27
SJRGPF-DS2	2013	6	9	14	21.246
SJRGPF-DS2	2013	6	9	13	21.199
SJRGPF-DS2	2013	6	9	12	21.151
SJRGPF-DS2	2013	6	9	11	21.151
SJRGPF-DS2	2013	6	9	10	21.056
SJRGPF-DS2	2013	6	9	9	20.984
SJRGPF-DS2	2013	6	9	8	20.936
SJRGPF-DS2	2013	6	9	7	20.936
SJRGPF-DS2	2013	6	9	6	20.913
SJRGPF-DS2	2013	6	9	5	20.913
SJRGPF-DS2	2013	6	9	4	20.936
SJRGPF-DS2	2013	6	9	3	20.96
SJRGPF-DS2	2013	6	9	2	21.032
SJRGPF-DS2	2013	6	9	1	20.936
SJRGPF-DS2	2013	6	9	0	20.936
SJRGPF-DS2	2013	6	8	23	20.96
SJRGPF-DS2	2013	6	8	22	20.936
SJRGPF-DS2	2013	6	8	21	20.96
SJRGPF-DS2	2013	6	8	20	20.936
SJRGPF-DS2	2013	6	8	19	20.96
SJRGPF-DS2	2013	6	8	18	20.984
SJRGPF-DS2	2013	6	8	17	20.984

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-DS2	2013	6	8	16	20.984
SJRGPF-DS2	2013	6	8	15	20.984
SJRGPF-DS2	2013	6	8	14	20.96
SJRGPF-DS2	2013	6	8	13	20.984
SJRGPF-DS2	2013	6	8	12	20.913
SJRGPF-DS2	2013	6	8	11	20.841
SJRGPF-DS2	2013	6	8	10	20.817
SJRGPF-DS2	2013	6	8	9	20.746
SJRGPF-DS2	2013	6	8	8	20.698
SJRGPF-DS2	2013	6	8	7	20.698
SJRGPF-DS2	2013	6	8	6	20.65
SJRGPF-DS2	2013	6	8	5	20.627
SJRGPF-DS2	2013	6	8	4	20.65
SJRGPF-DS2	2013	6	8	3	20.674
SJRGPF-DS2	2013	6	8	2	20.674
SJRGPF-DS2	2013	6	8	1	20.674
SJRGPF-DS2	2013	6	8	0	20.674
SJRGPF-DS2	2013	6	7	23	20.65
SJRGPF-DS2	2013	6	7	22	20.674
SJRGPF-DS2	2013	6	7	21	20.674
SJRGPF-DS2	2013	6	7	20	20.698
SJRGPF-DS2	2013	6	7	19	20.674
SJRGPF-DS2	2013	6	7	18	20.698
SJRGPF-DS2	2013	6	7	17	20.698
SJRGPF-DS2	2013	6	7	16	20.722
SJRGPF-DS2	2013	6	7	15	20.722
SJRGPF-DS2	2013	6	7	14	20.722
SJRGPF-DS2	2013	6	7	13	20.65
SJRGPF-DS2	2013	6	7	12	20.603
SJRGPF-DS2	2013	6	7	11	20.555
SJRGPF-DS2	2013	6	7	10	20.555
SJRGPF-DS2	2013	6	7	9	20.46
SJRGPF-DS2	2013	6	7	8	20.46
SJRGPF-DS2	2013	6	7	7	20.46
SJRGPF-DS2	2013	6	7	6	20.436
SJRGPF-DS2	2013	6	7	5	20.412
SJRGPF-DS2	2013	6	7	4	20.436
SJRGPF-DS2	2013	6	7	3	20.412
SJRGPF-DS2	2013	6	7	2	20.436
SJRGPF-DS2	2013	6	7	1	20.436
SJRGPF-DS2	2013	6	7	0	20.436
SJRGPF-DS2	2013	6	6	23	20.436
SJRGPF-DS2	2013	6	6	22	20.436
SJRGPF-DS2	2013	6	6	21	20.46

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-DS2	2013	6	6	20	20.436
SJRGPF-DS2	2013	6	6	19	20.436
SJRGPF-DS2	2013	6	6	18	20.46
SJRGPF-DS2	2013	6	6	17	20.484
SJRGPF-DS2	2013	6	6	16	20.46
SJRGPF-DS2	2013	6	6	15	20.46
SJRGPF-DS2	2013	6	6	14	20.46
SJRGPF-DS2	2013	6	6	13	20.388
SJRGPF-DS2	2013	6	6	12	20.388
SJRGPF-DS2	2013	6	6	11	20.341
SJRGPF-DS2	2013	6	6	10	20.317
SJRGPF-DS2	2013	6	6	9	20.246
SJRGPF-DS2	2013	6	6	8	20.365
SJRGPF-DS2	2013	6	6	7	20.246
SJRGPF-DS2	2013	6	6	6	20.198
SJRGPF-DS2	2013	6	6	5	20.198
SJRGPF-DS2	2013	6	6	4	20.198
SJRGPF-DS2	2013	6	6	3	20.222
SJRGPF-DS2	2013	6	6	2	20.269
SJRGPF-DS2	2013	6	6	1	20.269
SJRGPF-DS2	2013	6	6	0	20.269
SJRGPF-DS2	2013	6	5	23	20.269
SJRGPF-DS2	2013	6	5	22	20.246
SJRGPF-DS2	2013	6	5	21	20.269
SJRGPF-DS2	2013	6	5	20	20.293
SJRGPF-DS2	2013	6	5	19	20.269
SJRGPF-DS2	2013	6	5	18	20.293
SJRGPF-DS2	2013	6	5	17	20.317
SJRGPF-DS2	2013	6	5	16	20.341
SJRGPF-DS2	2013	6	5	15	20.341
SJRGPF-DS2	2013	6	5	14	20.341
SJRGPF-DS2	2013	6	5	13	20.293
SJRGPF-DS2	2013	6	5	12	20.246
SJRGPF-DS2	2013	6	5	11	20.293
SJRGPF-DS2	2013	6	5	10	20.269
SJRGPF-DS2	2013	6	5	9	20.222
SJRGPF-DS2	2013	6	5	8	20.293
SJRGPF-DS2	2013	6	5	7	20.341
SJRGPF-DS2	2013	6	5	6	20.293
SJRGPF-DS2	2013	6	5	5	20.15
SJRGPF-DS2	2013	6	5	4	20.174
SJRGPF-DS2	2013	6	5	3	20.126
SJRGPF-DS2	2013	6	5	2	20.103
SJRGPF-DS2	2013	6	5	1	20.079

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-DS2	2013	6	5	0	20.103
SJRGPF-DS2	2013	6	4	23	20.126
SJRGPF-DS2	2013	6	4	22	20.126
SJRGPF-DS2	2013	6	4	21	20.126
SJRGPF-DS2	2013	6	4	20	20.079
SJRGPF-DS2	2013	6	4	19	20.15
SJRGPF-DS2	2013	6	4	18	20.055
SJRGPF-DS2	2013	6	4	17	20.15
SJRGPF-DS2	2013	6	4	16	20.126
SJRGPF-DS2	2013	6	4	15	20.126
SJRGPF-DS2	2013	6	4	14	20.103
SJRGPF-DS2	2013	6	4	13	20.079
SJRGPF-DS2	2013	6	4	12	19.984
SJRGPF-DS2	2013	6	4	11	19.984
SJRGPF-DS2	2013	6	4	10	19.817
SJRGPF-DS2	2013	6	4	9	19.793
SJRGPF-DS2	2013	6	4	8	19.77
SJRGPF-DS2	2013	6	4	7	19.77
SJRGPF-DS2	2013	6	4	6	19.698
SJRGPF-DS2	2013	6	4	5	19.674
SJRGPF-DS2	2013	6	4	4	19.722
SJRGPF-DS2	2013	6	4	3	19.746
SJRGPF-DS2	2013	6	4	2	19.77
SJRGPF-DS2	2013	6	4	1	19.722
SJRGPF-DS2	2013	6	4	0	19.722
SJRGPF-DS2	2013	6	3	23	19.746
SJRGPF-DS2	2013	6	3	22	19.746
SJRGPF-DS2	2013	6	3	21	19.817
SJRGPF-DS2	2013	6	3	20	19.722
SJRGPF-DS2	2013	6	3	19	19.722
SJRGPF-DS2	2013	6	3	18	19.77
SJRGPF-DS2	2013	6	3	17	19.77
SJRGPF-DS2	2013	6	3	16	19.817
SJRGPF-DS2	2013	6	3	15	19.793
SJRGPF-DS2	2013	6	3	14	19.77
SJRGPF-DS2	2013	6	3	13	19.793
SJRGPF-DS2	2013	6	3	12	19.627
SJRGPF-DS2	2013	6	3	11	19.627
SJRGPF-DS2	2013	6	3	10	19.555
SJRGPF-DS2	2013	6	3	9	19.46
SJRGPF-DS2	2013	6	3	8	19.436
SJRGPF-DS2	2013	6	3	7	19.413
SJRGPF-DS2	2013	6	3	6	19.413
SJRGPF-DS2	2013	6	3	5	19.389

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-DS2	2013	6	3	4	19.389
SJRGPF-DS2	2013	6	3	3	19.389
SJRGPF-DS2	2013	6	3	2	19.436
SJRGPF-DS2	2013	6	3	1	19.413
SJRGPF-DS2	2013	6	3	0	19.436
SJRGPF-DS2	2013	6	2	23	19.389
SJRGPF-DS2	2013	6	2	22	19.389
SJRGPF-DS2	2013	6	2	21	19.389
SJRGPF-DS2	2013	6	2	20	19.46
SJRGPF-DS2	2013	6	2	19	19.436
SJRGPF-DS2	2013	6	2	18	19.413
SJRGPF-DS2	2013	6	2	17	19.436
SJRGPF-DS2	2013	6	2	16	19.436
SJRGPF-DS2	2013	6	2	15	19.413
SJRGPF-DS2	2013	6	2	14	19.413
SJRGPF-DS2	2013	6	2	13	19.413
SJRGPF-DS2	2013	6	2	12	19.318
SJRGPF-DS2	2013	6	2	11	19.246
SJRGPF-DS2	2013	6	2	10	19.127
SJRGPF-DS2	2013	6	2	9	19.056
SJRGPF-DS2	2013	6	2	8	19.008
SJRGPF-DS2	2013	6	2	7	19.032
SJRGPF-DS2	2013	6	2	6	18.961
SJRGPF-DS2	2013	6	2	5	18.985
SJRGPF-DS2	2013	6	2	4	18.961
SJRGPF-DS2	2013	6	2	3	18.961
SJRGPF-DS2	2013	6	2	2	18.913
SJRGPF-DS2	2013	6	2	1	18.961
SJRGPF-DS2	2013	6	2	0	18.937
SJRGPF-DS2	2013	6	1	23	18.937
SJRGPF-DS2	2013	6	1	22	18.937
SJRGPF-DS2	2013	6	1	21	18.961
SJRGPF-DS2	2013	6	1	20	18.937
SJRGPF-DS2	2013	6	1	19	18.937
SJRGPF-DS2	2013	6	1	18	18.937
SJRGPF-DS2	2013	6	1	17	18.985
SJRGPF-DS2	2013	6	1	16	18.747
SJRGPF-DS2	2013	6	1	15	18.723
SJRGPF-DS2	2013	6	1	14	18.699
SJRGPF-DS2	2013	6	1	13	18.628
SJRGPF-DS2	2013	6	1	12	18.58
SJRGPF-DS2	2013	6	1	11	18.509
SJRGPF-DS2	2013	6	1	10	18.39
SJRGPF-DS2	2013	6	1	9	18.295

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-DS2	2013	6	1	8	18.247
SJRGPF-DS2	2013	6	1	7	18.176
SJRGPF-DS2	2013	6	1	6	18.105
SJRGPF-DS2	2013	6	1	5	18.081
SJRGPF-DS2	2013	6	1	4	18.033
SJRGPF-DS2	2013	6	1	3	18.01
SJRGPF-DS2	2013	6	1	2	17.986
SJRGPF-DS2	2013	6	1	1	17.962
SJRGPF-DS2	2013	6	1	0	17.962
SJRGPF-DS2	2013	5	31	23	17.938
SJRGPF-DS2	2013	5	31	22	17.915
SJRGPF-DS2	2013	5	31	21	17.938
SJRGPF-DS2	2013	5	31	20	17.938
SJRGPF-DS2	2013	5	31	19	17.938
SJRGPF-DS2	2013	5	31	18	17.962
SJRGPF-DS2	2013	5	31	17	18.01
SJRGPF-DS2	2013	5	31	16	17.986
SJRGPF-DS2	2013	5	31	15	18.01
SJRGPF-DS2	2013	5	31	14	17.962
SJRGPF-DS2	2013	5	31	13	17.915
SJRGPF-DS2	2013	5	31	12	17.843
SJRGPF-DS2	2013	5	31	11	17.772
SJRGPF-DS2	2013	5	31	10	17.653
SJRGPF-DS2	2013	5	31	9	17.582
SJRGPF-DS2	2013	5	31	8	17.534
SJRGPF-DS2	2013	5	31	7	17.415
SJRGPF-DS2	2013	5	31	6	17.368
SJRGPF-DS2	2013	5	31	5	17.344
SJRGPF-DS2	2013	5	31	4	17.344
SJRGPF-DS2	2013	5	31	3	17.32
SJRGPF-DS2	2013	5	31	2	17.32
SJRGPF-DS2	2013	5	31	1	17.296
SJRGPF-DS2	2013	5	31	0	17.32
SJRGPF-DS2	2013	5	30	23	17.296
SJRGPF-DS2	2013	5	30	22	17.296
SJRGPF-DS2	2013	5	30	21	17.296
SJRGPF-DS2	2013	5	30	20	17.296
SJRGPF-DS2	2013	5	30	19	17.296
SJRGPF-DS2	2013	5	30	18	17.344
SJRGPF-DS2	2013	5	30	17	17.368
SJRGPF-DS2	2013	5	30	16	17.368
SJRGPF-DS2	2013	5	30	15	17.368
SJRGPF-DS2	2013	5	30	14	17.344
SJRGPF-DS2	2013	5	30	13	17.296

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-DS2	2013	5	30	12	17.225
SJRGPF-DS2	2013	5	30	11	17.153
SJRGPF-DS2	2013	5	30	10	17.082
SJRGPF-DS2	2013	5	30	9	17.011
SJRGPF-DS2	2013	5	30	8	16.963
SJRGPF-DS2	2013	5	30	7	16.915
SJRGPF-DS2	2013	5	30	6	16.868
SJRGPF-DS2	2013	5	30	5	16.868
SJRGPF-DS2	2013	5	30	4	16.844
SJRGPF-DS2	2013	5	30	3	16.844
SJRGPF-DS2	2013	5	30	2	16.844
SJRGPF-DS2	2013	5	30	1	16.844
SJRGPF-DS2	2013	5	30	0	16.868
SJRGPF-DS2	2013	5	29	23	16.868
SJRGPF-DS2	2013	5	29	22	16.868
SJRGPF-DS2	2013	5	29	21	16.868
SJRGPF-DS2	2013	5	29	20	16.868
SJRGPF-DS2	2013	5	29	19	16.892
SJRGPF-DS2	2013	5	29	18	16.915
SJRGPF-DS2	2013	5	29	17	16.915
SJRGPF-DS2	2013	5	29	16	16.963
SJRGPF-DS2	2013	5	29	15	16.939
SJRGPF-DS2	2013	5	29	14	16.892
SJRGPF-DS2	2013	5	29	13	16.82
SJRGPF-DS2	2013	5	29	12	16.773
SJRGPF-DS2	2013	5	29	11	16.749
SJRGPF-DS2	2013	5	29	10	16.725
SJRGPF-DS2	2013	5	29	9	16.701
SJRGPF-DS2	2013	5	29	8	16.606
SJRGPF-DS2	2013	5	29	7	16.534
SJRGPF-DS2	2013	5	29	6	16.511
SJRGPF-DS2	2013	5	29	5	16.511
SJRGPF-DS2	2013	5	29	4	16.511
SJRGPF-DS2	2013	5	29	3	16.511
SJRGPF-DS2	2013	5	29	2	16.511
SJRGPF-DS2	2013	5	29	1	16.511
SJRGPF-DS2	2013	5	29	0	16.511
SJRGPF-DS2	2013	5	28	23	16.534
SJRGPF-DS2	2013	5	28	22	16.534
SJRGPF-DS2	2013	5	28	21	16.534
SJRGPF-DS2	2013	5	28	20	16.534
SJRGPF-DS2	2013	5	28	19	16.534
SJRGPF-DS2	2013	5	28	18	16.558
SJRGPF-DS2	2013	5	28	17	16.558

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-DS2	2013	5	28	16	16.582
SJRGPF-DS2	2013	5	28	15	16.582
SJRGPF-DS2	2013	5	28	14	16.534
SJRGPF-DS2	2013	5	28	13	16.534
SJRGPF-DS2	2013	5	28	12	16.487
SJRGPF-DS2	2013	5	28	11	16.463
SJRGPF-DS2	2013	5	28	10	16.463
SJRGPF-DS2	2013	5	28	9	16.487
SJRGPF-DS2	2013	5	28	8	16.534
SJRGPF-DS2	2013	5	28	7	16.582
SJRGPF-DS2	2013	5	28	6	16.654
SJRGPF-DS2	2013	5	28	5	16.701
SJRGPF-DS2	2013	5	28	4	16.725
SJRGPF-DS2	2013	5	28	3	16.749
SJRGPF-DS2	2013	5	28	2	16.725
SJRGPF-DS2	2013	5	28	1	16.749
SJRGPF-DS2	2013	5	28	0	16.749
SJRGPF-DS2	2013	5	27	23	16.773
SJRGPF-DS2	2013	5	27	22	16.773
SJRGPF-DS2	2013	5	27	21	16.773
SJRGPF-DS2	2013	5	27	20	16.796
SJRGPF-DS2	2013	5	27	19	16.82
SJRGPF-DS2	2013	5	27	18	16.82
SJRGPF-DS2	2013	5	27	17	16.844
SJRGPF-DS2	2013	5	27	16	16.82
SJRGPF-DS2	2013	5	27	15	16.773
SJRGPF-DS2	2013	5	27	14	16.773
SJRGPF-DS2	2013	5	27	13	16.773
SJRGPF-DS2	2013	5	27	12	16.749
SJRGPF-DS2	2013	5	27	11	16.701
SJRGPF-DS2	2013	5	27	10	16.677
SJRGPF-DS2	2013	5	27	9	16.677
SJRGPF-DS2	2013	5	27	8	16.677
SJRGPF-DS2	2013	5	27	7	16.654
SJRGPF-DS2	2013	5	27	6	16.654
SJRGPF-DS2	2013	5	27	5	16.654
SJRGPF-DS2	2013	5	27	4	16.654
SJRGPF-DS2	2013	5	27	3	16.654
SJRGPF-DS2	2013	5	27	2	16.654
SJRGPF-DS2	2013	5	27	1	16.654
SJRGPF-DS2	2013	5	27	0	16.654
SJRGPF-DS2	2013	5	26	23	16.654
SJRGPF-DS2	2013	5	26	22	16.654
SJRGPF-DS2	2013	5	26	21	16.654

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-DS2	2013	5	26	20	16.654
SJRGPF-DS2	2013	5	26	19	16.677
SJRGPF-DS2	2013	5	26	18	16.677
SJRGPF-DS2	2013	5	26	17	16.677
SJRGPF-DS2	2013	5	26	16	16.677
SJRGPF-DS2	2013	5	26	15	16.677
SJRGPF-DS2	2013	5	26	14	16.654
SJRGPF-DS2	2013	5	26	13	16.63
SJRGPF-DS2	2013	5	26	12	16.606
SJRGPF-DS2	2013	5	26	11	16.582
SJRGPF-DS2	2013	5	26	10	16.534
SJRGPF-DS2	2013	5	26	9	16.511
SJRGPF-DS2	2013	5	26	8	16.463
SJRGPF-DS2	2013	5	26	7	16.415
SJRGPF-DS2	2013	5	26	6	16.392
SJRGPF-DS2	2013	5	26	5	16.392
SJRGPF-DS2	2013	5	26	4	16.415
SJRGPF-DS2	2013	5	26	3	16.415
SJRGPF-DS2	2013	5	26	2	16.415
SJRGPF-DS2	2013	5	26	1	16.392
SJRGPF-DS2	2013	5	26	0	16.392
SJRGPF-DS2	2013	5	25	23	16.392
SJRGPF-DS2	2013	5	25	22	16.392
SJRGPF-DS2	2013	5	25	21	16.392
SJRGPF-DS2	2013	5	25	20	16.392
SJRGPF-DS2	2013	5	25	19	16.415
SJRGPF-DS2	2013	5	25	18	16.439
SJRGPF-DS2	2013	5	25	17	16.439
SJRGPF-DS2	2013	5	25	16	16.439
SJRGPF-DS2	2013	5	25	15	16.439
SJRGPF-DS2	2013	5	25	14	16.439
SJRGPF-DS2	2013	5	25	13	16.368
SJRGPF-DS2	2013	5	25	12	16.32
SJRGPF-DS2	2013	5	25	11	16.296
SJRGPF-DS2	2013	5	25	10	16.272
SJRGPF-DS2	2013	5	25	9	16.249
SJRGPF-DS2	2013	5	25	8	16.177
SJRGPF-DS2	2013	5	25	7	16.129
SJRGPF-DS2	2013	5	25	6	16.106
SJRGPF-DS2	2013	5	25	5	16.106
SJRGPF-DS2	2013	5	25	4	16.106
SJRGPF-DS2	2013	5	25	3	16.106
SJRGPF-DS2	2013	5	25	2	16.106
SJRGPF-DS2	2013	5	25	1	16.106

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-DS2	2013	5	25	0	16.106
SJRGPF-DS2	2013	5	24	23	16.106
SJRGPF-DS2	2013	5	24	22	16.106
SJRGPF-DS2	2013	5	24	21	16.106
SJRGPF-DS2	2013	5	24	20	16.106
SJRGPF-DS2	2013	5	24	19	16.106
SJRGPF-DS2	2013	5	24	18	16.129
SJRGPF-DS2	2013	5	24	17	16.153
SJRGPF-DS2	2013	5	24	16	16.153
SJRGPF-DS2	2013	5	24	15	16.153
SJRGPF-DS2	2013	5	24	14	16.153
SJRGPF-DS2	2013	5	24	13	16.129
SJRGPF-DS2	2013	5	24	12	16.082
SJRGPF-DS2	2013	5	24	11	16.058
SJRGPF-DS2	2013	5	24	10	16.034
SJRGPF-DS2	2013	5	24	9	16.01
SJRGPF-DS2	2013	5	24	8	16.058
SJRGPF-DS2	2013	5	24	7	16.129
SJRGPF-DS2	2013	5	24	6	16.153
SJRGPF-DS2	2013	5	24	5	16.129
SJRGPF-DS2	2013	5	24	4	16.153
SJRGPF-DS2	2013	5	24	3	16.153
SJRGPF-DS2	2013	5	24	2	16.177
SJRGPF-DS2	2013	5	24	1	16.153
SJRGPF-DS2	2013	5	24	0	16.177
SJRGPF-DS2	2013	5	23	23	16.177
SJRGPF-DS2	2013	5	23	22	16.177
SJRGPF-DS2	2013	5	23	21	16.177
SJRGPF-DS2	2013	5	23	20	16.201
SJRGPF-DS2	2013	5	23	19	16.201
SJRGPF-DS2	2013	5	23	18	16.225
SJRGPF-DS2	2013	5	23	17	16.249
SJRGPF-DS2	2013	5	23	16	16.249
SJRGPF-DS2	2013	5	23	15	16.249
SJRGPF-DS2	2013	5	23	14	16.225
SJRGPF-DS2	2013	5	23	13	16.201
SJRGPF-DS2	2013	5	23	12	16.201
SJRGPF-DS2	2013	5	23	11	16.177
SJRGPF-DS2	2013	5	23	10	16.201
SJRGPF-DS2	2013	5	23	9	16.201
SJRGPF-DS2	2013	5	23	8	16.249
SJRGPF-DS2	2013	5	23	7	16.344
SJRGPF-DS2	2013	5	23	6	16.487
SJRGPF-DS2	2013	5	23	5	16.63

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-DS2	2013	5	23	4	16.725
SJRGPF-DS2	2013	5	23	3	16.82
SJRGPF-DS2	2013	5	23	2	16.915
SJRGPF-DS2	2013	5	23	1	16.963
SJRGPF-DS2	2013	5	23	0	17.011
SJRGPF-DS2	2013	5	22	23	17.034
SJRGPF-DS2	2013	5	22	22	17.034
SJRGPF-DS2	2013	5	22	21	17.034
SJRGPF-DS2	2013	5	22	20	17.058
SJRGPF-DS2	2013	5	22	19	17.058
SJRGPF-DS2	2013	5	22	18	17.082
SJRGPF-DS2	2013	5	22	17	17.106
SJRGPF-DS2	2013	5	22	16	17.106
SJRGPF-DS2	2013	5	22	15	17.13
SJRGPF-DS2	2013	5	22	14	17.13
SJRGPF-DS2	2013	5	22	13	17.13
SJRGPF-DS2	2013	5	22	12	17.082
SJRGPF-DS2	2013	5	22	11	17.082
SJRGPF-DS2	2013	5	22	10	17.106
SJRGPF-DS2	2013	5	22	9	17.177
SJRGPF-DS2	2013	5	22	8	17.249
SJRGPF-DS2	2013	5	22	7	17.368
SJRGPF-DS2	2013	5	22	6	17.51
SJRGPF-DS2	2013	5	22	5	17.605
SJRGPF-DS2	2013	5	22	4	17.677
SJRGPF-DS2	2013	5	22	3	17.724
SJRGPF-DS2	2013	5	22	2	17.677
SJRGPF-DS2	2013	5	22	1	17.677
SJRGPF-DS2	2013	5	22	0	17.701
SJRGPF-DS2	2013	5	21	23	17.724
SJRGPF-DS2	2013	5	21	22	17.724
SJRGPF-DS2	2013	5	21	21	17.724
SJRGPF-DS2	2013	5	21	20	17.724
SJRGPF-DS2	2013	5	21	19	17.724
SJRGPF-DS2	2013	5	21	18	17.748
SJRGPF-DS2	2013	5	21	17	17.772
SJRGPF-DS2	2013	5	21	16	17.772
SJRGPF-DS2	2013	5	21	15	17.796
SJRGPF-DS2	2013	5	21	14	17.819
SJRGPF-DS2	2013	5	21	13	17.748
SJRGPF-DS2	2013	5	21	12	17.677
SJRGPF-DS2	2013	5	21	11	17.629
SJRGPF-DS2	2013	5	21	10	17.558
SJRGPF-DS2	2013	5	21	9	17.558

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-DS2	2013	5	21	8	17.51
SJRGPF-DS2	2013	5	21	7	17.51
SJRGPF-DS2	2013	5	21	6	17.463
SJRGPF-DS2	2013	5	21	5	17.439
SJRGPF-DS2	2013	5	21	4	17.463
SJRGPF-DS2	2013	5	21	3	17.439
SJRGPF-DS2	2013	5	21	2	17.463
SJRGPF-DS2	2013	5	21	1	17.463
SJRGPF-DS2	2013	5	21	0	17.463
SJRGPF-DS2	2013	5	20	23	17.463
SJRGPF-DS2	2013	5	20	22	17.463
SJRGPF-DS2	2013	5	20	21	17.463
SJRGPF-DS2	2013	5	20	20	17.486
SJRGPF-DS2	2013	5	20	19	17.486
SJRGPF-DS2	2013	5	20	18	17.51
SJRGPF-DS2	2013	5	20	17	17.534
SJRGPF-DS2	2013	5	20	16	17.558
SJRGPF-DS2	2013	5	20	15	17.558
SJRGPF-DS2	2013	5	20	14	17.51
SJRGPF-DS2	2013	5	20	13	17.486
SJRGPF-DS2	2013	5	20	12	17.439
SJRGPF-DS2	2013	5	20	11	17.391
SJRGPF-DS2	2013	5	20	10	17.344
SJRGPF-DS2	2013	5	20	9	17.32
SJRGPF-DS2	2013	5	20	8	17.32
SJRGPF-DS2	2013	5	20	7	17.272
SJRGPF-DS2	2013	5	20	6	17.272
SJRGPF-DS2	2013	5	20	5	17.272
SJRGPF-DS2	2013	5	20	4	17.272
SJRGPF-DS2	2013	5	20	3	17.272
SJRGPF-DS2	2013	5	20	2	17.272
SJRGPF-DS2	2013	5	20	1	17.272
SJRGPF-DS2	2013	5	20	0	17.296
SJRGPF-DS2	2013	5	19	23	17.296
SJRGPF-DS2	2013	5	19	22	17.296
SJRGPF-DS2	2013	5	19	21	17.296
SJRGPF-DS2	2013	5	19	20	17.32
SJRGPF-DS2	2013	5	19	19	17.344
SJRGPF-DS2	2013	5	19	18	17.368
SJRGPF-DS2	2013	5	19	17	17.368
SJRGPF-DS2	2013	5	19	16	17.368
SJRGPF-DS2	2013	5	19	15	17.344
SJRGPF-DS2	2013	5	19	14	17.32
SJRGPF-DS2	2013	5	19	13	17.296

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-DS2	2013	5	19	12	17.296
SJRGPF-DS2	2013	5	19	11	17.249
SJRGPF-DS2	2013	5	19	10	17.249
SJRGPF-DS2	2013	5	19	9	17.249
SJRGPF-DS2	2013	5	19	8	17.296
SJRGPF-DS2	2013	5	19	7	17.368
SJRGPF-DS2	2013	5	19	6	17.415
SJRGPF-DS2	2013	5	19	5	17.439
SJRGPF-DS2	2013	5	19	4	17.439
SJRGPF-DS2	2013	5	19	3	17.463
SJRGPF-DS2	2013	5	19	2	17.463
SJRGPF-DS2	2013	5	19	1	17.486
SJRGPF-DS2	2013	5	19	0	17.486
SJRGPF-DS2	2013	5	18	23	17.486
SJRGPF-DS2	2013	5	18	22	17.486
SJRGPF-DS2	2013	5	18	21	17.486
SJRGPF-DS2	2013	5	18	20	17.51
SJRGPF-DS2	2013	5	18	19	17.534
SJRGPF-DS2	2013	5	18	18	17.558
SJRGPF-DS2	2013	5	18	17	17.582
SJRGPF-DS2	2013	5	18	16	17.582
SJRGPF-DS2	2013	5	18	15	17.558
SJRGPF-DS2	2013	5	18	14	17.534
SJRGPF-DS2	2013	5	18	13	17.534
SJRGPF-DS2	2013	5	18	12	17.486
SJRGPF-DS2	2013	5	18	11	17.486
SJRGPF-DS2	2013	5	18	10	17.486
SJRGPF-DS2	2013	5	18	9	17.486
SJRGPF-DS2	2013	5	18	8	17.558
SJRGPF-DS2	2013	5	18	7	17.629
SJRGPF-DS2	2013	5	18	6	17.724
SJRGPF-DS2	2013	5	18	5	17.819
SJRGPF-DS2	2013	5	18	4	17.915
SJRGPF-DS2	2013	5	18	3	18.01
SJRGPF-DS2	2013	5	18	2	18.057
SJRGPF-DS2	2013	5	18	1	18.129
SJRGPF-DS2	2013	5	18	0	18.105
SJRGPF-DS2	2013	5	17	23	18.105
SJRGPF-DS2	2013	5	17	22	18.105
SJRGPF-DS2	2013	5	17	21	18.081
SJRGPF-DS2	2013	5	17	20	18.081
SJRGPF-DS2	2013	5	17	19	18.105
SJRGPF-DS2	2013	5	17	18	18.129
SJRGPF-DS2	2013	5	17	17	18.152

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-DS2	2013	5	17	16	18.152
SJRGPF-DS2	2013	5	17	15	18.152
SJRGPF-DS2	2013	5	17	14	18.129
SJRGPF-DS2	2013	5	17	13	18.105
SJRGPF-DS2	2013	5	17	12	18.081
SJRGPF-DS2	2013	5	17	11	18.057
SJRGPF-DS2	2013	5	17	10	18.057
SJRGPF-DS2	2013	5	17	9	18.057
SJRGPF-DS2	2013	5	17	8	18.105
SJRGPF-DS2	2013	5	17	7	18.247
SJRGPF-DS2	2013	5	17	6	18.343
SJRGPF-DS2	2013	5	17	5	18.485
SJRGPF-DS2	2013	5	17	4	18.652
SJRGPF-DS2	2013	5	17	3	18.818
SJRGPF-DS2	2013	5	17	2	18.937
SJRGPF-DS2	2013	5	17	1	19.08
SJRGPF-DS2	2013	5	17	0	19.199
SJRGPF-DS2	2013	5	16	23	19.294
SJRGPF-DS2	2013	5	16	22	19.389
SJRGPF-DS2	2013	5	16	21	19.389
SJRGPF-DS2	2013	5	16	20	19.294
SJRGPF-DS2	2013	5	16	19	19.294
SJRGPF-DS2	2013	5	16	18	19.341
SJRGPF-DS2	2013	5	16	17	19.294
SJRGPF-DS2	2013	5	16	16	19.27
SJRGPF-DS2	2013	5	16	15	19.246
SJRGPF-DS2	2013	5	16	14	19.27
SJRGPF-DS2	2013	5	16	13	19.175
SJRGPF-DS2	2013	5	16	12	19.246
SJRGPF-DS2	2013	5	16	11	19.199
SJRGPF-DS2	2013	5	16	10	19.103
SJRGPF-DS2	2013	5	16	9	19.008
SJRGPF-DS2	2013	5	16	8	18.913
SJRGPF-DS2	2013	5	16	7	18.794
SJRGPF-DS2	2013	5	16	6	18.723
SJRGPF-DS2	2013	5	16	5	18.58
SJRGPF-DS2	2013	5	16	4	18.509
SJRGPF-DS2	2013	5	16	3	18.39
SJRGPF-DS2	2013	5	16	2	18.319
SJRGPF-DS2	2013	5	16	1	18.319
SJRGPF-DS2	2013	5	16	0	18.343
SJRGPF-DS2	2013	5	15	23	18.319
SJRGPF-DS2	2013	5	15	22	18.247
SJRGPF-DS2	2013	5	15	21	18.319

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-DS2	2013	5	15	20	18.295
SJRGPF-DS2	2013	5	15	19	18.295
SJRGPF-DS2	2013	5	15	18	18.295
SJRGPF-DS2	2013	5	15	17	18.271
SJRGPF-DS2	2013	5	15	16	18.295
SJRGPF-DS2	2013	5	15	15	18.319
SJRGPF-DS2	2013	5	15	14	18.295
SJRGPF-DS2	2013	5	15	13	18.224
SJRGPF-DS2	2013	5	15	12	18.2
SJRGPF-DS2	2013	5	15	11	18.129
SJRGPF-DS2	2013	5	15	10	18.129
SJRGPF-DS2	2013	5	15	9	18.01
SJRGPF-DS2	2013	5	15	8	17.915
SJRGPF-DS2	2013	5	15	7	17.915
SJRGPF-DS2	2013	5	15	6	17.843
SJRGPF-DS2	2013	5	15	5	17.843
SJRGPF-DS2	2013	5	15	4	17.843
SJRGPF-DS2	2013	5	15	3	17.843
SJRGPF-DS2	2013	5	15	2	17.843
SJRGPF-DS2	2013	5	15	1	17.819
SJRGPF-DS2	2013	5	15	0	17.843
SJRGPF-DS2	2013	5	14	23	17.819
SJRGPF-DS2	2013	5	14	22	17.843
SJRGPF-DS2	2013	5	14	21	17.819
SJRGPF-DS2	2013	5	14	20	17.843
SJRGPF-DS2	2013	5	14	19	17.843
SJRGPF-DS2	2013	5	14	18	17.867
SJRGPF-DS2	2013	5	14	17	17.867
SJRGPF-DS2	2013	5	14	16	17.867
SJRGPF-DS2	2013	5	14	15	17.867
SJRGPF-DS2	2013	5	14	14	17.891
SJRGPF-DS2	2013	5	14	13	17.891
SJRGPF-DS2	2013	5	14	12	17.796
SJRGPF-DS2	2013	5	14	11	17.772
SJRGPF-DS2	2013	5	14	10	17.701
SJRGPF-DS2	2013	5	14	9	17.677
SJRGPF-DS2	2013	5	14	8	17.629
SJRGPF-DS2	2013	5	14	7	17.605
SJRGPF-DS2	2013	5	14	6	17.582
SJRGPF-DS2	2013	5	14	5	17.582
SJRGPF-DS2	2013	5	14	4	17.605
SJRGPF-DS2	2013	5	14	3	17.558
SJRGPF-DS2	2013	5	14	2	17.558
SJRGPF-DS2	2013	5	14	1	17.582

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-DS2	2013	5	14	0	17.582
SJRGPF-DS2	2013	5	13	23	17.582
SJRGPF-DS2	2013	5	13	22	17.558
SJRGPF-DS2	2013	5	13	21	17.582
SJRGPF-DS2	2013	5	13	20	17.582
SJRGPF-DS2	2013	5	13	19	17.582
SJRGPF-DS2	2013	5	13	18	17.605
SJRGPF-DS2	2013	5	13	17	17.605
SJRGPF-DS2	2013	5	13	16	17.653
SJRGPF-DS2	2013	5	13	15	17.653
SJRGPF-DS2	2013	5	13	14	17.582
SJRGPF-DS2	2013	5	13	13	17.558
SJRGPF-DS2	2013	5	13	12	17.558
SJRGPF-DS2	2013	5	13	11	17.51
SJRGPF-DS2	2013	5	13	10	17.463
SJRGPF-DS2	2013	5	13	9	17.415
SJRGPF-DS2	2013	5	13	8	17.344
SJRGPF-DS2	2013	5	13	7	17.32
SJRGPF-DS2	2013	5	13	6	17.296
SJRGPF-DS2	2013	5	13	5	17.296
SJRGPF-DS2	2013	5	13	4	17.296
SJRGPF-DS2	2013	5	13	3	17.296
SJRGPF-DS2	2013	5	13	2	17.32
SJRGPF-DS2	2013	5	13	1	17.296
SJRGPF-DS2	2013	5	13	0	17.32
SJRGPF-DS2	2013	5	12	23	17.32
SJRGPF-DS2	2013	5	12	22	17.296
SJRGPF-DS2	2013	5	12	21	17.32
SJRGPF-DS2	2013	5	12	20	17.296
SJRGPF-DS2	2013	5	12	19	17.32
SJRGPF-DS2	2013	5	12	18	17.344
SJRGPF-DS2	2013	5	12	17	17.344
SJRGPF-DS2	2013	5	12	16	17.391
SJRGPF-DS2	2013	5	12	15	17.391
SJRGPF-DS2	2013	5	12	14	17.415
SJRGPF-DS2	2013	5	12	13	17.344
SJRGPF-DS2	2013	5	12	12	17.296
SJRGPF-DS2	2013	5	12	11	17.32
SJRGPF-DS2	2013	5	12	10	17.225
SJRGPF-DS2	2013	5	12	9	17.153
SJRGPF-DS2	2013	5	12	8	17.106
SJRGPF-DS2	2013	5	12	7	17.058
SJRGPF-DS2	2013	5	12	6	17.034
SJRGPF-DS2	2013	5	12	5	17.011

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-DS2	2013	5	12	4	17.011
SJRGPF-DS2	2013	5	12	3	17.011
SJRGPF-DS2	2013	5	12	2	17.034
SJRGPF-DS2	2013	5	12	1	17.011
SJRGPF-DS2	2013	5	12	0	17.011
SJRGPF-DS2	2013	5	11	23	16.963
SJRGPF-DS2	2013	5	11	22	17.011
SJRGPF-DS2	2013	5	11	21	16.987
SJRGPF-DS2	2013	5	11	20	17.011
SJRGPF-DS2	2013	5	11	19	17.011
SJRGPF-DS2	2013	5	11	18	17.058
SJRGPF-DS2	2013	5	11	17	17.082
SJRGPF-DS2	2013	5	11	16	17.13
SJRGPF-DS2	2013	5	11	15	17.153
SJRGPF-DS2	2013	5	11	14	17.13
SJRGPF-DS2	2013	5	11	13	17.082
SJRGPF-DS2	2013	5	11	12	17.058
SJRGPF-DS2	2013	5	11	11	17.011
SJRGPF-DS2	2013	5	11	10	17.034
SJRGPF-DS2	2013	5	11	9	16.868
SJRGPF-DS2	2013	5	11	8	16.773
SJRGPF-DS2	2013	5	11	7	16.725
SJRGPF-DS2	2013	5	11	6	16.725
SJRGPF-DS2	2013	5	11	5	16.701
SJRGPF-DS2	2013	5	11	4	16.725
SJRGPF-DS2	2013	5	11	3	16.725
SJRGPF-DS2	2013	5	11	2	16.701
SJRGPF-DS2	2013	5	11	1	16.701
SJRGPF-DS2	2013	5	11	0	16.701
SJRGPF-DS2	2013	5	10	23	16.725
SJRGPF-DS2	2013	5	10	22	16.725
SJRGPF-DS2	2013	5	10	21	16.725
SJRGPF-DS2	2013	5	10	20	16.749
SJRGPF-DS2	2013	5	10	19	16.749
SJRGPF-DS2	2013	5	10	18	16.773
SJRGPF-DS2	2013	5	10	17	16.796
SJRGPF-DS2	2013	5	10	16	16.796
SJRGPF-DS2	2013	5	10	15	16.844
SJRGPF-DS2	2013	5	10	14	16.868
SJRGPF-DS2	2013	5	10	13	16.82
SJRGPF-DS2	2013	5	10	12	16.749
SJRGPF-DS2	2013	5	10	11	16.677
SJRGPF-DS2	2013	5	10	10	16.654
SJRGPF-DS2	2013	5	10	9	16.558

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-DS2	2013	5	10	8	16.511
SJRGPF-DS2	2013	5	10	7	16.487
SJRGPF-DS2	2013	5	10	6	16.439
SJRGPF-DS2	2013	5	10	5	16.463
SJRGPF-DS2	2013	5	10	4	16.439
SJRGPF-DS2	2013	5	10	3	16.463
SJRGPF-DS2	2013	5	10	2	16.511
SJRGPF-DS2	2013	5	10	1	16.415
SJRGPF-DS2	2013	5	10	0	16.463
SJRGPF-DS2	2013	5	9	23	16.463
SJRGPF-DS2	2013	5	9	22	16.463
SJRGPF-DS2	2013	5	9	21	16.487
SJRGPF-DS2	2013	5	9	20	16.463
SJRGPF-DS2	2013	5	9	19	16.487
SJRGPF-DS2	2013	5	9	18	16.534
SJRGPF-DS2	2013	5	9	17	16.558
SJRGPF-DS2	2013	5	9	16	16.511
SJRGPF-DS2	2013	5	9	15	16.606
SJRGPF-DS2	2013	5	9	14	16.606
SJRGPF-DS2	2013	5	9	13	16.511
SJRGPF-DS2	2013	5	9	12	16.463
SJRGPF-DS2	2013	5	9	11	16.415
SJRGPF-DS2	2013	5	9	10	16.344
SJRGPF-DS2	2013	5	9	9	16.272
SJRGPF-DS2	2013	5	9	8	16.225
SJRGPF-DS2	2013	5	9	7	16.177
SJRGPF-DS2	2013	5	9	6	16.106
SJRGPF-DS2	2013	5	9	5	16.082
SJRGPF-DS2	2013	5	9	4	16.106
SJRGPF-DS2	2013	5	9	3	16.129
SJRGPF-DS2	2013	5	9	2	16.082
SJRGPF-DS2	2013	5	9	1	16.082
SJRGPF-DS2	2013	5	9	0	16.153
SJRGPF-DS2	2013	5	8	23	16.106
SJRGPF-DS2	2013	5	8	22	16.129
SJRGPF-DS2	2013	5	8	21	16.153
SJRGPF-DS2	2013	5	8	20	16.106
SJRGPF-DS2	2013	5	8	19	16.153
SJRGPF-DS2	2013	5	8	18	16.225
SJRGPF-DS2	2013	5	8	17	16.201
SJRGPF-DS2	2013	5	8	16	16.201
SJRGPF-DS2	2013	5	8	15	16.249
SJRGPF-DS2	2013	5	8	14	16.225
SJRGPF-DS2	2013	5	8	13	16.106

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-DS2	2013	5	8	12	16.153
SJRGPF-DS2	2013	5	8	11	16.058
SJRGPF-DS2	2013	5	8	10	15.963
SJRGPF-DS2	2013	5	8	9	15.939
SJRGPF-DS2	2013	5	8	8	15.891
SJRGPF-DS2	2013	5	8	7	15.843
SJRGPF-DS2	2013	5	8	6	15.819
SJRGPF-DS2	2013	5	8	5	15.843
SJRGPF-DS2	2013	5	8	4	15.819
SJRGPF-DS2	2013	5	8	3	15.819
SJRGPF-DS2	2013	5	8	2	15.819
SJRGPF-DS2	2013	5	8	1	15.796
SJRGPF-DS2	2013	5	8	0	15.843
SJRGPF-DS2	2013	5	7	23	15.843
SJRGPF-DS2	2013	5	7	22	15.819
SJRGPF-DS2	2013	5	7	21	15.867
SJRGPF-DS2	2013	5	7	20	15.819
SJRGPF-DS2	2013	5	7	19	15.819
SJRGPF-DS2	2013	5	7	18	15.867
SJRGPF-DS2	2013	5	7	17	15.891
SJRGPF-DS2	2013	5	7	16	15.867
SJRGPF-DS2	2013	5	7	15	15.891
SJRGPF-DS2	2013	5	7	14	15.891
SJRGPF-DS2	2013	5	7	13	15.867
SJRGPF-DS2	2013	5	7	12	15.843
SJRGPF-DS2	2013	5	7	11	15.772
SJRGPF-DS2	2013	5	7	10	15.819
SJRGPF-DS2	2013	5	7	9	15.772
SJRGPF-DS2	2013	5	7	8	15.724
SJRGPF-DS2	2013	5	7	7	15.676
SJRGPF-DS2	2013	5	7	6	15.676
SJRGPF-DS2	2013	5	7	5	15.652
SJRGPF-DS2	2013	5	7	4	15.676
SJRGPF-DS2	2013	5	7	3	15.676
SJRGPF-DS2	2013	5	7	2	15.652
SJRGPF-DS2	2013	5	7	1	15.676
SJRGPF-DS2	2013	5	7	0	15.652
SJRGPF-DS2	2013	5	6	23	15.629
SJRGPF-DS2	2013	5	6	22	15.652
SJRGPF-DS2	2013	5	6	21	15.7
SJRGPF-DS2	2013	5	6	20	15.676
SJRGPF-DS2	2013	5	6	19	15.7
SJRGPF-DS2	2013	5	6	18	15.7
SJRGPF-DS2	2013	5	6	17	15.748

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-DS2	2013	5	6	16	15.724
SJRGPF-DS2	2013	5	6	15	15.748
SJRGPF-DS2	2013	5	6	14	15.843
SJRGPF-DS2	2013	5	6	13	15.843
SJRGPF-DS2	2013	5	6	12	15.843
SJRGPF-DS2	2013	5	6	11	15.7
SJRGPF-DS2	2013	5	6	10	15.629
SJRGPF-DS2	2013	5	6	9	15.605
SJRGPF-DS2	2013	5	6	8	15.533
SJRGPF-DS2	2013	5	6	7	15.461
SJRGPF-DS2	2013	5	6	6	15.438
SJRGPF-DS2	2013	5	6	5	15.438
SJRGPF-DS2	2013	5	6	4	15.414
SJRGPF-DS2	2013	5	6	3	15.414
SJRGPF-DS2	2013	5	6	2	15.438
SJRGPF-DS2	2013	5	6	1	15.39
SJRGPF-DS2	2013	5	6	0	15.39
SJRGPF-DS2	2013	5	5	23	15.39
SJRGPF-DS2	2013	5	5	22	15.438
SJRGPF-DS2	2013	5	5	21	15.39
SJRGPF-DS2	2013	5	5	20	15.318
SJRGPF-DS2	2013	5	5	19	15.39
SJRGPF-DS2	2013	5	5	18	15.438
SJRGPF-DS2	2013	5	5	17	15.485
SJRGPF-DS2	2013	5	5	16	15.39
SJRGPF-DS2	2013	5	5	15	15.533
SJRGPF-DS2	2013	5	5	14	15.605
SJRGPF-DS2	2013	5	5	13	15.581
SJRGPF-DS2	2013	5	5	12	15.414
SJRGPF-DS2	2013	5	5	11	15.342
SJRGPF-DS2	2013	5	5	10	15.151
SJRGPF-DS2	2013	5	5	9	14.984
SJRGPF-DS2	2013	5	5	8	14.96
SJRGPF-DS2	2013	5	5	7	14.888
SJRGPF-DS2	2013	5	5	6	14.864
SJRGPF-DS2	2013	5	5	5	14.84
SJRGPF-DS2	2013	5	5	4	14.864
SJRGPF-DS2	2013	5	5	3	14.84
SJRGPF-DS2	2013	5	5	2	14.864
SJRGPF-DS2	2013	5	5	1	14.936
SJRGPF-DS2	2013	5	5	0	14.864
SJRGPF-DS2	2013	5	4	23	14.84
SJRGPF-DS2	2013	5	4	22	14.864
SJRGPF-DS2	2013	5	4	21	14.864

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-DS2	2013	5	4	20	14.84
SJRGPF-DS2	2013	5	4	19	14.888
SJRGPF-DS2	2013	5	4	18	14.888
SJRGPF-DS2	2013	5	4	17	14.912
SJRGPF-DS2	2013	5	4	16	14.936
SJRGPF-DS2	2013	5	4	15	14.912
SJRGPF-DS2	2013	5	4	14	14.888
SJRGPF-DS2	2013	5	4	13	14.816
SJRGPF-DS2	2013	5	4	12	14.792
SJRGPF-DS2	2013	5	4	11	14.888
SJRGPF-DS2	2013	5	4	10	14.792
SJRGPF-DS2	2013	5	4	9	14.721
SJRGPF-DS2	2013	5	4	8	14.553
SJRGPF-DS2	2013	5	4	7	14.385
SJRGPF-DS2	2013	5	4	6	14.29
SJRGPF-DS2	2013	5	4	5	14.314
SJRGPF-DS2	2013	5	4	4	14.266
SJRGPF-DS2	2013	5	4	3	14.266
SJRGPF-DS2	2013	5	4	2	14.266
SJRGPF-DS2	2013	5	4	1	14.242
SJRGPF-DS2	2013	5	4	0	14.266
SJRGPF-DS2	2013	5	3	23	14.266
SJRGPF-DS2	2013	5	3	22	14.242
SJRGPF-DS2	2013	5	3	21	14.242
SJRGPF-DS2	2013	5	3	20	14.266
SJRGPF-DS2	2013	5	3	19	14.266
SJRGPF-DS2	2013	5	3	18	14.29
SJRGPF-DS2	2013	5	3	17	14.337
SJRGPF-DS2	2013	5	3	16	14.361
SJRGPF-DS2	2013	5	3	15	14.314
SJRGPF-DS2	2013	5	3	14	14.337
SJRGPF-DS2	2013	5	3	13	14.242
SJRGPF-DS2	2013	5	3	12	14.242
SJRGPF-DS2	2013	5	3	11	14.194
SJRGPF-DS2	2013	5	3	10	14.242
SJRGPF-DS2	2013	5	3	9	14.074
SJRGPF-DS2	2013	5	3	8	14.05
SJRGPF-DS2	2013	5	3	7	14.026
SJRGPF-DS2	2013	5	3	6	13.978
SJRGPF-DS2	2013	5	3	5	13.978
SJRGPF-DS2	2013	5	3	4	13.738
SJRGPF-DS2	2013	5	3	3	13.882
SJRGPF-DS2	2013	5	3	2	13.906
SJRGPF-DS2	2013	5	3	1	13.69

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-DS2	2013	5	3	0	13.738
SJRGPF-DS2	2013	5	2	23	13.858
SJRGPF-DS2	2013	5	2	22	13.738
SJRGPF-DS2	2013	5	2	21	13.69
SJRGPF-DS2	2013	5	2	20	13.666
SJRGPF-DS2	2013	5	2	19	13.69
SJRGPF-DS2	2013	5	2	18	13.762
SJRGPF-DS2	2013	5	2	17	13.906
SJRGPF-DS2	2013	5	2	16	13.762
SJRGPF-DS2	2013	5	2	15	13.858
SJRGPF-DS2	2013	5	2	14	13.738
SJRGPF-DS2	2013	5	2	13	13.786
SJRGPF-DS2	2013	5	2	12	13.69
SJRGPF-DS2	2013	5	2	11	13.618
SJRGPF-DS2	2013	5	2	10	13.57
SJRGPF-DS2	2013	5	2	9	13.522
SJRGPF-DS2	2013	5	2	8	13.522
SJRGPF-DS2	2013	5	2	7	13.522
SJRGPF-DS2	2013	5	2	6	13.546
SJRGPF-DS2	2013	5	2	5	13.57
SJRGPF-DS2	2013	5	2	4	13.594
SJRGPF-DS2	2013	5	2	3	13.522
SJRGPF-DS2	2013	5	2	2	13.642
SJRGPF-DS2	2013	5	2	1	13.642
SJRGPF-DS2	2013	5	2	0	13.618
SJRGPF-DS2	2013	5	1	23	13.642
SJRGPF-DS2	2013	5	1	22	13.594
SJRGPF-DS2	2013	5	1	21	13.594
SJRGPF-DS2	2013	5	1	20	13.57
SJRGPF-DS2	2013	5	1	19	13.522
SJRGPF-DS2	2013	5	1	18	13.377
SJRGPF-DS2	2013	5	1	17	13.473
SJRGPF-DS2	2013	5	1	16	13.497
SJRGPF-DS2	2013	5	1	15	13.425
SJRGPF-DS2	2013	5	1	14	13.401
SJRGPF-DS2	2013	5	1	13	13.377
SJRGPF-DS2	2013	5	1	12	13.353
SJRGPF-DS2	2013	5	1	11	13.305
SJRGPF-DS2	2013	5	1	10	13.305
SJRGPF-DS2	2013	5	1	9	13.281
SJRGPF-DS2	2013	5	1	8	13.329
SJRGPF-DS2	2013	5	1	7	13.425
SJRGPF-DS2	2013	5	1	6	13.522
SJRGPF-DS2	2013	5	1	5	13.618

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-DS2	2013	5	1	4	13.666
SJRGPF-DS2	2013	5	1	3	13.738
SJRGPF-DS2	2013	5	1	2	13.786
SJRGPF-DS2	2013	5	1	1	13.81
SJRGPF-DS2	2013	5	1	0	13.834
SJRGPF-DS2	2013	4	30	23	13.858
SJRGPF-DS2	2013	4	30	22	13.858
SJRGPF-DS2	2013	4	30	21	13.834
SJRGPF-DS2	2013	4	30	20	13.834
SJRGPF-DS2	2013	4	30	19	13.858
SJRGPF-DS2	2013	4	30	18	13.858
SJRGPF-DS2	2013	4	30	17	13.858
SJRGPF-DS2	2013	4	30	16	13.81
SJRGPF-DS2	2013	4	30	15	13.714
SJRGPF-DS2	2013	4	30	14	13.666
SJRGPF-DS2	2013	4	30	13	13.618
SJRGPF-DS2	2013	4	30	12	13.546
SJRGPF-DS2	2013	4	30	11	13.57
SJRGPF-DS2	2013	4	30	10	13.546
SJRGPF-DS2	2013	4	30	9	13.546
SJRGPF-DS2	2013	4	30	8	13.522
SJRGPF-DS2	2013	4	30	7	13.69
SJRGPF-DS2	2013	4	30	6	13.786
SJRGPF-DS2	2013	4	30	5	13.858
SJRGPF-DS2	2013	4	30	4	13.858
SJRGPF-DS2	2013	4	30	3	13.906
SJRGPF-DS2	2013	4	30	2	13.93
SJRGPF-DS2	2013	4	30	1	13.93
SJRGPF-DS2	2013	4	30	0	13.858
SJRGPF-DS2	2013	4	29	23	13.714
SJRGPF-DS2	2013	4	29	22	13.882
SJRGPF-DS2	2013	4	29	21	13.834
SJRGPF-DS2	2013	4	29	20	13.594
SJRGPF-DS2	2013	4	29	19	13.834
SJRGPF-DS2	2013	4	29	18	13.762
SJRGPF-DS2	2013	4	29	17	13.786
SJRGPF-DS2	2013	4	29	16	13.69
SJRGPF-DS2	2013	4	29	15	13.666
SJRGPF-DS2	2013	4	29	14	13.594
SJRGPF-DS2	2013	4	29	13	13.522
SJRGPF-DS2	2013	4	29	12	13.473
SJRGPF-DS2	2013	4	29	11	13.473
SJRGPF-DS2	2013	4	29	10	13.425
SJRGPF-DS2	2013	4	29	9	13.473

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-DS2	2013	4	29	8	13.522
SJRGPF-DS2	2013	4	29	7	13.57
SJRGPF-DS2	2013	4	29	6	13.642
SJRGPF-DS2	2013	4	29	5	13.69
SJRGPF-DS2	2013	4	29	4	13.714
SJRGPF-DS2	2013	4	29	3	13.762
SJRGPF-DS2	2013	4	29	2	13.762
SJRGPF-DS2	2013	4	29	1	13.57
SJRGPF-DS2	2013	4	29	0	13.57
SJRGPF-DS2	2013	4	28	23	13.762
SJRGPF-DS2	2013	4	28	22	13.594
SJRGPF-DS2	2013	4	28	21	13.522
SJRGPF-DS2	2013	4	28	20	13.594
SJRGPF-DS2	2013	4	28	19	13.594
SJRGPF-DS2	2013	4	28	18	13.57
SJRGPF-DS2	2013	4	28	17	13.57
SJRGPF-DS2	2013	4	28	16	13.546
SJRGPF-DS2	2013	4	28	15	13.497
SJRGPF-DS2	2013	4	28	14	13.425
SJRGPF-DS2	2013	4	28	13	13.377
SJRGPF-DS2	2013	4	28	12	13.329
SJRGPF-DS2	2013	4	28	11	13.281
SJRGPF-DS2	2013	4	28	10	13.209
SJRGPF-DS2	2013	4	28	9	13.233
SJRGPF-DS2	2013	4	28	8	13.233
SJRGPF-DS2	2013	4	28	7	13.329
SJRGPF-DS2	2013	4	28	6	13.377
SJRGPF-DS2	2013	4	28	5	13.401
SJRGPF-DS2	2013	4	28	4	13.377
SJRGPF-DS2	2013	4	28	3	13.401
SJRGPF-DS2	2013	4	28	2	13.449
SJRGPF-DS2	2013	4	28	1	13.449
SJRGPF-DS2	2013	4	28	0	13.473
SJRGPF-DS2	2013	4	27	23	13.161
SJRGPF-DS2	2013	4	27	22	13.473
SJRGPF-DS2	2013	4	27	21	13.353
SJRGPF-DS2	2013	4	27	20	13.401
SJRGPF-DS2	2013	4	27	19	13.233
SJRGPF-DS2	2013	4	27	18	13.233
SJRGPF-DS2	2013	4	27	17	13.088
SJRGPF-DS2	2013	4	27	16	13.161
SJRGPF-DS2	2013	4	27	15	13.185
SJRGPF-DS2	2013	4	27	14	13.137
SJRGPF-DS2	2013	4	27	13	13.112

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-DS2	2013	4	27	12	13.016
SJRGPF-DS2	2013	4	27	11	12.992
SJRGPF-DS2	2013	4	27	10	12.992
SJRGPF-DS2	2013	4	27	9	12.992
SJRGPF-DS2	2013	4	27	8	13.04
SJRGPF-DS2	2013	4	27	7	13.112
SJRGPF-DS2	2013	4	27	6	13.185
SJRGPF-DS2	2013	4	27	5	13.257
SJRGPF-DS2	2013	4	27	4	13.281
SJRGPF-DS2	2013	4	27	3	13.209
SJRGPF-DS2	2013	4	27	2	13.305
SJRGPF-DS2	2013	4	27	1	13.329
SJRGPF-DS2	2013	4	27	0	13.185
SJRGPF-DS2	2013	4	26	23	13.209
SJRGPF-DS2	2013	4	26	22	13.281
SJRGPF-DS2	2013	4	26	21	13.137
SJRGPF-DS2	2013	4	26	20	13.064
SJRGPF-DS2	2013	4	26	19	13.064
SJRGPF-DS2	2013	4	26	18	13.233
SJRGPF-DS2	2013	4	26	17	13.112
SJRGPF-DS2	2013	4	26	16	13.137
SJRGPF-DS2	2013	4	26	15	13.088
SJRGPF-DS2	2013	4	26	14	13.016
SJRGPF-DS2	2013	4	26	13	12.992
SJRGPF-DS2	2013	4	26	12	12.92
SJRGPF-DS2	2013	4	26	11	12.896
SJRGPF-DS2	2013	4	26	10	12.896
SJRGPF-DS2	2013	4	26	9	12.871
SJRGPF-DS2	2013	4	26	8	12.944
SJRGPF-DS2	2013	4	26	7	13.04
SJRGPF-DS2	2013	4	26	6	13.112
SJRGPF-DS2	2013	4	26	5	13.185
SJRGPF-DS2	2013	4	26	4	13.233
SJRGPF-DS2	2013	4	26	3	13.257
SJRGPF-DS2	2013	4	26	2	13.281
SJRGPF-DS2	2013	4	26	1	13.233
SJRGPF-DS2	2013	4	26	0	13.281
SJRGPF-DS2	2013	4	25	23	13.305
SJRGPF-DS2	2013	4	25	22	13.185
SJRGPF-DS2	2013	4	25	21	13.257
SJRGPF-DS2	2013	4	25	20	13.112
SJRGPF-DS2	2013	4	25	19	13.209
SJRGPF-DS2	2013	4	25	18	13.137
SJRGPF-DS2	2013	4	25	17	13.185

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-DS2	2013	4	25	16	13.137
SJRGPF-DS2	2013	4	25	15	13.112
SJRGPF-DS2	2013	4	25	14	13.088
SJRGPF-DS2	2013	4	25	13	13.04
SJRGPF-DS2	2013	4	25	12	12.992
SJRGPF-DS2	2013	4	25	11	12.944
SJRGPF-DS2	2013	4	25	10	12.968
SJRGPF-DS2	2013	4	25	9	12.968
SJRGPF-DS2	2013	4	25	8	12.992
SJRGPF-DS2	2013	4	25	7	13.064
SJRGPF-DS2	2013	4	25	6	13.137
SJRGPF-DS2	2013	4	25	5	13.233
SJRGPF-DS2	2013	4	25	4	13.257
SJRGPF-DS2	2013	4	25	3	13.305
SJRGPF-DS2	2013	4	25	2	13.305
SJRGPF-DS2	2013	4	25	1	13.305
SJRGPF-DS2	2013	4	25	0	13.161
SJRGPF-DS2	2013	4	24	23	13.257
SJRGPF-DS2	2013	4	24	22	13.137
SJRGPF-DS2	2013	4	24	21	13.064
SJRGPF-DS2	2013	4	24	20	13.064
SJRGPF-DS2	2013	4	24	19	13.185
SJRGPF-DS2	2013	4	24	18	13.233
SJRGPF-DS2	2013	4	24	17	13.185
SJRGPF-DS2	2013	4	24	16	13.137
SJRGPF-DS2	2013	4	24	15	13.04
SJRGPF-DS2	2013	4	24	14	13.04
SJRGPF-DS2	2013	4	24	13	12.992
SJRGPF-DS2	2013	4	24	12	12.896
SJRGPF-DS2	2013	4	24	11	12.896
SJRGPF-DS2	2013	4	24	10	12.896
SJRGPF-DS2	2013	4	24	9	12.871
SJRGPF-DS2	2013	4	24	8	12.92
SJRGPF-DS2	2013	4	24	7	12.992
SJRGPF-DS2	2013	4	24	6	13.064
SJRGPF-DS2	2013	4	24	5	13.161
SJRGPF-DS2	2013	4	24	4	13.209
SJRGPF-DS2	2013	4	24	3	13.233
SJRGPF-DS2	2013	4	24	2	13.233
SJRGPF-DS2	2013	4	24	1	13.257
SJRGPF-DS2	2013	4	24	0	13.233
SJRGPF-DS2	2013	4	23	23	13.161
SJRGPF-DS2	2013	4	23	22	13.233
SJRGPF-DS2	2013	4	23	21	13.088

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-DS2	2013	4	23	20	13.016
SJRGPF-DS2	2013	4	23	19	13.064
SJRGPF-DS2	2013	4	23	18	13.161
SJRGPF-DS2	2013	4	23	17	13.161
SJRGPF-DS2	2013	4	23	16	13.137
SJRGPF-DS2	2013	4	23	15	13.088
SJRGPF-DS2	2013	4	23	14	13.016
SJRGPF-DS2	2013	4	23	13	12.968
SJRGPF-DS2	2013	4	23	12	12.92
SJRGPF-DS2	2013	4	23	11	12.896
SJRGPF-DS2	2013	4	23	10	12.896
SJRGPF-DS2	2013	4	23	9	12.896
SJRGPF-DS2	2013	4	23	8	12.944
SJRGPF-DS2	2013	4	23	7	13.04
SJRGPF-DS2	2013	4	23	6	13.112
SJRGPF-DS2	2013	4	23	5	13.209
SJRGPF-DS2	2013	4	23	4	13.233
SJRGPF-DS2	2013	4	23	3	13.281
SJRGPF-DS2	2013	4	23	2	13.281
SJRGPF-DS2	2013	4	23	1	13.281
SJRGPF-DS2	2013	4	23	0	13.233
SJRGPF-DS2	2013	4	22	23	13.064
SJRGPF-DS2	2013	4	22	22	13.064
SJRGPF-DS2	2013	4	22	21	12.992
SJRGPF-DS2	2013	4	22	20	13.064
SJRGPF-DS2	2013	4	22	19	12.992
SJRGPF-DS2	2013	4	22	18	13.233
SJRGPF-DS2	2013	4	22	17	13.112
SJRGPF-DS2	2013	4	22	16	13.04
SJRGPF-DS2	2013	4	22	15	12.992
SJRGPF-DS2	2013	4	22	14	12.896
SJRGPF-DS2	2013	4	22	13	12.871
SJRGPF-DS2	2013	4	22	12	12.799
SJRGPF-DS2	2013	4	22	11	12.751
SJRGPF-DS2	2013	4	22	10	12.751
SJRGPF-DS2	2013	4	22	9	12.799
SJRGPF-DS2	2013	4	22	8	12.823
SJRGPF-DS2	2013	4	22	7	12.896
SJRGPF-DS2	2013	4	22	6	12.968
SJRGPF-DS2	2013	4	22	5	13.04
SJRGPF-DS2	2013	4	22	4	13.064
SJRGPF-DS2	2013	4	22	3	13.112
SJRGPF-DS2	2013	4	22	2	12.944
SJRGPF-DS2	2013	4	22	1	13.112

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-DS2	2013	4	22	0	12.944
SJRGPF-DS2	2013	4	21	23	13.112
SJRGPF-DS2	2013	4	21	22	12.992
SJRGPF-DS2	2013	4	21	21	13.064
SJRGPF-DS2	2013	4	21	20	12.678
SJRGPF-DS2	2013	4	21	19	12.678
SJRGPF-DS2	2013	4	21	18	12.92
SJRGPF-DS2	2013	4	21	17	12.871
SJRGPF-DS2	2013	4	21	16	12.775
SJRGPF-DS2	2013	4	21	15	12.775
SJRGPF-DS2	2013	4	21	14	12.751
SJRGPF-DS2	2013	4	21	13	12.678
SJRGPF-DS2	2013	4	21	12	12.582
SJRGPF-DS2	2013	4	21	11	12.606
SJRGPF-DS2	2013	4	21	10	12.558
SJRGPF-DS2	2013	4	21	9	12.534
SJRGPF-DS2	2013	4	21	8	12.582
SJRGPF-DS2	2013	4	21	7	12.63
SJRGPF-DS2	2013	4	21	6	12.751
SJRGPF-DS2	2013	4	21	5	12.654
SJRGPF-DS2	2013	4	21	4	12.847
SJRGPF-DS2	2013	4	21	3	12.871
SJRGPF-DS2	2013	4	21	2	12.871
SJRGPF-DS2	2013	4	21	1	12.896
SJRGPF-DS2	2013	4	21	0	12.485
SJRGPF-DS2	2013	4	20	23	12.654
SJRGPF-DS2	2013	4	20	22	12.413
SJRGPF-DS2	2013	4	20	21	12.437
SJRGPF-DS2	2013	4	20	20	12.413
SJRGPF-DS2	2013	4	20	19	12.389
SJRGPF-DS2	2013	4	20	18	12.678
SJRGPF-DS2	2013	4	20	17	12.558
SJRGPF-DS2	2013	4	20	16	12.558
SJRGPF-DS2	2013	4	20	15	12.509
SJRGPF-DS2	2013	4	20	14	12.34
SJRGPF-DS2	2013	4	20	13	12.364
SJRGPF-DS2	2013	4	20	12	12.34
SJRGPF-DS2	2013	4	20	11	12.292
SJRGPF-DS2	2013	4	20	10	12.219
SJRGPF-DS2	2013	4	20	9	12.195
SJRGPF-DS2	2013	4	20	8	12.268
SJRGPF-DS2	2013	4	20	7	12.34
SJRGPF-DS2	2013	4	20	6	12.268
SJRGPF-DS2	2013	4	20	5	12.195

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-DS2	2013	4	20	4	12.461
SJRGPF-DS2	2013	4	20	3	12.485
SJRGPF-DS2	2013	4	20	2	12.389
SJRGPF-DS2	2013	4	20	1	12.485
SJRGPF-DS2	2013	4	20	0	12.122
SJRGPF-DS2	2013	4	19	23	12.34
SJRGPF-DS2	2013	4	19	22	12.437
SJRGPF-DS2	2013	4	19	21	12.437
SJRGPF-DS2	2013	4	19	20	12.001
SJRGPF-DS2	2013	4	19	19	12.243
SJRGPF-DS2	2013	4	19	18	12.219
SJRGPF-DS2	2013	4	19	17	12.219
SJRGPF-DS2	2013	4	19	16	12.171
SJRGPF-DS2	2013	4	19	15	12.074
SJRGPF-DS2	2013	4	19	14	12.05
SJRGPF-DS2	2013	4	19	13	11.953
SJRGPF-DS2	2013	4	19	12	11.953
SJRGPF-DS2	2013	4	19	11	11.904
SJRGPF-DS2	2013	4	19	10	11.88
SJRGPF-DS2	2013	4	19	9	11.88
SJRGPF-DS2	2013	4	19	8	11.904
SJRGPF-DS2	2013	4	19	7	11.953
SJRGPF-DS2	2013	4	19	6	12.001
SJRGPF-DS2	2013	4	19	5	12.025
SJRGPF-DS2	2013	4	19	4	12.05
SJRGPF-DS2	2013	4	19	3	12.074
SJRGPF-DS2	2013	4	19	2	12.098
SJRGPF-DS2	2013	4	19	1	12.05
SJRGPF-DS2	2013	4	19	0	12.074
SJRGPF-DS2	2013	4	18	23	12.074
SJRGPF-DS2	2013	4	18	22	11.856
SJRGPF-DS2	2013	4	18	21	12.025
SJRGPF-DS2	2013	4	18	20	11.856
SJRGPF-DS2	2013	4	18	19	11.977
SJRGPF-DS2	2013	4	18	18	11.88
SJRGPF-DS2	2013	4	18	17	11.856
SJRGPF-DS2	2013	4	18	16	11.832
SJRGPF-DS2	2013	4	18	15	11.71
SJRGPF-DS2	2013	4	18	14	11.662
SJRGPF-DS2	2013	4	18	13	11.662
SJRGPF-DS2	2013	4	18	12	11.516
SJRGPF-DS2	2013	4	18	11	11.467
SJRGPF-DS2	2013	4	18	10	11.419
SJRGPF-DS2	2013	4	18	9	11.394

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-DS2	2013	4	18	8	11.492
SJRGPF-DS2	2013	4	18	7	11.565
SJRGPF-DS2	2013	4	18	6	11.613
SJRGPF-DS2	2013	4	18	5	11.662
SJRGPF-DS2	2013	4	18	4	11.71
SJRGPF-DS2	2013	4	18	3	11.71
SJRGPF-DS2	2013	4	18	2	11.71
SJRGPF-DS2	2013	4	18	1	11.759
SJRGPF-DS2	2013	4	18	0	11.516
SJRGPF-DS2	2013	4	17	23	11.734
SJRGPF-DS2	2013	4	17	22	11.686
SJRGPF-DS2	2013	4	17	21	11.759
SJRGPF-DS2	2013	4	17	20	11.346
SJRGPF-DS2	2013	4	17	19	11.613
SJRGPF-DS2	2013	4	17	18	11.637
SJRGPF-DS2	2013	4	17	17	11.54
SJRGPF-DS2	2013	4	17	16	11.54
SJRGPF-DS2	2013	4	17	15	11.394
SJRGPF-DS2	2013	4	17	14	11.346
SJRGPF-DS2	2013	4	17	13	11.248
SJRGPF-DS2	2013	4	17	12	11.151
SJRGPF-DS2	2013	4	17	11	11.273
SJRGPF-DS2	2013	4	17	10	11.175
SJRGPF-DS2	2013	4	17	9	11.224
SJRGPF-DS2	2013	4	17	8	11.321
SJRGPF-DS2	2013	4	17	7	11.346
SJRGPF-DS2	2013	4	17	6	11.516
SJRGPF-DS2	2013	4	17	5	11.637
SJRGPF-DS2	2013	4	17	4	11.637
SJRGPF-DS2	2013	4	17	3	11.734
SJRGPF-DS2	2013	4	17	2	11.783
SJRGPF-DS2	2013	4	17	1	11.856
SJRGPF-DS2	2013	4	17	0	11.88
SJRGPF-DS2	2013	4	16	23	11.88
SJRGPF-DS2	2013	4	16	22	11.904
SJRGPF-DS2	2013	4	16	21	11.856
SJRGPF-DS2	2013	4	16	20	11.88
SJRGPF-DS2	2013	4	16	19	11.929
SJRGPF-DS2	2013	4	16	18	11.832
SJRGPF-DS2	2013	4	16	17	11.88
SJRGPF-DS2	2013	4	16	16	11.832
SJRGPF-DS2	2013	4	16	15	11.759
SJRGPF-DS2	2013	4	16	14	11.662
SJRGPF-DS2	2013	4	16	13	11.54

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-DS2	2013	4	16	12	11.516
SJRGPF-DS2	2013	4	16	11	11.565
SJRGPF-DS2	2013	4	16	10	11.443
SJRGPF-DS2	2013	4	16	9	11.54
SJRGPF-DS2	2013	4	16	8	11.565
SJRGPF-DS2	2013	4	16	7	11.807
SJRGPF-DS2	2013	4	16	6	11.904
SJRGPF-DS2	2013	4	16	5	11.977
SJRGPF-DS2	2013	4	16	4	12.098
SJRGPF-DS2	2013	4	16	3	12.122
SJRGPF-DS2	2013	4	16	2	12.243
SJRGPF-DS2	2013	4	16	1	12.268
SJRGPF-DS2	2013	4	16	0	12.292
SJRGPF-DS2	2013	4	15	23	12.364
SJRGPF-DS2	2013	4	15	22	12.389
SJRGPF-DS2	2013	4	15	21	12.389
SJRGPF-DS2	2013	4	15	20	12.461
SJRGPF-DS2	2013	4	15	19	12.461
SJRGPF-DS2	2013	4	15	18	12.389
SJRGPF-DS2	2013	4	15	17	12.389
SJRGPF-DS2	2013	4	15	16	12.364
SJRGPF-DS2	2013	4	15	15	12.292
SJRGPF-DS2	2013	4	15	14	12.171
SJRGPF-DS2	2013	4	15	13	12.195
SJRGPF-DS2	2013	4	15	12	12.122
SJRGPF-DS2	2013	4	15	11	12.05
SJRGPF-DS2	2013	4	15	10	12.025
SJRGPF-DS2	2013	4	15	9	12.05
SJRGPF-DS2	2013	4	15	8	12.074
SJRGPF-DS2	2013	4	15	7	12.147
SJRGPF-DS2	2013	4	15	6	12.316
SJRGPF-DS2	2013	4	15	5	12.413
SJRGPF-DS2	2013	4	15	4	12.485
SJRGPF-DS2	2013	4	15	3	12.558
SJRGPF-DS2	2013	4	15	2	12.63
SJRGPF-DS2	2013	4	15	1	12.654
SJRGPF-DS2	2013	4	15	0	12.703
SJRGPF-DS2	2013	4	14	23	12.751
SJRGPF-DS2	2013	4	14	22	12.703
SJRGPF-DS2	2013	4	14	21	12.63
SJRGPF-DS2	2013	4	14	20	12.654
SJRGPF-DS2	2013	4	14	19	12.63
SJRGPF-DS2	2013	4	14	18	12.703
SJRGPF-DS2	2013	4	14	17	12.703

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-DS2	2013	4	14	16	12.558
SJRGPF-DS2	2013	4	14	15	12.558
SJRGPF-DS2	2013	4	14	14	12.413
SJRGPF-DS2	2013	4	14	13	12.34
SJRGPF-DS2	2013	4	14	12	12.292
SJRGPF-DS2	2013	4	14	11	12.268
SJRGPF-DS2	2013	4	14	10	12.219
SJRGPF-DS2	2013	4	14	9	12.292
SJRGPF-DS2	2013	4	14	8	12.364
SJRGPF-DS2	2013	4	14	7	12.485
SJRGPF-DS2	2013	4	14	6	12.582
SJRGPF-DS2	2013	4	14	5	12.678
SJRGPF-DS2	2013	4	14	4	12.775
SJRGPF-DS2	2013	4	14	3	12.847
SJRGPF-DS2	2013	4	14	2	12.896
SJRGPF-DS2	2013	4	14	1	12.968
SJRGPF-DS2	2013	4	14	0	12.992
SJRGPF-DS2	2013	4	13	23	12.992
SJRGPF-DS2	2013	4	13	22	13.016
SJRGPF-DS2	2013	4	13	21	13.016
SJRGPF-DS2	2013	4	13	20	13.016
SJRGPF-DS2	2013	4	13	19	12.992
SJRGPF-DS2	2013	4	13	18	12.992
SJRGPF-DS2	2013	4	13	17	13.016
SJRGPF-DS2	2013	4	13	16	12.92
SJRGPF-DS2	2013	4	13	15	12.871
SJRGPF-DS2	2013	4	13	14	12.871
SJRGPF-DS2	2013	4	13	13	12.847
SJRGPF-DS2	2013	4	13	12	12.823
SJRGPF-DS2	2013	4	13	11	12.847
SJRGPF-DS2	2013	4	13	10	12.847
SJRGPF-DS2	2013	4	13	9	12.992
SJRGPF-DS2	2013	4	13	8	13.04
SJRGPF-DS2	2013	4	13	7	13.233
SJRGPF-DS2	2013	4	13	6	13.377
SJRGPF-DS2	2013	4	13	5	13.449
SJRGPF-DS2	2013	4	13	4	13.618
SJRGPF-DS2	2013	4	13	3	13.714
SJRGPF-DS2	2013	4	13	2	13.81
SJRGPF-DS2	2013	4	13	1	13.738
SJRGPF-DS2	2013	4	13	0	13.906
SJRGPF-DS2	2013	4	12	23	13.497
SJRGPF-DS2	2013	4	12	22	13.522
SJRGPF-DS2	2013	4	12	21	13.473

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-DS2	2013	4	12	20	13.786
SJRGPF-DS2	2013	4	12	19	13.473
SJRGPF-DS2	2013	4	12	18	13.473
SJRGPF-DS2	2013	4	12	17	13.497
SJRGPF-DS2	2013	4	12	16	13.473
SJRGPF-DS2	2013	4	12	15	13.473
SJRGPF-DS2	2013	4	12	14	13.497
SJRGPF-DS2	2013	4	12	13	13.473
SJRGPF-DS2	2013	4	12	12	13.594
SJRGPF-DS2	2013	4	12	11	13.473
SJRGPF-DS2	2013	4	12	10	13.401
SJRGPF-DS2	2013	4	12	9	13.353
SJRGPF-DS2	2013	4	12	8	13.329
SJRGPF-DS2	2013	4	12	7	13.377
SJRGPF-DS2	2013	4	12	6	13.425
SJRGPF-DS2	2013	4	12	5	13.473
SJRGPF-DS2	2013	4	12	4	13.522
SJRGPF-DS2	2013	4	12	3	13.473
SJRGPF-DS2	2013	4	12	2	13.497
SJRGPF-DS2	2013	4	12	1	12.992
SJRGPF-DS2	2013	4	12	0	13.137
SJRGPF-DS2	2013	4	11	23	13.088
SJRGPF-DS2	2013	4	11	22	12.968
SJRGPF-DS2	2013	4	11	21	12.992
SJRGPF-DS2	2013	4	11	20	13.064
SJRGPF-DS2	2013	4	11	19	13.016
SJRGPF-DS2	2013	4	11	18	13.305
SJRGPF-DS2	2013	4	11	17	12.992
SJRGPF-DS2	2013	4	11	16	12.968
SJRGPF-DS2	2013	4	11	15	13.522
SJRGPF-DS2	2013	4	11	14	13.305
SJRGPF-DS2	2013	4	11	13	13.281
SJRGPF-DS2	2013	4	11	12	13.137
SJRGPF-DS2	2013	4	11	11	13.04
SJRGPF-DS2	2013	4	11	10	12.92
SJRGPF-DS2	2013	4	11	9	12.654
SJRGPF-DS2	2013	4	11	8	12.292
SJRGPF-DS2	2013	4	11	7	12.219
SJRGPF-DS2	2013	4	11	6	12.195
SJRGPF-DS2	2013	4	11	5	12.195
SJRGPF-DS2	2013	4	11	4	12.195
SJRGPF-DS2	2013	4	11	3	12.195
SJRGPF-DS2	2013	4	11	2	12.195
SJRGPF-DS2	2013	4	11	1	12.195

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-DS2	2013	4	11	0	12.171
SJRGPF-DS2	2013	4	10	23	12.171
SJRGPF-DS2	2013	4	10	22	12.171
SJRGPF-DS2	2013	4	10	21	12.171
SJRGPF-DS2	2013	4	10	20	12.171
SJRGPF-DS2	2013	4	10	19	12.171
SJRGPF-DS2	2013	4	10	18	12.171
SJRGPF-DS2	2013	4	10	17	12.171
SJRGPF-DS2	2013	4	10	16	12.171
SJRGPF-DS2	2013	4	10	15	12.122
SJRGPF-DS2	2013	4	10	14	12.098
SJRGPF-DS2	2013	4	10	13	12.025
SJRGPF-DS2	2013	4	10	12	12.001
SJRGPF-DS2	2013	4	10	11	12.001
SJRGPF-DS2	2013	4	10	10	12.001
SJRGPF-DS2	2013	4	10	9	11.904
SJRGPF-DS2	2013	4	10	8	11.856
SJRGPF-DS2	2013	4	10	7	11.71
SJRGPF-DS2	2013	4	10	6	11.662
SJRGPF-DS2	2013	4	10	5	11.662
SJRGPF-DS2	2013	4	10	4	11.637
SJRGPF-DS2	2013	4	10	3	11.613
SJRGPF-DS2	2013	4	10	2	11.613
SJRGPF-DS2	2013	4	10	1	11.613
SJRGPF-DS2	2013	4	10	0	11.589
SJRGPF-DS2	2013	4	9	23	11.565
SJRGPF-DS2	2013	4	9	22	11.565
SJRGPF-DS2	2013	4	9	21	11.54
SJRGPF-DS2	2013	4	9	20	11.516
SJRGPF-DS2	2013	4	9	19	11.516
SJRGPF-DS2	2013	4	9	18	11.516
SJRGPF-DS2	2013	4	9	17	11.516
SJRGPF-DS2	2013	4	9	16	11.54
SJRGPF-DS2	2013	4	9	15	11.565
SJRGPF-DS2	2013	4	9	14	11.516
SJRGPF-DS2	2013	4	9	13	11.492
SJRGPF-DS2	2013	4	9	12	11.419
SJRGPF-DS2	2013	4	9	11	11.394
SJRGPF-DS2	2013	4	9	10	11.346
SJRGPF-DS2	2013	4	9	9	11.321
SJRGPF-DS2	2013	4	9	8	11.37
SJRGPF-DS2	2013	4	9	7	11.443
SJRGPF-DS2	2013	4	9	6	11.516
SJRGPF-DS2	2013	4	9	5	11.613

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-DS2	2013	4	9	4	11.759
SJRGPF-DS2	2013	4	9	3	11.832
SJRGPF-DS2	2013	4	9	2	11.904
SJRGPF-DS2	2013	4	9	1	12.025
SJRGPF-DS2	2013	4	9	0	12.147
SJRGPF-DS2	2013	4	8	23	12.219
SJRGPF-DS2	2013	4	8	22	12.292
SJRGPF-DS2	2013	4	8	21	12.34
SJRGPF-DS2	2013	4	8	20	12.534
SJRGPF-DS2	2013	4	8	19	12.654
SJRGPF-DS2	2013	4	8	18	12.751
SJRGPF-DS2	2013	4	8	17	12.799
SJRGPF-DS2	2013	4	8	16	12.799
SJRGPF-DS2	2013	4	8	15	12.751
SJRGPF-DS2	2013	4	8	14	12.727
SJRGPF-DS2	2013	4	8	13	12.678
SJRGPF-DS2	2013	4	8	12	12.654
SJRGPF-DS2	2013	4	8	11	12.63
SJRGPF-DS2	2013	4	8	10	12.654
SJRGPF-DS2	2013	4	8	9	12.727
SJRGPF-DS2	2013	4	8	8	12.775
SJRGPF-DS2	2013	4	8	7	12.847
SJRGPF-DS2	2013	4	8	6	12.896
SJRGPF-DS2	2013	4	8	5	13.04
SJRGPF-DS2	2013	4	8	4	13.137
SJRGPF-DS2	2013	4	8	3	13.185
SJRGPF-DS2	2013	4	8	2	13.233
SJRGPF-DS2	2013	4	8	1	13.185
SJRGPF-DS2	2013	4	8	0	13.257
SJRGPF-DS2	2013	4	7	23	13.04
SJRGPF-DS2	2013	4	7	22	12.92
SJRGPF-DS2	2013	4	7	21	12.92
SJRGPF-DS2	2013	4	7	20	12.92
SJRGPF-DS2	2013	4	7	19	12.92
SJRGPF-DS2	2013	4	7	18	12.92
SJRGPF-DS2	2013	4	7	17	12.92
SJRGPF-DS2	2013	4	7	16	12.92
SJRGPF-DS2	2013	4	7	15	12.944
SJRGPF-DS2	2013	4	7	14	12.896
SJRGPF-DS2	2013	4	7	13	12.92
SJRGPF-DS2	2013	4	7	12	12.871
SJRGPF-DS2	2013	4	7	11	12.847
SJRGPF-DS2	2013	4	7	10	12.775
SJRGPF-DS2	2013	4	7	9	12.751

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-DS2	2013	4	7	8	12.751
SJRGPF-DS2	2013	4	7	7	12.775
SJRGPF-DS2	2013	4	7	6	12.799
SJRGPF-DS2	2013	4	7	5	12.654
SJRGPF-DS2	2013	4	7	4	12.582
SJRGPF-DS2	2013	4	7	3	12.582
SJRGPF-DS2	2013	4	7	2	12.558
SJRGPF-DS2	2013	4	7	1	12.558
SJRGPF-DS2	2013	4	7	0	12.558
SJRGPF-DS2	2013	4	6	23	12.534
SJRGPF-DS2	2013	4	6	22	12.582
SJRGPF-DS2	2013	4	6	21	12.534
SJRGPF-DS2	2013	4	6	20	12.509
SJRGPF-DS2	2013	4	6	19	12.509
SJRGPF-DS2	2013	4	6	18	12.509
SJRGPF-DS2	2013	4	6	17	12.558
SJRGPF-DS2	2013	4	6	16	12.558
SJRGPF-DS2	2013	4	6	15	12.654
SJRGPF-DS2	2013	4	6	14	12.63
SJRGPF-DS2	2013	4	6	13	12.509
SJRGPF-DS2	2013	4	6	12	12.413
SJRGPF-DS2	2013	4	6	11	12.34
SJRGPF-DS2	2013	4	6	10	12.268
SJRGPF-DS2	2013	4	6	9	12.292
SJRGPF-DS2	2013	4	6	8	12.34
SJRGPF-DS2	2013	4	6	7	12.413
SJRGPF-DS2	2013	4	6	6	12.509
SJRGPF-DS2	2013	4	6	5	12.582
SJRGPF-DS2	2013	4	6	4	12.678
SJRGPF-DS2	2013	4	6	3	12.775
SJRGPF-DS2	2013	4	6	2	12.823
SJRGPF-DS2	2013	4	6	1	12.896
SJRGPF-DS2	2013	4	6	0	12.968
SJRGPF-DS2	2013	4	5	23	12.992
SJRGPF-DS2	2013	4	5	22	12.92
SJRGPF-DS2	2013	4	5	21	12.896
SJRGPF-DS2	2013	4	5	20	12.871
SJRGPF-DS2	2013	4	5	19	12.871
SJRGPF-DS2	2013	4	5	18	12.871
SJRGPF-DS2	2013	4	5	17	12.871
SJRGPF-DS2	2013	4	5	16	12.896
SJRGPF-DS2	2013	4	5	15	12.944
SJRGPF-DS2	2013	4	5	14	12.896
SJRGPF-DS2	2013	4	5	13	12.823

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-DS2	2013	4	5	12	12.799
SJRGPF-DS2	2013	4	5	11	12.751
SJRGPF-DS2	2013	4	5	10	12.703
SJRGPF-DS2	2013	4	5	9	12.727
SJRGPF-DS2	2013	4	5	8	12.751
SJRGPF-DS2	2013	4	5	7	12.871
SJRGPF-DS2	2013	4	5	6	12.992
SJRGPF-DS2	2013	4	5	5	13.088
SJRGPF-DS2	2013	4	5	4	13.161
SJRGPF-DS2	2013	4	5	3	13.257
SJRGPF-DS2	2013	4	5	2	13.329
SJRGPF-DS2	2013	4	5	1	13.449
SJRGPF-DS2	2013	4	5	0	13.449
SJRGPF-DS2	2013	4	4	23	13.329
SJRGPF-DS2	2013	4	4	22	13.329
SJRGPF-DS2	2013	4	4	21	13.305
SJRGPF-DS2	2013	4	4	20	13.305
SJRGPF-DS2	2013	4	4	19	13.305
SJRGPF-DS2	2013	4	4	18	13.329
SJRGPF-DS2	2013	4	4	17	13.305
SJRGPF-DS2	2013	4	4	16	13.329
SJRGPF-DS2	2013	4	4	15	13.329
SJRGPF-DS2	2013	4	4	14	13.305
SJRGPF-DS2	2013	4	4	13	13.281
SJRGPF-DS2	2013	4	4	12	13.233
SJRGPF-DS2	2013	4	4	11	13.233
SJRGPF-DS2	2013	4	4	10	13.233
SJRGPF-DS2	2013	4	4	9	13.329
SJRGPF-DS2	2013	4	4	8	13.377
SJRGPF-DS2	2013	4	4	7	13.401
SJRGPF-DS2	2013	4	4	6	13.257
SJRGPF-DS2	2013	4	4	5	13.161
SJRGPF-DS2	2013	4	4	4	13.161
SJRGPF-DS2	2013	4	4	3	13.161
SJRGPF-DS2	2013	4	4	2	13.161
SJRGPF-DS2	2013	4	4	1	13.161
SJRGPF-DS2	2013	4	4	0	13.161
SJRGPF-DS2	2013	4	3	23	13.161
SJRGPF-DS2	2013	4	3	22	13.161
SJRGPF-DS2	2013	4	3	21	13.161
SJRGPF-DS2	2013	4	3	20	13.161
SJRGPF-DS2	2013	4	3	19	13.161
SJRGPF-DS2	2013	4	3	18	13.161
SJRGPF-DS2	2013	4	3	17	13.161

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-DS2	2013	4	3	16	13.185
SJRGPF-DS2	2013	4	3	15	13.185
SJRGPF-DS2	2013	4	3	14	13.161
SJRGPF-DS2	2013	4	3	13	13.161
SJRGPF-DS2	2013	4	3	12	13.112
SJRGPF-DS2	2013	4	3	11	13.04
SJRGPF-DS2	2013	4	3	10	12.992
SJRGPF-DS2	2013	4	3	9	12.992
SJRGPF-DS2	2013	4	3	8	12.992
SJRGPF-DS2	2013	4	3	7	13.04
SJRGPF-DS2	2013	4	3	6	13.185
SJRGPF-DS2	2013	4	3	5	13.209
SJRGPF-DS2	2013	4	3	4	13.305
SJRGPF-DS2	2013	4	3	3	13.377
SJRGPF-DS2	2013	4	3	2	13.257
SJRGPF-DS2	2013	4	3	1	13.209
SJRGPF-DS2	2013	4	3	0	13.185
SJRGPF-DS2	2013	4	2	23	13.185
SJRGPF-DS2	2013	4	2	22	13.185
SJRGPF-DS2	2013	4	2	21	13.185
SJRGPF-DS2	2013	4	2	20	13.185
SJRGPF-DS2	2013	4	2	19	13.185
SJRGPF-DS2	2013	4	2	18	13.185
SJRGPF-DS2	2013	4	2	17	13.185
SJRGPF-DS2	2013	4	2	16	13.185
SJRGPF-DS2	2013	4	2	15	13.209
SJRGPF-DS2	2013	4	2	14	13.185
SJRGPF-DS2	2013	4	2	13	13.209
SJRGPF-DS2	2013	4	2	12	13.137
SJRGPF-DS2	2013	4	2	11	13.088
SJRGPF-DS2	2013	4	2	10	13.04
SJRGPF-DS2	2013	4	2	9	13.04
SJRGPF-DS2	2013	4	2	8	13.088
SJRGPF-DS2	2013	4	2	7	13.161
SJRGPF-DS2	2013	4	2	6	13.209
SJRGPF-DS2	2013	4	2	5	13.281
SJRGPF-DS2	2013	4	2	4	13.377
SJRGPF-DS2	2013	4	2	3	13.377
SJRGPF-DS2	2013	4	2	2	13.233
SJRGPF-DS2	2013	4	2	1	13.209
SJRGPF-DS2	2013	4	2	0	13.209
SJRGPF-DS2	2013	4	1	23	13.209
SJRGPF-DS2	2013	4	1	22	13.209
SJRGPF-DS2	2013	4	1	21	13.209

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-DS2	2013	4	1	20	13.209
SJRGPF-DS2	2013	4	1	19	13.209
SJRGPF-DS2	2013	4	1	18	13.209
SJRGPF-DS2	2013	4	1	17	13.209
SJRGPF-DS2	2013	4	1	16	13.209
SJRGPF-DS2	2013	4	1	15	13.209
SJRGPF-DS2	2013	4	1	14	13.209
SJRGPF-DS2	2013	4	1	13	13.185
SJRGPF-DS2	2013	4	1	12	13.185
SJRGPF-DS2	2013	4	1	11	13.161
SJRGPF-DS2	2013	4	1	10	13.088
SJRGPF-DS2	2013	4	1	9	13.064
SJRGPF-DS2	2013	4	1	8	13.088
SJRGPF-DS2	2013	4	1	7	13.185
SJRGPF-DS2	2013	4	1	6	13.233
SJRGPF-DS2	2013	4	1	5	13.353
SJRGPF-DS2	2013	4	1	4	13.449
SJRGPF-DS2	2013	4	1	3	13.522
SJRGPF-DS2	2013	4	1	2	13.353
SJRGPF-DS2	2013	4	1	1	13.522
SJRGPF-DS2	2013	4	1	0	13.161
SJRGPF-DS2	2013	3	31	23	13.137
SJRGPF-DS2	2013	3	31	22	13.088
SJRGPF-DS2	2013	3	31	21	13.137
SJRGPF-DS2	2013	3	31	20	13.112
SJRGPF-DS2	2013	3	31	19	13.112
SJRGPF-DS2	2013	3	31	18	13.161
SJRGPF-DS2	2013	3	31	17	13.112
SJRGPF-DS2	2013	3	31	16	13.112
SJRGPF-DS2	2013	3	31	15	13.088
SJRGPF-DS2	2013	3	31	14	13.04
SJRGPF-DS2	2013	3	31	13	12.944
SJRGPF-DS2	2013	3	31	12	12.871
SJRGPF-DS2	2013	3	31	11	12.871
SJRGPF-DS2	2013	3	31	10	12.823
SJRGPF-DS2	2013	3	31	9	12.775
SJRGPF-DS2	2013	3	31	8	12.751
SJRGPF-DS2	2013	3	31	7	12.751
SJRGPF-DS2	2013	3	31	6	12.727
SJRGPF-DS2	2013	3	31	5	12.703
SJRGPF-DS2	2013	3	31	4	12.727
SJRGPF-DS2	2013	3	31	3	12.703
SJRGPF-DS2	2013	3	31	2	12.703
SJRGPF-DS2	2013	3	31	1	12.703

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-DS2	2013	3	31	0	12.703
SJRGPF-DS2	2013	3	30	23	12.727
SJRGPF-DS2	2013	3	30	22	12.727
SJRGPF-DS2	2013	3	30	21	12.727
SJRGPF-DS2	2013	3	30	20	12.727
SJRGPF-DS2	2013	3	30	19	12.703
SJRGPF-DS2	2013	3	30	18	12.703
SJRGPF-DS2	2013	3	30	17	12.703
SJRGPF-DS2	2013	3	30	16	12.703
SJRGPF-DS2	2013	3	30	15	12.678
SJRGPF-DS2	2013	3	30	14	12.63
SJRGPF-DS2	2013	3	30	13	12.582
SJRGPF-DS2	2013	3	30	12	12.485
SJRGPF-DS2	2013	3	30	11	12.437
SJRGPF-DS2	2013	3	30	10	12.413
SJRGPF-DS2	2013	3	30	9	12.364
SJRGPF-DS2	2013	3	30	8	12.316
SJRGPF-DS2	2013	3	30	7	12.292
SJRGPF-DS2	2013	3	30	6	12.268
SJRGPF-DS2	2013	3	30	5	12.268
SJRGPF-DS2	2013	3	30	4	12.268
SJRGPF-DS2	2013	3	30	3	12.243
SJRGPF-DS2	2013	3	30	2	12.268
SJRGPF-DS2	2013	3	30	1	12.268
SJRGPF-DS2	2013	3	30	0	12.243
SJRGPF-DS2	2013	3	29	23	12.243
SJRGPF-DS2	2013	3	29	22	12.243
SJRGPF-DS2	2013	3	29	21	12.243
SJRGPF-DS2	2013	3	29	20	12.243
SJRGPF-DS2	2013	3	29	19	12.243
SJRGPF-DS2	2013	3	29	18	12.219
SJRGPF-DS2	2013	3	29	17	12.243
SJRGPF-DS2	2013	3	29	16	12.243
SJRGPF-DS2	2013	3	29	15	12.268
SJRGPF-DS2	2013	3	29	14	12.219
SJRGPF-DS2	2013	3	29	13	12.219
SJRGPF-DS2	2013	3	29	12	12.171
SJRGPF-DS2	2013	3	29	11	12.098
SJRGPF-DS2	2013	3	29	10	12.025
SJRGPF-DS2	2013	3	29	9	12.025
SJRGPF-DS2	2013	3	29	8	12.098
SJRGPF-DS2	2013	3	29	7	12.171
SJRGPF-DS2	2013	3	29	6	12.243
SJRGPF-DS2	2013	3	29	5	12.34

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-DS2	2013	3	29	4	12.389
SJRGPF-DS2	2013	3	29	3	12.485
SJRGPF-DS2	2013	3	29	2	12.558
SJRGPF-DS2	2013	3	29	1	12.558
SJRGPF-DS2	2013	3	29	0	12.509
SJRGPF-DS2	2013	3	28	23	12.485
SJRGPF-DS2	2013	3	28	22	12.485
SJRGPF-DS2	2013	3	28	21	12.485
SJRGPF-DS2	2013	3	28	20	12.485
SJRGPF-DS2	2013	3	28	19	12.485
SJRGPF-DS2	2013	3	28	18	12.485
SJRGPF-DS2	2013	3	28	17	12.485
SJRGPF-DS2	2013	3	28	16	12.485
SJRGPF-DS2	2013	3	28	15	12.461
SJRGPF-DS2	2013	3	28	14	12.437
SJRGPF-DS2	2013	3	28	13	12.461
SJRGPF-DS2	2013	3	28	12	12.461
SJRGPF-DS2	2013	3	28	11	12.413
SJRGPF-DS2	2013	3	28	10	12.413
SJRGPF-DS2	2013	3	28	9	12.364
SJRGPF-DS2	2013	3	28	8	12.364
SJRGPF-DS2	2013	3	28	7	12.413
SJRGPF-DS2	2013	3	28	6	12.437
SJRGPF-DS2	2013	3	28	5	12.485
SJRGPF-DS2	2013	3	28	4	12.485
SJRGPF-DS2	2013	3	28	3	12.34
SJRGPF-DS2	2013	3	28	2	12.34
SJRGPF-DS2	2013	3	28	1	12.34
SJRGPF-DS2	2013	3	28	0	12.364
SJRGPF-DS2	2013	3	27	23	12.34
SJRGPF-DS2	2013	3	27	22	12.34
SJRGPF-DS2	2013	3	27	21	12.316
SJRGPF-DS2	2013	3	27	20	12.34
SJRGPF-DS2	2013	3	27	19	12.34
SJRGPF-DS2	2013	3	27	18	12.34
SJRGPF-DS2	2013	3	27	17	12.34
SJRGPF-DS2	2013	3	27	16	12.34
SJRGPF-DS2	2013	3	27	15	12.34
SJRGPF-DS2	2013	3	27	14	12.34
SJRGPF-DS2	2013	3	27	13	12.316
SJRGPF-DS2	2013	3	27	12	12.292
SJRGPF-DS2	2013	3	27	11	12.243
SJRGPF-DS2	2013	3	27	10	12.219
SJRGPF-DS2	2013	3	27	9	12.195

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-DS2	2013	3	27	8	12.219
SJRGPF-DS2	2013	3	27	7	12.243
SJRGPF-DS2	2013	3	27	6	12.268
SJRGPF-DS2	2013	3	27	5	12.268
SJRGPF-DS2	2013	3	27	4	12.098
SJRGPF-DS2	2013	3	27	3	12.098
SJRGPF-DS2	2013	3	27	2	12.074
SJRGPF-DS2	2013	3	27	1	12.074
SJRGPF-DS2	2013	3	27	0	12.074
SJRGPF-DS2	2013	3	26	23	12.074
SJRGPF-DS2	2013	3	26	22	12.074
SJRGPF-DS2	2013	3	26	21	12.05
SJRGPF-DS2	2013	3	26	20	12.05
SJRGPF-DS2	2013	3	26	19	12.05
SJRGPF-DS2	2013	3	26	18	12.05
SJRGPF-DS2	2013	3	26	17	12.05
SJRGPF-DS2	2013	3	26	16	12.05
SJRGPF-DS2	2013	3	26	15	12.098
SJRGPF-DS2	2013	3	26	14	12.074
SJRGPF-DS2	2013	3	26	13	12.025
SJRGPF-DS2	2013	3	26	12	11.977
SJRGPF-DS2	2013	3	26	11	11.929
SJRGPF-DS2	2013	3	26	10	11.88
SJRGPF-DS2	2013	3	26	9	11.88
SJRGPF-DS2	2013	3	26	8	11.929
SJRGPF-DS2	2013	3	26	7	11.929
SJRGPF-DS2	2013	3	26	6	12.025
SJRGPF-DS2	2013	3	26	5	12.098
SJRGPF-DS2	2013	3	26	4	12.171
SJRGPF-DS2	2013	3	26	3	12.268
SJRGPF-DS2	2013	3	26	2	12.316
SJRGPF-DS2	2013	3	26	1	12.122
SJRGPF-DS2	2013	3	26	0	12.098
SJRGPF-DS2	2013	3	25	23	12.098
SJRGPF-DS2	2013	3	25	22	12.098
SJRGPF-DS2	2013	3	25	21	12.098
SJRGPF-DS2	2013	3	25	20	12.098
SJRGPF-DS2	2013	3	25	19	12.098
SJRGPF-DS2	2013	3	25	18	12.098
SJRGPF-DS2	2013	3	25	17	12.098
SJRGPF-DS2	2013	3	25	16	12.098
SJRGPF-DS2	2013	3	25	15	12.098
SJRGPF-DS2	2013	3	25	14	12.098
SJRGPF-DS2	2013	3	25	13	12.074

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-DS2	2013	3	25	12	12.05
SJRGPF-DS2	2013	3	25	11	12.001
SJRGPF-DS2	2013	3	25	10	11.953
SJRGPF-DS2	2013	3	25	9	11.929
SJRGPF-DS2	2013	3	25	8	11.953
SJRGPF-DS2	2013	3	25	7	12.025
SJRGPF-DS2	2013	3	25	6	12.001
SJRGPF-DS2	2013	3	25	5	11.977
SJRGPF-DS2	2013	3	25	4	11.904
SJRGPF-DS2	2013	3	25	3	11.856
SJRGPF-DS2	2013	3	25	2	11.856
SJRGPF-DS2	2013	3	25	1	11.832
SJRGPF-DS2	2013	3	25	0	11.832
SJRGPF-DS2	2013	3	24	23	11.807
SJRGPF-DS2	2013	3	24	22	11.807
SJRGPF-DS2	2013	3	24	21	11.807
SJRGPF-DS2	2013	3	24	20	11.783
SJRGPF-DS2	2013	3	24	19	11.783
SJRGPF-DS2	2013	3	24	18	11.783
SJRGPF-DS2	2013	3	24	17	11.783
SJRGPF-DS2	2013	3	24	16	11.759
SJRGPF-DS2	2013	3	24	15	11.783
SJRGPF-DS2	2013	3	24	14	11.807
SJRGPF-DS2	2013	3	24	13	11.759
SJRGPF-DS2	2013	3	24	12	11.686
SJRGPF-DS2	2013	3	24	11	11.637
SJRGPF-DS2	2013	3	24	10	11.589
SJRGPF-DS2	2013	3	24	9	11.565
SJRGPF-DS2	2013	3	24	8	11.613
SJRGPF-DS2	2013	3	24	7	11.734
SJRGPF-DS2	2013	3	24	6	11.783
SJRGPF-DS2	2013	3	24	5	11.88
SJRGPF-DS2	2013	3	24	4	11.977
SJRGPF-DS2	2013	3	24	3	12.025
SJRGPF-DS2	2013	3	24	2	12.147
SJRGPF-DS2	2013	3	24	1	12.219
SJRGPF-DS2	2013	3	24	0	12.34
SJRGPF-DS2	2013	3	23	23	12.437
SJRGPF-DS2	2013	3	23	22	12.509
SJRGPF-DS2	2013	3	23	21	12.582
SJRGPF-DS2	2013	3	23	20	12.703
SJRGPF-DS2	2013	3	23	19	12.654
SJRGPF-DS2	2013	3	23	18	12.654
SJRGPF-DS2	2013	3	23	17	12.63

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-DS2	2013	3	23	16	12.678
SJRGPF-DS2	2013	3	23	15	12.703
SJRGPF-DS2	2013	3	23	14	12.654
SJRGPF-DS2	2013	3	23	13	12.606
SJRGPF-DS2	2013	3	23	12	12.582
SJRGPF-DS2	2013	3	23	11	12.509
SJRGPF-DS2	2013	3	23	10	12.509
SJRGPF-DS2	2013	3	23	9	12.606
SJRGPF-DS2	2013	3	23	8	12.751
SJRGPF-DS2	2013	3	23	7	12.944
SJRGPF-DS2	2013	3	23	6	13.04
SJRGPF-DS2	2013	3	23	5	13.137
SJRGPF-DS2	2013	3	23	4	13.233
SJRGPF-DS2	2013	3	23	3	13.305
SJRGPF-DS2	2013	3	23	2	13.377
SJRGPF-DS2	2013	3	23	1	13.377
SJRGPF-DS2	2013	3	23	0	13.353
SJRGPF-DS2	2013	3	22	23	13.353
SJRGPF-DS2	2013	3	22	22	13.305
SJRGPF-DS2	2013	3	22	21	13.305
SJRGPF-DS2	2013	3	22	20	13.305
SJRGPF-DS2	2013	3	22	19	13.329
SJRGPF-DS2	2013	3	22	18	13.353
SJRGPF-DS2	2013	3	22	17	13.353
SJRGPF-DS2	2013	3	22	16	13.353
SJRGPF-DS2	2013	3	22	15	13.329
SJRGPF-DS2	2013	3	22	14	13.281
SJRGPF-DS2	2013	3	22	13	13.257
SJRGPF-DS2	2013	3	22	12	13.209
SJRGPF-DS2	2013	3	22	11	13.233
SJRGPF-DS2	2013	3	22	10	13.233
SJRGPF-DS2	2013	3	22	9	13.209
SJRGPF-DS2	2013	3	22	8	13.233
SJRGPF-DS2	2013	3	22	7	13.305
SJRGPF-DS2	2013	3	22	6	13.425
SJRGPF-DS2	2013	3	22	5	13.522
SJRGPF-DS2	2013	3	22	4	13.57
SJRGPF-DS2	2013	3	22	3	13.522
SJRGPF-DS2	2013	3	22	2	13.522
SJRGPF-DS2	2013	3	22	1	13.522
SJRGPF-DS2	2013	3	22	0	13.522
SJRGPF-DS2	2013	3	21	23	13.522
SJRGPF-DS2	2013	3	21	22	13.522
SJRGPF-DS2	2013	3	21	21	13.546

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-DS2	2013	3	21	20	13.522
SJRGPF-DS2	2013	3	21	19	13.522
SJRGPF-DS2	2013	3	21	18	13.546
SJRGPF-DS2	2013	3	21	17	13.546
SJRGPF-DS2	2013	3	21	16	13.546
SJRGPF-DS2	2013	3	21	15	13.522
SJRGPF-DS2	2013	3	21	14	13.522
SJRGPF-DS2	2013	3	21	13	13.473
SJRGPF-DS2	2013	3	21	12	13.522
SJRGPF-DS2	2013	3	21	11	13.522
SJRGPF-DS2	2013	3	21	10	13.473
SJRGPF-DS2	2013	3	21	9	13.546
SJRGPF-DS2	2013	3	21	8	13.546
SJRGPF-DS2	2013	3	21	7	13.546
SJRGPF-DS2	2013	3	21	6	13.594
SJRGPF-DS2	2013	3	21	5	13.473
SJRGPF-DS2	2013	3	21	4	13.353
SJRGPF-DS2	2013	3	21	3	13.353
SJRGPF-DS2	2013	3	21	2	13.329
SJRGPF-DS2	2013	3	21	1	13.329
SJRGPF-DS2	2013	3	21	0	13.329
SJRGPF-DS2	2013	3	20	23	13.305
SJRGPF-DS2	2013	3	20	22	13.329
SJRGPF-DS2	2013	3	20	21	13.329
SJRGPF-DS2	2013	3	20	20	13.329
SJRGPF-DS2	2013	3	20	19	13.329
SJRGPF-DS2	2013	3	20	18	13.329
SJRGPF-DS2	2013	3	20	17	13.329
SJRGPF-DS2	2013	3	20	16	13.329
SJRGPF-DS2	2013	3	20	15	13.329
SJRGPF-DS2	2013	3	20	14	13.305
SJRGPF-DS2	2013	3	20	13	13.257
SJRGPF-DS2	2013	3	20	12	13.233
SJRGPF-DS2	2013	3	20	11	13.233
SJRGPF-DS2	2013	3	20	10	13.209
SJRGPF-DS2	2013	3	20	9	13.161
SJRGPF-DS2	2013	3	20	8	13.161
SJRGPF-DS2	2013	3	20	7	13.137
SJRGPF-DS2	2013	3	20	6	13.137
SJRGPF-DS2	2013	3	20	5	13.137
SJRGPF-DS2	2013	3	20	4	13.137
SJRGPF-DS2	2013	3	20	3	13.161
SJRGPF-DS2	2013	3	20	2	13.137
SJRGPF-DS2	2013	3	20	1	13.137

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-DS2	2013	3	20	0	13.161
SJRGPF-DS2	2013	3	19	23	13.185
SJRGPF-DS2	2013	3	19	22	13.161
SJRGPF-DS2	2013	3	19	21	13.185
SJRGPF-DS2	2013	3	19	20	13.137
SJRGPF-DS2	2013	3	19	19	13.137
SJRGPF-DS2	2013	3	19	18	13.137
SJRGPF-DS2	2013	3	19	17	13.137
SJRGPF-DS2	2013	3	19	16	13.137
SJRGPF-DS2	2013	3	19	15	13.161
SJRGPF-DS2	2013	3	19	14	13.161
SJRGPF-DS2	2013	3	19	13	13.161
SJRGPF-DS2	2013	3	19	12	13.088
SJRGPF-DS2	2013	3	19	11	13.016
SJRGPF-DS2	2013	3	19	10	12.992
SJRGPF-DS2	2013	3	19	9	13.064
SJRGPF-DS2	2013	3	19	8	13.112
SJRGPF-DS2	2013	3	19	7	13.161
SJRGPF-DS2	2013	3	19	6	13.209
SJRGPF-DS2	2013	3	19	5	13.281
SJRGPF-DS2	2013	3	19	4	13.329
SJRGPF-DS2	2013	3	19	3	13.377
SJRGPF-DS2	2013	3	19	2	13.401
SJRGPF-DS2	2013	3	19	1	13.377
SJRGPF-DS2	2013	3	19	0	13.353
SJRGPF-DS2	2013	3	18	23	13.377
SJRGPF-DS2	2013	3	18	22	13.353
SJRGPF-DS2	2013	3	18	21	13.377
SJRGPF-DS2	2013	3	18	20	13.377
SJRGPF-DS2	2013	3	18	19	13.377
SJRGPF-DS2	2013	3	18	18	13.377
SJRGPF-DS2	2013	3	18	17	13.377
SJRGPF-DS2	2013	3	18	16	13.401
SJRGPF-DS2	2013	3	18	15	13.401
SJRGPF-DS2	2013	3	18	14	13.449
SJRGPF-DS2	2013	3	18	13	13.425
SJRGPF-DS2	2013	3	18	12	13.377
SJRGPF-DS2	2013	3	18	11	13.329
SJRGPF-DS2	2013	3	18	10	13.329
SJRGPF-DS2	2013	3	18	9	13.401
SJRGPF-DS2	2013	3	18	8	13.473
SJRGPF-DS2	2013	3	18	7	13.497
SJRGPF-DS2	2013	3	18	6	13.497
SJRGPF-DS2	2013	3	18	5	13.425

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-DS2	2013	3	18	4	13.425
SJRGPF-DS2	2013	3	18	3	13.449
SJRGPF-DS2	2013	3	18	2	13.425
SJRGPF-DS2	2013	3	18	1	13.449
SJRGPF-DS2	2013	3	18	0	13.425
SJRGPF-DS2	2013	3	17	23	13.473
SJRGPF-DS2	2013	3	17	22	13.522
SJRGPF-DS2	2013	3	17	21	13.497
SJRGPF-DS2	2013	3	17	20	13.425
SJRGPF-DS2	2013	3	17	19	13.377
SJRGPF-DS2	2013	3	17	18	13.57
SJRGPF-DS2	2013	3	17	17	13.473
SJRGPF-DS2	2013	3	17	16	13.449
SJRGPF-DS2	2013	3	17	15	13.522
SJRGPF-DS2	2013	3	17	14	13.57
SJRGPF-DS2	2013	3	17	13	13.425
SJRGPF-DS2	2013	3	17	12	13.329
SJRGPF-DS2	2013	3	17	11	13.281
SJRGPF-DS2	2013	3	17	10	13.594
SJRGPF-DS2	2013	3	17	9	13.401
SJRGPF-DS2	2013	3	17	8	13.064
SJRGPF-DS2	2013	3	17	7	12.968
SJRGPF-DS2	2013	3	17	6	12.968
SJRGPF-DS2	2013	3	17	5	12.968
SJRGPF-DS2	2013	3	17	4	12.968
SJRGPF-DS2	2013	3	17	3	12.944
SJRGPF-DS2	2013	3	17	2	12.92
SJRGPF-DS2	2013	3	17	1	12.92
SJRGPF-DS2	2013	3	17	0	12.944
SJRGPF-DS2	2013	3	16	23	12.944
SJRGPF-DS2	2013	3	16	22	12.968
SJRGPF-DS2	2013	3	16	21	12.944
SJRGPF-DS2	2013	3	16	20	12.968
SJRGPF-DS2	2013	3	16	19	12.92
SJRGPF-DS2	2013	3	16	18	12.968
SJRGPF-DS2	2013	3	16	17	12.968
SJRGPF-DS2	2013	3	16	16	12.944
SJRGPF-DS2	2013	3	16	15	12.944
SJRGPF-DS2	2013	3	16	14	12.896
SJRGPF-DS2	2013	3	16	13	12.871
SJRGPF-DS2	2013	3	16	12	12.823
SJRGPF-DS2	2013	3	16	11	12.751
SJRGPF-DS2	2013	3	16	10	12.678
SJRGPF-DS2	2013	3	16	9	12.63

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-DS2	2013	3	16	8	12.582
SJRGPF-DS2	2013	3	16	7	12.558
SJRGPF-DS2	2013	3	16	6	12.558
SJRGPF-DS2	2013	3	16	5	12.558
SJRGPF-DS2	2013	3	16	4	12.582
SJRGPF-DS2	2013	3	16	3	12.582
SJRGPF-DS2	2013	3	16	2	12.558
SJRGPF-DS2	2013	3	16	1	12.558
SJRGPF-DS2	2013	3	16	0	12.606
SJRGPF-DS2	2013	3	15	23	12.582
SJRGPF-DS2	2013	3	15	22	12.582
SJRGPF-DS2	2013	3	15	21	12.606
SJRGPF-DS2	2013	3	15	20	12.582
SJRGPF-DS2	2013	3	15	19	12.582
SJRGPF-DS2	2013	3	15	18	12.606
SJRGPF-DS2	2013	3	15	17	12.606
SJRGPF-DS2	2013	3	15	16	12.606
SJRGPF-DS2	2013	3	15	15	12.606
SJRGPF-DS2	2013	3	15	14	12.606
SJRGPF-DS2	2013	3	15	13	12.582
SJRGPF-DS2	2013	3	15	12	12.509
SJRGPF-DS2	2013	3	15	11	12.461
SJRGPF-DS2	2013	3	15	10	12.389
SJRGPF-DS2	2013	3	15	9	12.34
SJRGPF-DS2	2013	3	15	8	12.316
SJRGPF-DS2	2013	3	15	7	12.316
SJRGPF-DS2	2013	3	15	6	12.292
SJRGPF-DS2	2013	3	15	5	12.316
SJRGPF-DS2	2013	3	15	4	12.316
SJRGPF-DS2	2013	3	15	3	12.316
SJRGPF-DS2	2013	3	15	2	12.316
SJRGPF-DS2	2013	3	15	1	12.316
SJRGPF-DS2	2013	3	15	0	12.316
SJRGPF-DS2	2013	3	14	23	12.316
SJRGPF-DS2	2013	3	14	22	12.316
SJRGPF-DS2	2013	3	14	21	12.34
SJRGPF-DS2	2013	3	14	20	12.316
SJRGPF-DS2	2013	3	14	19	12.34
SJRGPF-DS2	2013	3	14	18	12.34
SJRGPF-DS2	2013	3	14	17	12.34
SJRGPF-DS2	2013	3	14	16	12.34
SJRGPF-DS2	2013	3	14	15	12.364
SJRGPF-DS2	2013	3	14	14	12.316
SJRGPF-DS2	2013	3	14	13	12.316

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-DS2	2013	3	14	12	12.268
SJRGPF-DS2	2013	3	14	11	12.219
SJRGPF-DS2	2013	3	14	10	12.147
SJRGPF-DS2	2013	3	14	9	12.098
SJRGPF-DS2	2013	3	14	8	12.074
SJRGPF-DS2	2013	3	14	7	12.05
SJRGPF-DS2	2013	3	14	6	12.05
SJRGPF-DS2	2013	3	14	5	12.05
SJRGPF-DS2	2013	3	14	4	12.05
SJRGPF-DS2	2013	3	14	3	12.05
SJRGPF-DS2	2013	3	14	2	12.05
SJRGPF-DS2	2013	3	14	1	12.074
SJRGPF-DS2	2013	3	14	0	12.074
SJRGPF-DS2	2013	3	13	23	12.074
SJRGPF-DS2	2013	3	13	22	12.074
SJRGPF-DS2	2013	3	13	21	12.074
SJRGPF-DS2	2013	3	13	20	12.074
SJRGPF-DS2	2013	3	13	19	12.098
SJRGPF-DS2	2013	3	13	18	12.098
SJRGPF-DS2	2013	3	13	17	12.098
SJRGPF-DS2	2013	3	13	16	12.098
SJRGPF-DS2	2013	3	13	15	12.098
SJRGPF-DS2	2013	3	13	14	12.074
SJRGPF-DS2	2013	3	13	13	12.025
SJRGPF-DS2	2013	3	13	12	11.977
SJRGPF-DS2	2013	3	13	11	11.929
SJRGPF-DS2	2013	3	13	10	11.88
SJRGPF-DS2	2013	3	13	9	11.807
SJRGPF-DS2	2013	3	13	8	11.783
SJRGPF-DS2	2013	3	13	7	11.759
SJRGPF-DS2	2013	3	13	6	11.759
SJRGPF-DS2	2013	3	13	5	11.734
SJRGPF-DS2	2013	3	13	4	11.734
SJRGPF-DS2	2013	3	13	3	11.734
SJRGPF-DS2	2013	3	13	2	11.734
SJRGPF-DS2	2013	3	13	1	11.734
SJRGPF-DS2	2013	3	13	0	11.759
SJRGPF-DS2	2013	3	12	23	11.759
SJRGPF-DS2	2013	3	12	22	11.759
SJRGPF-DS2	2013	3	12	21	11.759
SJRGPF-DS2	2013	3	12	20	11.759
SJRGPF-DS2	2013	3	12	19	11.759
SJRGPF-DS2	2013	3	12	18	11.759
SJRGPF-DS2	2013	3	12	17	11.759

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-DS2	2013	3	12	16	11.759
SJRGPF-DS2	2013	3	12	15	11.759
SJRGPF-DS2	2013	3	12	14	11.734
SJRGPF-DS2	2013	3	12	13	11.71
SJRGPF-DS2	2013	3	12	12	11.662
SJRGPF-DS2	2013	3	12	11	11.613
SJRGPF-DS2	2013	3	12	10	11.54
SJRGPF-DS2	2013	3	12	9	11.492
SJRGPF-DS2	2013	3	12	8	11.443
SJRGPF-DS2	2013	3	12	7	11.443
SJRGPF-DS2	2013	3	12	6	11.419
SJRGPF-DS2	2013	3	12	5	11.419
SJRGPF-DS2	2013	3	12	4	11.419
SJRGPF-DS2	2013	3	12	3	11.419
SJRGPF-DS2	2013	3	12	2	11.419
SJRGPF-DS2	2013	3	12	1	11.419
SJRGPF-DS2	2013	3	12	0	11.419
SJRGPF-DS2	2013	3	11	23	11.419
SJRGPF-DS2	2013	3	11	22	11.419
SJRGPF-DS2	2013	3	11	21	11.419
SJRGPF-DS2	2013	3	11	20	11.419
SJRGPF-DS2	2013	3	11	19	11.419
SJRGPF-DS2	2013	3	11	18	11.419
SJRGPF-DS2	2013	3	11	17	11.394
SJRGPF-DS2	2013	3	11	16	11.394
SJRGPF-DS2	2013	3	11	15	11.394
SJRGPF-DS2	2013	3	11	14	11.37
SJRGPF-DS2	2013	3	11	13	11.346
SJRGPF-DS2	2013	3	11	12	11.321
SJRGPF-DS2	2013	3	11	11	11.273
SJRGPF-DS2	2013	3	11	10	11.224
SJRGPF-DS2	2013	3	11	9	11.2
SJRGPF-DS2	2013	3	11	8	11.151
SJRGPF-DS2	2013	3	11	7	11.127
SJRGPF-DS2	2013	3	11	6	11.127
SJRGPF-DS2	2013	3	11	5	11.127
SJRGPF-DS2	2013	3	11	4	11.127
SJRGPF-DS2	2013	3	11	3	11.127
SJRGPF-DS2	2013	3	11	2	11.127
SJRGPF-DS2	2013	3	11	1	11.102
SJRGPF-DS2	2013	3	11	0	11.102
SJRGPF-DS2	2013	3	10	23	11.102
SJRGPF-DS2	2013	3	10	22	11.102
SJRGPF-DS2	2013	3	10	21	11.102

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-DS2	2013	3	10	20	11.102
SJRGPF-DS2	2013	3	10	19	11.102
SJRGPF-DS2	2013	3	10	18	11.078
SJRGPF-DS2	2013	3	10	17	11.102
SJRGPF-DS2	2013	3	10	16	11.102
SJRGPF-DS2	2013	3	10	15	11.127
SJRGPF-DS2	2013	3	10	14	11.102
SJRGPF-DS2	2013	3	10	13	11.053
SJRGPF-DS2	2013	3	10	12	11.005
SJRGPF-DS2	2013	3	10	11	10.956
SJRGPF-DS2	2013	3	10	10	10.956
SJRGPF-DS2	2013	3	10	9	10.956
SJRGPF-DS2	2013	3	10	8	10.98
SJRGPF-DS2	2013	3	10	7	11.029
SJRGPF-DS2	2013	3	10	6	11.078
SJRGPF-DS2	2013	3	10	5	11.127
SJRGPF-DS2	2013	3	10	4	11.127
SJRGPF-DS2	2013	3	10	3	11.102
SJRGPF-DS2	2013	3	10	2	11.102
SJRGPF-DS2	2013	3	10	1	11.102
SJRGPF-DS2	2013	3	10	0	11.102
SJRGPF-DS2	2013	3	9	23	11.102
SJRGPF-DS2	2013	3	9	22	11.078
SJRGPF-DS2	2013	3	9	21	11.102
SJRGPF-DS2	2013	3	9	20	11.102
SJRGPF-DS2	2013	3	9	19	11.078
SJRGPF-DS2	2013	3	9	18	11.078
SJRGPF-DS2	2013	3	9	17	11.078
SJRGPF-DS2	2013	3	9	16	11.078
SJRGPF-DS2	2013	3	9	15	11.102
SJRGPF-DS2	2013	3	9	14	11.127
SJRGPF-DS2	2013	3	9	13	11.078
SJRGPF-DS2	2013	3	9	12	11.053
SJRGPF-DS2	2013	3	9	11	11.053
SJRGPF-DS2	2013	3	9	10	11.053
SJRGPF-DS2	2013	3	9	9	11.078
SJRGPF-DS2	2013	3	9	8	11.102
SJRGPF-DS2	2013	3	9	7	11.127
SJRGPF-DS2	2013	3	9	6	11.175
SJRGPF-DS2	2013	3	9	5	11.2
SJRGPF-DS2	2013	3	9	4	11.224
SJRGPF-DS2	2013	3	9	3	11.273
SJRGPF-DS2	2013	3	9	2	11.273
SJRGPF-DS2	2013	3	9	1	11.297

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-DS2	2013	3	9	0	11.321
SJRGPF-DS2	2013	3	8	23	11.273
SJRGPF-DS2	2013	3	8	22	11.248
SJRGPF-DS2	2013	3	8	21	11.224
SJRGPF-DS2	2013	3	8	20	11.224
SJRGPF-DS2	2013	3	8	19	11.2
SJRGPF-DS2	2013	3	8	18	11.2
SJRGPF-DS2	2013	3	8	17	11.2
SJRGPF-DS2	2013	3	8	16	11.175
SJRGPF-DS2	2013	3	8	15	11.151
SJRGPF-DS2	2013	3	8	14	11.102
SJRGPF-DS2	2013	3	8	13	11.078
SJRGPF-DS2	2013	3	8	12	11.078
SJRGPF-DS2	2013	3	8	11	11.053
SJRGPF-DS2	2013	3	8	10	11.078
SJRGPF-DS2	2013	3	8	9	11.127
SJRGPF-DS2	2013	3	8	8	11.175
SJRGPF-DS2	2013	3	8	7	11.248
SJRGPF-DS2	2013	3	8	6	11.297
SJRGPF-DS2	2013	3	8	5	11.346
SJRGPF-DS2	2013	3	8	4	11.37
SJRGPF-DS2	2013	3	8	3	11.419
SJRGPF-DS2	2013	3	8	2	11.467
SJRGPF-DS2	2013	3	8	1	11.492
SJRGPF-DS2	2013	3	8	0	11.54
SJRGPF-DS2	2013	3	7	23	11.589
SJRGPF-DS2	2013	3	7	22	11.589
SJRGPF-DS2	2013	3	7	21	11.589
SJRGPF-DS2	2013	3	7	20	11.589
SJRGPF-DS2	2013	3	7	19	11.589
SJRGPF-DS2	2013	3	7	18	11.565
SJRGPF-DS2	2013	3	7	17	11.613
SJRGPF-DS2	2013	3	7	16	11.613
SJRGPF-DS2	2013	3	7	15	11.589
SJRGPF-DS2	2013	3	7	14	11.565
SJRGPF-DS2	2013	3	7	13	11.54
SJRGPF-DS2	2013	3	7	12	11.492
SJRGPF-DS2	2013	3	7	11	11.516
SJRGPF-DS2	2013	3	7	10	11.565
SJRGPF-DS2	2013	3	7	9	11.662
SJRGPF-DS2	2013	3	7	8	11.686
SJRGPF-DS2	2013	3	7	7	11.734
SJRGPF-DS2	2013	3	7	6	11.807
SJRGPF-DS2	2013	3	7	5	11.856

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-DS2	2013	3	7	4	11.904
SJRGPF-DS2	2013	3	7	3	11.977
SJRGPF-DS2	2013	3	7	2	12.025
SJRGPF-DS2	2013	3	7	1	12.098
SJRGPF-DS2	2013	3	7	0	12.122
SJRGPF-DS2	2013	3	6	23	12.195
SJRGPF-DS2	2013	3	6	22	12.268
SJRGPF-DS2	2013	3	6	21	12.34
SJRGPF-DS2	2013	3	6	20	12.389
SJRGPF-DS2	2013	3	6	19	12.34
SJRGPF-DS2	2013	3	6	18	12.34
SJRGPF-DS2	2013	3	6	17	12.34
SJRGPF-DS2	2013	3	6	16	12.34
SJRGPF-DS2	2013	3	6	15	12.34
SJRGPF-DS2	2013	3	6	14	12.316
SJRGPF-DS2	2013	3	6	13	12.34
SJRGPF-DS2	2013	3	6	12	12.316
SJRGPF-DS2	2013	3	6	11	12.292
SJRGPF-DS2	2013	3	6	10	12.292
SJRGPF-DS2	2013	3	6	9	12.316
SJRGPF-DS2	2013	3	6	8	12.364
SJRGPF-DS2	2013	3	6	7	12.413
SJRGPF-DS2	2013	3	6	6	12.292
SJRGPF-DS2	2013	3	6	5	12.147
SJRGPF-DS2	2013	3	6	4	12.147
SJRGPF-DS2	2013	3	6	3	12.147
SJRGPF-DS2	2013	3	6	2	12.147
SJRGPF-DS2	2013	3	6	1	12.147
SJRGPF-DS2	2013	3	6	0	12.147
SJRGPF-DS2	2013	3	5	23	12.147
SJRGPF-DS2	2013	3	5	22	12.147
SJRGPF-DS2	2013	3	5	21	12.171
SJRGPF-DS2	2013	3	5	20	12.147
SJRGPF-DS2	2013	3	5	19	12.147
SJRGPF-DS2	2013	3	5	18	12.171
SJRGPF-DS2	2013	3	5	17	12.171
SJRGPF-DS2	2013	3	5	16	12.195
SJRGPF-DS2	2013	3	5	15	12.195
SJRGPF-DS2	2013	3	5	14	12.171
SJRGPF-DS2	2013	3	5	13	12.147
SJRGPF-DS2	2013	3	5	12	12.098
SJRGPF-DS2	2013	3	5	11	12.074
SJRGPF-DS2	2013	3	5	10	12.025
SJRGPF-DS2	2013	3	5	9	11.977

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-DS2	2013	3	5	8	11.977
SJRGPF-DS2	2013	3	5	7	11.929
SJRGPF-DS2	2013	3	5	6	11.929
SJRGPF-DS2	2013	3	5	5	11.929
SJRGPF-DS2	2013	3	5	4	11.929
SJRGPF-DS2	2013	3	5	3	11.929
SJRGPF-DS2	2013	3	5	2	11.929
SJRGPF-DS2	2013	3	5	1	11.929
SJRGPF-DS2	2013	3	5	0	11.953
SJRGPF-DS2	2013	3	4	23	11.929
SJRGPF-DS2	2013	3	4	22	11.953
SJRGPF-DS2	2013	3	4	21	11.953
SJRGPF-DS2	2013	3	4	20	11.953
SJRGPF-DS2	2013	3	4	19	11.953
SJRGPF-DS2	2013	3	4	18	11.953
SJRGPF-DS2	2013	3	4	17	11.953
SJRGPF-DS2	2013	3	4	16	12.001
SJRGPF-DS2	2013	3	4	15	12.025
SJRGPF-DS2	2013	3	4	14	12.001
SJRGPF-DS2	2013	3	4	13	11.977
SJRGPF-DS2	2013	3	4	12	11.904
SJRGPF-DS2	2013	3	4	11	11.88
SJRGPF-DS2	2013	3	4	10	11.783
SJRGPF-DS2	2013	3	4	9	11.71
SJRGPF-DS2	2013	3	4	8	11.662
SJRGPF-DS2	2013	3	4	7	11.637
SJRGPF-DS2	2013	3	4	6	11.662
SJRGPF-DS2	2013	3	4	5	11.662
SJRGPF-DS2	2013	3	4	4	11.637
SJRGPF-DS2	2013	3	4	3	11.637
SJRGPF-DS2	2013	3	4	2	11.637
SJRGPF-DS2	2013	3	4	1	11.637
SJRGPF-DS2	2013	3	4	0	11.637
SJRGPF-DS2	2013	3	3	23	11.637
SJRGPF-DS2	2013	3	3	22	11.637
SJRGPF-DS2	2013	3	3	21	11.662
SJRGPF-DS2	2013	3	3	20	11.637
SJRGPF-DS2	2013	3	3	19	11.637
SJRGPF-DS2	2013	3	3	18	11.637
SJRGPF-DS2	2013	3	3	17	11.662
SJRGPF-DS2	2013	3	3	16	11.637
SJRGPF-DS2	2013	3	3	15	11.662
SJRGPF-DS2	2013	3	3	14	11.686
SJRGPF-DS2	2013	3	3	13	11.637

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-DS2	2013	3	3	12	11.589
SJRGPF-DS2	2013	3	3	11	11.565
SJRGPF-DS2	2013	3	3	10	11.54
SJRGPF-DS2	2013	3	3	9	11.516
SJRGPF-DS2	2013	3	3	8	11.516
SJRGPF-DS2	2013	3	3	7	11.516
SJRGPF-DS2	2013	3	3	6	11.516
SJRGPF-DS2	2013	3	3	5	11.516
SJRGPF-DS2	2013	3	3	4	11.516
SJRGPF-DS2	2013	3	3	3	11.516
SJRGPF-DS2	2013	3	3	2	11.516
SJRGPF-DS2	2013	3	3	1	11.54
SJRGPF-DS2	2013	3	3	0	11.516
SJRGPF-DS2	2013	3	2	23	11.516
SJRGPF-DS2	2013	3	2	22	11.54
SJRGPF-DS2	2013	3	2	21	11.54
SJRGPF-DS2	2013	3	2	20	11.54
SJRGPF-DS2	2013	3	2	19	11.54
SJRGPF-DS2	2013	3	2	18	11.54
SJRGPF-DS2	2013	3	2	17	11.54
SJRGPF-DS2	2013	3	2	16	11.54
SJRGPF-DS2	2013	3	2	15	11.54
SJRGPF-DS2	2013	3	2	14	11.516
SJRGPF-DS2	2013	3	2	13	11.492
SJRGPF-DS2	2013	3	2	12	11.443
SJRGPF-DS2	2013	3	2	11	11.394
SJRGPF-DS2	2013	3	2	10	11.37
SJRGPF-DS2	2013	3	2	9	11.321
SJRGPF-DS2	2013	3	2	8	11.297
SJRGPF-DS2	2013	3	2	7	11.297
SJRGPF-DS2	2013	3	2	6	11.273
SJRGPF-DS2	2013	3	2	5	11.273
SJRGPF-DS2	2013	3	2	4	11.273
SJRGPF-DS2	2013	3	2	3	11.273
SJRGPF-DS2	2013	3	2	2	11.273
SJRGPF-DS2	2013	3	2	1	11.273
SJRGPF-DS2	2013	3	2	0	11.273
SJRGPF-DS2	2013	3	1	23	11.297
SJRGPF-DS2	2013	3	1	22	11.273
SJRGPF-DS2	2013	3	1	21	11.297
SJRGPF-DS2	2013	3	1	20	11.297
SJRGPF-DS2	2013	3	1	19	11.297
SJRGPF-DS2	2013	3	1	18	11.297
SJRGPF-DS2	2013	3	1	17	11.297

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-DS2	2013	3	1	16	11.297
SJRGPF-DS2	2013	3	1	15	11.273
SJRGPF-DS2	2013	3	1	14	11.297
SJRGPF-DS2	2013	3	1	13	11.297
SJRGPF-DS2	2013	3	1	12	11.2
SJRGPF-DS2	2013	3	1	11	11.151
SJRGPF-DS2	2013	3	1	10	11.127
SJRGPF-DS2	2013	3	1	9	11.102
SJRGPF-DS2	2013	3	1	8	11.053
SJRGPF-DS2	2013	3	1	7	11.053
SJRGPF-DS2	2013	3	1	6	11.029
SJRGPF-DS2	2013	3	1	5	11.029
SJRGPF-DS2	2013	3	1	4	11.053
SJRGPF-DS2	2013	3	1	3	11.053
SJRGPF-DS2	2013	3	1	2	11.029
SJRGPF-DS2	2013	3	1	1	11.029
SJRGPF-DS2	2013	3	1	0	11.053
SJRGPF-DS2	2013	2	28	23	11.053
SJRGPF-DS2	2013	2	28	22	11.053
SJRGPF-DS2	2013	2	28	21	11.053
SJRGPF-DS2	2013	2	28	20	11.053
SJRGPF-DS2	2013	2	28	19	11.053
SJRGPF-DS2	2013	2	28	18	11.029
SJRGPF-DS2	2013	2	28	17	11.053
SJRGPF-DS2	2013	2	28	16	11.078
SJRGPF-DS2	2013	2	28	15	11.078
SJRGPF-DS2	2013	2	28	14	11.078
SJRGPF-DS2	2013	2	28	13	11.053
SJRGPF-DS2	2013	2	28	12	11.005
SJRGPF-DS2	2013	2	28	11	10.932
SJRGPF-DS2	2013	2	28	10	10.883
SJRGPF-DS2	2013	2	28	9	10.858
SJRGPF-DS2	2013	2	28	8	10.834
SJRGPF-DS2	2013	2	28	7	10.81
SJRGPF-DS2	2013	2	28	6	10.81
SJRGPF-DS2	2013	2	28	5	10.81
SJRGPF-DS2	2013	2	28	4	10.81
SJRGPF-DS2	2013	2	28	3	10.81
SJRGPF-DS2	2013	2	28	2	10.81
SJRGPF-DS2	2013	2	28	1	10.81
SJRGPF-DS2	2013	2	28	0	10.81
SJRGPF-DS2	2013	2	27	23	10.81
SJRGPF-DS2	2013	2	27	22	10.81
SJRGPF-DS2	2013	2	27	21	10.81

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-DS2	2013	2	27	20	10.81
SJRGPF-DS2	2013	2	27	19	10.81
SJRGPF-DS2	2013	2	27	18	10.81
SJRGPF-DS2	2013	2	27	17	10.81
SJRGPF-DS2	2013	2	27	16	10.834
SJRGPF-DS2	2013	2	27	15	10.834
SJRGPF-DS2	2013	2	27	14	10.834
SJRGPF-DS2	2013	2	27	13	10.785
SJRGPF-DS2	2013	2	27	12	10.761
SJRGPF-DS2	2013	2	27	11	10.736
SJRGPF-DS2	2013	2	27	10	10.663
SJRGPF-DS2	2013	2	27	9	10.614
SJRGPF-DS2	2013	2	27	8	10.59
SJRGPF-DS2	2013	2	27	7	10.59
SJRGPF-DS2	2013	2	27	6	10.565
SJRGPF-DS2	2013	2	27	5	10.565
SJRGPF-DS2	2013	2	27	4	10.565
SJRGPF-DS2	2013	2	27	3	10.59
SJRGPF-DS2	2013	2	27	2	10.565
SJRGPF-DS2	2013	2	27	1	10.565
SJRGPF-DS2	2013	2	27	0	10.565
SJRGPF-DS2	2013	2	26	23	10.565
SJRGPF-DS2	2013	2	26	22	10.565
SJRGPF-DS2	2013	2	26	21	10.565
SJRGPF-DS2	2013	2	26	20	10.565
SJRGPF-DS2	2013	2	26	19	10.565
SJRGPF-DS2	2013	2	26	18	10.565
SJRGPF-DS2	2013	2	26	17	10.565
SJRGPF-DS2	2013	2	26	16	10.59
SJRGPF-DS2	2013	2	26	15	10.59
SJRGPF-DS2	2013	2	26	14	10.565
SJRGPF-DS2	2013	2	26	13	10.541
SJRGPF-DS2	2013	2	26	12	10.516
SJRGPF-DS2	2013	2	26	11	10.467
SJRGPF-DS2	2013	2	26	10	10.443
SJRGPF-DS2	2013	2	26	9	10.418
SJRGPF-DS2	2013	2	26	8	10.369
SJRGPF-DS2	2013	2	26	7	10.345
SJRGPF-DS2	2013	2	26	6	10.345
SJRGPF-DS2	2013	2	26	5	10.345
SJRGPF-DS2	2013	2	26	4	10.345
SJRGPF-DS2	2013	2	26	3	10.345
SJRGPF-DS2	2013	2	26	2	10.345
SJRGPF-DS2	2013	2	26	1	10.345

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-DS2	2013	2	26	0	10.345
SJRGPF-DS2	2013	2	25	23	10.345
SJRGPF-DS2	2013	2	25	22	10.345
SJRGPF-DS2	2013	2	25	21	10.345
SJRGPF-DS2	2013	2	25	20	10.32
SJRGPF-DS2	2013	2	25	19	10.32
SJRGPF-DS2	2013	2	25	18	10.345
SJRGPF-DS2	2013	2	25	17	10.345
SJRGPF-DS2	2013	2	25	16	10.345
SJRGPF-DS2	2013	2	25	15	10.345
SJRGPF-DS2	2013	2	25	14	10.345
SJRGPF-DS2	2013	2	25	13	10.296
SJRGPF-DS2	2013	2	25	12	10.271
SJRGPF-DS2	2013	2	25	11	10.247
SJRGPF-DS2	2013	2	25	10	10.222
SJRGPF-DS2	2013	2	25	9	10.247
SJRGPF-DS2	2013	2	25	8	10.271
SJRGPF-DS2	2013	2	25	7	10.271
SJRGPF-DS2	2013	2	25	6	10.198
SJRGPF-DS2	2013	2	25	5	10.198
SJRGPF-DS2	2013	2	25	4	10.173
SJRGPF-DS2	2013	2	25	3	10.173
SJRGPF-DS2	2013	2	25	2	10.173
SJRGPF-DS2	2013	2	25	1	10.173
SJRGPF-DS2	2013	2	25	0	10.173
SJRGPF-DS2	2013	2	24	23	10.173
SJRGPF-DS2	2013	2	24	22	10.173
SJRGPF-DS2	2013	2	24	21	10.149
SJRGPF-DS2	2013	2	24	20	10.149
SJRGPF-DS2	2013	2	24	19	10.149
SJRGPF-DS2	2013	2	24	18	10.173
SJRGPF-DS2	2013	2	24	17	10.173
SJRGPF-DS2	2013	2	24	16	10.149
SJRGPF-DS2	2013	2	24	15	10.173
SJRGPF-DS2	2013	2	24	14	10.124
SJRGPF-DS2	2013	2	24	13	10.1
SJRGPF-DS2	2013	2	24	12	10.075
SJRGPF-DS2	2013	2	24	11	10.026
SJRGPF-DS2	2013	2	24	10	10.051
SJRGPF-DS2	2013	2	24	9	10.075
SJRGPF-DS2	2013	2	24	8	10.075
SJRGPF-DS2	2013	2	24	7	9.952
SJRGPF-DS2	2013	2	24	6	9.928
SJRGPF-DS2	2013	2	24	5	9.928

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-DS2	2013	2	24	4	9.903
SJRGPF-DS2	2013	2	24	3	9.903
SJRGPF-DS2	2013	2	24	2	9.903
SJRGPF-DS2	2013	2	24	1	9.879
SJRGPF-DS2	2013	2	24	0	9.903
SJRGPF-DS2	2013	2	23	23	9.903
SJRGPF-DS2	2013	2	23	22	9.879
SJRGPF-DS2	2013	2	23	21	9.879
SJRGPF-DS2	2013	2	23	20	9.903
SJRGPF-DS2	2013	2	23	19	9.952
SJRGPF-DS2	2013	2	23	18	10.001
SJRGPF-DS2	2013	2	23	17	9.879
SJRGPF-DS2	2013	2	23	16	9.854
SJRGPF-DS2	2013	2	23	15	9.854
SJRGPF-DS2	2013	2	23	14	9.829
SJRGPF-DS2	2013	2	23	13	9.805
SJRGPF-DS2	2013	2	23	12	9.78
SJRGPF-DS2	2013	2	23	11	9.731
SJRGPF-DS2	2013	2	23	10	9.706
SJRGPF-DS2	2013	2	23	9	9.682
SJRGPF-DS2	2013	2	23	8	9.657
SJRGPF-DS2	2013	2	23	7	9.632
SJRGPF-DS2	2013	2	23	6	9.632
SJRGPF-DS2	2013	2	23	5	9.632
SJRGPF-DS2	2013	2	23	4	9.632
SJRGPF-DS2	2013	2	23	3	9.632
SJRGPF-DS2	2013	2	23	2	9.632
SJRGPF-DS2	2013	2	23	1	9.632
SJRGPF-DS2	2013	2	23	0	9.608
SJRGPF-DS2	2013	2	22	23	9.608
SJRGPF-DS2	2013	2	22	22	9.608
SJRGPF-DS2	2013	2	22	21	9.608
SJRGPF-DS2	2013	2	22	20	9.583
SJRGPF-DS2	2013	2	22	19	9.583
SJRGPF-DS2	2013	2	22	18	9.583
SJRGPF-DS2	2013	2	22	17	9.583
SJRGPF-DS2	2013	2	22	16	9.583
SJRGPF-DS2	2013	2	22	15	9.583
SJRGPF-DS2	2013	2	22	14	9.583
SJRGPF-DS2	2013	2	22	13	9.534
SJRGPF-DS2	2013	2	22	12	9.509
SJRGPF-DS2	2013	2	22	11	9.485
SJRGPF-DS2	2013	2	22	10	9.485
SJRGPF-DS2	2013	2	22	9	9.46

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-DS2	2013	2	22	8	9.435
SJRGPF-DS2	2013	2	22	7	9.435
SJRGPF-DS2	2013	2	22	6	9.41
SJRGPF-DS2	2013	2	22	5	9.41
SJRGPF-DS2	2013	2	22	4	9.386
SJRGPF-DS2	2013	2	22	3	9.386
SJRGPF-DS2	2013	2	22	2	9.386
SJRGPF-DS2	2013	2	22	1	9.386
SJRGPF-DS2	2013	2	22	0	9.386
SJRGPF-DS2	2013	2	21	23	9.361
SJRGPF-DS2	2013	2	21	22	9.361
SJRGPF-DS2	2013	2	21	21	9.361
SJRGPF-DS2	2013	2	21	20	9.361
SJRGPF-DS2	2013	2	21	19	9.361
SJRGPF-DS2	2013	2	21	18	9.361
SJRGPF-DS2	2013	2	21	17	9.361
SJRGPF-DS2	2013	2	21	16	9.361
SJRGPF-DS2	2013	2	21	15	9.361
SJRGPF-DS2	2013	2	21	14	9.336
SJRGPF-DS2	2013	2	21	13	9.312
SJRGPF-DS2	2013	2	21	12	9.287
SJRGPF-DS2	2013	2	21	11	9.287
SJRGPF-DS2	2013	2	21	10	9.312
SJRGPF-DS2	2013	2	21	9	9.312
SJRGPF-DS2	2013	2	21	8	9.336
SJRGPF-DS2	2013	2	21	7	9.336
SJRGPF-DS2	2013	2	21	6	9.41
SJRGPF-DS2	2013	2	21	5	9.46
SJRGPF-DS2	2013	2	21	4	9.509
SJRGPF-DS2	2013	2	21	3	9.583
SJRGPF-DS2	2013	2	21	2	9.632
SJRGPF-DS2	2013	2	21	1	9.682
SJRGPF-DS2	2013	2	21	0	9.706
SJRGPF-DS2	2013	2	20	23	9.682
SJRGPF-DS2	2013	2	20	22	9.682
SJRGPF-DS2	2013	2	20	21	9.657
SJRGPF-DS2	2013	2	20	20	9.657
SJRGPF-DS2	2013	2	20	19	9.657
SJRGPF-DS2	2013	2	20	18	9.657
SJRGPF-DS2	2013	2	20	17	9.682
SJRGPF-DS2	2013	2	20	16	9.682
SJRGPF-DS2	2013	2	20	15	9.632
SJRGPF-DS2	2013	2	20	14	9.632
SJRGPF-DS2	2013	2	20	13	9.583

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-DS2	2013	2	20	12	9.558
SJRGPF-DS2	2013	2	20	11	9.608
SJRGPF-DS2	2013	2	20	10	9.657
SJRGPF-DS2	2013	2	20	9	9.682
SJRGPF-DS2	2013	2	20	8	9.756
SJRGPF-DS2	2013	2	20	7	9.854
SJRGPF-DS2	2013	2	20	6	9.977
SJRGPF-DS2	2013	2	20	5	10.026
SJRGPF-DS2	2013	2	20	4	10.1
SJRGPF-DS2	2013	2	20	3	10.149
SJRGPF-DS2	2013	2	20	2	10.198
SJRGPF-DS2	2013	2	20	1	10.271
SJRGPF-DS2	2013	2	20	0	10.296
SJRGPF-DS2	2013	2	19	23	10.345
SJRGPF-DS2	2013	2	19	22	10.394
SJRGPF-DS2	2013	2	19	21	10.467
SJRGPF-DS2	2013	2	19	20	10.541
SJRGPF-DS2	2013	2	19	19	10.712
SJRGPF-DS2	2013	2	19	18	10.736
SJRGPF-DS2	2013	2	19	17	10.761
SJRGPF-DS2	2013	2	19	16	10.736
SJRGPF-DS2	2013	2	19	15	10.687
SJRGPF-DS2	2013	2	19	14	10.663
SJRGPF-DS2	2013	2	19	13	10.638
SJRGPF-DS2	2013	2	19	12	10.663
SJRGPF-DS2	2013	2	19	11	10.663
SJRGPF-DS2	2013	2	19	10	10.687
SJRGPF-DS2	2013	2	19	9	10.736
SJRGPF-DS2	2013	2	19	8	10.736
SJRGPF-DS2	2013	2	19	7	10.761
SJRGPF-DS2	2013	2	19	6	10.761
SJRGPF-DS2	2013	2	19	5	10.785
SJRGPF-DS2	2013	2	19	4	10.81
SJRGPF-DS2	2013	2	19	3	10.834
SJRGPF-DS2	2013	2	19	2	10.81
SJRGPF-DS2	2013	2	19	1	10.81
SJRGPF-DS2	2013	2	19	0	10.81
SJRGPF-DS2	2013	2	18	23	10.907
SJRGPF-DS2	2013	2	18	22	10.932
SJRGPF-DS2	2013	2	18	21	10.883
SJRGPF-DS2	2013	2	18	20	10.712
SJRGPF-DS2	2013	2	18	19	10.663
SJRGPF-DS2	2013	2	18	18	10.687
SJRGPF-DS2	2013	2	18	17	10.687

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-DS2	2013	2	18	16	10.663
SJRGPF-DS2	2013	2	18	15	10.663
SJRGPF-DS2	2013	2	18	14	10.638
SJRGPF-DS2	2013	2	18	13	10.59
SJRGPF-DS2	2013	2	18	12	10.565
SJRGPF-DS2	2013	2	18	11	10.541
SJRGPF-DS2	2013	2	18	10	10.565
SJRGPF-DS2	2013	2	18	9	10.614
SJRGPF-DS2	2013	2	18	8	10.663
SJRGPF-DS2	2013	2	18	7	10.663
SJRGPF-DS2	2013	2	18	6	10.638
SJRGPF-DS2	2013	2	18	5	10.614
SJRGPF-DS2	2013	2	18	4	10.614
SJRGPF-DS2	2013	2	18	3	10.614
SJRGPF-DS2	2013	2	18	2	10.614
SJRGPF-DS2	2013	2	18	1	10.614
SJRGPF-DS2	2013	2	18	0	10.614
SJRGPF-DS2	2013	2	17	23	10.614
SJRGPF-DS2	2013	2	17	22	10.614
SJRGPF-DS2	2013	2	17	21	10.614
SJRGPF-DS2	2013	2	17	20	10.614
SJRGPF-DS2	2013	2	17	19	10.614
SJRGPF-DS2	2013	2	17	18	10.59
SJRGPF-DS2	2013	2	17	17	10.614
SJRGPF-DS2	2013	2	17	16	10.663
SJRGPF-DS2	2013	2	17	15	10.638
SJRGPF-DS2	2013	2	17	14	10.614
SJRGPF-DS2	2013	2	17	13	10.565
SJRGPF-DS2	2013	2	17	12	10.541
SJRGPF-DS2	2013	2	17	11	10.516
SJRGPF-DS2	2013	2	17	10	10.541
SJRGPF-DS2	2013	2	17	9	10.614
SJRGPF-DS2	2013	2	17	8	10.663
SJRGPF-DS2	2013	2	17	7	10.638
SJRGPF-DS2	2013	2	17	6	10.614
SJRGPF-DS2	2013	2	17	5	10.59
SJRGPF-DS2	2013	2	17	4	10.59
SJRGPF-DS2	2013	2	17	3	10.565
SJRGPF-DS2	2013	2	17	2	10.565
SJRGPF-DS2	2013	2	17	1	10.565
SJRGPF-DS2	2013	2	17	0	10.565
SJRGPF-DS2	2013	2	16	23	10.565
SJRGPF-DS2	2013	2	16	22	10.565
SJRGPF-DS2	2013	2	16	21	10.565

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-DS2	2013	2	16	20	10.541
SJRGPF-DS2	2013	2	16	19	10.541
SJRGPF-DS2	2013	2	16	18	10.541
SJRGPF-DS2	2013	2	16	17	10.541
SJRGPF-DS2	2013	2	16	16	10.565
SJRGPF-DS2	2013	2	16	15	10.541
SJRGPF-DS2	2013	2	16	14	10.541
SJRGPF-DS2	2013	2	16	13	10.516
SJRGPF-DS2	2013	2	16	12	10.492
SJRGPF-DS2	2013	2	16	11	10.467
SJRGPF-DS2	2013	2	16	10	10.443
SJRGPF-DS2	2013	2	16	9	10.418
SJRGPF-DS2	2013	2	16	8	10.418
SJRGPF-DS2	2013	2	16	7	10.394
SJRGPF-DS2	2013	2	16	6	10.394
SJRGPF-DS2	2013	2	16	5	10.394
SJRGPF-DS2	2013	2	16	4	10.394
SJRGPF-DS2	2013	2	16	3	10.394
SJRGPF-DS2	2013	2	16	2	10.394
SJRGPF-DS2	2013	2	16	1	10.394
SJRGPF-DS2	2013	2	16	0	10.369
SJRGPF-DS2	2013	2	15	23	10.394
SJRGPF-DS2	2013	2	15	22	10.369
SJRGPF-DS2	2013	2	15	21	10.369
SJRGPF-DS2	2013	2	15	20	10.369
SJRGPF-DS2	2013	2	15	19	10.369
SJRGPF-DS2	2013	2	15	18	10.369
SJRGPF-DS2	2013	2	15	17	10.369
SJRGPF-DS2	2013	2	15	16	10.369
SJRGPF-DS2	2013	2	15	15	10.394
SJRGPF-DS2	2013	2	15	14	10.369
SJRGPF-DS2	2013	2	15	13	10.345
SJRGPF-DS2	2013	2	15	12	10.296
SJRGPF-DS2	2013	2	15	11	10.271
SJRGPF-DS2	2013	2	15	10	10.222
SJRGPF-DS2	2013	2	15	9	10.222
SJRGPF-DS2	2013	2	15	8	10.198
SJRGPF-DS2	2013	2	15	7	10.173
SJRGPF-DS2	2013	2	15	6	10.173
SJRGPF-DS2	2013	2	15	5	10.173
SJRGPF-DS2	2013	2	15	4	10.173
SJRGPF-DS2	2013	2	15	3	10.173
SJRGPF-DS2	2013	2	15	2	10.173
SJRGPF-DS2	2013	2	15	1	10.173

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-DS2	2013	2	15	0	10.173
SJRGPF-DS2	2013	2	14	23	10.149
SJRGPF-DS2	2013	2	14	22	10.149
SJRGPF-DS2	2013	2	14	21	10.149
SJRGPF-DS2	2013	2	14	20	10.149
SJRGPF-DS2	2013	2	14	19	10.149
SJRGPF-DS2	2013	2	14	18	10.149
SJRGPF-DS2	2013	2	14	17	10.173
SJRGPF-DS2	2013	2	14	16	10.173
SJRGPF-DS2	2013	2	14	15	10.173
SJRGPF-DS2	2013	2	14	14	10.149
SJRGPF-DS2	2013	2	14	13	10.124
SJRGPF-DS2	2013	2	14	12	10.1
SJRGPF-DS2	2013	2	14	11	10.075
SJRGPF-DS2	2013	2	14	10	10.026
SJRGPF-DS2	2013	2	14	9	10.001
SJRGPF-DS2	2013	2	14	8	9.977
SJRGPF-DS2	2013	2	14	7	9.977
SJRGPF-DS2	2013	2	14	6	9.977
SJRGPF-DS2	2013	2	14	5	9.977
SJRGPF-DS2	2013	2	14	4	9.977
SJRGPF-DS2	2013	2	14	3	9.952
SJRGPF-DS2	2013	2	14	2	9.952
SJRGPF-DS2	2013	2	14	1	9.952
SJRGPF-DS2	2013	2	14	0	9.952
SJRGPF-DS2	2013	2	13	23	9.952
SJRGPF-DS2	2013	2	13	22	9.952
SJRGPF-DS2	2013	2	13	21	9.952
SJRGPF-DS2	2013	2	13	20	9.952
SJRGPF-DS2	2013	2	13	19	9.928
SJRGPF-DS2	2013	2	13	18	9.952
SJRGPF-DS2	2013	2	13	17	9.952
SJRGPF-DS2	2013	2	13	16	9.952
SJRGPF-DS2	2013	2	13	15	9.952
SJRGPF-DS2	2013	2	13	14	9.928
SJRGPF-DS2	2013	2	13	13	9.903
SJRGPF-DS2	2013	2	13	12	9.903
SJRGPF-DS2	2013	2	13	11	9.879
SJRGPF-DS2	2013	2	13	10	9.879
SJRGPF-DS2	2013	2	13	9	9.829
SJRGPF-DS2	2013	2	13	8	9.805
SJRGPF-DS2	2013	2	13	7	9.805
SJRGPF-DS2	2013	2	13	6	9.805
SJRGPF-DS2	2013	2	13	5	9.78

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-DS2	2013	2	13	4	9.78
SJRGPF-DS2	2013	2	13	3	9.78
SJRGPF-DS2	2013	2	13	2	9.78
SJRGPF-DS2	2013	2	13	1	9.78
SJRGPF-DS2	2013	2	13	0	9.78
SJRGPF-DS2	2013	2	12	23	9.78
SJRGPF-DS2	2013	2	12	22	9.78
SJRGPF-DS2	2013	2	12	21	9.756
SJRGPF-DS2	2013	2	12	20	9.756
SJRGPF-DS2	2013	2	12	19	9.756
SJRGPF-DS2	2013	2	12	18	9.756
SJRGPF-DS2	2013	2	12	17	9.78
SJRGPF-DS2	2013	2	12	16	9.78
SJRGPF-DS2	2013	2	12	15	9.78
SJRGPF-DS2	2013	2	12	14	9.731
SJRGPF-DS2	2013	2	12	13	9.706
SJRGPF-DS2	2013	2	12	12	9.682
SJRGPF-DS2	2013	2	12	11	9.657
SJRGPF-DS2	2013	2	12	10	9.657
SJRGPF-DS2	2013	2	12	9	9.608
SJRGPF-DS2	2013	2	12	8	9.583
SJRGPF-DS2	2013	2	12	7	9.583
SJRGPF-DS2	2013	2	12	6	9.583
SJRGPF-DS2	2013	2	12	5	9.558
SJRGPF-DS2	2013	2	12	4	9.558
SJRGPF-DS2	2013	2	12	3	9.558
SJRGPF-DS2	2013	2	12	2	9.558
SJRGPF-DS2	2013	2	12	1	9.558
SJRGPF-DS2	2013	2	12	0	9.558
SJRGPF-DS2	2013	2	11	23	9.534
SJRGPF-DS2	2013	2	11	22	9.534
SJRGPF-DS2	2013	2	11	21	9.534
SJRGPF-DS2	2013	2	11	20	9.534
SJRGPF-DS2	2013	2	11	19	9.534
SJRGPF-DS2	2013	2	11	18	9.534
SJRGPF-DS2	2013	2	11	17	9.534
SJRGPF-DS2	2013	2	11	16	9.534
SJRGPF-DS2	2013	2	11	15	9.534
SJRGPF-DS2	2013	2	11	14	9.534
SJRGPF-DS2	2013	2	11	13	9.485
SJRGPF-DS2	2013	2	11	12	9.46
SJRGPF-DS2	2013	2	11	11	9.435
SJRGPF-DS2	2013	2	11	10	9.46
SJRGPF-DS2	2013	2	11	9	9.46

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-DS2	2013	2	11	8	9.485
SJRGPF-DS2	2013	2	11	7	9.509
SJRGPF-DS2	2013	2	11	6	9.534
SJRGPF-DS2	2013	2	11	5	9.558
SJRGPF-DS2	2013	2	11	4	9.534
SJRGPF-DS2	2013	2	11	3	9.509
SJRGPF-DS2	2013	2	11	2	9.509
SJRGPF-DS2	2013	2	11	1	9.509
SJRGPF-DS2	2013	2	11	0	9.485
SJRGPF-DS2	2013	2	10	23	9.485
SJRGPF-DS2	2013	2	10	22	9.485
SJRGPF-DS2	2013	2	10	21	9.485
SJRGPF-DS2	2013	2	10	20	9.485
SJRGPF-DS2	2013	2	10	19	9.485
SJRGPF-DS2	2013	2	10	18	9.485
SJRGPF-DS2	2013	2	10	17	9.485
SJRGPF-DS2	2013	2	10	16	9.485
SJRGPF-DS2	2013	2	10	15	9.46
SJRGPF-DS2	2013	2	10	14	9.435
SJRGPF-DS2	2013	2	10	13	9.41
SJRGPF-DS2	2013	2	10	12	9.386
SJRGPF-DS2	2013	2	10	11	9.386
SJRGPF-DS2	2013	2	10	10	9.386
SJRGPF-DS2	2013	2	10	9	9.435
SJRGPF-DS2	2013	2	10	8	9.46
SJRGPF-DS2	2013	2	10	7	9.534
SJRGPF-DS2	2013	2	10	6	9.534
SJRGPF-DS2	2013	2	10	5	9.608
SJRGPF-DS2	2013	2	10	4	9.632
SJRGPF-DS2	2013	2	10	3	9.682
SJRGPF-DS2	2013	2	10	2	9.731
SJRGPF-DS2	2013	2	10	1	9.805
SJRGPF-DS2	2013	2	10	0	9.829
SJRGPF-DS2	2013	2	9	23	9.805
SJRGPF-DS2	2013	2	9	22	9.805
SJRGPF-DS2	2013	2	9	21	9.805
SJRGPF-DS2	2013	2	9	20	9.78
SJRGPF-DS2	2013	2	9	19	9.78
SJRGPF-DS2	2013	2	9	18	9.78
SJRGPF-DS2	2013	2	9	17	9.78
SJRGPF-DS2	2013	2	9	16	9.78
SJRGPF-DS2	2013	2	9	15	9.78
SJRGPF-DS2	2013	2	9	14	9.756
SJRGPF-DS2	2013	2	9	13	9.756

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-DS2	2013	2	9	12	9.756
SJRGPF-DS2	2013	2	9	11	9.756
SJRGPF-DS2	2013	2	9	10	9.731
SJRGPF-DS2	2013	2	9	9	9.756
SJRGPF-DS2	2013	2	9	8	9.78
SJRGPF-DS2	2013	2	9	7	9.805
SJRGPF-DS2	2013	2	9	6	9.829
SJRGPF-DS2	2013	2	9	5	9.829
SJRGPF-DS2	2013	2	9	4	9.854
SJRGPF-DS2	2013	2	9	3	9.854
SJRGPF-DS2	2013	2	9	2	9.854
SJRGPF-DS2	2013	2	9	1	9.854
SJRGPF-DS2	2013	2	9	0	9.879
SJRGPF-DS2	2013	2	8	23	9.879
SJRGPF-DS2	2013	2	8	22	9.928
SJRGPF-DS2	2013	2	8	21	9.952
SJRGPF-DS2	2013	2	8	20	9.928
SJRGPF-DS2	2013	2	8	19	9.928
SJRGPF-DS2	2013	2	8	18	9.879
SJRGPF-DS2	2013	2	8	17	9.879
SJRGPF-DS2	2013	2	8	16	9.854
SJRGPF-DS2	2013	2	8	15	9.829
SJRGPF-DS2	2013	2	8	14	9.805
SJRGPF-DS2	2013	2	8	13	9.78
SJRGPF-DS2	2013	2	8	12	9.756
SJRGPF-DS2	2013	2	8	11	9.731
SJRGPF-DS2	2013	2	8	10	9.706
SJRGPF-DS2	2013	2	8	9	9.682
SJRGPF-DS2	2013	2	8	8	9.682
SJRGPF-DS2	2013	2	8	7	9.682
SJRGPF-DS2	2013	2	8	6	9.657
SJRGPF-DS2	2013	2	8	5	9.657
SJRGPF-DS2	2013	2	8	4	9.632
SJRGPF-DS2	2013	2	8	3	9.632
SJRGPF-DS2	2013	2	8	2	9.632
SJRGPF-DS2	2013	2	8	1	9.632
SJRGPF-DS2	2013	2	8	0	9.632
SJRGPF-DS2	2013	2	7	23	9.632
SJRGPF-DS2	2013	2	7	22	9.632
SJRGPF-DS2	2013	2	7	21	9.632
SJRGPF-DS2	2013	2	7	20	9.632
SJRGPF-DS2	2013	2	7	19	9.608
SJRGPF-DS2	2013	2	7	18	9.608
SJRGPF-DS2	2013	2	7	17	9.608

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-DS2	2013	2	7	16	9.608
SJRGPF-DS2	2013	2	7	15	9.608
SJRGPF-DS2	2013	2	7	14	9.583
SJRGPF-DS2	2013	2	7	13	9.558
SJRGPF-DS2	2013	2	7	12	9.558
SJRGPF-DS2	2013	2	7	11	9.534
SJRGPF-DS2	2013	2	7	10	9.558
SJRGPF-DS2	2013	2	7	9	9.657
SJRGPF-DS2	2013	2	7	8	9.657
SJRGPF-DS2	2013	2	7	7	9.756
SJRGPF-DS2	2013	2	7	6	9.805
SJRGPF-DS2	2013	2	7	5	9.879
SJRGPF-DS2	2013	2	7	4	9.903
SJRGPF-DS2	2013	2	7	3	9.977
SJRGPF-DS2	2013	2	7	2	9.977
SJRGPF-DS2	2013	2	7	1	10.051
SJRGPF-DS2	2013	2	7	0	10.124
SJRGPF-DS2	2013	2	6	23	10.149
SJRGPF-DS2	2013	2	6	22	10.247
SJRGPF-DS2	2013	2	6	21	10.296
SJRGPF-DS2	2013	2	6	20	10.369
SJRGPF-DS2	2013	2	6	19	10.394
SJRGPF-DS2	2013	2	6	18	10.418
SJRGPF-DS2	2013	2	6	17	10.443
SJRGPF-DS2	2013	2	6	16	10.443
SJRGPF-DS2	2013	2	6	15	10.418
SJRGPF-DS2	2013	2	6	14	10.418
SJRGPF-DS2	2013	2	6	13	10.418
SJRGPF-DS2	2013	2	6	12	10.443
SJRGPF-DS2	2013	2	6	11	10.443
SJRGPF-DS2	2013	2	6	10	10.492
SJRGPF-DS2	2013	2	6	9	10.516
SJRGPF-DS2	2013	2	6	8	10.565
SJRGPF-DS2	2013	2	6	7	10.59
SJRGPF-DS2	2013	2	6	6	10.663
SJRGPF-DS2	2013	2	6	5	10.663
SJRGPF-DS2	2013	2	6	4	10.712
SJRGPF-DS2	2013	2	6	3	10.736
SJRGPF-DS2	2013	2	6	2	10.761
SJRGPF-DS2	2013	2	6	1	10.81
SJRGPF-DS2	2013	2	6	0	10.834
SJRGPF-DS2	2013	2	5	23	10.834
SJRGPF-DS2	2013	2	5	22	10.834
SJRGPF-DS2	2013	2	5	21	10.81

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-DS2	2013	2	5	20	10.785
SJRGPF-DS2	2013	2	5	19	10.736
SJRGPF-DS2	2013	2	5	18	10.736
SJRGPF-DS2	2013	2	5	17	10.736
SJRGPF-DS2	2013	2	5	16	10.712
SJRGPF-DS2	2013	2	5	15	10.712
SJRGPF-DS2	2013	2	5	14	10.712
SJRGPF-DS2	2013	2	5	13	10.687
SJRGPF-DS2	2013	2	5	12	10.663
SJRGPF-DS2	2013	2	5	11	10.638
SJRGPF-DS2	2013	2	5	10	10.614
SJRGPF-DS2	2013	2	5	9	10.59
SJRGPF-DS2	2013	2	5	8	10.565
SJRGPF-DS2	2013	2	5	7	10.565
SJRGPF-DS2	2013	2	5	6	10.565
SJRGPF-DS2	2013	2	5	5	10.565
SJRGPF-DS2	2013	2	5	4	10.565
SJRGPF-DS2	2013	2	5	3	10.565
SJRGPF-DS2	2013	2	5	2	10.565
SJRGPF-DS2	2013	2	5	1	10.565
SJRGPF-DS2	2013	2	5	0	10.541
SJRGPF-DS2	2013	2	4	23	10.541
SJRGPF-DS2	2013	2	4	22	10.541
SJRGPF-DS2	2013	2	4	21	10.541
SJRGPF-DS2	2013	2	4	20	10.541
SJRGPF-DS2	2013	2	4	19	10.541
SJRGPF-DS2	2013	2	4	18	10.541
SJRGPF-DS2	2013	2	4	17	10.565
SJRGPF-DS2	2013	2	4	16	10.59
SJRGPF-DS2	2013	2	4	15	10.59
SJRGPF-DS2	2013	2	4	14	10.565
SJRGPF-DS2	2013	2	4	13	10.541
SJRGPF-DS2	2013	2	4	12	10.516
SJRGPF-DS2	2013	2	4	11	10.516
SJRGPF-DS2	2013	2	4	10	10.418
SJRGPF-DS2	2013	2	4	9	10.369
SJRGPF-DS2	2013	2	4	8	10.32
SJRGPF-DS2	2013	2	4	7	10.32
SJRGPF-DS2	2013	2	4	6	10.32
SJRGPF-DS2	2013	2	4	5	10.32
SJRGPF-DS2	2013	2	4	4	10.32
SJRGPF-DS2	2013	2	4	3	10.32
SJRGPF-DS2	2013	2	4	2	10.296
SJRGPF-DS2	2013	2	4	1	10.296

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-DS2	2013	2	4	0	10.296
SJRGPF-DS2	2013	2	3	23	10.296
SJRGPF-DS2	2013	2	3	22	10.296
SJRGPF-DS2	2013	2	3	21	10.271
SJRGPF-DS2	2013	2	3	20	10.271
SJRGPF-DS2	2013	2	3	19	10.247
SJRGPF-DS2	2013	2	3	18	10.247
SJRGPF-DS2	2013	2	3	17	10.247
SJRGPF-DS2	2013	2	3	16	10.247
SJRGPF-DS2	2013	2	3	15	10.247
SJRGPF-DS2	2013	2	3	14	10.271
SJRGPF-DS2	2013	2	3	13	10.247
SJRGPF-DS2	2013	2	3	12	10.222
SJRGPF-DS2	2013	2	3	11	10.173
SJRGPF-DS2	2013	2	3	10	10.149
SJRGPF-DS2	2013	2	3	9	10.124
SJRGPF-DS2	2013	2	3	8	10.124
SJRGPF-DS2	2013	2	3	7	10.1
SJRGPF-DS2	2013	2	3	6	10.1
SJRGPF-DS2	2013	2	3	5	10.1
SJRGPF-DS2	2013	2	3	4	10.1
SJRGPF-DS2	2013	2	3	3	10.1
SJRGPF-DS2	2013	2	3	2	10.1
SJRGPF-DS2	2013	2	3	1	10.075
SJRGPF-DS2	2013	2	3	0	10.075
SJRGPF-DS2	2013	2	2	23	10.075
SJRGPF-DS2	2013	2	2	22	10.075
SJRGPF-DS2	2013	2	2	21	10.075
SJRGPF-DS2	2013	2	2	20	10.075
SJRGPF-DS2	2013	2	2	19	10.051
SJRGPF-DS2	2013	2	2	18	10.051
SJRGPF-DS2	2013	2	2	17	10.051
SJRGPF-DS2	2013	2	2	16	10.051
SJRGPF-DS2	2013	2	2	15	10.051
SJRGPF-DS2	2013	2	2	14	10.051
SJRGPF-DS2	2013	2	2	13	10.026
SJRGPF-DS2	2013	2	2	12	10.026
SJRGPF-DS2	2013	2	2	11	10.001
SJRGPF-DS2	2013	2	2	10	9.977
SJRGPF-DS2	2013	2	2	9	9.977
SJRGPF-DS2	2013	2	2	8	9.952
SJRGPF-DS2	2013	2	2	7	9.952
SJRGPF-DS2	2013	2	2	6	9.952
SJRGPF-DS2	2013	2	2	5	9.928

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-DS2	2013	2	2	4	9.928
SJRGPF-DS2	2013	2	2	3	9.928
SJRGPF-DS2	2013	2	2	2	9.928
SJRGPF-DS2	2013	2	2	1	9.928
SJRGPF-DS2	2013	2	2	0	9.928
SJRGPF-DS2	2013	2	1	23	9.903
SJRGPF-DS2	2013	2	1	22	9.903
SJRGPF-DS2	2013	2	1	21	9.903
SJRGPF-DS2	2013	2	1	20	9.903
SJRGPF-DS2	2013	2	1	19	9.903
SJRGPF-DS2	2013	2	1	18	9.903
SJRGPF-DS2	2013	2	1	17	9.879
SJRGPF-DS2	2013	2	1	16	9.879
SJRGPF-DS2	2013	2	1	15	9.879
SJRGPF-DS2	2013	2	1	14	9.854
SJRGPF-DS2	2013	2	1	13	9.854
SJRGPF-DS2	2013	2	1	12	9.829
SJRGPF-DS2	2013	2	1	11	9.805
SJRGPF-DS2	2013	2	1	10	9.805
SJRGPF-DS2	2013	2	1	9	9.78
SJRGPF-DS2	2013	2	1	8	9.756
SJRGPF-DS2	2013	2	1	7	9.756
SJRGPF-DS2	2013	2	1	6	9.756
SJRGPF-DS2	2013	2	1	5	9.756
SJRGPF-DS2	2013	2	1	4	9.756
SJRGPF-DS2	2013	2	1	3	9.756
SJRGPF-DS2	2013	2	1	2	9.731
SJRGPF-DS2	2013	2	1	1	9.731
SJRGPF-DS2	2013	2	1	0	9.731
SJRGPF-DS2	2013	1	31	23	9.731
SJRGPF-DS2	2013	1	31	22	9.731
SJRGPF-DS2	2013	1	31	21	9.706
SJRGPF-DS2	2013	1	31	20	9.706
SJRGPF-DS2	2013	1	31	19	9.706
SJRGPF-DS2	2013	1	31	18	9.706
SJRGPF-DS2	2013	1	31	17	9.706
SJRGPF-DS2	2013	1	31	16	9.682
SJRGPF-DS2	2013	1	31	15	9.682
SJRGPF-DS2	2013	1	31	14	9.682
SJRGPF-DS2	2013	1	31	13	9.657
SJRGPF-DS2	2013	1	31	12	9.657
SJRGPF-DS2	2013	1	31	11	9.632
SJRGPF-DS2	2013	1	31	10	9.608
SJRGPF-DS2	2013	1	31	9	9.583

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-DS2	2013	1	31	8	9.558
SJRGPF-DS2	2013	1	31	7	9.558
SJRGPF-DS2	2013	1	31	6	9.558
SJRGPF-DS2	2013	1	31	5	9.558
SJRGPF-DS2	2013	1	31	4	9.558
SJRGPF-DS2	2013	1	31	3	9.534
SJRGPF-DS2	2013	1	31	2	9.534
SJRGPF-DS2	2013	1	31	1	9.534
SJRGPF-DS2	2013	1	31	0	9.534
SJRGPF-DS2	2013	1	30	23	9.534
SJRGPF-DS2	2013	1	30	22	9.534
SJRGPF-DS2	2013	1	30	21	9.534
SJRGPF-DS2	2013	1	30	20	9.509
SJRGPF-DS2	2013	1	30	19	9.509
SJRGPF-DS2	2013	1	30	18	9.509
SJRGPF-DS2	2013	1	30	17	9.509
SJRGPF-DS2	2013	1	30	16	9.509
SJRGPF-DS2	2013	1	30	15	9.509
SJRGPF-DS2	2013	1	30	14	9.509
SJRGPF-DS2	2013	1	30	13	9.485
SJRGPF-DS2	2013	1	30	12	9.485
SJRGPF-DS2	2013	1	30	11	9.46
SJRGPF-DS2	2013	1	30	10	9.485
SJRGPF-DS2	2013	1	30	9	9.485
SJRGPF-DS2	2013	1	30	8	9.485
SJRGPF-DS2	2013	1	30	7	9.534
SJRGPF-DS2	2013	1	30	6	9.583
SJRGPF-DS2	2013	1	30	5	9.608
SJRGPF-DS2	2013	1	30	4	9.632
SJRGPF-DS2	2013	1	30	3	9.632
SJRGPF-DS2	2013	1	30	2	9.608
SJRGPF-DS2	2013	1	30	1	9.583
SJRGPF-DS2	2013	1	30	0	9.583
SJRGPF-DS2	2013	1	29	23	9.583
SJRGPF-DS2	2013	1	29	22	9.583
SJRGPF-DS2	2013	1	29	21	9.558
SJRGPF-DS2	2013	1	29	20	9.558
SJRGPF-DS2	2013	1	29	19	9.558
SJRGPF-DS2	2013	1	29	18	9.558
SJRGPF-DS2	2013	1	29	17	9.583
SJRGPF-DS2	2013	1	29	16	9.583
SJRGPF-DS2	2013	1	29	15	9.558
SJRGPF-DS2	2013	1	29	14	9.534
SJRGPF-DS2	2013	1	29	13	9.509

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-DS2	2013	1	29	12	9.485
SJRGPF-DS2	2013	1	29	11	9.485
SJRGPF-DS2	2013	1	29	10	9.534
SJRGPF-DS2	2013	1	29	9	9.583
SJRGPF-DS2	2013	1	29	8	9.657
SJRGPF-DS2	2013	1	29	7	9.706
SJRGPF-DS2	2013	1	29	6	9.756
SJRGPF-DS2	2013	1	29	5	9.805
SJRGPF-DS2	2013	1	29	4	9.879
SJRGPF-DS2	2013	1	29	3	9.928
SJRGPF-DS2	2013	1	29	2	9.977
SJRGPF-DS2	2013	1	29	1	10.026
SJRGPF-DS2	2013	1	29	0	10.075
SJRGPF-DS2	2013	1	28	23	10.149
SJRGPF-DS2	2013	1	28	22	10.173
SJRGPF-DS2	2013	1	28	21	10.149
SJRGPF-DS2	2013	1	28	20	10.149
SJRGPF-DS2	2013	1	28	19	10.149
SJRGPF-DS2	2013	1	28	18	10.149
SJRGPF-DS2	2013	1	28	17	10.173
SJRGPF-DS2	2013	1	28	16	10.173
SJRGPF-DS2	2013	1	28	15	10.173
SJRGPF-DS2	2013	1	28	14	10.124
SJRGPF-DS2	2013	1	28	13	10.124
SJRGPF-DS2	2013	1	28	12	10.1
SJRGPF-DS2	2013	1	28	11	10.1
SJRGPF-DS2	2013	1	28	10	10.149
SJRGPF-DS2	2013	1	28	9	10.247
SJRGPF-DS2	2013	1	28	8	10.296
SJRGPF-DS2	2013	1	28	7	10.418
SJRGPF-DS2	2013	1	28	6	10.467
SJRGPF-DS2	2013	1	28	5	10.565
SJRGPF-DS2	2013	1	28	4	10.614
SJRGPF-DS2	2013	1	28	3	10.687
SJRGPF-DS2	2013	1	28	2	10.712
SJRGPF-DS2	2013	1	28	1	10.761
SJRGPF-DS2	2013	1	28	0	10.712
SJRGPF-DS2	2013	1	27	23	10.663
SJRGPF-DS2	2013	1	27	22	10.541
SJRGPF-DS2	2013	1	27	21	10.443
SJRGPF-DS2	2013	1	27	20	10.443
SJRGPF-DS2	2013	1	27	19	10.638
SJRGPF-DS2	2013	1	27	18	10.785
SJRGPF-DS2	2013	1	27	17	10.883

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-DS2	2013	1	27	16	10.907
SJRGPF-DS2	2013	1	27	15	10.858
SJRGPF-DS2	2013	1	27	14	10.883
SJRGPF-DS2	2013	1	27	13	10.834
SJRGPF-DS2	2013	1	27	12	10.81
SJRGPF-DS2	2013	1	27	11	10.785
SJRGPF-DS2	2013	1	27	10	10.369
SJRGPF-DS2	2013	1	27	9	10.198
SJRGPF-DS2	2013	1	27	8	10.198
SJRGPF-DS2	2013	1	27	7	10.198
SJRGPF-DS2	2013	1	27	6	10.198
SJRGPF-DS2	2013	1	27	5	10.198
SJRGPF-DS2	2013	1	27	4	10.222
SJRGPF-DS2	2013	1	27	3	10.271
SJRGPF-DS2	2013	1	27	2	10.32
SJRGPF-DS2	2013	1	27	1	10.198
SJRGPF-DS2	2013	1	27	0	10.124
SJRGPF-DS2	2013	1	26	23	10.1
SJRGPF-DS2	2013	1	26	22	10.075
SJRGPF-DS2	2013	1	26	21	10.075
SJRGPF-DS2	2013	1	26	20	10.051
SJRGPF-DS2	2013	1	26	19	10.051
SJRGPF-DS2	2013	1	26	18	10.051
SJRGPF-DS2	2013	1	26	17	10.051
SJRGPF-DS2	2013	1	26	16	10.051
SJRGPF-DS2	2013	1	26	15	10.051
SJRGPF-DS2	2013	1	26	14	10.026
SJRGPF-DS2	2013	1	26	13	10.026
SJRGPF-DS2	2013	1	26	12	10.026
SJRGPF-DS2	2013	1	26	11	10.026
SJRGPF-DS2	2013	1	26	10	10.001
SJRGPF-DS2	2013	1	26	9	9.977
SJRGPF-DS2	2013	1	26	8	9.977
SJRGPF-DS2	2013	1	26	7	9.977
SJRGPF-DS2	2013	1	26	6	9.977
SJRGPF-DS2	2013	1	26	5	9.977
SJRGPF-DS2	2013	1	26	4	9.977
SJRGPF-DS2	2013	1	26	3	9.977
SJRGPF-DS2	2013	1	26	2	9.977
SJRGPF-DS2	2013	1	26	1	9.977
SJRGPF-DS2	2013	1	26	0	9.952
SJRGPF-DS2	2013	1	25	23	9.952
SJRGPF-DS2	2013	1	25	22	9.952
SJRGPF-DS2	2013	1	25	21	9.952

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-DS2	2013	1	25	20	9.952
SJRGPF-DS2	2013	1	25	19	9.952
SJRGPF-DS2	2013	1	25	18	9.928
SJRGPF-DS2	2013	1	25	17	9.928
SJRGPF-DS2	2013	1	25	16	9.928
SJRGPF-DS2	2013	1	25	15	9.928
SJRGPF-DS2	2013	1	25	14	9.928
SJRGPF-DS2	2013	1	25	13	9.928
SJRGPF-DS2	2013	1	25	12	9.903
SJRGPF-DS2	2013	1	25	11	9.903
SJRGPF-DS2	2013	1	25	10	9.879
SJRGPF-DS2	2013	1	25	9	9.879
SJRGPF-DS2	2013	1	25	8	9.879
SJRGPF-DS2	2013	1	25	7	9.879
SJRGPF-DS2	2013	1	25	6	9.879
SJRGPF-DS2	2013	1	25	5	9.879
SJRGPF-DS2	2013	1	25	4	9.879
SJRGPF-DS2	2013	1	25	3	9.854
SJRGPF-DS2	2013	1	25	2	9.854
SJRGPF-DS2	2013	1	25	1	9.854
SJRGPF-DS2	2013	1	25	0	9.854
SJRGPF-DS2	2013	1	24	23	9.854
SJRGPF-DS2	2013	1	24	22	9.854
SJRGPF-DS2	2013	1	24	21	9.854
SJRGPF-DS2	2013	1	24	20	9.829
SJRGPF-DS2	2013	1	24	19	9.829
SJRGPF-DS2	2013	1	24	18	9.829
SJRGPF-DS2	2013	1	24	17	9.829
SJRGPF-DS2	2013	1	24	16	9.805
SJRGPF-DS2	2013	1	24	15	9.829
SJRGPF-DS2	2013	1	24	14	9.829
SJRGPF-DS2	2013	1	24	13	9.829
SJRGPF-DS2	2013	1	24	12	9.78
SJRGPF-DS2	2013	1	24	11	9.78
SJRGPF-DS2	2013	1	24	10	9.756
SJRGPF-DS2	2013	1	24	9	9.756
SJRGPF-DS2	2013	1	24	8	9.756
SJRGPF-DS2	2013	1	24	7	9.731
SJRGPF-DS2	2013	1	24	6	9.731
SJRGPF-DS2	2013	1	24	5	9.731
SJRGPF-DS2	2013	1	24	4	9.731
SJRGPF-DS2	2013	1	24	3	9.731
SJRGPF-DS2	2013	1	24	2	9.731
SJRGPF-DS2	2013	1	24	1	9.731

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-DS2	2013	1	24	0	9.706
SJRGPF-DS2	2013	1	23	23	9.706
SJRGPF-DS2	2013	1	23	22	9.706
SJRGPF-DS2	2013	1	23	21	9.706
SJRGPF-DS2	2013	1	23	20	9.706
SJRGPF-DS2	2013	1	23	19	9.706
SJRGPF-DS2	2013	1	23	18	9.682
SJRGPF-DS2	2013	1	23	17	9.682
SJRGPF-DS2	2013	1	23	16	9.706
SJRGPF-DS2	2013	1	23	15	9.682
SJRGPF-DS2	2013	1	23	14	9.682
SJRGPF-DS2	2013	1	23	13	9.682
SJRGPF-DS2	2013	1	23	12	9.657
SJRGPF-DS2	2013	1	23	11	9.657
SJRGPF-DS2	2013	1	23	10	9.657
SJRGPF-DS2	2013	1	23	9	9.632
SJRGPF-DS2	2013	1	23	8	9.632
SJRGPF-DS2	2013	1	23	7	9.608
SJRGPF-DS2	2013	1	23	6	9.608
SJRGPF-DS2	2013	1	23	5	9.608
SJRGPF-DS2	2013	1	23	4	9.608
SJRGPF-DS2	2013	1	23	3	9.583
SJRGPF-DS2	2013	1	23	2	9.583
SJRGPF-DS2	2013	1	23	1	9.583
SJRGPF-DS2	2013	1	23	0	9.583
SJRGPF-DS2	2013	1	22	23	9.583
SJRGPF-DS2	2013	1	22	22	9.583
SJRGPF-DS2	2013	1	22	21	9.558
SJRGPF-DS2	2013	1	22	20	9.558
SJRGPF-DS2	2013	1	22	19	9.558
SJRGPF-DS2	2013	1	22	18	9.558
SJRGPF-DS2	2013	1	22	17	9.558
SJRGPF-DS2	2013	1	22	16	9.558
SJRGPF-DS2	2013	1	22	15	9.558
SJRGPF-DS2	2013	1	22	14	9.558
SJRGPF-DS2	2013	1	22	13	9.558
SJRGPF-DS2	2013	1	22	12	9.534
SJRGPF-DS2	2013	1	22	11	9.509
SJRGPF-DS2	2013	1	22	10	9.485
SJRGPF-DS2	2013	1	22	9	9.46
SJRGPF-DS2	2013	1	22	8	9.435
SJRGPF-DS2	2013	1	22	7	9.435
SJRGPF-DS2	2013	1	22	6	9.435
SJRGPF-DS2	2013	1	22	5	9.435

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-DS2	2013	1	22	4	9.435
SJRGPF-DS2	2013	1	22	3	9.435
SJRGPF-DS2	2013	1	22	2	9.41
SJRGPF-DS2	2013	1	22	1	9.41
SJRGPF-DS2	2013	1	22	0	9.386
SJRGPF-DS2	2013	1	21	23	9.386
SJRGPF-DS2	2013	1	21	22	9.386
SJRGPF-DS2	2013	1	21	21	9.386
SJRGPF-DS2	2013	1	21	20	9.361
SJRGPF-DS2	2013	1	21	19	9.361
SJRGPF-DS2	2013	1	21	18	9.361
SJRGPF-DS2	2013	1	21	17	9.361
SJRGPF-DS2	2013	1	21	16	9.361
SJRGPF-DS2	2013	1	21	15	9.361
SJRGPF-DS2	2013	1	21	14	9.336
SJRGPF-DS2	2013	1	21	13	9.312
SJRGPF-DS2	2013	1	21	12	9.287
SJRGPF-DS2	2013	1	21	11	9.287
SJRGPF-DS2	2013	1	21	10	9.238
SJRGPF-DS2	2013	1	21	9	9.213
SJRGPF-DS2	2013	1	21	8	9.213
SJRGPF-DS2	2013	1	21	7	9.188
SJRGPF-DS2	2013	1	21	6	9.188
SJRGPF-DS2	2013	1	21	5	9.188
SJRGPF-DS2	2013	1	21	4	9.163
SJRGPF-DS2	2013	1	21	3	9.163
SJRGPF-DS2	2013	1	21	2	9.163
SJRGPF-DS2	2013	1	21	1	9.163
SJRGPF-DS2	2013	1	21	0	9.139
SJRGPF-DS2	2013	1	20	23	9.139
SJRGPF-DS2	2013	1	20	22	9.139
SJRGPF-DS2	2013	1	20	21	9.139
SJRGPF-DS2	2013	1	20	20	9.114
SJRGPF-DS2	2013	1	20	19	9.114
SJRGPF-DS2	2013	1	20	18	9.089
SJRGPF-DS2	2013	1	20	17	9.089
SJRGPF-DS2	2013	1	20	16	9.089
SJRGPF-DS2	2013	1	20	15	9.089
SJRGPF-DS2	2013	1	20	14	9.089
SJRGPF-DS2	2013	1	20	13	9.089
SJRGPF-DS2	2013	1	20	12	9.04
SJRGPF-DS2	2013	1	20	11	9.015
SJRGPF-DS2	2013	1	20	10	9.015
SJRGPF-DS2	2013	1	20	9	8.99

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-DS2	2013	1	20	8	8.965
SJRGPF-DS2	2013	1	20	7	8.941
SJRGPF-DS2	2013	1	20	6	8.941
SJRGPF-DS2	2013	1	20	5	8.941
SJRGPF-DS2	2013	1	20	4	8.941
SJRGPF-DS2	2013	1	20	3	8.941
SJRGPF-DS2	2013	1	20	2	8.916
SJRGPF-DS2	2013	1	20	1	8.916
SJRGPF-DS2	2013	1	20	0	8.916
SJRGPF-DS2	2013	1	19	23	8.891
SJRGPF-DS2	2013	1	19	22	8.891
SJRGPF-DS2	2013	1	19	21	8.891
SJRGPF-DS2	2013	1	19	20	8.891
SJRGPF-DS2	2013	1	19	19	8.866
SJRGPF-DS2	2013	1	19	18	8.866
SJRGPF-DS2	2013	1	19	17	8.841
SJRGPF-DS2	2013	1	19	16	8.841
SJRGPF-DS2	2013	1	19	15	8.841
SJRGPF-DS2	2013	1	19	14	8.841
SJRGPF-DS2	2013	1	19	13	8.817
SJRGPF-DS2	2013	1	19	12	8.792
SJRGPF-DS2	2013	1	19	11	8.792
SJRGPF-DS2	2013	1	19	10	8.767
SJRGPF-DS2	2013	1	19	9	8.742
SJRGPF-DS2	2013	1	19	8	8.717
SJRGPF-DS2	2013	1	19	7	8.717
SJRGPF-DS2	2013	1	19	6	8.693
SJRGPF-DS2	2013	1	19	5	8.693
SJRGPF-DS2	2013	1	19	4	8.693
SJRGPF-DS2	2013	1	19	3	8.693
SJRGPF-DS2	2013	1	19	2	8.693
SJRGPF-DS2	2013	1	19	1	8.693
SJRGPF-DS2	2013	1	19	0	8.668
SJRGPF-DS2	2013	1	18	23	8.643
SJRGPF-DS2	2013	1	18	22	8.643
SJRGPF-DS2	2013	1	18	21	8.643
SJRGPF-DS2	2013	1	18	20	8.643
SJRGPF-DS2	2013	1	18	19	8.618
SJRGPF-DS2	2013	1	18	18	8.618
SJRGPF-DS2	2013	1	18	17	8.618
SJRGPF-DS2	2013	1	18	16	8.593
SJRGPF-DS2	2013	1	18	15	8.593
SJRGPF-DS2	2013	1	18	14	8.593
SJRGPF-DS2	2013	1	18	13	8.568

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-DS2	2013	1	18	12	8.543
SJRGPF-DS2	2013	1	18	11	8.519
SJRGPF-DS2	2013	1	18	10	8.519
SJRGPF-DS2	2013	1	18	9	8.494
SJRGPF-DS2	2013	1	18	8	8.469
SJRGPF-DS2	2013	1	18	7	8.469
SJRGPF-DS2	2013	1	18	6	8.469
SJRGPF-DS2	2013	1	18	5	8.444
SJRGPF-DS2	2013	1	18	4	8.469
SJRGPF-DS2	2013	1	18	3	8.444
SJRGPF-DS2	2013	1	18	2	8.444
SJRGPF-DS2	2013	1	18	1	8.444
SJRGPF-DS2	2013	1	18	0	8.444
SJRGPF-DS2	2013	1	17	23	8.419
SJRGPF-DS2	2013	1	17	22	8.419
SJRGPF-DS2	2013	1	17	21	8.419
SJRGPF-DS2	2013	1	17	20	8.394
SJRGPF-DS2	2013	1	17	19	8.394
SJRGPF-DS2	2013	1	17	18	8.394
SJRGPF-DS2	2013	1	17	17	8.394
SJRGPF-DS2	2013	1	17	16	8.369
SJRGPF-DS2	2013	1	17	15	8.369
SJRGPF-DS2	2013	1	17	14	8.369
SJRGPF-DS2	2013	1	17	13	8.369
SJRGPF-DS2	2013	1	17	12	8.344
SJRGPF-DS2	2013	1	17	11	8.344
SJRGPF-DS2	2013	1	17	10	8.319
SJRGPF-DS2	2013	1	17	9	8.319
SJRGPF-DS2	2013	1	17	8	8.319
SJRGPF-DS2	2013	1	17	7	8.295
SJRGPF-DS2	2013	1	17	6	8.295
SJRGPF-DS2	2013	1	17	5	8.27
SJRGPF-DS2	2013	1	17	4	8.27
SJRGPF-DS2	2013	1	17	3	8.27
SJRGPF-DS2	2013	1	17	2	8.245
SJRGPF-DS2	2013	1	17	1	8.245
SJRGPF-DS2	2013	1	17	0	8.245
SJRGPF-DS2	2013	1	16	23	8.245
SJRGPF-DS2	2013	1	16	22	8.22
SJRGPF-DS2	2013	1	16	21	8.22
SJRGPF-DS2	2013	1	16	20	8.22
SJRGPF-DS2	2013	1	16	19	8.195
SJRGPF-DS2	2013	1	16	18	8.195
SJRGPF-DS2	2013	1	16	17	8.195

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-DS2	2013	1	16	16	8.195
SJRGPF-DS2	2013	1	16	15	8.245
SJRGPF-DS2	2013	1	16	14	8.22
SJRGPF-DS2	2013	1	16	13	8.195
SJRGPF-DS2	2013	1	16	12	8.195
SJRGPF-DS2	2013	1	16	11	8.195
SJRGPF-DS2	2013	1	16	10	8.22
SJRGPF-DS2	2013	1	16	9	8.22
SJRGPF-DS2	2013	1	16	8	8.22
SJRGPF-DS2	2013	1	16	7	8.245
SJRGPF-DS2	2013	1	16	6	8.245
SJRGPF-DS2	2013	1	16	5	8.245
SJRGPF-DS2	2013	1	16	4	8.22
SJRGPF-DS2	2013	1	16	3	8.195
SJRGPF-DS2	2013	1	16	2	8.195
SJRGPF-DS2	2013	1	16	1	8.195
SJRGPF-DS2	2013	1	16	0	8.195
SJRGPF-DS2	2013	1	15	23	8.195
SJRGPF-DS2	2013	1	15	22	8.195
SJRGPF-DS2	2013	1	15	21	8.195
SJRGPF-DS2	2013	1	15	20	8.195
SJRGPF-DS2	2013	1	15	19	8.195
SJRGPF-DS2	2013	1	15	18	8.195
SJRGPF-DS2	2013	1	15	17	8.17
SJRGPF-DS2	2013	1	15	16	8.17
SJRGPF-DS2	2013	1	15	15	8.17
SJRGPF-DS2	2013	1	15	14	8.145
SJRGPF-DS2	2013	1	15	13	8.145
SJRGPF-DS2	2013	1	15	12	8.145
SJRGPF-DS2	2013	1	15	11	8.12
SJRGPF-DS2	2013	1	15	10	8.12
SJRGPF-DS2	2013	1	15	9	8.145
SJRGPF-DS2	2013	1	15	8	8.145
SJRGPF-DS2	2013	1	15	7	8.17
SJRGPF-DS2	2013	1	15	6	8.245
SJRGPF-DS2	2013	1	15	5	8.245
SJRGPF-DS2	2013	1	15	4	8.27
SJRGPF-DS2	2013	1	15	3	8.27
SJRGPF-DS2	2013	1	15	2	8.295
SJRGPF-DS2	2013	1	15	1	8.295
SJRGPF-DS2	2013	1	15	0	8.27
SJRGPF-DS2	2013	1	14	23	8.27
SJRGPF-DS2	2013	1	14	22	8.245
SJRGPF-DS2	2013	1	14	21	8.245

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-DS2	2013	1	14	20	8.245
SJRGPF-DS2	2013	1	14	19	8.245
SJRGPF-DS2	2013	1	14	18	8.245
SJRGPF-DS2	2013	1	14	17	8.245
SJRGPF-DS2	2013	1	14	16	8.22
SJRGPF-DS2	2013	1	14	15	8.22
SJRGPF-DS2	2013	1	14	14	8.22
SJRGPF-DS2	2013	1	14	13	8.195
SJRGPF-DS2	2013	1	14	12	8.195
SJRGPF-DS2	2013	1	14	11	8.195
SJRGPF-DS2	2013	1	14	10	8.195
SJRGPF-DS2	2013	1	14	9	8.195
SJRGPF-DS2	2013	1	14	8	8.22
SJRGPF-DS2	2013	1	14	7	8.27
SJRGPF-DS2	2013	1	14	6	8.344
SJRGPF-DS2	2013	1	14	5	8.344
SJRGPF-DS2	2013	1	14	4	8.369
SJRGPF-DS2	2013	1	14	3	8.419
SJRGPF-DS2	2013	1	14	2	8.419
SJRGPF-DS2	2013	1	14	1	8.419
SJRGPF-DS2	2013	1	14	0	8.444
SJRGPF-DS2	2013	1	13	23	8.444
SJRGPF-DS2	2013	1	13	22	8.469
SJRGPF-DS2	2013	1	13	21	8.469
SJRGPF-DS2	2013	1	13	20	8.494
SJRGPF-DS2	2013	1	13	19	8.469
SJRGPF-DS2	2013	1	13	18	8.469
SJRGPF-DS2	2013	1	13	17	8.444
SJRGPF-DS2	2013	1	13	16	8.444
SJRGPF-DS2	2013	1	13	15	8.419
SJRGPF-DS2	2013	1	13	14	8.394
SJRGPF-DS2	2013	1	13	13	8.369
SJRGPF-DS2	2013	1	13	12	8.344
SJRGPF-DS2	2013	1	13	11	8.369
SJRGPF-DS2	2013	1	13	10	8.394
SJRGPF-DS2	2013	1	13	9	8.394
SJRGPF-DS2	2013	1	13	8	8.444
SJRGPF-DS2	2013	1	13	7	8.519
SJRGPF-DS2	2013	1	13	6	8.568
SJRGPF-DS2	2013	1	13	5	8.593
SJRGPF-DS2	2013	1	13	4	8.643
SJRGPF-DS2	2013	1	13	3	8.693
SJRGPF-DS2	2013	1	13	2	8.742
SJRGPF-DS2	2013	1	13	1	8.767

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-DS2	2013	1	13	0	8.767
SJRGPF-DS2	2013	1	12	23	8.792
SJRGPF-DS2	2013	1	12	22	8.767
SJRGPF-DS2	2013	1	12	21	8.767
SJRGPF-DS2	2013	1	12	20	8.792
SJRGPF-DS2	2013	1	12	19	8.792
SJRGPF-DS2	2013	1	12	18	8.767
SJRGPF-DS2	2013	1	12	17	8.767
SJRGPF-DS2	2013	1	12	16	8.742
SJRGPF-DS2	2013	1	12	15	8.742
SJRGPF-DS2	2013	1	12	14	8.717
SJRGPF-DS2	2013	1	12	13	8.693
SJRGPF-DS2	2013	1	12	12	8.668
SJRGPF-DS2	2013	1	12	11	8.693
SJRGPF-DS2	2013	1	12	10	8.717
SJRGPF-DS2	2013	1	12	9	8.767
SJRGPF-DS2	2013	1	12	8	8.817
SJRGPF-DS2	2013	1	12	7	8.841
SJRGPF-DS2	2013	1	12	6	8.891
SJRGPF-DS2	2013	1	12	5	8.941
SJRGPF-DS2	2013	1	12	4	9.015
SJRGPF-DS2	2013	1	12	3	9.064
SJRGPF-DS2	2013	1	12	2	9.114
SJRGPF-DS2	2013	1	12	1	9.139
SJRGPF-DS2	2013	1	12	0	9.188
SJRGPF-DS2	2013	1	11	23	9.188
SJRGPF-DS2	2013	1	11	22	9.188
SJRGPF-DS2	2013	1	11	21	9.262
SJRGPF-DS2	2013	1	11	20	9.287
SJRGPF-DS2	2013	1	11	19	9.238
SJRGPF-DS2	2013	1	11	18	9.238
SJRGPF-DS2	2013	1	11	17	9.213
SJRGPF-DS2	2013	1	11	16	9.213
SJRGPF-DS2	2013	1	11	15	9.188
SJRGPF-DS2	2013	1	11	14	9.188
SJRGPF-DS2	2013	1	11	13	9.163
SJRGPF-DS2	2013	1	11	12	9.163
SJRGPF-DS2	2013	1	11	11	9.163
SJRGPF-DS2	2013	1	11	10	9.213
SJRGPF-DS2	2013	1	11	9	9.213
SJRGPF-DS2	2013	1	11	8	9.238
SJRGPF-DS2	2013	1	11	7	9.312
SJRGPF-DS2	2013	1	11	6	9.386
SJRGPF-DS2	2013	1	11	5	9.386

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-DS2	2013	1	11	4	9.41
SJRGPF-DS2	2013	1	11	3	9.46
SJRGPF-DS2	2013	1	11	2	9.485
SJRGPF-DS2	2013	1	11	1	9.583
SJRGPF-DS2	2013	1	11	0	9.608
SJRGPF-DS2	2013	1	10	23	9.682
SJRGPF-DS2	2013	1	10	22	9.731
SJRGPF-DS2	2013	1	10	21	9.78
SJRGPF-DS2	2013	1	10	20	9.829
SJRGPF-DS2	2013	1	10	19	9.854
SJRGPF-DS2	2013	1	10	18	9.879
SJRGPF-DS2	2013	1	10	17	9.879
SJRGPF-DS2	2013	1	10	16	9.78
SJRGPF-DS2	2013	1	10	15	9.756
SJRGPF-DS2	2013	1	10	14	9.731
SJRGPF-DS2	2013	1	10	13	9.682
SJRGPF-DS2	2013	1	10	12	9.632
SJRGPF-DS2	2013	1	10	11	9.583
SJRGPF-DS2	2013	1	10	10	9.608
SJRGPF-DS2	2013	1	10	9	9.608
SJRGPF-DS2	2013	1	10	8	9.632
SJRGPF-DS2	2013	1	10	7	9.632
SJRGPF-DS2	2013	1	10	6	9.657
SJRGPF-DS2	2013	1	10	5	9.682
SJRGPF-DS2	2013	1	10	4	9.657
SJRGPF-DS2	2013	1	10	3	9.632
SJRGPF-DS2	2013	1	10	2	9.632
SJRGPF-DS2	2013	1	10	1	9.632
SJRGPF-DS2	2013	1	10	0	9.657
SJRGPF-DS2	2013	1	9	23	9.657
SJRGPF-DS2	2013	1	9	22	9.485
SJRGPF-DS2	2013	1	9	21	9.485
SJRGPF-DS2	2013	1	9	20	9.46
SJRGPF-DS2	2013	1	9	19	9.46
SJRGPF-DS2	2013	1	9	18	9.485
SJRGPF-DS2	2013	1	9	17	9.485
SJRGPF-DS2	2013	1	9	16	9.485
SJRGPF-DS2	2013	1	9	15	9.46
SJRGPF-DS2	2013	1	9	14	9.46
SJRGPF-DS2	2013	1	9	13	9.46
SJRGPF-DS2	2013	1	9	12	9.435
SJRGPF-DS2	2013	1	9	11	9.435
SJRGPF-DS2	2013	1	9	10	9.41
SJRGPF-DS2	2013	1	9	9	9.435

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-DS2	2013	1	9	8	9.435
SJRGPF-DS2	2013	1	9	7	9.46
SJRGPF-DS2	2013	1	9	6	9.485
SJRGPF-DS2	2013	1	9	5	9.46
SJRGPF-DS2	2013	1	9	4	9.435
SJRGPF-DS2	2013	1	9	3	9.435
SJRGPF-DS2	2013	1	9	2	9.435
SJRGPF-DS2	2013	1	9	1	9.41
SJRGPF-DS2	2013	1	9	0	9.41
SJRGPF-DS2	2013	1	8	23	9.41
SJRGPF-DS2	2013	1	8	22	9.41
SJRGPF-DS2	2013	1	8	21	9.41
SJRGPF-DS2	2013	1	8	20	9.386
SJRGPF-DS2	2013	1	8	19	9.386
SJRGPF-DS2	2013	1	8	18	9.386
SJRGPF-DS2	2013	1	8	17	9.386
SJRGPF-DS2	2013	1	8	16	9.386
SJRGPF-DS2	2013	1	8	15	9.361
SJRGPF-DS2	2013	1	8	14	9.361
SJRGPF-DS2	2013	1	8	13	9.336
SJRGPF-DS2	2013	1	8	12	9.336
SJRGPF-DS2	2013	1	8	11	9.336
SJRGPF-DS2	2013	1	8	10	9.336
SJRGPF-DS2	2013	1	8	9	9.361
SJRGPF-DS2	2013	1	8	8	9.386
SJRGPF-DS2	2013	1	8	7	9.435
SJRGPF-DS2	2013	1	8	6	9.435
SJRGPF-DS2	2013	1	8	5	9.485
SJRGPF-DS2	2013	1	8	4	9.509
SJRGPF-DS2	2013	1	8	3	9.509
SJRGPF-DS2	2013	1	8	2	9.558
SJRGPF-DS2	2013	1	8	1	9.608
SJRGPF-DS2	2013	1	8	0	9.632
SJRGPF-DS2	2013	1	7	23	9.632
SJRGPF-DS2	2013	1	7	22	9.608
SJRGPF-DS2	2013	1	7	21	9.608
SJRGPF-DS2	2013	1	7	20	9.608
SJRGPF-DS2	2013	1	7	19	9.608
SJRGPF-DS2	2013	1	7	18	9.583
SJRGPF-DS2	2013	1	7	17	9.608
SJRGPF-DS2	2013	1	7	16	9.608
SJRGPF-DS2	2013	1	7	15	9.583
SJRGPF-DS2	2013	1	7	14	9.583
SJRGPF-DS2	2013	1	7	13	9.583

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-DS2	2013	1	7	12	9.558
SJRGPF-DS2	2013	1	7	11	9.583
SJRGPF-DS2	2013	1	7	10	9.583
SJRGPF-DS2	2013	1	7	9	9.534
SJRGPF-DS2	2013	1	7	8	9.534
SJRGPF-DS2	2013	1	7	7	9.534
SJRGPF-DS2	2013	1	7	6	9.534
SJRGPF-DS2	2013	1	7	5	9.534
SJRGPF-DS2	2013	1	7	4	9.534
SJRGPF-DS2	2013	1	7	3	9.485
SJRGPF-DS2	2013	1	7	2	9.509
SJRGPF-DS2	2013	1	7	1	9.509
SJRGPF-DS2	2013	1	7	0	9.485
SJRGPF-DS2	2013	1	6	23	9.46
SJRGPF-DS2	2013	1	6	22	9.41
SJRGPF-DS2	2013	1	6	21	9.386
SJRGPF-DS2	2013	1	6	20	9.386
SJRGPF-DS2	2013	1	6	19	9.386
SJRGPF-DS2	2013	1	6	18	9.361
SJRGPF-DS2	2013	1	6	17	9.361
SJRGPF-DS2	2013	1	6	16	9.336
SJRGPF-DS2	2013	1	6	15	9.336
SJRGPF-DS2	2013	1	6	14	9.336
SJRGPF-DS2	2013	1	6	13	9.336
SJRGPF-DS2	2013	1	6	12	9.336
SJRGPF-DS2	2013	1	6	11	9.312
SJRGPF-DS2	2013	1	6	10	9.287
SJRGPF-DS2	2013	1	6	9	9.287
SJRGPF-DS2	2013	1	6	8	9.262
SJRGPF-DS2	2013	1	6	7	9.262
SJRGPF-DS2	2013	1	6	6	9.262
SJRGPF-DS2	2013	1	6	5	9.262
SJRGPF-DS2	2013	1	6	4	9.262
SJRGPF-DS2	2013	1	6	3	9.238
SJRGPF-DS2	2013	1	6	2	9.238
SJRGPF-DS2	2013	1	6	1	9.238
SJRGPF-DS2	2013	1	6	0	9.213
SJRGPF-DS2	2013	1	5	23	9.213
SJRGPF-DS2	2013	1	5	22	9.213
SJRGPF-DS2	2013	1	5	21	9.238
SJRGPF-DS2	2013	1	5	20	9.213
SJRGPF-DS2	2013	1	5	19	9.213
SJRGPF-DS2	2013	1	5	18	9.188
SJRGPF-DS2	2013	1	5	17	9.188

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-DS2	2013	1	5	16	9.188
SJRGPF-DS2	2013	1	5	15	9.188
SJRGPF-DS2	2013	1	5	14	9.188
SJRGPF-DS2	2013	1	5	13	9.163
SJRGPF-DS2	2013	1	5	12	9.139
SJRGPF-DS2	2013	1	5	11	9.139
SJRGPF-DS2	2013	1	5	10	9.139
SJRGPF-DS2	2013	1	5	9	9.163
SJRGPF-DS2	2013	1	5	8	9.163
SJRGPF-DS2	2013	1	5	7	9.213
SJRGPF-DS2	2013	1	5	6	9.238
SJRGPF-DS2	2013	1	5	5	9.238
SJRGPF-DS2	2013	1	5	4	9.287
SJRGPF-DS2	2013	1	5	3	9.287
SJRGPF-DS2	2013	1	5	2	9.262
SJRGPF-DS2	2013	1	5	1	9.238
SJRGPF-DS2	2013	1	5	0	9.238
SJRGPF-DS2	2013	1	4	23	9.238
SJRGPF-DS2	2013	1	4	22	9.238
SJRGPF-DS2	2013	1	4	21	9.213
SJRGPF-DS2	2013	1	4	20	9.238
SJRGPF-DS2	2013	1	4	19	9.213
SJRGPF-DS2	2013	1	4	18	9.238
SJRGPF-DS2	2013	1	4	17	9.213
SJRGPF-DS2	2013	1	4	16	9.188
SJRGPF-DS2	2013	1	4	15	9.188
SJRGPF-DS2	2013	1	4	14	9.188
SJRGPF-DS2	2013	1	4	13	9.188
SJRGPF-DS2	2013	1	4	12	9.163
SJRGPF-DS2	2013	1	4	11	9.163
SJRGPF-DS2	2013	1	4	10	9.139
SJRGPF-DS2	2013	1	4	9	9.163
SJRGPF-DS2	2013	1	4	8	9.139
SJRGPF-DS2	2013	1	4	7	9.188
SJRGPF-DS2	2013	1	4	6	9.213
SJRGPF-DS2	2013	1	4	5	9.238
SJRGPF-DS2	2013	1	4	4	9.238
SJRGPF-DS2	2013	1	4	3	9.262
SJRGPF-DS2	2013	1	4	2	9.336
SJRGPF-DS2	2013	1	4	1	9.336
SJRGPF-DS2	2013	1	4	0	9.336
SJRGPF-DS2	2013	1	3	23	9.336
SJRGPF-DS2	2013	1	3	22	9.312
SJRGPF-DS2	2013	1	3	21	9.312

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-DS2	2013	1	3	20	9.312
SJRGPF-DS2	2013	1	3	19	9.312
SJRGPF-DS2	2013	1	3	18	9.312
SJRGPF-DS2	2013	1	3	17	9.287
SJRGPF-DS2	2013	1	3	16	9.287
SJRGPF-DS2	2013	1	3	15	9.287
SJRGPF-DS2	2013	1	3	14	9.262
SJRGPF-DS2	2013	1	3	13	9.262
SJRGPF-DS2	2013	1	3	12	9.238
SJRGPF-DS2	2013	1	3	11	9.238
SJRGPF-DS2	2013	1	3	10	9.262
SJRGPF-DS2	2013	1	3	9	9.287
SJRGPF-DS2	2013	1	3	8	9.312
SJRGPF-DS2	2013	1	3	7	9.336
SJRGPF-DS2	2013	1	3	6	9.386
SJRGPF-DS2	2013	1	3	5	9.435
SJRGPF-DS2	2013	1	3	4	9.46
SJRGPF-DS2	2013	1	3	3	9.509
SJRGPF-DS2	2013	1	3	2	9.534
SJRGPF-DS2	2013	1	3	1	9.583
SJRGPF-DS2	2013	1	3	0	9.608
SJRGPF-DS2	2013	1	2	23	9.608
SJRGPF-DS2	2013	1	2	22	9.608
SJRGPF-DS2	2013	1	2	21	9.583
SJRGPF-DS2	2013	1	2	20	9.583
SJRGPF-DS2	2013	1	2	19	9.583
SJRGPF-DS2	2013	1	2	18	9.583
SJRGPF-DS2	2013	1	2	17	9.583
SJRGPF-DS2	2013	1	2	16	9.583
SJRGPF-DS2	2013	1	2	15	9.558
SJRGPF-DS2	2013	1	2	14	9.558
SJRGPF-DS2	2013	1	2	13	9.534
SJRGPF-DS2	2013	1	2	12	9.534
SJRGPF-DS2	2013	1	2	11	9.534
SJRGPF-DS2	2013	1	2	10	9.534
SJRGPF-DS2	2013	1	2	9	9.558
SJRGPF-DS2	2013	1	2	8	9.583
SJRGPF-DS2	2013	1	2	7	9.608
SJRGPF-DS2	2013	1	2	6	9.657
SJRGPF-DS2	2013	1	2	5	9.682
SJRGPF-DS2	2013	1	2	4	9.731
SJRGPF-DS2	2013	1	2	3	9.78
SJRGPF-DS2	2013	1	2	2	9.805
SJRGPF-DS2	2013	1	2	1	9.829

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-DS2	2013	1	2	0	9.854
SJRGPF-DS2	2013	1	1	23	9.879
SJRGPF-DS2	2013	1	1	22	9.903
SJRGPF-DS2	2013	1	1	21	9.952
SJRGPF-DS2	2013	1	1	20	9.952
SJRGPF-DS2	2013	1	1	19	9.928
SJRGPF-DS2	2013	1	1	18	9.928
SJRGPF-DS2	2013	1	1	17	9.903
SJRGPF-DS2	2013	1	1	16	9.879
SJRGPF-DS2	2013	1	1	15	9.854
SJRGPF-DS2	2013	1	1	14	9.854
SJRGPF-DS2	2013	1	1	13	9.854
SJRGPF-DS2	2013	1	1	12	9.829
SJRGPF-DS2	2013	1	1	11	9.829
SJRGPF-DS2	2013	1	1	10	9.829
SJRGPF-DS2	2013	1	1	9	9.829
SJRGPF-DS2	2013	1	1	8	9.854
SJRGPF-DS2	2013	1	1	7	9.903
SJRGPF-DS2	2013	1	1	6	9.928
SJRGPF-DS2	2013	1	1	5	9.952
SJRGPF-DS2	2013	1	1	4	9.977
SJRGPF-DS2	2013	1	1	3	10.001
SJRGPF-DS2	2013	1	1	2	10.051
SJRGPF-DS2	2013	1	1	1	10.075
SJRGPF-DS2	2013	1	1	0	10.051
SJRGPF-DS2	2012	12	31	23	10.051
SJRGPF-DS2	2012	12	31	22	10.051
SJRGPF-DS2	2012	12	31	21	10.026
SJRGPF-DS2	2012	12	31	20	10.026
SJRGPF-DS2	2012	12	31	19	10.026
SJRGPF-DS2	2012	12	31	18	10.026
SJRGPF-DS2	2012	12	31	17	10.026
SJRGPF-DS2	2012	12	31	16	10.026
SJRGPF-DS2	2012	12	31	15	10.001
SJRGPF-DS2	2012	12	31	14	10.026
SJRGPF-DS2	2012	12	31	13	10.001
SJRGPF-DS2	2012	12	31	12	10.001
SJRGPF-DS2	2012	12	31	11	9.977
SJRGPF-DS2	2012	12	31	10	9.977
SJRGPF-DS2	2012	12	31	9	9.977
SJRGPF-DS2	2012	12	31	8	10.001
SJRGPF-DS2	2012	12	31	7	10.051
SJRGPF-DS2	2012	12	31	6	10.075
SJRGPF-DS2	2012	12	31	5	10.075

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-DS2	2012	12	31	4	10.1
SJRGPF-DS2	2012	12	31	3	10.124
SJRGPF-DS2	2012	12	31	2	10.1
SJRGPF-DS2	2012	12	31	1	10.1
SJRGPF-DS2	2012	12	31	0	10.1
SJRGPF-DS2	2012	12	30	23	10.1
SJRGPF-DS2	2012	12	30	22	10.1
SJRGPF-DS2	2012	12	30	21	10.075
SJRGPF-DS2	2012	12	30	20	10.075
SJRGPF-DS2	2012	12	30	19	10.075
SJRGPF-DS2	2012	12	30	18	10.075
SJRGPF-DS2	2012	12	30	17	10.075
SJRGPF-DS2	2012	12	30	16	10.051
SJRGPF-DS2	2012	12	30	15	10.026
SJRGPF-DS2	2012	12	30	14	10.026
SJRGPF-DS2	2012	12	30	13	10.026
SJRGPF-DS2	2012	12	30	12	10.001
SJRGPF-DS2	2012	12	30	11	10.001
SJRGPF-DS2	2012	12	30	10	10.001
SJRGPF-DS2	2012	12	30	9	10.001
SJRGPF-DS2	2012	12	30	8	10.001
SJRGPF-DS2	2012	12	30	7	10.026
SJRGPF-DS2	2012	12	30	6	10.051
SJRGPF-DS2	2012	12	30	5	10.075
SJRGPF-DS2	2012	12	30	4	10.1
SJRGPF-DS2	2012	12	30	3	10.149
SJRGPF-DS2	2012	12	30	2	10.198
SJRGPF-DS2	2012	12	30	1	10.247
SJRGPF-DS2	2012	12	30	0	10.247
SJRGPF-DS2	2012	12	29	23	10.271
SJRGPF-DS2	2012	12	29	22	10.32
SJRGPF-DS2	2012	12	29	21	10.369
SJRGPF-DS2	2012	12	29	20	10.369
SJRGPF-DS2	2012	12	29	19	10.345
SJRGPF-DS2	2012	12	29	18	10.345
SJRGPF-DS2	2012	12	29	17	10.345
SJRGPF-DS2	2012	12	29	16	10.32
SJRGPF-DS2	2012	12	29	15	10.345
SJRGPF-DS2	2012	12	29	14	10.32
SJRGPF-DS2	2012	12	29	13	10.32
SJRGPF-DS2	2012	12	29	12	10.32
SJRGPF-DS2	2012	12	29	11	10.345
SJRGPF-DS2	2012	12	29	10	10.345
SJRGPF-DS2	2012	12	29	9	10.369

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-DS2	2012	12	29	8	10.394
SJRGPF-DS2	2012	12	29	7	10.418
SJRGPF-DS2	2012	12	29	6	10.418
SJRGPF-DS2	2012	12	29	5	10.467
SJRGPF-DS2	2012	12	29	4	10.516
SJRGPF-DS2	2012	12	29	3	10.541
SJRGPF-DS2	2012	12	29	2	10.565
SJRGPF-DS2	2012	12	29	1	10.59
SJRGPF-DS2	2012	12	29	0	10.638
SJRGPF-DS2	2012	12	28	23	10.687
SJRGPF-DS2	2012	12	28	22	10.736
SJRGPF-DS2	2012	12	28	21	10.785
SJRGPF-DS2	2012	12	28	20	10.761
SJRGPF-DS2	2012	12	28	19	10.761
SJRGPF-DS2	2012	12	28	18	10.761
SJRGPF-DS2	2012	12	28	17	10.761
SJRGPF-DS2	2012	12	28	16	10.761
SJRGPF-DS2	2012	12	28	15	10.761
SJRGPF-DS2	2012	12	28	14	10.736
SJRGPF-DS2	2012	12	28	13	10.712
SJRGPF-DS2	2012	12	28	12	10.712
SJRGPF-DS2	2012	12	28	11	10.712
SJRGPF-DS2	2012	12	28	10	10.761
SJRGPF-DS2	2012	12	28	9	10.81
SJRGPF-DS2	2012	12	28	8	10.932
SJRGPF-DS2	2012	12	28	7	10.956
SJRGPF-DS2	2012	12	28	6	11.029
SJRGPF-DS2	2012	12	28	5	11.078
SJRGPF-DS2	2012	12	28	4	11.127
SJRGPF-DS2	2012	12	28	3	11.2
SJRGPF-DS2	2012	12	28	2	11.224
SJRGPF-DS2	2012	12	28	1	11.273
SJRGPF-DS2	2012	12	28	0	11.297
SJRGPF-DS2	2012	12	27	23	11.346
SJRGPF-DS2	2012	12	27	22	11.419
SJRGPF-DS2	2012	12	27	21	11.467
SJRGPF-DS2	2012	12	27	20	11.492
SJRGPF-DS2	2012	12	27	19	11.516
SJRGPF-DS2	2012	12	27	18	11.54
SJRGPF-DS2	2012	12	27	17	11.516
SJRGPF-DS2	2012	12	27	16	11.492
SJRGPF-DS2	2012	12	27	15	11.492
SJRGPF-DS2	2012	12	27	14	11.467
SJRGPF-DS2	2012	12	27	13	11.467

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-DS2	2012	12	27	12	11.467
SJRGPF-DS2	2012	12	27	11	11.467
SJRGPF-DS2	2012	12	27	10	11.443
SJRGPF-DS2	2012	12	27	9	11.419
SJRGPF-DS2	2012	12	27	8	11.419
SJRGPF-DS2	2012	12	27	7	11.443
SJRGPF-DS2	2012	12	27	6	11.467
SJRGPF-DS2	2012	12	27	5	11.492
SJRGPF-DS2	2012	12	27	4	11.492
SJRGPF-DS2	2012	12	27	3	11.492
SJRGPF-DS2	2012	12	27	2	11.492
SJRGPF-DS2	2012	12	27	1	11.467
SJRGPF-DS2	2012	12	27	0	11.467
SJRGPF-DS2	2012	12	26	23	11.443
SJRGPF-DS2	2012	12	26	22	11.443
SJRGPF-DS2	2012	12	26	21	11.443
SJRGPF-DS2	2012	12	26	20	11.443
SJRGPF-DS2	2012	12	26	19	11.443
SJRGPF-DS2	2012	12	26	18	11.443
SJRGPF-DS2	2012	12	26	17	11.443
SJRGPF-DS2	2012	12	26	16	11.443
SJRGPF-DS2	2012	12	26	15	11.443
SJRGPF-DS2	2012	12	26	14	11.419
SJRGPF-DS2	2012	12	26	13	11.419
SJRGPF-DS2	2012	12	26	12	11.394
SJRGPF-DS2	2012	12	26	11	11.394
SJRGPF-DS2	2012	12	26	10	11.394
SJRGPF-DS2	2012	12	26	9	11.419
SJRGPF-DS2	2012	12	26	8	11.443
SJRGPF-DS2	2012	12	26	7	11.443
SJRGPF-DS2	2012	12	26	6	11.467
SJRGPF-DS2	2012	12	26	5	11.467
SJRGPF-DS2	2012	12	26	4	11.492
SJRGPF-DS2	2012	12	26	3	11.565
SJRGPF-DS2	2012	12	26	2	11.613
SJRGPF-DS2	2012	12	26	1	11.637
SJRGPF-DS2	2012	12	26	0	11.686
SJRGPF-DS2	2012	12	25	23	11.71
SJRGPF-DS2	2012	12	25	22	11.759
SJRGPF-DS2	2012	12	25	21	11.71
SJRGPF-DS2	2012	12	25	20	11.71
SJRGPF-DS2	2012	12	25	19	11.71
SJRGPF-DS2	2012	12	25	18	11.734
SJRGPF-DS2	2012	12	25	17	11.783

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-DS2	2012	12	25	16	11.71
SJRGPF-DS2	2012	12	25	15	11.686
SJRGPF-DS2	2012	12	25	14	11.686
SJRGPF-DS2	2012	12	25	13	11.686
SJRGPF-DS2	2012	12	25	12	11.686
SJRGPF-DS2	2012	12	25	11	11.686
SJRGPF-DS2	2012	12	25	10	11.662
SJRGPF-DS2	2012	12	25	9	11.662
SJRGPF-DS2	2012	12	25	8	11.637
SJRGPF-DS2	2012	12	25	7	11.637
SJRGPF-DS2	2012	12	25	6	11.613
SJRGPF-DS2	2012	12	25	5	11.613
SJRGPF-DS2	2012	12	25	4	11.589
SJRGPF-DS2	2012	12	25	3	11.589
SJRGPF-DS2	2012	12	25	2	11.589
SJRGPF-DS2	2012	12	25	1	11.589
SJRGPF-DS2	2012	12	25	0	11.589
SJRGPF-DS2	2012	12	24	23	11.589
SJRGPF-DS2	2012	12	24	22	11.589
SJRGPF-DS2	2012	12	24	21	11.589
SJRGPF-DS2	2012	12	24	20	11.565
SJRGPF-DS2	2012	12	24	19	11.565
SJRGPF-DS2	2012	12	24	18	11.589
SJRGPF-DS2	2012	12	24	17	11.589
SJRGPF-DS2	2012	12	24	16	11.589
SJRGPF-DS2	2012	12	24	15	11.662
SJRGPF-DS2	2012	12	24	14	11.686
SJRGPF-DS2	2012	12	24	13	11.637
SJRGPF-DS2	2012	12	24	12	11.613
SJRGPF-DS2	2012	12	24	11	11.54
SJRGPF-DS2	2012	12	24	10	11.443
SJRGPF-DS2	2012	12	24	9	11.37
SJRGPF-DS2	2012	12	24	8	11.297
SJRGPF-DS2	2012	12	24	7	11.273
SJRGPF-DS2	2012	12	24	6	11.248
SJRGPF-DS2	2012	12	24	5	11.248
SJRGPF-DS2	2012	12	24	4	11.224
SJRGPF-DS2	2012	12	24	3	11.224
SJRGPF-DS2	2012	12	24	2	11.2
SJRGPF-DS2	2012	12	24	1	11.175
SJRGPF-DS2	2012	12	24	0	11.175
SJRGPF-DS2	2012	12	23	23	11.175
SJRGPF-DS2	2012	12	23	22	11.151
SJRGPF-DS2	2012	12	23	21	11.151

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-DS2	2012	12	23	20	11.127
SJRGPF-DS2	2012	12	23	19	11.127
SJRGPF-DS2	2012	12	23	18	11.127
SJRGPF-DS2	2012	12	23	17	11.127
SJRGPF-DS2	2012	12	23	16	11.127
SJRGPF-DS2	2012	12	23	15	11.102
SJRGPF-DS2	2012	12	23	14	11.102
SJRGPF-DS2	2012	12	23	13	11.078
SJRGPF-DS2	2012	12	23	12	11.078
SJRGPF-DS2	2012	12	23	11	11.078
SJRGPF-DS2	2012	12	23	10	11.053
SJRGPF-DS2	2012	12	23	9	11.053
SJRGPF-DS2	2012	12	23	8	11.053
SJRGPF-DS2	2012	12	23	7	11.053
SJRGPF-DS2	2012	12	23	6	11.029
SJRGPF-DS2	2012	12	23	5	11.029
SJRGPF-DS2	2012	12	23	4	11.029
SJRGPF-DS2	2012	12	23	3	11.029
SJRGPF-DS2	2012	12	23	2	11.029
SJRGPF-DS2	2012	12	23	1	11.029
SJRGPF-DS2	2012	12	23	0	11.005
SJRGPF-DS2	2012	12	22	23	11.005
SJRGPF-DS2	2012	12	22	22	11.005
SJRGPF-DS2	2012	12	22	21	11.005
SJRGPF-DS2	2012	12	22	20	11.005
SJRGPF-DS2	2012	12	22	19	11.005
SJRGPF-DS2	2012	12	22	18	11.005
SJRGPF-DS2	2012	12	22	17	11.005
SJRGPF-DS2	2012	12	22	16	10.98
SJRGPF-DS2	2012	12	22	15	11.005
SJRGPF-DS2	2012	12	22	14	11.053
SJRGPF-DS2	2012	12	22	13	11.005
SJRGPF-DS2	2012	12	22	12	10.956
SJRGPF-DS2	2012	12	22	11	10.858
SJRGPF-DS2	2012	12	22	10	10.834
SJRGPF-DS2	2012	12	22	9	10.834
SJRGPF-DS2	2012	12	22	8	10.834
SJRGPF-DS2	2012	12	22	7	10.761
SJRGPF-DS2	2012	12	22	6	10.736
SJRGPF-DS2	2012	12	22	5	10.712
SJRGPF-DS2	2012	12	22	4	10.712
SJRGPF-DS2	2012	12	22	3	10.712
SJRGPF-DS2	2012	12	22	2	10.712
SJRGPF-DS2	2012	12	22	1	10.712

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-DS2	2012	12	22	0	10.687
SJRGPF-DS2	2012	12	21	23	10.687
SJRGPF-DS2	2012	12	21	22	10.687
SJRGPF-DS2	2012	12	21	21	10.687
SJRGPF-DS2	2012	12	21	20	10.687
SJRGPF-DS2	2012	12	21	19	10.687
SJRGPF-DS2	2012	12	21	18	10.687
SJRGPF-DS2	2012	12	21	17	10.687
SJRGPF-DS2	2012	12	21	16	10.712
SJRGPF-DS2	2012	12	21	15	10.663
SJRGPF-DS2	2012	12	21	14	10.663
SJRGPF-DS2	2012	12	21	13	10.614
SJRGPF-DS2	2012	12	21	12	10.565
SJRGPF-DS2	2012	12	21	11	10.516
SJRGPF-DS2	2012	12	21	10	10.492
SJRGPF-DS2	2012	12	21	9	10.492
SJRGPF-DS2	2012	12	21	8	10.492
SJRGPF-DS2	2012	12	21	7	10.492
SJRGPF-DS2	2012	12	21	6	10.541
SJRGPF-DS2	2012	12	21	5	10.565
SJRGPF-DS2	2012	12	21	4	10.59
SJRGPF-DS2	2012	12	21	3	10.638
SJRGPF-DS2	2012	12	21	2	10.663
SJRGPF-DS2	2012	12	21	1	10.712
SJRGPF-DS2	2012	12	21	0	10.761
SJRGPF-DS2	2012	12	20	23	10.761
SJRGPF-DS2	2012	12	20	22	10.761
SJRGPF-DS2	2012	12	20	21	10.761
SJRGPF-DS2	2012	12	20	20	10.736
SJRGPF-DS2	2012	12	20	19	10.736
SJRGPF-DS2	2012	12	20	18	10.736
SJRGPF-DS2	2012	12	20	17	10.712
SJRGPF-DS2	2012	12	20	16	10.687
SJRGPF-DS2	2012	12	20	15	10.687
SJRGPF-DS2	2012	12	20	14	10.663
SJRGPF-DS2	2012	12	20	13	10.663
SJRGPF-DS2	2012	12	20	12	10.614
SJRGPF-DS2	2012	12	20	11	10.638
SJRGPF-DS2	2012	12	20	10	10.638
SJRGPF-DS2	2012	12	20	9	10.687
SJRGPF-DS2	2012	12	20	8	10.761
SJRGPF-DS2	2012	12	20	7	10.834
SJRGPF-DS2	2012	12	20	6	10.907
SJRGPF-DS2	2012	12	20	5	10.98

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-DS2	2012	12	20	4	11.053
SJRGPF-DS2	2012	12	20	3	11.151
SJRGPF-DS2	2012	12	20	2	11.224
SJRGPF-DS2	2012	12	20	1	11.37
SJRGPF-DS2	2012	12	20	0	11.492
SJRGPF-DS2	2012	12	19	23	11.54
SJRGPF-DS2	2012	12	19	22	11.662
SJRGPF-DS2	2012	12	19	21	11.783
SJRGPF-DS2	2012	12	19	20	11.856
SJRGPF-DS2	2012	12	19	19	11.904
SJRGPF-DS2	2012	12	19	18	11.88
SJRGPF-DS2	2012	12	19	17	11.856
SJRGPF-DS2	2012	12	19	16	11.856
SJRGPF-DS2	2012	12	19	15	11.856
SJRGPF-DS2	2012	12	19	14	11.832
SJRGPF-DS2	2012	12	19	13	11.856
SJRGPF-DS2	2012	12	19	12	11.88
SJRGPF-DS2	2012	12	19	11	11.929
SJRGPF-DS2	2012	12	19	10	12.025
SJRGPF-DS2	2012	12	19	9	12.025
SJRGPF-DS2	2012	12	19	8	12.098
SJRGPF-DS2	2012	12	19	7	12.171
SJRGPF-DS2	2012	12	19	6	12.195
SJRGPF-DS2	2012	12	19	5	12.268
SJRGPF-DS2	2012	12	19	4	12.364
SJRGPF-DS2	2012	12	19	3	12.389
SJRGPF-DS2	2012	12	19	2	12.461
SJRGPF-DS2	2012	12	19	1	12.509
SJRGPF-DS2	2012	12	19	0	12.606
SJRGPF-DS2	2012	12	18	23	12.654
SJRGPF-DS2	2012	12	18	22	12.703
SJRGPF-DS2	2012	12	18	21	12.751
SJRGPF-DS2	2012	12	18	20	12.823
SJRGPF-DS2	2012	12	18	19	12.896
SJRGPF-DS2	2012	12	18	18	12.968
SJRGPF-DS2	2012	12	18	17	12.992
SJRGPF-DS2	2012	12	18	16	13.04
SJRGPF-DS2	2012	12	18	15	12.992
SJRGPF-DS2	2012	12	18	14	12.871
SJRGPF-DS2	2012	12	18	13	12.775
SJRGPF-DS2	2012	12	18	12	12.751
SJRGPF-DS2	2012	12	18	11	12.558
SJRGPF-DS2	2012	12	18	10	12.461
SJRGPF-DS2	2012	12	18	9	12.389

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-DS2	2012	12	18	8	12.389
SJRGPF-DS2	2012	12	18	7	12.364
SJRGPF-DS2	2012	12	18	6	12.364
SJRGPF-DS2	2012	12	18	5	12.413
SJRGPF-DS2	2012	12	18	4	12.364
SJRGPF-DS2	2012	12	18	3	12.364
SJRGPF-DS2	2012	12	18	2	12.364
SJRGPF-DS2	2012	12	18	1	12.364
SJRGPF-DS2	2012	12	18	0	12.389
SJRGPF-DS2	2012	12	17	23	12.364
SJRGPF-DS2	2012	12	17	22	12.364
SJRGPF-DS2	2012	12	17	21	12.34
SJRGPF-DS2	2012	12	17	20	12.316
SJRGPF-DS2	2012	12	17	19	12.292
SJRGPF-DS2	2012	12	17	18	12.268
SJRGPF-DS2	2012	12	17	17	12.243
SJRGPF-DS2	2012	12	17	16	12.195
SJRGPF-DS2	2012	12	17	15	12.171
SJRGPF-DS2	2012	12	17	14	12.147
SJRGPF-DS2	2012	12	17	13	12.147
SJRGPF-DS2	2012	12	17	12	12.098
SJRGPF-DS2	2012	12	17	11	12.074
SJRGPF-DS2	2012	12	17	10	12.05
SJRGPF-DS2	2012	12	17	9	12.025
SJRGPF-DS2	2012	12	17	8	12.025
SJRGPF-DS2	2012	12	17	7	12.001
SJRGPF-DS2	2012	12	17	6	11.977
SJRGPF-DS2	2012	12	17	5	11.977
SJRGPF-DS2	2012	12	17	4	11.953
SJRGPF-DS2	2012	12	17	3	11.953
SJRGPF-DS2	2012	12	17	2	11.977
SJRGPF-DS2	2012	12	17	1	11.977
SJRGPF-DS2	2012	12	17	0	11.977
SJRGPF-DS2	2012	12	16	23	11.977
SJRGPF-DS2	2012	12	16	22	12.001
SJRGPF-DS2	2012	12	16	21	11.977
SJRGPF-DS2	2012	12	16	20	11.977
SJRGPF-DS2	2012	12	16	19	11.977
SJRGPF-DS2	2012	12	16	18	11.953
SJRGPF-DS2	2012	12	16	17	11.953
SJRGPF-DS2	2012	12	16	16	11.953
SJRGPF-DS2	2012	12	16	15	11.953
SJRGPF-DS2	2012	12	16	14	11.929
SJRGPF-DS2	2012	12	16	13	11.88

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-DS2	2012	12	16	12	11.856
SJRGPF-DS2	2012	12	16	11	11.807
SJRGPF-DS2	2012	12	16	10	11.832
SJRGPF-DS2	2012	12	16	9	11.783
SJRGPF-DS2	2012	12	16	8	11.832
SJRGPF-DS2	2012	12	16	7	11.856
SJRGPF-DS2	2012	12	16	6	11.904
SJRGPF-DS2	2012	12	16	5	11.953
SJRGPF-DS2	2012	12	16	4	11.953
SJRGPF-DS2	2012	12	16	3	11.977
SJRGPF-DS2	2012	12	16	2	12.001
SJRGPF-DS2	2012	12	16	1	12.025
SJRGPF-DS2	2012	12	16	0	12.05
SJRGPF-DS2	2012	12	15	23	12.074
SJRGPF-DS2	2012	12	15	22	12.098
SJRGPF-DS2	2012	12	15	21	12.098
SJRGPF-DS2	2012	12	15	20	12.074
SJRGPF-DS2	2012	12	15	19	12.05
SJRGPF-DS2	2012	12	15	18	12.05
SJRGPF-DS2	2012	12	15	17	12.025
SJRGPF-DS2	2012	12	15	16	12.05
SJRGPF-DS2	2012	12	15	15	12.001
SJRGPF-DS2	2012	12	15	14	12.001
SJRGPF-DS2	2012	12	15	13	11.977
SJRGPF-DS2	2012	12	15	12	12.001
SJRGPF-DS2	2012	12	15	11	12.001
SJRGPF-DS2	2012	12	15	10	11.977
SJRGPF-DS2	2012	12	15	9	11.977
SJRGPF-DS2	2012	12	15	8	11.977
SJRGPF-DS2	2012	12	15	7	12.001
SJRGPF-DS2	2012	12	15	6	12.05
SJRGPF-DS2	2012	12	15	5	12.098
SJRGPF-DS2	2012	12	15	4	12.122
SJRGPF-DS2	2012	12	15	3	12.171
SJRGPF-DS2	2012	12	15	2	12.219
SJRGPF-DS2	2012	12	15	1	12.243
SJRGPF-DS2	2012	12	15	0	12.268
SJRGPF-DS2	2012	12	14	23	12.292
SJRGPF-DS2	2012	12	14	22	12.292
SJRGPF-DS2	2012	12	14	21	12.292
SJRGPF-DS2	2012	12	14	20	12.292
SJRGPF-DS2	2012	12	14	19	12.268
SJRGPF-DS2	2012	12	14	18	12.268
SJRGPF-DS2	2012	12	14	17	12.243

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-DS2	2012	12	14	16	12.243
SJRGPF-DS2	2012	12	14	15	12.219
SJRGPF-DS2	2012	12	14	14	12.243
SJRGPF-DS2	2012	12	14	13	12.243
SJRGPF-DS2	2012	12	14	12	12.268
SJRGPF-DS2	2012	12	14	11	12.268
SJRGPF-DS2	2012	12	14	10	12.243
SJRGPF-DS2	2012	12	14	9	12.292
SJRGPF-DS2	2012	12	14	8	12.34
SJRGPF-DS2	2012	12	14	7	12.364
SJRGPF-DS2	2012	12	14	6	12.413
SJRGPF-DS2	2012	12	14	5	12.485
SJRGPF-DS2	2012	12	14	4	12.509
SJRGPF-DS2	2012	12	14	3	12.558
SJRGPF-DS2	2012	12	14	2	12.606
SJRGPF-DS2	2012	12	14	1	12.63
SJRGPF-DS2	2012	12	14	0	12.703
SJRGPF-DS2	2012	12	13	23	12.703
SJRGPF-DS2	2012	12	13	22	12.751
SJRGPF-DS2	2012	12	13	21	12.775
SJRGPF-DS2	2012	12	13	20	12.799
SJRGPF-DS2	2012	12	13	19	12.799
SJRGPF-DS2	2012	12	13	18	12.823
SJRGPF-DS2	2012	12	13	17	12.823
SJRGPF-DS2	2012	12	13	16	12.799
SJRGPF-DS2	2012	12	13	15	12.799
SJRGPF-DS2	2012	12	13	14	12.799
SJRGPF-DS2	2012	12	13	13	12.799
SJRGPF-DS2	2012	12	13	12	12.799
SJRGPF-DS2	2012	12	13	11	12.751
SJRGPF-DS2	2012	12	13	10	12.727
SJRGPF-DS2	2012	12	13	9	12.727
SJRGPF-DS2	2012	12	13	8	12.775
SJRGPF-DS2	2012	12	13	7	12.823
SJRGPF-DS2	2012	12	13	6	12.871
SJRGPF-DS2	2012	12	13	5	12.896
SJRGPF-DS2	2012	12	13	4	12.944
SJRGPF-DS2	2012	12	13	3	12.992
SJRGPF-DS2	2012	12	13	2	13.04
SJRGPF-DS2	2012	12	13	1	13.064
SJRGPF-DS2	2012	12	13	0	13.088
SJRGPF-DS2	2012	12	12	23	13.112
SJRGPF-DS2	2012	12	12	22	13.137
SJRGPF-DS2	2012	12	12	21	13.161

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-DS2	2012	12	12	20	13.161
SJRGPF-DS2	2012	12	12	19	13.209
SJRGPF-DS2	2012	12	12	18	13.233
SJRGPF-DS2	2012	12	12	17	13.233
SJRGPF-DS2	2012	12	12	16	13.257
SJRGPF-DS2	2012	12	12	15	13.281
SJRGPF-DS2	2012	12	12	14	13.257
SJRGPF-DS2	2012	12	12	13	13.281
SJRGPF-DS2	2012	12	12	12	13.305
SJRGPF-DS2	2012	12	12	11	13.305
SJRGPF-DS2	2012	12	12	10	13.305
SJRGPF-DS2	2012	12	12	9	13.305
SJRGPF-DS2	2012	12	12	8	13.305
SJRGPF-DS2	2012	12	12	7	13.329
SJRGPF-DS2	2012	12	12	6	13.329
SJRGPF-DS2	2012	12	12	5	13.329
SJRGPF-DS2	2012	12	12	4	13.329
SJRGPF-DS2	2012	12	12	3	13.353
SJRGPF-DS2	2012	12	12	2	13.377
SJRGPF-DS2	2012	12	12	1	13.353
SJRGPF-DS2	2012	12	12	0	13.353
SJRGPF-DS2	2012	12	11	23	13.353
SJRGPF-DS2	2012	12	11	22	13.377
SJRGPF-DS2	2012	12	11	21	13.377
SJRGPF-DS2	2012	12	11	20	13.353
SJRGPF-DS2	2012	12	11	19	13.353
SJRGPF-DS2	2012	12	11	18	13.353
SJRGPF-DS2	2012	12	11	17	13.353
SJRGPF-DS2	2012	12	11	16	13.329
SJRGPF-DS2	2012	12	11	15	13.329
SJRGPF-DS2	2012	12	11	14	13.305
SJRGPF-DS2	2012	12	11	13	13.281
SJRGPF-DS2	2012	12	11	12	13.233
SJRGPF-DS2	2012	12	11	11	13.233
SJRGPF-DS2	2012	12	11	10	13.233
SJRGPF-DS2	2012	12	11	9	13.257
SJRGPF-DS2	2012	12	11	8	13.281
SJRGPF-DS2	2012	12	11	7	13.305
SJRGPF-DS2	2012	12	11	6	13.329
SJRGPF-DS2	2012	12	11	5	13.353
SJRGPF-DS2	2012	12	11	4	13.401
SJRGPF-DS2	2012	12	11	3	13.449
SJRGPF-DS2	2012	12	11	2	13.449
SJRGPF-DS2	2012	12	11	1	13.497

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-DS2	2012	12	11	0	13.522
SJRGPF-DS2	2012	12	10	23	13.546
SJRGPF-DS2	2012	12	10	22	13.57
SJRGPF-DS2	2012	12	10	21	13.57
SJRGPF-DS2	2012	12	10	20	13.57
SJRGPF-DS2	2012	12	10	19	13.57
SJRGPF-DS2	2012	12	10	18	13.57
SJRGPF-DS2	2012	12	10	17	13.57
SJRGPF-DS2	2012	12	10	16	13.57
SJRGPF-DS2	2012	12	10	15	13.57
SJRGPF-DS2	2012	12	10	14	13.57
SJRGPF-DS2	2012	12	10	13	13.57
SJRGPF-DS2	2012	12	10	12	13.57
SJRGPF-DS2	2012	12	10	11	13.594
SJRGPF-DS2	2012	12	10	10	13.594
SJRGPF-DS2	2012	12	10	9	13.594
SJRGPF-DS2	2012	12	10	8	13.642
SJRGPF-DS2	2012	12	10	7	13.666
SJRGPF-DS2	2012	12	10	6	13.714
SJRGPF-DS2	2012	12	10	5	13.762
SJRGPF-DS2	2012	12	10	4	13.81
SJRGPF-DS2	2012	12	10	3	13.858
SJRGPF-DS2	2012	12	10	2	13.906
SJRGPF-DS2	2012	12	10	1	13.978
SJRGPF-DS2	2012	12	10	0	13.978
SJRGPF-DS2	2012	12	9	23	14.002
SJRGPF-DS2	2012	12	9	22	14.002
SJRGPF-DS2	2012	12	9	21	14.05
SJRGPF-DS2	2012	12	9	20	14.074
SJRGPF-DS2	2012	12	9	19	14.122
SJRGPF-DS2	2012	12	9	18	14.122
SJRGPF-DS2	2012	12	9	17	14.122
SJRGPF-DS2	2012	12	9	16	14.146
SJRGPF-DS2	2012	12	9	15	14.146
SJRGPF-DS2	2012	12	9	14	14.146
SJRGPF-DS2	2012	12	9	13	14.146
SJRGPF-DS2	2012	12	9	12	14.17
SJRGPF-DS2	2012	12	9	11	14.146
SJRGPF-DS2	2012	12	9	10	14.17
SJRGPF-DS2	2012	12	9	9	14.17
SJRGPF-DS2	2012	12	9	8	14.17
SJRGPF-DS2	2012	12	9	7	14.218
SJRGPF-DS2	2012	12	9	6	14.242
SJRGPF-DS2	2012	12	9	5	14.266

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-DS2	2012	12	9	4	14.314
SJRGPF-DS2	2012	12	9	3	14.314
SJRGPF-DS2	2012	12	9	2	14.337
SJRGPF-DS2	2012	12	9	1	14.361
SJRGPF-DS2	2012	12	9	0	14.385
SJRGPF-DS2	2012	12	8	23	14.433
SJRGPF-DS2	2012	12	8	22	14.433
SJRGPF-DS2	2012	12	8	21	14.409
SJRGPF-DS2	2012	12	8	20	14.409
SJRGPF-DS2	2012	12	8	19	14.409
SJRGPF-DS2	2012	12	8	18	14.409
SJRGPF-DS2	2012	12	8	17	14.409
SJRGPF-DS2	2012	12	8	16	14.409
SJRGPF-DS2	2012	12	8	15	14.433
SJRGPF-DS2	2012	12	8	14	14.433
SJRGPF-DS2	2012	12	8	13	14.409
SJRGPF-DS2	2012	12	8	12	14.385
SJRGPF-DS2	2012	12	8	11	14.385
SJRGPF-DS2	2012	12	8	10	14.409
SJRGPF-DS2	2012	12	8	9	14.409
SJRGPF-DS2	2012	12	8	8	14.409
SJRGPF-DS2	2012	12	8	7	14.457
SJRGPF-DS2	2012	12	8	6	14.457
SJRGPF-DS2	2012	12	8	5	14.505
SJRGPF-DS2	2012	12	8	4	14.529
SJRGPF-DS2	2012	12	8	3	14.529
SJRGPF-DS2	2012	12	8	2	14.577
SJRGPF-DS2	2012	12	8	1	14.601
SJRGPF-DS2	2012	12	8	0	14.601
SJRGPF-DS2	2012	12	7	23	14.601
SJRGPF-DS2	2012	12	7	22	14.601
SJRGPF-DS2	2012	12	7	21	14.625
SJRGPF-DS2	2012	12	7	20	14.625
SJRGPF-DS2	2012	12	7	19	14.601
SJRGPF-DS2	2012	12	7	18	14.601
SJRGPF-DS2	2012	12	7	17	14.601
SJRGPF-DS2	2012	12	7	16	14.601
SJRGPF-DS2	2012	12	7	15	14.625
SJRGPF-DS2	2012	12	7	14	14.601
SJRGPF-DS2	2012	12	7	13	14.577
SJRGPF-DS2	2012	12	7	12	14.577
SJRGPF-DS2	2012	12	7	11	14.553
SJRGPF-DS2	2012	12	7	10	14.529
SJRGPF-DS2	2012	12	7	9	14.529

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-DS2	2012	12	7	8	14.529
SJRGPF-DS2	2012	12	7	7	14.553
SJRGPF-DS2	2012	12	7	6	14.553
SJRGPF-DS2	2012	12	7	5	14.577
SJRGPF-DS2	2012	12	7	4	14.601
SJRGPF-DS2	2012	12	7	3	14.649
SJRGPF-DS2	2012	12	7	2	14.649
SJRGPF-DS2	2012	12	7	1	14.673
SJRGPF-DS2	2012	12	7	0	14.673
SJRGPF-DS2	2012	12	6	23	14.697
SJRGPF-DS2	2012	12	6	22	14.697
SJRGPF-DS2	2012	12	6	21	14.721
SJRGPF-DS2	2012	12	6	20	14.721
SJRGPF-DS2	2012	12	6	19	14.721
SJRGPF-DS2	2012	12	6	18	14.721
SJRGPF-DS2	2012	12	6	17	14.745
SJRGPF-DS2	2012	12	6	16	14.745
SJRGPF-DS2	2012	12	6	15	14.745
SJRGPF-DS2	2012	12	6	14	14.745
SJRGPF-DS2	2012	12	6	13	14.721
SJRGPF-DS2	2012	12	6	12	14.697
SJRGPF-DS2	2012	12	6	11	14.697
SJRGPF-DS2	2012	12	6	10	14.673
SJRGPF-DS2	2012	12	6	9	14.673
SJRGPF-DS2	2012	12	6	8	14.673
SJRGPF-DS2	2012	12	6	7	14.673
SJRGPF-DS2	2012	12	6	6	14.673
SJRGPF-DS2	2012	12	6	5	14.625
SJRGPF-DS2	2012	12	6	4	14.601
SJRGPF-DS2	2012	12	6	3	14.601
SJRGPF-DS2	2012	12	6	2	14.577
SJRGPF-DS2	2012	12	6	1	14.601
SJRGPF-DS2	2012	12	6	0	14.601
SJRGPF-DS2	2012	12	5	23	14.601
SJRGPF-DS2	2012	12	5	22	14.673
SJRGPF-DS2	2012	12	5	21	14.697
SJRGPF-DS2	2012	12	5	20	14.673
SJRGPF-DS2	2012	12	5	19	14.697
SJRGPF-DS2	2012	12	5	18	14.721
SJRGPF-DS2	2012	12	5	17	14.697
SJRGPF-DS2	2012	12	5	16	14.697
SJRGPF-DS2	2012	12	5	15	14.697
SJRGPF-DS2	2012	12	5	14	14.649
SJRGPF-DS2	2012	12	5	13	14.577

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-DS2	2012	12	5	12	14.553
SJRGPF-DS2	2012	12	5	11	14.529
SJRGPF-DS2	2012	12	5	10	14.553
SJRGPF-DS2	2012	12	5	9	14.505
SJRGPF-DS2	2012	12	5	8	14.553
SJRGPF-DS2	2012	12	5	7	14.505
SJRGPF-DS2	2012	12	5	6	14.529
SJRGPF-DS2	2012	12	5	5	14.529
SJRGPF-DS2	2012	12	5	4	14.505
SJRGPF-DS2	2012	12	5	3	14.481
SJRGPF-DS2	2012	12	5	2	14.505
SJRGPF-DS2	2012	12	5	1	14.505
SJRGPF-DS2	2012	12	5	0	14.505
SJRGPF-DS2	2012	12	4	23	14.505
SJRGPF-DS2	2012	12	4	22	14.505
SJRGPF-DS2	2012	12	4	21	14.505
SJRGPF-DS2	2012	12	4	20	14.505
SJRGPF-DS2	2012	12	4	19	14.529
SJRGPF-DS2	2012	12	4	18	14.577
SJRGPF-DS2	2012	12	4	17	14.601
SJRGPF-DS2	2012	12	4	16	14.577
SJRGPF-DS2	2012	12	4	15	14.553
SJRGPF-DS2	2012	12	4	14	14.481
SJRGPF-DS2	2012	12	4	13	14.409
SJRGPF-DS2	2012	12	4	12	14.409
SJRGPF-DS2	2012	12	4	11	14.409
SJRGPF-DS2	2012	12	4	10	14.409
SJRGPF-DS2	2012	12	4	9	14.385
SJRGPF-DS2	2012	12	4	8	14.385
SJRGPF-DS2	2012	12	4	7	14.361
SJRGPF-DS2	2012	12	4	6	14.314
SJRGPF-DS2	2012	12	4	5	14.337
SJRGPF-DS2	2012	12	4	4	14.361
SJRGPF-DS2	2012	12	4	3	14.385
SJRGPF-DS2	2012	12	4	2	14.385
SJRGPF-DS2	2012	12	4	1	14.409
SJRGPF-DS2	2012	12	4	0	14.409
SJRGPF-DS2	2012	12	3	23	14.361
SJRGPF-DS2	2012	12	3	22	14.314
SJRGPF-DS2	2012	12	3	21	14.337
SJRGPF-DS2	2012	12	3	20	14.337
SJRGPF-DS2	2012	12	3	19	14.29
SJRGPF-DS2	2012	12	3	18	14.337
SJRGPF-DS2	2012	12	3	17	14.409

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-DS2	2012	12	3	16	14.409
SJRGPF-DS2	2012	12	3	15	14.385
SJRGPF-DS2	2012	12	3	14	14.361
SJRGPF-DS2	2012	12	3	13	14.314
SJRGPF-DS2	2012	12	3	12	14.385
SJRGPF-DS2	2012	12	3	11	14.385
SJRGPF-DS2	2012	12	3	10	14.337
SJRGPF-DS2	2012	12	3	9	14.337
SJRGPF-DS2	2012	12	3	8	14.361
SJRGPF-DS2	2012	12	3	7	14.385
SJRGPF-DS2	2012	12	3	6	14.361
SJRGPF-DS2	2012	12	3	5	14.457
SJRGPF-DS2	2012	12	3	4	14.409
SJRGPF-DS2	2012	12	3	3	14.433
SJRGPF-DS2	2012	12	3	2	14.409
SJRGPF-DS2	2012	12	3	1	14.337
SJRGPF-DS2	2012	12	3	0	14.242
SJRGPF-DS2	2012	12	2	23	14.194
SJRGPF-DS2	2012	12	2	22	14.17
SJRGPF-DS2	2012	12	2	21	14.074
SJRGPF-DS2	2012	12	2	20	14.074
SJRGPF-DS2	2012	12	2	19	13.978
SJRGPF-DS2	2012	12	2	18	13.954
SJRGPF-DS2	2012	12	2	17	13.906
SJRGPF-DS2	2012	12	2	16	13.834
SJRGPF-DS2	2012	12	2	15	13.786
SJRGPF-DS2	2012	12	2	14	13.762
SJRGPF-DS2	2012	12	2	13	13.738
SJRGPF-DS2	2012	12	2	12	13.738
SJRGPF-DS2	2012	12	2	11	13.738
SJRGPF-DS2	2012	12	2	10	13.786
SJRGPF-DS2	2012	12	2	9	13.738
SJRGPF-DS2	2012	12	2	8	13.714
SJRGPF-DS2	2012	12	2	7	13.762
SJRGPF-DS2	2012	12	2	6	13.762
SJRGPF-DS2	2012	12	2	5	13.762
SJRGPF-DS2	2012	12	2	4	13.738
SJRGPF-DS2	2012	12	2	3	13.738
SJRGPF-DS2	2012	12	2	2	13.738
SJRGPF-DS2	2012	12	2	1	13.738
SJRGPF-DS2	2012	12	2	0	13.738
SJRGPF-DS2	2012	12	1	23	13.738
SJRGPF-DS2	2012	12	1	22	13.738
SJRGPF-DS2	2012	12	1	21	13.738

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-DS2	2012	12	1	20	13.738
SJRGPF-DS2	2012	12	1	19	13.714
SJRGPF-DS2	2012	12	1	18	13.714
SJRGPF-DS2	2012	12	1	17	13.714
SJRGPF-DS2	2012	12	1	16	13.714
SJRGPF-DS2	2012	12	1	15	13.714
SJRGPF-DS2	2012	12	1	14	13.69
SJRGPF-DS2	2012	12	1	13	13.666
SJRGPF-DS2	2012	12	1	12	13.642
SJRGPF-DS2	2012	12	1	11	13.618
SJRGPF-DS2	2012	12	1	10	13.618
SJRGPF-DS2	2012	12	1	9	13.594
SJRGPF-DS2	2012	12	1	8	13.594
SJRGPF-DS2	2012	12	1	7	13.594
SJRGPF-DS2	2012	12	1	6	13.57
SJRGPF-DS2	2012	12	1	5	13.57
SJRGPF-DS2	2012	12	1	4	13.57
SJRGPF-DS2	2012	12	1	3	13.57
SJRGPF-DS2	2012	12	1	2	13.57
SJRGPF-DS2	2012	12	1	1	13.57
SJRGPF-DS2	2012	12	1	0	13.57
SJRGPF-DS2	2012	11	30	23	13.57
SJRGPF-DS2	2012	11	30	22	13.546
SJRGPF-DS2	2012	11	30	21	13.522
SJRGPF-DS2	2012	11	30	20	13.522
SJRGPF-DS2	2012	11	30	19	13.497
SJRGPF-DS2	2012	11	30	18	13.497
SJRGPF-DS2	2012	11	30	17	13.522
SJRGPF-DS2	2012	11	30	16	13.522
SJRGPF-DS2	2012	11	30	15	13.473
SJRGPF-DS2	2012	11	30	14	13.473
SJRGPF-DS2	2012	11	30	13	13.497
SJRGPF-DS2	2012	11	30	12	13.473
SJRGPF-DS2	2012	11	30	11	13.473
SJRGPF-DS2	2012	11	30	10	13.425
SJRGPF-DS2	2012	11	30	9	13.425
SJRGPF-DS2	2012	11	30	8	13.401
SJRGPF-DS2	2012	11	30	7	13.425
SJRGPF-DS2	2012	11	30	6	13.425
SJRGPF-DS2	2012	11	30	5	13.401
SJRGPF-DS2	2012	11	30	4	13.401
SJRGPF-DS2	2012	11	30	3	13.401
SJRGPF-DS2	2012	11	30	2	13.377
SJRGPF-DS2	2012	11	30	1	13.377

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-DS2	2012	11	30	0	13.353
SJRGPF-DS2	2012	11	29	23	13.353
SJRGPF-DS2	2012	11	29	22	13.353
SJRGPF-DS2	2012	11	29	21	13.353
SJRGPF-DS2	2012	11	29	20	13.353
SJRGPF-DS2	2012	11	29	19	13.353
SJRGPF-DS2	2012	11	29	18	13.329
SJRGPF-DS2	2012	11	29	17	13.305
SJRGPF-DS2	2012	11	29	16	13.305
SJRGPF-DS2	2012	11	29	15	13.305
SJRGPF-DS2	2012	11	29	14	13.281
SJRGPF-DS2	2012	11	29	13	13.281
SJRGPF-DS2	2012	11	29	12	13.257
SJRGPF-DS2	2012	11	29	11	13.233
SJRGPF-DS2	2012	11	29	10	13.233
SJRGPF-DS2	2012	11	29	9	13.209
SJRGPF-DS2	2012	11	29	8	13.185
SJRGPF-DS2	2012	11	29	7	13.185
SJRGPF-DS2	2012	11	29	6	13.185
SJRGPF-DS2	2012	11	29	5	13.209
SJRGPF-DS2	2012	11	29	4	13.233
SJRGPF-DS2	2012	11	29	3	13.233
SJRGPF-DS2	2012	11	29	2	13.257
SJRGPF-DS2	2012	11	29	1	13.257
SJRGPF-DS2	2012	11	29	0	13.281
SJRGPF-DS2	2012	11	28	23	13.305
SJRGPF-DS2	2012	11	28	22	13.305
SJRGPF-DS2	2012	11	28	21	13.329
SJRGPF-DS2	2012	11	28	20	13.305
SJRGPF-DS2	2012	11	28	19	13.329
SJRGPF-DS2	2012	11	28	18	13.305
SJRGPF-DS2	2012	11	28	17	13.329
SJRGPF-DS2	2012	11	28	16	13.305
SJRGPF-DS2	2012	11	28	15	13.281
SJRGPF-DS2	2012	11	28	14	13.281
SJRGPF-DS2	2012	11	28	13	13.281
SJRGPF-DS2	2012	11	28	12	13.281
SJRGPF-DS2	2012	11	28	11	13.329
SJRGPF-DS2	2012	11	28	10	13.329
SJRGPF-DS2	2012	11	28	9	13.353
SJRGPF-DS2	2012	11	28	8	13.377
SJRGPF-DS2	2012	11	28	7	13.401
SJRGPF-DS2	2012	11	28	6	13.425
SJRGPF-DS2	2012	11	28	5	13.473

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-DS2	2012	11	28	4	13.546
SJRGPF-DS2	2012	11	28	3	13.57
SJRGPF-DS2	2012	11	28	2	13.618
SJRGPF-DS2	2012	11	28	1	13.618
SJRGPF-DS2	2012	11	28	0	13.666
SJRGPF-DS2	2012	11	27	23	13.69
SJRGPF-DS2	2012	11	27	22	13.69
SJRGPF-DS2	2012	11	27	21	13.69
SJRGPF-DS2	2012	11	27	20	13.69
SJRGPF-DS2	2012	11	27	19	13.69
SJRGPF-DS2	2012	11	27	18	13.666
SJRGPF-DS2	2012	11	27	17	13.666
SJRGPF-DS2	2012	11	27	16	13.666
SJRGPF-DS2	2012	11	27	15	13.666
SJRGPF-DS2	2012	11	27	14	13.642
SJRGPF-DS2	2012	11	27	13	13.642
SJRGPF-DS2	2012	11	27	12	13.666
SJRGPF-DS2	2012	11	27	11	13.666
SJRGPF-DS2	2012	11	27	10	13.666
SJRGPF-DS2	2012	11	27	9	13.666
SJRGPF-DS2	2012	11	27	8	13.666
SJRGPF-DS2	2012	11	27	7	13.69
SJRGPF-DS2	2012	11	27	6	13.714
SJRGPF-DS2	2012	11	27	5	13.714
SJRGPF-DS2	2012	11	27	4	13.738
SJRGPF-DS2	2012	11	27	3	13.762
SJRGPF-DS2	2012	11	27	2	13.786
SJRGPF-DS2	2012	11	27	1	13.762
SJRGPF-DS2	2012	11	27	0	13.762
SJRGPF-DS2	2012	11	26	23	13.762
SJRGPF-DS2	2012	11	26	22	13.762
SJRGPF-DS2	2012	11	26	21	13.786
SJRGPF-DS2	2012	11	26	20	13.786
SJRGPF-DS2	2012	11	26	19	13.786
SJRGPF-DS2	2012	11	26	18	13.762
SJRGPF-DS2	2012	11	26	17	13.762
SJRGPF-DS2	2012	11	26	16	13.762
SJRGPF-DS2	2012	11	26	15	13.738
SJRGPF-DS2	2012	11	26	14	13.714
SJRGPF-DS2	2012	11	26	13	13.714
SJRGPF-DS2	2012	11	26	12	13.714
SJRGPF-DS2	2012	11	26	11	13.738
SJRGPF-DS2	2012	11	26	10	13.738
SJRGPF-DS2	2012	11	26	9	13.738

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-DS2	2012	11	26	8	13.762
SJRGPF-DS2	2012	11	26	7	13.762
SJRGPF-DS2	2012	11	26	6	13.786
SJRGPF-DS2	2012	11	26	5	13.81
SJRGPF-DS2	2012	11	26	4	13.834
SJRGPF-DS2	2012	11	26	3	13.858
SJRGPF-DS2	2012	11	26	2	13.858
SJRGPF-DS2	2012	11	26	1	13.858
SJRGPF-DS2	2012	11	26	0	13.834
SJRGPF-DS2	2012	11	25	23	13.81
SJRGPF-DS2	2012	11	25	22	13.834
SJRGPF-DS2	2012	11	25	21	13.834
SJRGPF-DS2	2012	11	25	20	13.834
SJRGPF-DS2	2012	11	25	19	13.834
SJRGPF-DS2	2012	11	25	18	13.834
SJRGPF-DS2	2012	11	25	17	13.834
SJRGPF-DS2	2012	11	25	16	13.834
SJRGPF-DS2	2012	11	25	15	13.81
SJRGPF-DS2	2012	11	25	14	13.786
SJRGPF-DS2	2012	11	25	13	13.786
SJRGPF-DS2	2012	11	25	12	13.786
SJRGPF-DS2	2012	11	25	11	13.786
SJRGPF-DS2	2012	11	25	10	13.762
SJRGPF-DS2	2012	11	25	9	13.762
SJRGPF-DS2	2012	11	25	8	13.786
SJRGPF-DS2	2012	11	25	7	13.786
SJRGPF-DS2	2012	11	25	6	13.81
SJRGPF-DS2	2012	11	25	5	13.81
SJRGPF-DS2	2012	11	25	4	13.81
SJRGPF-DS2	2012	11	25	3	13.786
SJRGPF-DS2	2012	11	25	2	13.762
SJRGPF-DS2	2012	11	25	1	13.762
SJRGPF-DS2	2012	11	25	0	13.738
SJRGPF-DS2	2012	11	24	23	13.738
SJRGPF-DS2	2012	11	24	22	13.762
SJRGPF-DS2	2012	11	24	21	13.762
SJRGPF-DS2	2012	11	24	20	13.762
SJRGPF-DS2	2012	11	24	19	13.762
SJRGPF-DS2	2012	11	24	18	13.762
SJRGPF-DS2	2012	11	24	17	13.762
SJRGPF-DS2	2012	11	24	16	13.738
SJRGPF-DS2	2012	11	24	15	13.738
SJRGPF-DS2	2012	11	24	14	13.714
SJRGPF-DS2	2012	11	24	13	13.69

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-DS2	2012	11	24	12	13.69
SJRGPF-DS2	2012	11	24	11	13.69
SJRGPF-DS2	2012	11	24	10	13.69
SJRGPF-DS2	2012	11	24	9	13.666
SJRGPF-DS2	2012	11	24	8	13.69
SJRGPF-DS2	2012	11	24	7	13.714
SJRGPF-DS2	2012	11	24	6	13.738
SJRGPF-DS2	2012	11	24	5	13.762
SJRGPF-DS2	2012	11	24	4	13.738
SJRGPF-DS2	2012	11	24	3	13.714
SJRGPF-DS2	2012	11	24	2	13.69
SJRGPF-DS2	2012	11	24	1	13.666
SJRGPF-DS2	2012	11	24	0	13.666
SJRGPF-DS2	2012	11	23	23	13.666
SJRGPF-DS2	2012	11	23	22	13.666
SJRGPF-DS2	2012	11	23	21	13.69
SJRGPF-DS2	2012	11	23	20	13.69
SJRGPF-DS2	2012	11	23	19	13.69
SJRGPF-DS2	2012	11	23	18	13.666
SJRGPF-DS2	2012	11	23	17	13.666
SJRGPF-DS2	2012	11	23	16	13.642
SJRGPF-DS2	2012	11	23	15	13.642
SJRGPF-DS2	2012	11	23	14	13.618
SJRGPF-DS2	2012	11	23	13	13.618
SJRGPF-DS2	2012	11	23	12	13.594
SJRGPF-DS2	2012	11	23	11	13.594
SJRGPF-DS2	2012	11	23	10	13.642
SJRGPF-DS2	2012	11	23	9	13.666
SJRGPF-DS2	2012	11	23	8	13.666
SJRGPF-DS2	2012	11	23	7	13.69
SJRGPF-DS2	2012	11	23	6	13.714
SJRGPF-DS2	2012	11	23	5	13.786
SJRGPF-DS2	2012	11	23	4	13.81
SJRGPF-DS2	2012	11	23	3	13.858
SJRGPF-DS2	2012	11	23	2	13.882
SJRGPF-DS2	2012	11	23	1	13.93
SJRGPF-DS2	2012	11	23	0	13.93
SJRGPF-DS2	2012	11	22	23	13.978
SJRGPF-DS2	2012	11	22	22	13.978
SJRGPF-DS2	2012	11	22	21	13.978
SJRGPF-DS2	2012	11	22	20	13.978
SJRGPF-DS2	2012	11	22	19	14.002
SJRGPF-DS2	2012	11	22	18	14.002
SJRGPF-DS2	2012	11	22	17	13.978

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-DS2	2012	11	22	16	13.978
SJRGPF-DS2	2012	11	22	15	13.978
SJRGPF-DS2	2012	11	22	14	13.954
SJRGPF-DS2	2012	11	22	13	13.954
SJRGPF-DS2	2012	11	22	12	13.978
SJRGPF-DS2	2012	11	22	11	13.978
SJRGPF-DS2	2012	11	22	10	13.954
SJRGPF-DS2	2012	11	22	9	13.978
SJRGPF-DS2	2012	11	22	8	13.978
SJRGPF-DS2	2012	11	22	7	14.002
SJRGPF-DS2	2012	11	22	6	14.05
SJRGPF-DS2	2012	11	22	5	14.05
SJRGPF-DS2	2012	11	22	4	14.098
SJRGPF-DS2	2012	11	22	3	14.122
SJRGPF-DS2	2012	11	22	2	14.146
SJRGPF-DS2	2012	11	22	1	14.146
SJRGPF-DS2	2012	11	22	0	14.098
SJRGPF-DS2	2012	11	21	23	14.098
SJRGPF-DS2	2012	11	21	22	14.098
SJRGPF-DS2	2012	11	21	21	14.122
SJRGPF-DS2	2012	11	21	20	14.122
SJRGPF-DS2	2012	11	21	19	14.122
SJRGPF-DS2	2012	11	21	18	14.122
SJRGPF-DS2	2012	11	21	17	14.098
SJRGPF-DS2	2012	11	21	16	14.098
SJRGPF-DS2	2012	11	21	15	14.098
SJRGPF-DS2	2012	11	21	14	14.05
SJRGPF-DS2	2012	11	21	13	14.026
SJRGPF-DS2	2012	11	21	12	14.026
SJRGPF-DS2	2012	11	21	11	14.05
SJRGPF-DS2	2012	11	21	10	14.074
SJRGPF-DS2	2012	11	21	9	14.074
SJRGPF-DS2	2012	11	21	8	14.074
SJRGPF-DS2	2012	11	21	7	14.074
SJRGPF-DS2	2012	11	21	6	14.074
SJRGPF-DS2	2012	11	21	5	14.098
SJRGPF-DS2	2012	11	21	4	14.098
SJRGPF-DS2	2012	11	21	3	14.074
SJRGPF-DS2	2012	11	21	2	14.074
SJRGPF-DS2	2012	11	21	1	14.074
SJRGPF-DS2	2012	11	21	0	14.074
SJRGPF-DS2	2012	11	20	23	14.074
SJRGPF-DS2	2012	11	20	22	14.074
SJRGPF-DS2	2012	11	20	21	14.074

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-DS2	2012	11	20	20	14.098
SJRGPF-DS2	2012	11	20	19	14.122
SJRGPF-DS2	2012	11	20	18	14.122
SJRGPF-DS2	2012	11	20	17	14.098
SJRGPF-DS2	2012	11	20	16	14.074
SJRGPF-DS2	2012	11	20	15	14.074
SJRGPF-DS2	2012	11	20	14	14.05
SJRGPF-DS2	2012	11	20	13	14.074
SJRGPF-DS2	2012	11	20	12	14.122
SJRGPF-DS2	2012	11	20	11	14.122
SJRGPF-DS2	2012	11	20	10	14.122
SJRGPF-DS2	2012	11	20	9	14.122
SJRGPF-DS2	2012	11	20	8	14.146
SJRGPF-DS2	2012	11	20	7	14.17
SJRGPF-DS2	2012	11	20	6	14.194
SJRGPF-DS2	2012	11	20	5	14.242
SJRGPF-DS2	2012	11	20	4	14.194
SJRGPF-DS2	2012	11	20	3	14.194
SJRGPF-DS2	2012	11	20	2	14.17
SJRGPF-DS2	2012	11	20	1	14.194
SJRGPF-DS2	2012	11	20	0	14.17
SJRGPF-DS2	2012	11	19	23	14.17
SJRGPF-DS2	2012	11	19	22	14.146
SJRGPF-DS2	2012	11	19	21	14.146
SJRGPF-DS2	2012	11	19	20	14.194
SJRGPF-DS2	2012	11	19	19	14.242
SJRGPF-DS2	2012	11	19	18	14.218
SJRGPF-DS2	2012	11	19	17	14.218
SJRGPF-DS2	2012	11	19	16	14.218
SJRGPF-DS2	2012	11	19	15	14.194
SJRGPF-DS2	2012	11	19	14	14.17
SJRGPF-DS2	2012	11	19	13	14.05
SJRGPF-DS2	2012	11	19	12	13.978
SJRGPF-DS2	2012	11	19	11	13.906
SJRGPF-DS2	2012	11	19	10	14.002
SJRGPF-DS2	2012	11	19	9	14.218
SJRGPF-DS2	2012	11	19	8	14.122
SJRGPF-DS2	2012	11	19	7	14.098
SJRGPF-DS2	2012	11	19	6	14.194
SJRGPF-DS2	2012	11	19	5	14.242
SJRGPF-DS2	2012	11	19	4	14.194
SJRGPF-DS2	2012	11	19	3	14.122
SJRGPF-DS2	2012	11	19	2	14.242
SJRGPF-DS2	2012	11	19	1	14.242

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-DS2	2012	11	19	0	14.218
SJRGPF-DS2	2012	11	18	23	14.17
SJRGPF-DS2	2012	11	18	22	14.122
SJRGPF-DS2	2012	11	18	21	14.146
SJRGPF-DS2	2012	11	18	20	14.026
SJRGPF-DS2	2012	11	18	19	14.074
SJRGPF-DS2	2012	11	18	18	13.978
SJRGPF-DS2	2012	11	18	17	14.194
SJRGPF-DS2	2012	11	18	16	14.314
SJRGPF-DS2	2012	11	18	15	14.29
SJRGPF-DS2	2012	11	18	14	14.122
SJRGPF-DS2	2012	11	18	13	13.882
SJRGPF-DS2	2012	11	18	12	13.858
SJRGPF-DS2	2012	11	18	11	13.642
SJRGPF-DS2	2012	11	18	10	13.786
SJRGPF-DS2	2012	11	18	9	13.738
SJRGPF-DS2	2012	11	18	8	13.642
SJRGPF-DS2	2012	11	18	7	13.594
SJRGPF-DS2	2012	11	18	6	13.714
SJRGPF-DS2	2012	11	18	5	13.618
SJRGPF-DS2	2012	11	18	4	13.449
SJRGPF-DS2	2012	11	18	3	13.449
SJRGPF-DS2	2012	11	18	2	13.473
SJRGPF-DS2	2012	11	18	1	13.449
SJRGPF-DS2	2012	11	18	0	13.449
SJRGPF-DS2	2012	11	17	23	13.449
SJRGPF-DS2	2012	11	17	22	13.522
SJRGPF-DS2	2012	11	17	21	13.425
SJRGPF-DS2	2012	11	17	20	13.57
SJRGPF-DS2	2012	11	17	19	13.666
SJRGPF-DS2	2012	11	17	18	13.401
SJRGPF-DS2	2012	11	17	17	13.377
SJRGPF-DS2	2012	11	17	16	13.329
SJRGPF-DS2	2012	11	17	15	13.281
SJRGPF-DS2	2012	11	17	14	13.305
SJRGPF-DS2	2012	11	17	13	13.353
SJRGPF-DS2	2012	11	17	12	13.257
SJRGPF-DS2	2012	11	17	11	13.209
SJRGPF-DS2	2012	11	17	10	13.161
SJRGPF-DS2	2012	11	17	9	13.064
SJRGPF-DS2	2012	11	17	8	13.064
SJRGPF-DS2	2012	11	17	7	13.064
SJRGPF-DS2	2012	11	17	6	13.088
SJRGPF-DS2	2012	11	17	5	13.137

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-DS2	2012	11	17	4	13.064
SJRGPF-DS2	2012	11	17	3	13.04
SJRGPF-DS2	2012	11	17	2	13.016
SJRGPF-DS2	2012	11	17	1	13.016
SJRGPF-DS2	2012	11	17	0	12.992
SJRGPF-DS2	2012	11	16	23	12.992
SJRGPF-DS2	2012	11	16	22	12.992
SJRGPF-DS2	2012	11	16	21	12.944
SJRGPF-DS2	2012	11	16	20	12.92
SJRGPF-DS2	2012	11	16	19	12.92
SJRGPF-DS2	2012	11	16	18	12.92
SJRGPF-DS2	2012	11	16	17	12.896
SJRGPF-DS2	2012	11	16	16	12.992
SJRGPF-DS2	2012	11	16	15	13.016
SJRGPF-DS2	2012	11	16	14	13.04
SJRGPF-DS2	2012	11	16	13	12.992
SJRGPF-DS2	2012	11	16	12	12.968
SJRGPF-DS2	2012	11	16	11	12.92
SJRGPF-DS2	2012	11	16	10	12.847
SJRGPF-DS2	2012	11	16	9	12.799
SJRGPF-DS2	2012	11	16	8	12.896
SJRGPF-DS2	2012	11	16	7	12.823
SJRGPF-DS2	2012	11	16	6	12.775
SJRGPF-DS2	2012	11	16	5	12.751
SJRGPF-DS2	2012	11	16	4	12.751
SJRGPF-DS2	2012	11	16	3	12.727
SJRGPF-DS2	2012	11	16	2	12.727
SJRGPF-DS2	2012	11	16	1	12.751
SJRGPF-DS2	2012	11	16	0	12.751
SJRGPF-DS2	2012	11	15	23	12.751
SJRGPF-DS2	2012	11	15	22	12.751
SJRGPF-DS2	2012	11	15	21	12.727
SJRGPF-DS2	2012	11	15	20	12.703
SJRGPF-DS2	2012	11	15	19	12.678
SJRGPF-DS2	2012	11	15	18	12.727
SJRGPF-DS2	2012	11	15	17	12.751
SJRGPF-DS2	2012	11	15	16	12.751
SJRGPF-DS2	2012	11	15	15	12.727
SJRGPF-DS2	2012	11	15	14	12.703
SJRGPF-DS2	2012	11	15	13	12.654
SJRGPF-DS2	2012	11	15	12	12.63
SJRGPF-DS2	2012	11	15	11	12.582
SJRGPF-DS2	2012	11	15	10	12.606
SJRGPF-DS2	2012	11	15	9	12.582

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-DS2	2012	11	15	8	12.606
SJRGPF-DS2	2012	11	15	7	12.63
SJRGPF-DS2	2012	11	15	6	12.654
SJRGPF-DS2	2012	11	15	5	12.606
SJRGPF-DS2	2012	11	15	4	12.654
SJRGPF-DS2	2012	11	15	3	12.558
SJRGPF-DS2	2012	11	15	2	12.534
SJRGPF-DS2	2012	11	15	1	12.509
SJRGPF-DS2	2012	11	15	0	12.509
SJRGPF-DS2	2012	11	14	23	12.509
SJRGPF-DS2	2012	11	14	22	12.509
SJRGPF-DS2	2012	11	14	21	12.485
SJRGPF-DS2	2012	11	14	20	12.509
SJRGPF-DS2	2012	11	14	19	12.509
SJRGPF-DS2	2012	11	14	18	12.509
SJRGPF-DS2	2012	11	14	17	12.534
SJRGPF-DS2	2012	11	14	16	12.509
SJRGPF-DS2	2012	11	14	15	12.461
SJRGPF-DS2	2012	11	14	14	12.461
SJRGPF-DS2	2012	11	14	13	12.413
SJRGPF-DS2	2012	11	14	12	12.389
SJRGPF-DS2	2012	11	14	11	12.364
SJRGPF-DS2	2012	11	14	10	12.389
SJRGPF-DS2	2012	11	14	9	12.413
SJRGPF-DS2	2012	11	14	8	12.413
SJRGPF-DS2	2012	11	14	7	12.413
SJRGPF-DS2	2012	11	14	6	12.437
SJRGPF-DS2	2012	11	14	5	12.461
SJRGPF-DS2	2012	11	14	4	12.485
SJRGPF-DS2	2012	11	14	3	12.509
SJRGPF-DS2	2012	11	14	2	12.509
SJRGPF-DS2	2012	11	14	1	12.509
SJRGPF-DS2	2012	11	14	0	12.485
SJRGPF-DS2	2012	11	13	23	12.437
SJRGPF-DS2	2012	11	13	22	12.437
SJRGPF-DS2	2012	11	13	21	12.437
SJRGPF-DS2	2012	11	13	20	12.461
SJRGPF-DS2	2012	11	13	19	12.461
SJRGPF-DS2	2012	11	13	18	12.461
SJRGPF-DS2	2012	11	13	17	12.461
SJRGPF-DS2	2012	11	13	16	12.413
SJRGPF-DS2	2012	11	13	15	12.389
SJRGPF-DS2	2012	11	13	14	12.364
SJRGPF-DS2	2012	11	13	13	12.316

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-DS2	2012	11	13	12	12.292
SJRGPF-DS2	2012	11	13	11	12.268
SJRGPF-DS2	2012	11	13	10	12.316
SJRGPF-DS2	2012	11	13	9	12.364
SJRGPF-DS2	2012	11	13	8	12.413
SJRGPF-DS2	2012	11	13	7	12.485
SJRGPF-DS2	2012	11	13	6	12.509
SJRGPF-DS2	2012	11	13	5	12.534
SJRGPF-DS2	2012	11	13	4	12.558
SJRGPF-DS2	2012	11	13	3	12.582
SJRGPF-DS2	2012	11	13	2	12.606
SJRGPF-DS2	2012	11	13	1	12.63
SJRGPF-DS2	2012	11	13	0	12.654
SJRGPF-DS2	2012	11	12	23	12.678
SJRGPF-DS2	2012	11	12	22	12.678
SJRGPF-DS2	2012	11	12	21	12.63
SJRGPF-DS2	2012	11	12	20	12.582
SJRGPF-DS2	2012	11	12	19	12.582
SJRGPF-DS2	2012	11	12	18	12.582
SJRGPF-DS2	2012	11	12	17	12.606
SJRGPF-DS2	2012	11	12	16	12.582
SJRGPF-DS2	2012	11	12	15	12.558
SJRGPF-DS2	2012	11	12	14	12.509
SJRGPF-DS2	2012	11	12	13	12.461
SJRGPF-DS2	2012	11	12	12	12.413
SJRGPF-DS2	2012	11	12	11	12.413
SJRGPF-DS2	2012	11	12	10	12.413
SJRGPF-DS2	2012	11	12	9	12.413
SJRGPF-DS2	2012	11	12	8	12.389
SJRGPF-DS2	2012	11	12	7	12.437
SJRGPF-DS2	2012	11	12	6	12.485
SJRGPF-DS2	2012	11	12	5	12.485
SJRGPF-DS2	2012	11	12	4	12.534
SJRGPF-DS2	2012	11	12	3	12.558
SJRGPF-DS2	2012	11	12	2	12.582
SJRGPF-DS2	2012	11	12	1	12.606
SJRGPF-DS2	2012	11	12	0	12.654
SJRGPF-DS2	2012	11	11	23	12.678
SJRGPF-DS2	2012	11	11	22	12.703
SJRGPF-DS2	2012	11	11	21	12.727
SJRGPF-DS2	2012	11	11	20	12.727
SJRGPF-DS2	2012	11	11	19	12.751
SJRGPF-DS2	2012	11	11	18	12.823
SJRGPF-DS2	2012	11	11	17	12.823

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-DS2	2012	11	11	16	12.751
SJRGPF-DS2	2012	11	11	15	12.678
SJRGPF-DS2	2012	11	11	14	12.63
SJRGPF-DS2	2012	11	11	13	12.582
SJRGPF-DS2	2012	11	11	12	12.558
SJRGPF-DS2	2012	11	11	11	12.534
SJRGPF-DS2	2012	11	11	10	12.534
SJRGPF-DS2	2012	11	11	9	12.558
SJRGPF-DS2	2012	11	11	8	12.606
SJRGPF-DS2	2012	11	11	7	12.606
SJRGPF-DS2	2012	11	11	6	12.654
SJRGPF-DS2	2012	11	11	5	12.703
SJRGPF-DS2	2012	11	11	4	12.703
SJRGPF-DS2	2012	11	11	3	12.727
SJRGPF-DS2	2012	11	11	2	12.751
SJRGPF-DS2	2012	11	11	1	12.775
SJRGPF-DS2	2012	11	11	0	12.799
SJRGPF-DS2	2012	11	10	23	12.799
SJRGPF-DS2	2012	11	10	22	12.823
SJRGPF-DS2	2012	11	10	21	12.847
SJRGPF-DS2	2012	11	10	20	12.871
SJRGPF-DS2	2012	11	10	19	12.871
SJRGPF-DS2	2012	11	10	18	12.847
SJRGPF-DS2	2012	11	10	17	12.896
SJRGPF-DS2	2012	11	10	16	12.871
SJRGPF-DS2	2012	11	10	15	12.799
SJRGPF-DS2	2012	11	10	14	12.727
SJRGPF-DS2	2012	11	10	13	12.63
SJRGPF-DS2	2012	11	10	12	12.582
SJRGPF-DS2	2012	11	10	11	12.558
SJRGPF-DS2	2012	11	10	10	12.558
SJRGPF-DS2	2012	11	10	9	12.558
SJRGPF-DS2	2012	11	10	8	12.606
SJRGPF-DS2	2012	11	10	7	12.63
SJRGPF-DS2	2012	11	10	6	12.678
SJRGPF-DS2	2012	11	10	5	12.727
SJRGPF-DS2	2012	11	10	4	12.751
SJRGPF-DS2	2012	11	10	3	12.775
SJRGPF-DS2	2012	11	10	2	12.799
SJRGPF-DS2	2012	11	10	1	12.847
SJRGPF-DS2	2012	11	10	0	12.871
SJRGPF-DS2	2012	11	9	23	12.92
SJRGPF-DS2	2012	11	9	22	12.944
SJRGPF-DS2	2012	11	9	21	12.968

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-DS2	2012	11	9	20	13.016
SJRGPF-DS2	2012	11	9	19	13.064
SJRGPF-DS2	2012	11	9	18	13.088
SJRGPF-DS2	2012	11	9	17	13.137
SJRGPF-DS2	2012	11	9	16	13.112
SJRGPF-DS2	2012	11	9	15	13.112
SJRGPF-DS2	2012	11	9	14	13.04
SJRGPF-DS2	2012	11	9	13	13.064
SJRGPF-DS2	2012	11	9	12	13.064
SJRGPF-DS2	2012	11	9	11	13.064
SJRGPF-DS2	2012	11	9	10	13.088
SJRGPF-DS2	2012	11	9	9	13.137
SJRGPF-DS2	2012	11	9	8	13.185
SJRGPF-DS2	2012	11	9	7	13.233
SJRGPF-DS2	2012	11	9	6	13.329
SJRGPF-DS2	2012	11	9	5	13.401
SJRGPF-DS2	2012	11	9	4	13.425
SJRGPF-DS2	2012	11	9	3	13.522
SJRGPF-DS2	2012	11	9	2	13.594
SJRGPF-DS2	2012	11	9	1	13.594
SJRGPF-DS2	2012	11	9	0	13.69
SJRGPF-DS2	2012	11	8	23	13.738
SJRGPF-DS2	2012	11	8	22	13.81
SJRGPF-DS2	2012	11	8	21	13.882
SJRGPF-DS2	2012	11	8	20	13.906
SJRGPF-DS2	2012	11	8	19	14.002
SJRGPF-DS2	2012	11	8	18	14.05
SJRGPF-DS2	2012	11	8	17	14.074
SJRGPF-DS2	2012	11	8	16	14.098
SJRGPF-DS2	2012	11	8	15	14.098
SJRGPF-DS2	2012	11	8	14	14.098
SJRGPF-DS2	2012	11	8	13	14.098
SJRGPF-DS2	2012	11	8	12	14.074
SJRGPF-DS2	2012	11	8	11	14.05
SJRGPF-DS2	2012	11	8	10	14.026
SJRGPF-DS2	2012	11	8	9	14.05
SJRGPF-DS2	2012	11	8	8	14.074
SJRGPF-DS2	2012	11	8	7	14.122
SJRGPF-DS2	2012	11	8	6	14.17
SJRGPF-DS2	2012	11	8	5	14.194
SJRGPF-DS2	2012	11	8	4	14.218
SJRGPF-DS2	2012	11	8	3	14.266
SJRGPF-DS2	2012	11	8	2	14.29
SJRGPF-DS2	2012	11	8	1	14.314

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-DS2	2012	11	8	0	14.337
SJRGPF-DS2	2012	11	7	23	14.361
SJRGPF-DS2	2012	11	7	22	14.385
SJRGPF-DS2	2012	11	7	21	14.409
SJRGPF-DS2	2012	11	7	20	14.433
SJRGPF-DS2	2012	11	7	19	14.457
SJRGPF-DS2	2012	11	7	18	14.457
SJRGPF-DS2	2012	11	7	17	14.481
SJRGPF-DS2	2012	11	7	16	14.409
SJRGPF-DS2	2012	11	7	15	14.337
SJRGPF-DS2	2012	11	7	14	14.242
SJRGPF-DS2	2012	11	7	13	14.17
SJRGPF-DS2	2012	11	7	12	14.122
SJRGPF-DS2	2012	11	7	11	14.098
SJRGPF-DS2	2012	11	7	10	14.098
SJRGPF-DS2	2012	11	7	9	14.098
SJRGPF-DS2	2012	11	7	8	14.122
SJRGPF-DS2	2012	11	7	7	14.146
SJRGPF-DS2	2012	11	7	6	14.194
SJRGPF-DS2	2012	11	7	5	14.218
SJRGPF-DS2	2012	11	7	4	14.242
SJRGPF-DS2	2012	11	7	3	14.266
SJRGPF-DS2	2012	11	7	2	14.266
SJRGPF-DS2	2012	11	7	1	14.29
SJRGPF-DS2	2012	11	7	0	14.314
SJRGPF-DS2	2012	11	6	23	14.314
SJRGPF-DS2	2012	11	6	22	14.337
SJRGPF-DS2	2012	11	6	21	14.361
SJRGPF-DS2	2012	11	6	20	14.385
SJRGPF-DS2	2012	11	6	19	14.385
SJRGPF-DS2	2012	11	6	18	14.385
SJRGPF-DS2	2012	11	6	17	14.409
SJRGPF-DS2	2012	11	6	16	14.314
SJRGPF-DS2	2012	11	6	15	14.218
SJRGPF-DS2	2012	11	6	14	14.146
SJRGPF-DS2	2012	11	6	13	14.098
SJRGPF-DS2	2012	11	6	12	14.026
SJRGPF-DS2	2012	11	6	11	14.002
SJRGPF-DS2	2012	11	6	10	14.026
SJRGPF-DS2	2012	11	6	9	14.002
SJRGPF-DS2	2012	11	6	8	14.026
SJRGPF-DS2	2012	11	6	7	14.05
SJRGPF-DS2	2012	11	6	6	14.098
SJRGPF-DS2	2012	11	6	5	14.122

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-DS2	2012	11	6	4	14.146
SJRGPF-DS2	2012	11	6	3	14.17
SJRGPF-DS2	2012	11	6	2	14.194
SJRGPF-DS2	2012	11	6	1	14.218
SJRGPF-DS2	2012	11	6	0	14.218
SJRGPF-DS2	2012	11	5	23	14.242
SJRGPF-DS2	2012	11	5	22	14.266
SJRGPF-DS2	2012	11	5	21	14.29
SJRGPF-DS2	2012	11	5	20	14.29
SJRGPF-DS2	2012	11	5	19	14.29
SJRGPF-DS2	2012	11	5	18	14.314
SJRGPF-DS2	2012	11	5	17	14.242
SJRGPF-DS2	2012	11	5	16	14.242
SJRGPF-DS2	2012	11	5	15	14.146
SJRGPF-DS2	2012	11	5	14	14.074
SJRGPF-DS2	2012	11	5	13	13.978
SJRGPF-DS2	2012	11	5	12	13.93
SJRGPF-DS2	2012	11	5	11	13.906
SJRGPF-DS2	2012	11	5	10	13.882
SJRGPF-DS2	2012	11	5	9	13.882
SJRGPF-DS2	2012	11	5	8	13.906
SJRGPF-DS2	2012	11	5	7	13.93
SJRGPF-DS2	2012	11	5	6	13.954
SJRGPF-DS2	2012	11	5	5	13.978
SJRGPF-DS2	2012	11	5	4	14.002
SJRGPF-DS2	2012	11	5	3	14.026
SJRGPF-DS2	2012	11	5	2	14.05
SJRGPF-DS2	2012	11	5	1	14.05
SJRGPF-DS2	2012	11	5	0	14.074
SJRGPF-DS2	2012	11	4	23	14.098
SJRGPF-DS2	2012	11	4	22	14.098
SJRGPF-DS2	2012	11	4	21	14.122
SJRGPF-DS2	2012	11	4	20	14.146
SJRGPF-DS2	2012	11	4	19	14.074
SJRGPF-DS2	2012	11	4	18	14.122
SJRGPF-DS2	2012	11	4	17	14.122
SJRGPF-DS2	2012	11	4	16	14.074
SJRGPF-DS2	2012	11	4	15	14.002
SJRGPF-DS2	2012	11	4	14	13.906
SJRGPF-DS2	2012	11	4	13	13.834
SJRGPF-DS2	2012	11	4	12	13.762
SJRGPF-DS2	2012	11	4	11	13.714
SJRGPF-DS2	2012	11	4	10	13.714
SJRGPF-DS2	2012	11	4	9	13.714

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-DS2	2012	11	4	8	13.714
SJRGPF-DS2	2012	11	4	7	13.762
SJRGPF-DS2	2012	11	4	6	13.786
SJRGPF-DS2	2012	11	4	5	13.81
SJRGPF-DS2	2012	11	4	4	13.81
SJRGPF-DS2	2012	11	4	3	13.81
SJRGPF-DS2	2012	11	4	2	13.858
SJRGPF-DS2	2012	11	4	1	13.858
SJRGPF-DS2	2012	11	4	0	13.882
SJRGPF-DS2	2012	11	3	23	13.882
SJRGPF-DS2	2012	11	3	22	13.882
SJRGPF-DS2	2012	11	3	21	13.906
SJRGPF-DS2	2012	11	3	20	13.906
SJRGPF-DS2	2012	11	3	19	13.93
SJRGPF-DS2	2012	11	3	18	13.93
SJRGPF-DS2	2012	11	3	17	13.93
SJRGPF-DS2	2012	11	3	16	13.834
SJRGPF-DS2	2012	11	3	15	13.738
SJRGPF-DS2	2012	11	3	14	13.666
SJRGPF-DS2	2012	11	3	13	13.57
SJRGPF-DS2	2012	11	3	12	13.522
SJRGPF-DS2	2012	11	3	11	13.497
SJRGPF-DS2	2012	11	3	10	13.473
SJRGPF-DS2	2012	11	3	9	13.473
SJRGPF-DS2	2012	11	3	8	13.497
SJRGPF-DS2	2012	11	3	7	13.522
SJRGPF-DS2	2012	11	3	6	13.546
SJRGPF-DS2	2012	11	3	5	13.57
SJRGPF-DS2	2012	11	3	4	13.618
SJRGPF-DS2	2012	11	3	3	13.618
SJRGPF-DS2	2012	11	3	2	13.666
SJRGPF-DS2	2012	11	3	1	13.69
SJRGPF-DS2	2012	11	3	0	13.714
SJRGPF-DS2	2012	11	2	23	13.738
SJRGPF-DS2	2012	11	2	22	13.762
SJRGPF-DS2	2012	11	2	21	13.786
SJRGPF-DS2	2012	11	2	20	13.834
SJRGPF-DS2	2012	11	2	19	13.834
SJRGPF-DS2	2012	11	2	18	13.834
SJRGPF-DS2	2012	11	2	17	13.786
SJRGPF-DS2	2012	11	2	16	13.738
SJRGPF-DS2	2012	11	2	15	13.69
SJRGPF-DS2	2012	11	2	14	13.69
SJRGPF-DS2	2012	11	2	13	13.714

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-DS2	2012	11	2	12	13.738
SJRGPF-DS2	2012	11	2	11	13.762
SJRGPF-DS2	2012	11	2	10	13.858
SJRGPF-DS2	2012	11	2	9	13.906
SJRGPF-DS2	2012	11	2	8	14.002
SJRGPF-DS2	2012	11	2	7	14.098
SJRGPF-DS2	2012	11	2	6	14.17
SJRGPF-DS2	2012	11	2	5	14.242
SJRGPF-DS2	2012	11	2	4	14.29
SJRGPF-DS2	2012	11	2	3	14.385
SJRGPF-DS2	2012	11	2	2	14.457
SJRGPF-DS2	2012	11	2	1	14.553
SJRGPF-DS2	2012	11	2	0	14.601
SJRGPF-DS2	2012	11	1	23	14.601
SJRGPF-DS2	2012	11	1	22	14.673
SJRGPF-DS2	2012	11	1	21	14.721
SJRGPF-DS2	2012	11	1	20	14.768
SJRGPF-DS2	2012	11	1	19	14.768
SJRGPF-DS2	2012	11	1	18	14.792
SJRGPF-DS2	2012	11	1	17	14.792
SJRGPF-DS2	2012	11	1	16	14.792
SJRGPF-DS2	2012	11	1	15	14.792
SJRGPF-DS2	2012	11	1	14	14.816
SJRGPF-DS2	2012	11	1	13	14.84
SJRGPF-DS2	2012	11	1	12	14.84
SJRGPF-DS2	2012	11	1	11	14.84
SJRGPF-DS2	2012	11	1	10	14.864
SJRGPF-DS2	2012	11	1	9	14.888
SJRGPF-DS2	2012	11	1	8	14.888
SJRGPF-DS2	2012	11	1	7	14.912
SJRGPF-DS2	2012	11	1	6	14.96
SJRGPF-DS2	2012	11	1	5	14.96
SJRGPF-DS2	2012	11	1	4	14.96
SJRGPF-DS2	2012	11	1	3	14.96
SJRGPF-DS2	2012	11	1	2	14.96
SJRGPF-DS2	2012	11	1	1	14.96
SJRGPF-DS2	2012	11	1	0	14.96
SJRGPF-DS2	2012	10	31	23	14.96
SJRGPF-DS2	2012	10	31	22	14.96
SJRGPF-DS2	2012	10	31	21	14.96
SJRGPF-DS2	2012	10	31	20	14.96
SJRGPF-DS2	2012	10	31	19	14.96
SJRGPF-DS2	2012	10	31	18	14.96
SJRGPF-DS2	2012	10	31	17	14.96

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-DS2	2012	10	31	16	14.96
SJRGPF-DS2	2012	10	31	15	14.936
SJRGPF-DS2	2012	10	31	14	14.936
SJRGPF-DS2	2012	10	31	13	14.936
SJRGPF-DS2	2012	10	31	12	14.912
SJRGPF-DS2	2012	10	31	11	14.912
SJRGPF-DS2	2012	10	31	10	14.936
SJRGPF-DS2	2012	10	31	9	14.912
SJRGPF-DS2	2012	10	31	8	14.912
SJRGPF-DS2	2012	10	31	7	14.936
SJRGPF-DS2	2012	10	31	6	14.936
SJRGPF-DS2	2012	10	31	5	14.936
SJRGPF-DS2	2012	10	31	4	14.936
SJRGPF-DS2	2012	10	31	3	14.936
SJRGPF-DS2	2012	10	31	2	14.936
SJRGPF-DS2	2012	10	31	1	14.936
SJRGPF-DS2	2012	10	31	0	14.912
SJRGPF-DS2	2012	10	30	23	14.912
SJRGPF-DS2	2012	10	30	22	14.912
SJRGPF-DS2	2012	10	30	21	14.912
SJRGPF-DS2	2012	10	30	20	14.936
SJRGPF-DS2	2012	10	30	19	14.96
SJRGPF-DS2	2012	10	30	18	14.96
SJRGPF-DS2	2012	10	30	17	14.96
SJRGPF-DS2	2012	10	30	16	14.96
SJRGPF-DS2	2012	10	30	15	14.96
SJRGPF-DS2	2012	10	30	14	14.912
SJRGPF-DS2	2012	10	30	13	14.888
SJRGPF-DS2	2012	10	30	12	14.84
SJRGPF-DS2	2012	10	30	11	14.864
SJRGPF-DS2	2012	10	30	10	14.864
SJRGPF-DS2	2012	10	30	9	14.816
SJRGPF-DS2	2012	10	30	8	14.816
SJRGPF-DS2	2012	10	30	7	14.816
SJRGPF-DS2	2012	10	30	6	14.792
SJRGPF-DS2	2012	10	30	5	14.792
SJRGPF-DS2	2012	10	30	4	14.768
SJRGPF-DS2	2012	10	30	3	14.768
SJRGPF-DS2	2012	10	30	2	14.768
SJRGPF-DS2	2012	10	30	1	14.745
SJRGPF-DS2	2012	10	30	0	14.745
SJRGPF-DS2	2012	10	29	23	14.745
SJRGPF-DS2	2012	10	29	22	14.745
SJRGPF-DS2	2012	10	29	21	14.745

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-DS2	2012	10	29	20	14.768
SJRGPF-DS2	2012	10	29	19	14.768
SJRGPF-DS2	2012	10	29	18	14.792
SJRGPF-DS2	2012	10	29	17	14.792
SJRGPF-DS2	2012	10	29	16	14.792
SJRGPF-DS2	2012	10	29	15	14.768
SJRGPF-DS2	2012	10	29	14	14.745
SJRGPF-DS2	2012	10	29	13	14.721
SJRGPF-DS2	2012	10	29	12	14.697
SJRGPF-DS2	2012	10	29	11	14.673
SJRGPF-DS2	2012	10	29	10	14.649
SJRGPF-DS2	2012	10	29	9	14.625
SJRGPF-DS2	2012	10	29	8	14.601
SJRGPF-DS2	2012	10	29	7	14.577
SJRGPF-DS2	2012	10	29	6	14.577
SJRGPF-DS2	2012	10	29	5	14.553
SJRGPF-DS2	2012	10	29	4	14.553
SJRGPF-DS2	2012	10	29	3	14.553
SJRGPF-DS2	2012	10	29	2	14.529
SJRGPF-DS2	2012	10	29	1	14.529
SJRGPF-DS2	2012	10	29	0	14.529
SJRGPF-DS2	2012	10	28	23	14.529
SJRGPF-DS2	2012	10	28	22	14.529
SJRGPF-DS2	2012	10	28	21	14.529
SJRGPF-DS2	2012	10	28	20	14.553
SJRGPF-DS2	2012	10	28	19	14.577
SJRGPF-DS2	2012	10	28	18	14.577
SJRGPF-DS2	2012	10	28	17	14.577
SJRGPF-DS2	2012	10	28	16	14.553
SJRGPF-DS2	2012	10	28	15	14.553
SJRGPF-DS2	2012	10	28	14	14.505
SJRGPF-DS2	2012	10	28	13	14.481
SJRGPF-DS2	2012	10	28	12	14.457
SJRGPF-DS2	2012	10	28	11	14.457
SJRGPF-DS2	2012	10	28	10	14.433
SJRGPF-DS2	2012	10	28	9	14.409
SJRGPF-DS2	2012	10	28	8	14.409
SJRGPF-DS2	2012	10	28	7	14.409
SJRGPF-DS2	2012	10	28	6	14.433
SJRGPF-DS2	2012	10	28	5	14.409
SJRGPF-DS2	2012	10	28	4	14.409
SJRGPF-DS2	2012	10	28	3	14.385
SJRGPF-DS2	2012	10	28	2	14.385
SJRGPF-DS2	2012	10	28	1	14.385

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-DS2	2012	10	28	0	14.385
SJRGPF-DS2	2012	10	27	23	14.385
SJRGPF-DS2	2012	10	27	22	14.385
SJRGPF-DS2	2012	10	27	21	14.385
SJRGPF-DS2	2012	10	27	20	14.385
SJRGPF-DS2	2012	10	27	19	14.409
SJRGPF-DS2	2012	10	27	18	14.409
SJRGPF-DS2	2012	10	27	17	14.409
SJRGPF-DS2	2012	10	27	16	14.409
SJRGPF-DS2	2012	10	27	15	14.385
SJRGPF-DS2	2012	10	27	14	14.385
SJRGPF-DS2	2012	10	27	13	14.337
SJRGPF-DS2	2012	10	27	12	14.29
SJRGPF-DS2	2012	10	27	11	14.266
SJRGPF-DS2	2012	10	27	10	14.29
SJRGPF-DS2	2012	10	27	9	14.266
SJRGPF-DS2	2012	10	27	8	14.242
SJRGPF-DS2	2012	10	27	7	14.218
SJRGPF-DS2	2012	10	27	6	14.218
SJRGPF-DS2	2012	10	27	5	14.194
SJRGPF-DS2	2012	10	27	4	14.194
SJRGPF-DS2	2012	10	27	3	14.17
SJRGPF-DS2	2012	10	27	2	14.17
SJRGPF-DS2	2012	10	27	1	14.17
SJRGPF-DS2	2012	10	27	0	14.146
SJRGPF-DS2	2012	10	26	23	14.146
SJRGPF-DS2	2012	10	26	22	14.122
SJRGPF-DS2	2012	10	26	21	14.122
SJRGPF-DS2	2012	10	26	20	14.122
SJRGPF-DS2	2012	10	26	19	14.146
SJRGPF-DS2	2012	10	26	18	14.194
SJRGPF-DS2	2012	10	26	17	14.194
SJRGPF-DS2	2012	10	26	16	14.194
SJRGPF-DS2	2012	10	26	15	14.194
SJRGPF-DS2	2012	10	26	14	14.17
SJRGPF-DS2	2012	10	26	13	14.098
SJRGPF-DS2	2012	10	26	12	14.074
SJRGPF-DS2	2012	10	26	11	14.05
SJRGPF-DS2	2012	10	26	10	14.002
SJRGPF-DS2	2012	10	26	9	13.978
SJRGPF-DS2	2012	10	26	8	13.954
SJRGPF-DS2	2012	10	26	7	13.93
SJRGPF-DS2	2012	10	26	6	13.906
SJRGPF-DS2	2012	10	26	5	13.906

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-DS2	2012	10	26	4	13.882
SJRGPF-DS2	2012	10	26	3	13.858
SJRGPF-DS2	2012	10	26	2	13.834
SJRGPF-DS2	2012	10	26	1	13.834
SJRGPF-DS2	2012	10	26	0	13.834
SJRGPF-DS2	2012	10	25	23	13.81
SJRGPF-DS2	2012	10	25	22	13.81
SJRGPF-DS2	2012	10	25	21	13.81
SJRGPF-DS2	2012	10	25	20	13.834
SJRGPF-DS2	2012	10	25	19	13.858
SJRGPF-DS2	2012	10	25	18	13.906
SJRGPF-DS2	2012	10	25	17	13.882
SJRGPF-DS2	2012	10	25	16	13.858
SJRGPF-DS2	2012	10	25	15	13.834
SJRGPF-DS2	2012	10	25	14	13.81
SJRGPF-DS2	2012	10	25	13	13.762
SJRGPF-DS2	2012	10	25	12	13.738
SJRGPF-DS2	2012	10	25	11	13.666
SJRGPF-DS2	2012	10	25	10	13.642
SJRGPF-DS2	2012	10	25	9	13.642
SJRGPF-DS2	2012	10	25	8	13.618
SJRGPF-DS2	2012	10	25	7	13.594
SJRGPF-DS2	2012	10	25	6	13.594
SJRGPF-DS2	2012	10	25	5	13.57
SJRGPF-DS2	2012	10	25	4	13.57
SJRGPF-DS2	2012	10	25	3	13.546
SJRGPF-DS2	2012	10	25	2	13.546
SJRGPF-DS2	2012	10	25	1	13.546
SJRGPF-DS2	2012	10	25	0	13.522
SJRGPF-DS2	2012	10	24	23	13.497
SJRGPF-DS2	2012	10	24	22	13.497
SJRGPF-DS2	2012	10	24	21	13.497
SJRGPF-DS2	2012	10	24	20	13.522
SJRGPF-DS2	2012	10	24	19	13.546
SJRGPF-DS2	2012	10	24	18	13.546
SJRGPF-DS2	2012	10	24	17	13.546
SJRGPF-DS2	2012	10	24	16	13.522
SJRGPF-DS2	2012	10	24	15	13.497
SJRGPF-DS2	2012	10	24	14	13.473
SJRGPF-DS2	2012	10	24	13	13.425
SJRGPF-DS2	2012	10	24	12	13.473
SJRGPF-DS2	2012	10	24	11	13.473
SJRGPF-DS2	2012	10	24	10	13.449
SJRGPF-DS2	2012	10	24	9	13.546

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-DS2	2012	10	24	8	13.57
SJRGPF-DS2	2012	10	24	7	13.618
SJRGPF-DS2	2012	10	24	6	13.666
SJRGPF-DS2	2012	10	24	5	13.738
SJRGPF-DS2	2012	10	24	4	13.762
SJRGPF-DS2	2012	10	24	3	13.834
SJRGPF-DS2	2012	10	24	2	13.858
SJRGPF-DS2	2012	10	24	1	13.906
SJRGPF-DS2	2012	10	24	0	13.93
SJRGPF-DS2	2012	10	23	23	13.954
SJRGPF-DS2	2012	10	23	22	13.93
SJRGPF-DS2	2012	10	23	21	13.93
SJRGPF-DS2	2012	10	23	20	13.954
SJRGPF-DS2	2012	10	23	19	13.954
SJRGPF-DS2	2012	10	23	18	14.002
SJRGPF-DS2	2012	10	23	17	13.978
SJRGPF-DS2	2012	10	23	16	13.93
SJRGPF-DS2	2012	10	23	15	13.93
SJRGPF-DS2	2012	10	23	14	13.906
SJRGPF-DS2	2012	10	23	13	13.906
SJRGPF-DS2	2012	10	23	12	13.858
SJRGPF-DS2	2012	10	23	11	13.906
SJRGPF-DS2	2012	10	23	10	13.882
SJRGPF-DS2	2012	10	23	9	13.954
SJRGPF-DS2	2012	10	23	8	14.074
SJRGPF-DS2	2012	10	23	7	14.098
SJRGPF-DS2	2012	10	23	6	14.194
SJRGPF-DS2	2012	10	23	5	14.266
SJRGPF-DS2	2012	10	23	4	14.29
SJRGPF-DS2	2012	10	23	3	14.385
SJRGPF-DS2	2012	10	23	2	14.481
SJRGPF-DS2	2012	10	23	1	14.577
SJRGPF-DS2	2012	10	23	0	14.673
SJRGPF-DS2	2012	10	22	23	14.745
SJRGPF-DS2	2012	10	22	22	14.816
SJRGPF-DS2	2012	10	22	21	14.912
SJRGPF-DS2	2012	10	22	20	14.936
SJRGPF-DS2	2012	10	22	19	15.008
SJRGPF-DS2	2012	10	22	18	15.103
SJRGPF-DS2	2012	10	22	17	15.127
SJRGPF-DS2	2012	10	22	16	15.151
SJRGPF-DS2	2012	10	22	15	15.27
SJRGPF-DS2	2012	10	22	14	15.342
SJRGPF-DS2	2012	10	22	13	15.461

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-DS2	2012	10	22	12	15.509
SJRGPF-DS2	2012	10	22	11	15.533
SJRGPF-DS2	2012	10	22	10	15.581
SJRGPF-DS2	2012	10	22	9	15.652
SJRGPF-DS2	2012	10	22	8	15.724
SJRGPF-DS2	2012	10	22	7	15.796
SJRGPF-DS2	2012	10	22	6	15.843
SJRGPF-DS2	2012	10	22	5	15.867
SJRGPF-DS2	2012	10	22	4	15.891
SJRGPF-DS2	2012	10	22	3	15.963
SJRGPF-DS2	2012	10	22	2	15.986
SJRGPF-DS2	2012	10	22	1	16.058
SJRGPF-DS2	2012	10	22	0	16.106
SJRGPF-DS2	2012	10	21	23	16.082
SJRGPF-DS2	2012	10	21	22	16.082
SJRGPF-DS2	2012	10	21	21	16.082
SJRGPF-DS2	2012	10	21	20	16.082
SJRGPF-DS2	2012	10	21	19	16.106
SJRGPF-DS2	2012	10	21	18	16.153
SJRGPF-DS2	2012	10	21	17	16.153
SJRGPF-DS2	2012	10	21	16	16.129
SJRGPF-DS2	2012	10	21	15	16.106
SJRGPF-DS2	2012	10	21	14	16.082
SJRGPF-DS2	2012	10	21	13	16.058
SJRGPF-DS2	2012	10	21	12	16.058
SJRGPF-DS2	2012	10	21	11	16.058
SJRGPF-DS2	2012	10	21	10	16.058
SJRGPF-DS2	2012	10	21	9	16.129
SJRGPF-DS2	2012	10	21	8	16.201
SJRGPF-DS2	2012	10	21	7	16.32
SJRGPF-DS2	2012	10	21	6	16.415
SJRGPF-DS2	2012	10	21	5	16.439
SJRGPF-DS2	2012	10	21	4	16.511
SJRGPF-DS2	2012	10	21	3	16.511
SJRGPF-DS2	2012	10	21	2	16.511
SJRGPF-DS2	2012	10	21	1	16.534
SJRGPF-DS2	2012	10	21	0	16.511
SJRGPF-DS2	2012	10	20	23	16.511
SJRGPF-DS2	2012	10	20	22	16.511
SJRGPF-DS2	2012	10	20	21	16.511
SJRGPF-DS2	2012	10	20	20	16.487
SJRGPF-DS2	2012	10	20	19	16.511
SJRGPF-DS2	2012	10	20	18	16.558
SJRGPF-DS2	2012	10	20	17	16.582

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-DS2	2012	10	20	16	16.582
SJRGPF-DS2	2012	10	20	15	16.534
SJRGPF-DS2	2012	10	20	14	16.534
SJRGPF-DS2	2012	10	20	13	16.534
SJRGPF-DS2	2012	10	20	12	16.511
SJRGPF-DS2	2012	10	20	11	16.487
SJRGPF-DS2	2012	10	20	10	16.487
SJRGPF-DS2	2012	10	20	9	16.487
SJRGPF-DS2	2012	10	20	8	16.558
SJRGPF-DS2	2012	10	20	7	16.582
SJRGPF-DS2	2012	10	20	6	16.63
SJRGPF-DS2	2012	10	20	5	16.63
SJRGPF-DS2	2012	10	20	4	16.606
SJRGPF-DS2	2012	10	20	3	16.63
SJRGPF-DS2	2012	10	20	2	16.654
SJRGPF-DS2	2012	10	20	1	16.701
SJRGPF-DS2	2012	10	20	0	16.654
SJRGPF-DS2	2012	10	19	23	16.654
SJRGPF-DS2	2012	10	19	22	16.654
SJRGPF-DS2	2012	10	19	21	16.63
SJRGPF-DS2	2012	10	19	20	16.582
SJRGPF-DS2	2012	10	19	19	16.606
SJRGPF-DS2	2012	10	19	18	16.749
SJRGPF-DS2	2012	10	19	17	16.749
SJRGPF-DS2	2012	10	19	16	16.725
SJRGPF-DS2	2012	10	19	15	16.749
SJRGPF-DS2	2012	10	19	14	16.677
SJRGPF-DS2	2012	10	19	13	16.582
SJRGPF-DS2	2012	10	19	12	16.511
SJRGPF-DS2	2012	10	19	11	16.487
SJRGPF-DS2	2012	10	19	10	16.439
SJRGPF-DS2	2012	10	19	9	16.392
SJRGPF-DS2	2012	10	19	8	16.368
SJRGPF-DS2	2012	10	19	7	16.368
SJRGPF-DS2	2012	10	19	6	16.392
SJRGPF-DS2	2012	10	19	5	16.392
SJRGPF-DS2	2012	10	19	4	16.368
SJRGPF-DS2	2012	10	19	3	16.368
SJRGPF-DS2	2012	10	19	2	16.344
SJRGPF-DS2	2012	10	19	1	16.392
SJRGPF-DS2	2012	10	19	0	16.368
SJRGPF-DS2	2012	10	18	23	16.368
SJRGPF-DS2	2012	10	18	22	16.368
SJRGPF-DS2	2012	10	18	21	16.344

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-DS2	2012	10	18	20	16.344
SJRGPF-DS2	2012	10	18	19	16.32
SJRGPF-DS2	2012	10	18	18	16.32
SJRGPF-DS2	2012	10	18	17	16.344
SJRGPF-DS2	2012	10	18	16	16.487
SJRGPF-DS2	2012	10	18	15	16.463
SJRGPF-DS2	2012	10	18	14	16.392
SJRGPF-DS2	2012	10	18	13	16.296
SJRGPF-DS2	2012	10	18	12	16.249
SJRGPF-DS2	2012	10	18	11	16.177
SJRGPF-DS2	2012	10	18	10	16.129
SJRGPF-DS2	2012	10	18	9	16.082
SJRGPF-DS2	2012	10	18	8	16.058
SJRGPF-DS2	2012	10	18	7	16.058
SJRGPF-DS2	2012	10	18	6	16.058
SJRGPF-DS2	2012	10	18	5	16.058
SJRGPF-DS2	2012	10	18	4	16.058
SJRGPF-DS2	2012	10	18	3	16.034
SJRGPF-DS2	2012	10	18	2	16.034
SJRGPF-DS2	2012	10	18	1	16.034
SJRGPF-DS2	2012	10	18	0	16.034
SJRGPF-DS2	2012	10	17	23	16.01
SJRGPF-DS2	2012	10	17	22	16.01
SJRGPF-DS2	2012	10	17	21	16.058
SJRGPF-DS2	2012	10	17	20	16.01
SJRGPF-DS2	2012	10	17	19	15.963
SJRGPF-DS2	2012	10	17	18	15.986
SJRGPF-DS2	2012	10	17	17	16.058
SJRGPF-DS2	2012	10	17	16	16.177
SJRGPF-DS2	2012	10	17	15	16.129
SJRGPF-DS2	2012	10	17	14	16.058
SJRGPF-DS2	2012	10	17	13	16.01
SJRGPF-DS2	2012	10	17	12	15.915
SJRGPF-DS2	2012	10	17	11	15.867
SJRGPF-DS2	2012	10	17	10	15.796
SJRGPF-DS2	2012	10	17	9	15.748
SJRGPF-DS2	2012	10	17	8	15.724
SJRGPF-DS2	2012	10	17	7	15.7
SJRGPF-DS2	2012	10	17	6	15.7
SJRGPF-DS2	2012	10	17	5	15.7
SJRGPF-DS2	2012	10	17	4	15.7
SJRGPF-DS2	2012	10	17	3	15.7
SJRGPF-DS2	2012	10	17	2	15.676
SJRGPF-DS2	2012	10	17	1	15.676

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-DS2	2012	10	17	0	15.676
SJRGPF-DS2	2012	10	16	23	15.676
SJRGPF-DS2	2012	10	16	22	15.7
SJRGPF-DS2	2012	10	16	21	15.676
SJRGPF-DS2	2012	10	16	20	15.652
SJRGPF-DS2	2012	10	16	19	15.605
SJRGPF-DS2	2012	10	16	18	15.605
SJRGPF-DS2	2012	10	16	17	15.843
SJRGPF-DS2	2012	10	16	16	15.843
SJRGPF-DS2	2012	10	16	15	15.772
SJRGPF-DS2	2012	10	16	14	15.7
SJRGPF-DS2	2012	10	16	13	15.676
SJRGPF-DS2	2012	10	16	12	15.557
SJRGPF-DS2	2012	10	16	11	15.438
SJRGPF-DS2	2012	10	16	10	15.39
SJRGPF-DS2	2012	10	16	9	15.366
SJRGPF-DS2	2012	10	16	8	15.318
SJRGPF-DS2	2012	10	16	7	15.318
SJRGPF-DS2	2012	10	16	6	15.318
SJRGPF-DS2	2012	10	16	5	15.294
SJRGPF-DS2	2012	10	16	4	15.294
SJRGPF-DS2	2012	10	16	3	15.294
SJRGPF-DS2	2012	10	16	2	15.294
SJRGPF-DS2	2012	10	16	1	15.294
SJRGPF-DS2	2012	10	16	0	15.27
SJRGPF-DS2	2012	10	15	23	15.27
SJRGPF-DS2	2012	10	15	22	15.247
SJRGPF-DS2	2012	10	15	21	15.247
SJRGPF-DS2	2012	10	15	20	15.223
SJRGPF-DS2	2012	10	15	19	15.247
SJRGPF-DS2	2012	10	15	18	15.27
SJRGPF-DS2	2012	10	15	17	15.318
SJRGPF-DS2	2012	10	15	16	15.39
SJRGPF-DS2	2012	10	15	15	15.342
SJRGPF-DS2	2012	10	15	14	15.247
SJRGPF-DS2	2012	10	15	13	15.175
SJRGPF-DS2	2012	10	15	12	15.103
SJRGPF-DS2	2012	10	15	11	15.055
SJRGPF-DS2	2012	10	15	10	15.008
SJRGPF-DS2	2012	10	15	9	14.96
SJRGPF-DS2	2012	10	15	8	14.936
SJRGPF-DS2	2012	10	15	7	14.936
SJRGPF-DS2	2012	10	15	6	14.912
SJRGPF-DS2	2012	10	15	5	14.912

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-DS2	2012	10	15	4	14.912
SJRGPF-DS2	2012	10	15	3	14.912
SJRGPF-DS2	2012	10	15	2	14.888
SJRGPF-DS2	2012	10	15	1	14.888
SJRGPF-DS2	2012	10	15	0	14.888
SJRGPF-DS2	2012	10	14	23	14.864
SJRGPF-DS2	2012	10	14	22	14.864
SJRGPF-DS2	2012	10	14	21	14.864
SJRGPF-DS2	2012	10	14	20	14.84
SJRGPF-DS2	2012	10	14	19	14.84
SJRGPF-DS2	2012	10	14	18	14.888
SJRGPF-DS2	2012	10	14	17	14.912
SJRGPF-DS2	2012	10	14	16	14.912
SJRGPF-DS2	2012	10	14	15	14.864
SJRGPF-DS2	2012	10	14	14	14.84
SJRGPF-DS2	2012	10	14	13	14.792
SJRGPF-DS2	2012	10	14	12	14.768
SJRGPF-DS2	2012	10	14	11	14.768
SJRGPF-DS2	2012	10	14	10	14.745
SJRGPF-DS2	2012	10	14	9	14.721
SJRGPF-DS2	2012	10	14	8	14.697
SJRGPF-DS2	2012	10	14	7	14.721
SJRGPF-DS2	2012	10	14	6	14.745
SJRGPF-DS2	2012	10	14	5	14.745
SJRGPF-DS2	2012	10	14	4	14.721
SJRGPF-DS2	2012	10	14	3	14.721
SJRGPF-DS2	2012	10	14	2	14.721
SJRGPF-DS2	2012	10	14	1	14.697
SJRGPF-DS2	2012	10	14	0	14.697
SJRGPF-DS2	2012	10	13	23	14.673
SJRGPF-DS2	2012	10	13	22	14.673
SJRGPF-DS2	2012	10	13	21	14.649
SJRGPF-DS2	2012	10	13	20	14.649
SJRGPF-DS2	2012	10	13	19	14.697
SJRGPF-DS2	2012	10	13	18	14.721
SJRGPF-DS2	2012	10	13	17	14.721
SJRGPF-DS2	2012	10	13	16	14.673
SJRGPF-DS2	2012	10	13	15	14.625
SJRGPF-DS2	2012	10	13	14	14.864
SJRGPF-DS2	2012	10	13	13	14.84
SJRGPF-DS2	2012	10	13	12	14.816
SJRGPF-DS2	2012	10	13	11	14.792
SJRGPF-DS2	2012	10	13	10	14.721
SJRGPF-DS2	2012	10	13	9	14.768

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-DS2	2012	10	13	8	14.792
SJRGPF-DS2	2012	10	13	7	14.912
SJRGPF-DS2	2012	10	13	6	14.984
SJRGPF-DS2	2012	10	13	5	15.008
SJRGPF-DS2	2012	10	13	4	15.079
SJRGPF-DS2	2012	10	13	3	15.223
SJRGPF-DS2	2012	10	13	2	15.247
SJRGPF-DS2	2012	10	13	1	15.294
SJRGPF-DS2	2012	10	13	0	15.342
SJRGPF-DS2	2012	10	12	23	15.414
SJRGPF-DS2	2012	10	12	22	15.485
SJRGPF-DS2	2012	10	12	21	15.557
SJRGPF-DS2	2012	10	12	20	15.629
SJRGPF-DS2	2012	10	12	19	15.676
SJRGPF-DS2	2012	10	12	18	15.724
SJRGPF-DS2	2012	10	12	17	15.748
SJRGPF-DS2	2012	10	12	16	15.772
SJRGPF-DS2	2012	10	12	15	15.772
SJRGPF-DS2	2012	10	12	14	15.772
SJRGPF-DS2	2012	10	12	13	15.772
SJRGPF-DS2	2012	10	12	12	15.796
SJRGPF-DS2	2012	10	12	11	15.819
SJRGPF-DS2	2012	10	12	10	15.867
SJRGPF-DS2	2012	10	12	9	15.891
SJRGPF-DS2	2012	10	12	8	15.915
SJRGPF-DS2	2012	10	12	7	15.986
SJRGPF-DS2	2012	10	12	6	16.034
SJRGPF-DS2	2012	10	12	5	16.082
SJRGPF-DS2	2012	10	12	4	16.106
SJRGPF-DS2	2012	10	12	3	16.153
SJRGPF-DS2	2012	10	12	2	16.177
SJRGPF-DS2	2012	10	12	1	16.225
SJRGPF-DS2	2012	10	12	0	16.272
SJRGPF-DS2	2012	10	11	23	16.272
SJRGPF-DS2	2012	10	11	22	16.32
SJRGPF-DS2	2012	10	11	21	16.368
SJRGPF-DS2	2012	10	11	20	16.368
SJRGPF-DS2	2012	10	11	19	16.368
SJRGPF-DS2	2012	10	11	18	16.392
SJRGPF-DS2	2012	10	11	17	16.415
SJRGPF-DS2	2012	10	11	16	16.415
SJRGPF-DS2	2012	10	11	15	16.392
SJRGPF-DS2	2012	10	11	14	16.415
SJRGPF-DS2	2012	10	11	13	16.392

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-DS2	2012	10	11	12	16.368
SJRGPF-DS2	2012	10	11	11	16.368
SJRGPF-DS2	2012	10	11	10	16.368
SJRGPF-DS2	2012	10	11	9	16.439
SJRGPF-DS2	2012	10	11	8	16.511
SJRGPF-DS2	2012	10	11	7	16.558
SJRGPF-DS2	2012	10	11	6	16.582
SJRGPF-DS2	2012	10	11	5	16.677
SJRGPF-DS2	2012	10	11	4	16.725
SJRGPF-DS2	2012	10	11	3	16.725
SJRGPF-DS2	2012	10	11	2	16.773
SJRGPF-DS2	2012	10	11	1	16.773
SJRGPF-DS2	2012	10	11	0	16.773
SJRGPF-DS2	2012	10	10	23	16.773
SJRGPF-DS2	2012	10	10	22	16.749
SJRGPF-DS2	2012	10	10	21	16.773
SJRGPF-DS2	2012	10	10	20	16.773
SJRGPF-DS2	2012	10	10	19	16.796
SJRGPF-DS2	2012	10	10	18	16.796
SJRGPF-DS2	2012	10	10	17	16.796
SJRGPF-DS2	2012	10	10	16	16.82
SJRGPF-DS2	2012	10	10	15	16.82
SJRGPF-DS2	2012	10	10	14	16.749
SJRGPF-DS2	2012	10	10	13	16.725
SJRGPF-DS2	2012	10	10	12	16.654
SJRGPF-DS2	2012	10	10	11	16.677
SJRGPF-DS2	2012	10	10	10	16.701
SJRGPF-DS2	2012	10	10	9	16.701
SJRGPF-DS2	2012	10	10	8	16.749
SJRGPF-DS2	2012	10	10	7	16.773
SJRGPF-DS2	2012	10	10	6	16.82
SJRGPF-DS2	2012	10	10	5	16.868
SJRGPF-DS2	2012	10	10	4	16.939
SJRGPF-DS2	2012	10	10	3	16.987
SJRGPF-DS2	2012	10	10	2	17.011
SJRGPF-DS2	2012	10	10	1	17.011
SJRGPF-DS2	2012	10	10	0	17.011
SJRGPF-DS2	2012	10	9	23	16.987
SJRGPF-DS2	2012	10	9	22	16.987
SJRGPF-DS2	2012	10	9	21	16.987
SJRGPF-DS2	2012	10	9	20	16.987
SJRGPF-DS2	2012	10	9	19	17.011
SJRGPF-DS2	2012	10	9	18	17.058
SJRGPF-DS2	2012	10	9	17	17.058

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-DS2	2012	10	9	16	17.082
SJRGPF-DS2	2012	10	9	15	17.058
SJRGPF-DS2	2012	10	9	14	17.034
SJRGPF-DS2	2012	10	9	13	17.011
SJRGPF-DS2	2012	10	9	12	16.939
SJRGPF-DS2	2012	10	9	11	16.868
SJRGPF-DS2	2012	10	9	10	16.868
SJRGPF-DS2	2012	10	9	9	16.915
SJRGPF-DS2	2012	10	9	8	16.915
SJRGPF-DS2	2012	10	9	7	16.939
SJRGPF-DS2	2012	10	9	6	17.011
SJRGPF-DS2	2012	10	9	5	17.058
SJRGPF-DS2	2012	10	9	4	17.13
SJRGPF-DS2	2012	10	9	3	17.153
SJRGPF-DS2	2012	10	9	2	17.13
SJRGPF-DS2	2012	10	9	1	17.13
SJRGPF-DS2	2012	10	9	0	17.13
SJRGPF-DS2	2012	10	8	23	17.13
SJRGPF-DS2	2012	10	8	22	17.106
SJRGPF-DS2	2012	10	8	21	17.13
SJRGPF-DS2	2012	10	8	20	17.13
SJRGPF-DS2	2012	10	8	19	17.13
SJRGPF-DS2	2012	10	8	18	17.13
SJRGPF-DS2	2012	10	8	17	17.177
SJRGPF-DS2	2012	10	8	16	17.177
SJRGPF-DS2	2012	10	8	15	17.153
SJRGPF-DS2	2012	10	8	14	17.153
SJRGPF-DS2	2012	10	8	13	17.106
SJRGPF-DS2	2012	10	8	12	17.082
SJRGPF-DS2	2012	10	8	11	16.987
SJRGPF-DS2	2012	10	8	10	16.939
SJRGPF-DS2	2012	10	8	9	16.939
SJRGPF-DS2	2012	10	8	8	16.963
SJRGPF-DS2	2012	10	8	7	17.058
SJRGPF-DS2	2012	10	8	6	17.13
SJRGPF-DS2	2012	10	8	5	17.177
SJRGPF-DS2	2012	10	8	4	17.153
SJRGPF-DS2	2012	10	8	3	17.153
SJRGPF-DS2	2012	10	8	2	17.153
SJRGPF-DS2	2012	10	8	1	17.153
SJRGPF-DS2	2012	10	8	0	17.153
SJRGPF-DS2	2012	10	7	23	17.13
SJRGPF-DS2	2012	10	7	22	17.13
SJRGPF-DS2	2012	10	7	21	17.13

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-DS2	2012	10	7	20	17.13
SJRGPF-DS2	2012	10	7	19	17.13
SJRGPF-DS2	2012	10	7	18	17.177
SJRGPF-DS2	2012	10	7	17	17.177
SJRGPF-DS2	2012	10	7	16	17.177
SJRGPF-DS2	2012	10	7	15	17.177
SJRGPF-DS2	2012	10	7	14	17.177
SJRGPF-DS2	2012	10	7	13	17.106
SJRGPF-DS2	2012	10	7	12	17.058
SJRGPF-DS2	2012	10	7	11	17.011
SJRGPF-DS2	2012	10	7	10	16.987
SJRGPF-DS2	2012	10	7	9	16.987
SJRGPF-DS2	2012	10	7	8	17.058
SJRGPF-DS2	2012	10	7	7	17.13
SJRGPF-DS2	2012	10	7	6	17.177
SJRGPF-DS2	2012	10	7	5	17.249
SJRGPF-DS2	2012	10	7	4	17.32
SJRGPF-DS2	2012	10	7	3	17.368
SJRGPF-DS2	2012	10	7	2	17.391
SJRGPF-DS2	2012	10	7	1	17.415
SJRGPF-DS2	2012	10	7	0	17.415
SJRGPF-DS2	2012	10	6	23	17.415
SJRGPF-DS2	2012	10	6	22	17.391
SJRGPF-DS2	2012	10	6	21	17.391
SJRGPF-DS2	2012	10	6	20	17.391
SJRGPF-DS2	2012	10	6	19	17.415
SJRGPF-DS2	2012	10	6	18	17.463
SJRGPF-DS2	2012	10	6	17	17.486
SJRGPF-DS2	2012	10	6	16	17.463
SJRGPF-DS2	2012	10	6	15	17.463
SJRGPF-DS2	2012	10	6	14	17.415
SJRGPF-DS2	2012	10	6	13	17.368
SJRGPF-DS2	2012	10	6	12	17.32
SJRGPF-DS2	2012	10	6	11	17.296
SJRGPF-DS2	2012	10	6	10	17.225
SJRGPF-DS2	2012	10	6	9	17.225
SJRGPF-DS2	2012	10	6	8	17.296
SJRGPF-DS2	2012	10	6	7	17.415
SJRGPF-DS2	2012	10	6	6	17.51
SJRGPF-DS2	2012	10	6	5	17.558
SJRGPF-DS2	2012	10	6	4	17.629
SJRGPF-DS2	2012	10	6	3	17.677
SJRGPF-DS2	2012	10	6	2	17.724
SJRGPF-DS2	2012	10	6	1	17.796

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-DS2	2012	10	6	0	17.891
SJRGPF-DS2	2012	10	5	23	17.938
SJRGPF-DS2	2012	10	5	22	18.057
SJRGPF-DS2	2012	10	5	21	18.105
SJRGPF-DS2	2012	10	5	20	18.105
SJRGPF-DS2	2012	10	5	19	18.129
SJRGPF-DS2	2012	10	5	18	18.152
SJRGPF-DS2	2012	10	5	17	18.152
SJRGPF-DS2	2012	10	5	16	18.152
SJRGPF-DS2	2012	10	5	15	18.129
SJRGPF-DS2	2012	10	5	14	18.129
SJRGPF-DS2	2012	10	5	13	18.081
SJRGPF-DS2	2012	10	5	12	18.033
SJRGPF-DS2	2012	10	5	11	18.01
SJRGPF-DS2	2012	10	5	10	17.986
SJRGPF-DS2	2012	10	5	9	18.033
SJRGPF-DS2	2012	10	5	8	18.105
SJRGPF-DS2	2012	10	5	7	18.176
SJRGPF-DS2	2012	10	5	6	18.224
SJRGPF-DS2	2012	10	5	5	18.271
SJRGPF-DS2	2012	10	5	4	18.295
SJRGPF-DS2	2012	10	5	3	18.414
SJRGPF-DS2	2012	10	5	2	18.461
SJRGPF-DS2	2012	10	5	1	18.557
SJRGPF-DS2	2012	10	5	0	18.557
SJRGPF-DS2	2012	10	4	23	18.557
SJRGPF-DS2	2012	10	4	22	18.557
SJRGPF-DS2	2012	10	4	21	18.557
SJRGPF-DS2	2012	10	4	20	18.557
SJRGPF-DS2	2012	10	4	19	18.557
SJRGPF-DS2	2012	10	4	18	18.604
SJRGPF-DS2	2012	10	4	17	18.604
SJRGPF-DS2	2012	10	4	16	18.628
SJRGPF-DS2	2012	10	4	15	18.628
SJRGPF-DS2	2012	10	4	14	18.604
SJRGPF-DS2	2012	10	4	13	18.557
SJRGPF-DS2	2012	10	4	12	18.509
SJRGPF-DS2	2012	10	4	11	18.438
SJRGPF-DS2	2012	10	4	10	18.39
SJRGPF-DS2	2012	10	4	9	18.414
SJRGPF-DS2	2012	10	4	8	18.485
SJRGPF-DS2	2012	10	4	7	18.533
SJRGPF-DS2	2012	10	4	6	18.58
SJRGPF-DS2	2012	10	4	5	18.675

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-DS2	2012	10	4	4	18.723
SJRGPF-DS2	2012	10	4	3	18.723
SJRGPF-DS2	2012	10	4	2	18.747
SJRGPF-DS2	2012	10	4	1	18.747
SJRGPF-DS2	2012	10	4	0	18.723
SJRGPF-DS2	2012	10	3	23	18.723
SJRGPF-DS2	2012	10	3	22	18.723
SJRGPF-DS2	2012	10	3	21	18.723
SJRGPF-DS2	2012	10	3	20	18.723
SJRGPF-DS2	2012	10	3	19	18.723
SJRGPF-DS2	2012	10	3	18	18.771
SJRGPF-DS2	2012	10	3	17	18.794
SJRGPF-DS2	2012	10	3	16	22.465
SJRGPF-DS2	2012	10	3	15	18.628
SJRGPF-DS2	2012	10	3	14	18.604
SJRGPF-DS2	2012	10	3	13	18.557
SJRGPF-DS2	2012	10	3	12	18.533
SJRGPF-DS2	2012	10	3	11	18.485
SJRGPF-DS2	2012	10	3	10	18.461
SJRGPF-DS2	2012	10	3	9	18.509
SJRGPF-DS2	2012	10	3	8	18.557
SJRGPF-DS2	2012	10	3	7	18.628
SJRGPF-DS2	2012	10	3	6	18.628
SJRGPF-DS2	2012	10	3	5	18.628
SJRGPF-DS2	2012	10	3	4	18.628
SJRGPF-DS2	2012	10	3	3	18.628
SJRGPF-DS2	2012	10	3	2	18.628
SJRGPF-DS2	2012	10	3	1	18.628
SJRGPF-DS2	2012	10	3	0	18.628
SJRGPF-DS2	2012	10	2	23	18.628
SJRGPF-DS2	2012	10	2	22	18.628
SJRGPF-DS2	2012	10	2	21	18.628
SJRGPF-DS2	2012	10	2	20	18.628
SJRGPF-DS2	2012	10	2	19	18.628
SJRGPF-DS2	2012	10	2	18	18.628
SJRGPF-DS2	2012	10	2	17	18.628
SJRGPF-DS2	2012	10	2	16	18.604
SJRGPF-DS2	2012	10	2	15	18.604
SJRGPF-DS2	2012	10	2	14	18.557
SJRGPF-DS2	2012	10	2	13	18.533
SJRGPF-DS2	2012	10	2	12	18.509
SJRGPF-DS2	2012	10	2	11	18.485
SJRGPF-DS2	2012	10	2	10	18.461
SJRGPF-DS2	2012	10	2	9	18.533

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-DS2	2012	10	2	8	18.557
SJRGPF-DS2	2012	10	2	7	18.58
SJRGPF-DS2	2012	10	2	6	18.628
SJRGPF-DS2	2012	10	2	5	18.628
SJRGPF-DS2	2012	10	2	4	18.628
SJRGPF-DS2	2012	10	2	3	18.628
SJRGPF-DS2	2012	10	2	2	18.628
SJRGPF-DS2	2012	10	2	1	18.604
SJRGPF-DS2	2012	10	2	0	18.604
SJRGPF-DS2	2012	10	1	23	18.628
SJRGPF-DS2	2012	10	1	22	18.604
SJRGPF-DS2	2012	10	1	21	18.604
SJRGPF-DS2	2012	10	1	20	18.604
SJRGPF-DS2	2012	10	1	19	18.604
SJRGPF-DS2	2012	10	1	18	18.604
SJRGPF-DS2	2012	10	1	17	18.604
SJRGPF-DS2	2012	10	1	16	18.604
SJRGPF-DS2	2012	10	1	15	18.58
SJRGPF-DS2	2012	10	1	14	18.557
SJRGPF-DS2	2012	10	1	13	18.533
SJRGPF-DS2	2012	10	1	12	18.509
SJRGPF-DS2	2012	10	1	11	18.485
SJRGPF-DS2	2012	10	1	10	18.485
SJRGPF-DS2	2012	10	1	9	18.509
SJRGPF-DS2	2012	10	1	8	18.509
SJRGPF-DS2	2012	10	1	7	18.604
SJRGPF-DS2	2012	10	1	6	18.604
SJRGPF-DS2	2012	10	1	5	18.58
SJRGPF-DS2	2012	10	1	4	18.58
SJRGPF-DS2	2012	10	1	3	18.58
SJRGPF-DS2	2012	10	1	2	18.58
SJRGPF-DS2	2012	10	1	1	18.58
SJRGPF-DS2	2012	10	1	0	18.58