

Technical Memorandum

**Channel Capacity Report
2026 Restoration Year**



1 Table of Contents

2	1.0	Introduction.....	4
3	2.0	Then Existing Channel Capacity	5
4	3.0	Program Actions.....	6
5	4.0	Future Program Studies and Monitoring	7
6	5.0	References	9

7

8 Tables

9	Table 1.	2026 Then-existing channel capacity.....	6
---	-----------------	---	----------

10

11 List of Abbreviations and Acronyms

12	CCAG	Channel Capacity Advisory Group
13	CCR	Channel Capacity Report
14	CFS	Cubic feet per second
15	DWR	Department of Water Resources
16	NRDC	Natural Resources Defense Council
17	NOD	Notice of Determination
18	PEIS/R	Program Environmental Impact Statement/Environmental
19	Reclamation	Bureau of Reclamation
20	Restoration Area	San Joaquin River Restoration Program Restoration Area
21	SJLE Project	San Joaquin Levee Evaluation Project
22	SJRRP	San Joaquin River Restoration Program
23	SJR	San Joaquin River
24	SMP	Seepage Management Plan

1 Definitions

2 **San Joaquin River Restoration Program (SJRRP):** The SJRRP (also abbreviated as Program)
3 was established in late 2006 to restore and maintain fish populations in good condition in the
4 mainstem of the San Joaquin River (SJR) below Friant Dam to the confluence of the Merced
5 River, while reducing or avoiding adverse water supply impacts.

6
7 **Settlement:** In 2006, the SJRRP was established to implement the Stipulation of Settlement in
8 *NRDC, et al., v. Kirk Rodgers, et al.*

9
10 **Program Environmental Impact Statement/Environmental Impact Report (PEIS/R):** The
11 Bureau of Reclamation (Reclamation), as the federal lead agency under the National
12 Environmental Policy Act (NEPA) and the California Department of Water Resources (DWR),
13 the state lead agency under the California Environmental Quality Act (CEQA), jointly prepared a
14 Program Environmental Impact Statement/Report (PEIS/R) and signed a Record of Decision and
15 Notice of Determination (ROD and NOD), respectively, in 2012 to implement the Settlement.

16
17 **Channel Capacity Advisory Group (CCAG):** The Channel Capacity Advisory Group provides
18 focused input to Reclamation's determination of "then-existing channel capacity" within the
19 Restoration Area.

20
21 **Then-existing channel capacity:** The channel capacity within the Restoration Area that
22 corresponds to flows that would not significantly increase flood risk from Restoration Flows in
23 the Restoration Area. The annual Channel Capacity Report will include recommendations of
24 then-existing channel capacity for the upcoming Restoration Year based on recently completed
25 evaluations.

26
27 **In-channel capacity:** The channel capacity at which the water surface elevation is maintained at
28 or below the elevation of the outside ground (i.e., along the landside levee toe).

29

1 1.0 Introduction

2 The San Joaquin River Restoration Program (SJRRP) was established in late 2006 to implement
3 a Stipulation of Settlement (Settlement) in *NRDC, et al., v. Kirk Rodgers, et al.* The U.S.
4 Department of the Interior, Bureau of Reclamation (Reclamation), the Federal lead agency under
5 the National Environmental Policy Act (NEPA), and the California Department of Water
6 Resources (DWR), the State lead agency under the California Environmental Quality Act
7 (CEQA), prepared a joint Program Environmental Impact Statement/Report (PEIS/R) to support
8 implementation of the Settlement. The Settlement calls for releases of Restoration Flows, which
9 were initiated in 2014 and are specific volumes of water to be released from Friant Dam during
10 different water year types, according to Exhibit B of the Settlement. Federal authorization for
11 implementing the Settlement is provided in the San Joaquin River Restoration Settlement Act
12 (Act) (Public Law 111-11). Reclamation signed the Record of Decision (ROD)/Notice of
13 Determination (NOD) on September 28, 2012. Both the PEIS/R and the ROD/NOD committed
14 to establishing a Channel Capacity Advisory Group (CCAG) to determine and update estimates
15 of then-existing channel capacities as needed and to maintain Restoration Flows at or below
16 estimates of then-existing channel capacities.

17 Then-existing channel capacities in the Restoration Area (the San Joaquin River between Friant
18 Dam and the confluence of the Merced River) correspond to flows that would not significantly
19 increase flood risk from Restoration Flows. Then-existing channel capacity is reported in an
20 annual comprehensive Channel Capacity Report (CCR) that is prepared and circulated for public
21 comment. The CCR describes the proposed then-existing channel capacity for the upcoming
22 Restoration Year, and the projects and analyses that were performed to update the capacity from
23 the previous year's CCR.

24 In this CCR for the 2026 Restoration Year, the SJRRP will not be recommending any changes in
25 then-existing channel capacity, therefore, then-existing channel capacities for all reaches in the
26 Restoration Area remain unchanged from the 2022, 2023, 2024 and 2025 CCRs. The CCR for
27 the 2026 Restoration Year summarizes the current then-existing channel capacity values and
28 updates activities of the SJRRP that relate to flow and channel capacity.

29 Previous CCRs can be found on the SJRRP website:

30 <https://restoresjr.net/flows/channel-capacity/>

1 **2.0 Then-existing Channel Capacity**

2 The SJRRP has completed comprehensive evaluations of over 60 miles of levees to determine
3 the upper limit of Restoration Flows that can be conveyed in each channel. Evaluations include a
4 drilling program and seepage and stability modeling to evaluate the risk of levee failure. For
5 those levees that have not been evaluated, the SJRRP keeps Restoration Flows below the levees
6 (in-channel) to reduce the risk of a levee failure. This upper limit, which is referred to as “then-
7 existing” channel capacity, is the maximum Restoration Flow that can be conveyed in each reach
8 based on levee capacity. Then-existing channel capacities in the Restoration Area were
9 determined for the 2022 Restoration Year for all of the leveed reaches that can convey
10 Restoration Flows: Reach 2, Reach 3, Reach 4A, and Reach 5 of the San Joaquin River and the
11 Eastside and Mariposa Bypasses, flood bypasses for the San Joaquin River. A map of the
12 Restoration Area can be found on the SJRRP website:

13 <https://restoresjr.net/wp-content/uploads/2025/06/Restoration-Area-Map-1-scaled.jpg>

14

15 There were no studies or projects completed in 2025 that would result in changes to channel
16 capacity. Therefore, this year’s CCR does not recommend changes to the 2022 then-existing
17 channel capacities (as done in 2023, 2024, and 2025). The then-existing channel capacities will
18 remain the same for the 2026 Restoration Year. A summary of how then-existing channel
19 capacity was determined for each reach, and the CCR that describes the study used to determine
20 each reach’s capacity, is described below.

21

22 For Reach 2A, the lower 2.5 miles of Reach 4A, Reach 4B2, and the Middle Eastside and
23 Mariposa Bypasses, adequate data was available to perform a geotechnical analysis on the levees
24 and these results were used to determine then-existing channel capacity for these reaches. The
25 study details used to determine the then-existing channel capacity for Reach 2A and the lower
26 2.5 miles of Reach 4A are included in the 2018 CCR. The study details used to determine the
27 then-existing channel capacity for Reach 4B2 and the Mariposa Bypass are included in the 2020
28 CCR. For the Middle Eastside Bypass, the 2022 CCR was used to update the capacity of the
29 reach after the completion of a levee improvement project in 2020. In-channel capacities are the
30 best estimate of then-existing channel capacities for Reach 2B, Reach 3, portions of Reach 4A,
31 Reach 5, and the Lower Eastside Bypass. The studies used to determine the capacities in these
32 reaches are summarized in the 2017 and 2018 CCRs. A complete discussion of the data and
33 analyses conducted to determine previous then-existing channel capacities can be found in the
34 previous CCRs on the SJRRP website:

35 <https://restoresjr.net/flows/channel-capacity/>

36

37 Table 1 identifies then-existing channel capacities for each reach, and whether the capacity is
38 based on geotechnical data or if Restoration Flows are to remain in-channel. Then-existing
39 channel capacities in Table 1 do not consider limitations to Restoration Flows as it relates to
40 agricultural seepage. For the 2026 Restoration Year, releases of Restoration Flows in Reach 2A,
41 Reach 3, and Reach 4A continue to be limited by agricultural seepage, and not levee stability.
42 Footnotes in Table 1 note current limitations of Restoration Flows based on agricultural seepage.

1 Details of how these seepage limits are determined and limit Restoration Flows are in the
 2 *Seepage Management Plan* (SMP), which can be found on the SJRRP website:

3
 4 <https://restoresjr.net/flows/seepage-management/>
 5

6
 7 **Table 1.**
2026 Then-existing Channel Capacity

Reach	Then-existing Channel Capacity (cfs) ¹	Method Used to Determine Then-existing Channel Capacity
Reach 2A	6,000 ²	Geotechnical Assessment
Reach 2B	1,210	In-channel
Reach 3	2,860 ³	In-channel
Reach 4A	2,840	Geotechnical Assessment and In-channel
Reach 4B1	Not Analyzed	--
Reach 4B2	4,300	Geotechnical Assessment
Reach 5	2,350	In-channel
Middle Eastside Bypass	2,600	Geotechnical Assessment
Lower Eastside Bypass	2,890	In-channel
Mariposa Bypass	1,800	Geotechnical Assessment

8 ¹ Then-existing channel capacity shown in this table is based on levee stability only and does not consider Restoration Flow
 9 limitations related to agricultural seepage.

10 ² Capacity not assessed for flows greater than 6,000 cfs. Restoration Flows are limited due to agricultural seepage with Reach 2A
 11 thresholds being updated in Appendix H of the SMP and published in 2024.

12 ³ Reach 3 flows are limited to approximately 895 cfs due to agricultural seepage.

13
 14 It should be acknowledged that then-existing channel capacities identified in this report are
 15 applicable to Restoration Flows, not flood management releases, and are often much less than the
 16 flows the channels will convey during flood events. Flood releases are routed based on a
 17 different set of criteria, which can exceed current levee seepage and slope stability criteria
 18 (which define then-existing capacity limits).

19 **3.0 Program Actions**

20 Throughout the implementation of the SJRRP, the maximum downstream extent and rate of
 21 Restoration Flows to be released would be limited to then-existing channel capacity, except
 22 when agricultural seepage or other constraints (e.g., construction, maintenance, etc.) are more
 23 limiting. As channel or structure modifications are completed, corresponding maximum
 24 Restoration Flow releases would be increased in accordance with then-existing channel capacity
 25 and the release schedule set in the Settlement. There are two projects that the SJRRP is currently
 26 working on that could have an effect on site-specific channel capacity. A status update on these
 27 projects are as follows:

1 • **Mendota Pool Bypass and Reach 2B Improvements Project.** The project would route
2 flows and fish around the Mendota Pool to provide volitional fish passage to allow
3 salmon to complete their lifecycle. A fish screen will prevent fish from entering the
4 Mendota Pool when water deliveries are made from Friant Dam to Mendota Pool. The
5 project will also include setback levees to create floodplain habitat and improve channel
6 capacity to at least 4,500 cfs in Reach 2B. In September 2021, the first construction
7 project, the replacement of Mowry Bridge was completed. The bridge replacement will
8 provide a haul route for future construction, operation and maintenance access, and a
9 stable structure for the City of Mendota's municipal water supply line. Several other
10 elements of the project continue in preliminary design, including the setback levees. The
11 major components of this project are scheduled to begin in 2027. A summary of the
12 project can be found at the following website:

13 <https://restoresjr.net/infrastructure/mendota-pool-bypass-and-reach-2b-improvements-project/>

15 • **Arroyo Canal and Sack Dam Improvements Project.** This project is another integral
16 project in restoring salmon to the San Joaquin River and will provide fish passage around
17 Sack Dam and adds a fish screen on the Arroyo Canal to prevent entrainment of juvenile
18 Chinook salmon in the canal. The project will replace the functions of Sack Dam by
19 allowing water to enter the Arroyo Canal and the efficient passing of flows up to
20 4,500 cfs into Reach 4A, and fish passage. Construction began in fall of 2025 and is
21 expected to be completed by 2028. A summary of the project can be found at the
22 following website:

23 <https://restoresjr.net/infrastructure/arroyo-canal-fish-screen-and-sack-dam-fish-passage-project/>

26 4.0 Future Program Studies and Monitoring

27 There are several factors that can impact and limit channel capacity including levee construction
28 or integrity (e.g., insufficient slope stability factor of safety or underseepage factor of safety);
29 flow duration and timing that could saturate the levee and cause instability; erosion of the stream
30 banks that could cause potential levee failure; sedimentation or scouring; ground subsidence; and
31 increased roughness from vegetation. These factors and others were considered in developing
32 SJRRP studies and monitoring to determine then-existing channel capacity. A comprehensive list
33 of studies and monitoring activities of the SJRRP can be found in the 2020 CCR. The following
34 describes the ongoing studies and monitoring activities that may be conducted during the next
35 Restoration Year:

36 • The SJRRP continues to update its hydraulic and sediment transport modeling tools to
37 evaluate the flow, seepage, and structural actions as part of meeting the Restoration Goal
38 of the Settlement, as needed.

- Reclamation, DWR and the U.S. Geological Survey continue to operate and maintain several flow and water level stage gages along the San Joaquin River and tributaries between Friant Dam and the Merced confluence. These gages are used to determine the flow and river stage in each reach of the river to ensure applicable flow releases do not exceed then-existing channel capacity. All of the gages are available online at the California Data Exchange Center (CDEC).
- DWR continues to perform vegetation surveys, as needed of Reach 2A and the Middle Eastside Bypass to better assess how vegetation growth may affect channel capacity in the flood system. The monitoring includes photographs and visual descriptions taken along vegetation transects in the channel to understand the general type, heights, and densities of vegetation along these reaches.
- DWR is preparing to conduct an assessment of the in-channel capacity within Reach 5. This assessment will focus on analyzing critical cross sections that play a significant role in determining in-channel capacity. The assessment will include consideration of an ongoing floodplain project being implemented within the area by American Rivers and the California Department of Parks and Recreation.
- DWR will continue to monitor general erosion throughout the Restoration Area. Monitoring efforts will likely depend on severity and occurrence of future flood flows.

1 5.0 References

2 San Joaquin River Restoration Program (SJRRP). 2012. *San Joaquin River Restoration Program*
3 *Environmental Impact Statement/Report*. Available from:
4 https://www.usbr.gov/mp/nepa/nepa_projdetails.cfm?Project_ID=2940. Accessed on
5 March 27, 2017.

6 SJRRP. 2016. San Joaquin River Restoration Program Environmental Impact Statement/Report –
7 Mendota Pool Bypass and Reach 2B Improvement Project. Available from:
8 https://www.usbr.gov/mp/nepa/nepa_project_details.php?Project_ID=4032. Accessed on
9 September 20, 2019.

10 SJRRP. 2017. *Technical Memorandum, Channel Capacity Report, 2017 Restoration Year*.
11 Available from: <http://www.restoresjr.net/restoration-flows/levee-stability-channel->
12 [capacity/](#)

13 SJRRP. 2018. *Technical Memorandum, Channel Capacity Report, 2018 Restoration Year*.
14 Available from: <http://www.restoresjr.net/restoration-flows/levee-stability-channel->
15 [capacity/](#)

16 SJRRP. 2020. *Technical Memorandum, Channel Capacity Report, 2020 Restoration Year*.
17 Available from: <http://www.restoresjr.net/restoration-flows/levee-stability-channel->
18 [capacity/](#)

19 SJRRP. 2021. *Technical Memorandum, Channel Capacity Report, 2021 Restoration Year*.
20 Available from: <http://www.restoresjr.net/restoration-flows/levee-stability-channel->
21 [capacity/](#)

22 SJRRP. 2022. *Technical Memorandum, Channel Capacity Report, 2022 Restoration Year*.
23 Available from: <http://www.restoresjr.net/restoration-flows/levee-stability-channel->
24 [capacity/](#)

25 SJRRP. 2023. *Technical Memorandum, Channel Capacity Report, 2023 Restoration Year*.
26 Available from: <http://www.restoresjr.net/restoration-flows/levee-stability-channel->
27 [capacity/](#)

28 SJRRP. 2024. *Technical Memorandum, Channel Capacity Report, 2024 Restoration Year*.
29 Available from: <http://www.restoresjr.net/restoration-flows/levee-stability-channel->
30 [capacity/](#)

31 SJRRP. 2025. *Technical Memorandum, Channel Capacity Report, 2025 Restoration Year*.
32 Available from: <http://www.restoresjr.net/restoration-flows/levee-stability-channel->
33 [capacity/](#)